

# FOOD STANDARDS AUSTRALIA NEW ZEALAND

## VARIATIONS TO THE AUSTRALIA NEW ZEALAND FOOD STANDARDS CODE

### (AMENDMENT NO. 73)

#### 1. Preamble

The variations set forth in the Schedule below are variations to the *Australia New Zealand Food Standards Code* (hereinafter called 'the Code') which was published by the National Health and Medical Research Council in the *Commonwealth of Australia Gazette*, No. P 27, on 27 August 1987, and which has been varied from time to time.

These variations are published pursuant to section 23A of the *Food Standards Australia New Zealand Act 1991*.

#### 2. Citation

These variations may be collectively known as *Amendment No. 73* to the Code.

#### 3. Commencement

These variations commence on the date of gazettal.

#### 4. Correction of Typographical Error

Amendment No. 72 published on 20 May 2004 contained the following typographical error –

- On page 3 (Item [1]) – the instruction should have read '*Standard 1.1.1 is varied by omitting subclauses 1(4), 1(5) and 1(6), substituting*'.

Note: These variations were published in the Commonwealth of Australia Gazette No. FSC 15 on 5 August 2004.

### SCHEDULE

[1] *Standard 1.3.4 is varied by omitting subclause 3(g), substituting –*

*The Merck Index*, 13th Edition, Merck and Co. Ltd. Whitehouse Station, N.J. (2001); or

[2] *Standard 1.4.2 is varied by –*

[2.1] *omitting from Schedule 1 all entries for the following chemicals –*

Bioresmethrin  
Phoxim

[2.2] omitting from Schedule 1 the foods and associated MRLs for each of the following chemicals –

<b>AMINOETHOXYVINYLGLYCINE</b> AMINOETHOXYVINYLGLYCINE	
NECTARINE	0.2
PEACH	0.2
STONE FRUITS [EXCEPT AS OTHERWISE LISTED]	T0.2
<b>BITERTANOL</b> BITERTANOL	
POULTRY MEAT (IN THE FAT)	1
<b>BUPROFEZIN</b> BUPROFEZIN	
MEAT (MAMMALIAN)	T*0.05
<b>CARBARYL</b> CARBARYL	
DEWBERRIES (INCLUDING BOYSENBERRY, LOGANBERRY AND YOUNGBERRY)	10
<b>CARBENDAZIM</b> SUM OF CARBENDAZIM AND 2-AMINOBENZIMIDAZOLE, EXPRESSED AS CARBENDAZIM	
EGG PLANT	0.02
<b>CGA279202</b> CGA279202	
BANANAS	T0.1
GRAPES	T3
POME FRUIT	T0.5
<b>CHLORPYRIFOS-METHYL</b> CHLORPYRIFOS-METHYL	
COTTON SEED OIL	*0.01
<b>CYANAZINE</b> CYANAZINE	
STONE FRUITS	T*0.05
<b>CYFLUTHRIN</b> CYFLUTHRIN, SUM OF ISOMERS	
MEAT (MAMMALIAN) (IN THE FAT)	0.02
<b>CYPERMETHRIN</b> CYPERMETHRIN, SUM OF ISOMERS	
COMMON BEAN (DRY)	0.05
<b>DELTAMETHRIN</b> DELTAMETHRIN	
POULTRY MEAT	*0.01

<b>DIAFENTHIURON</b> SUM OF DIAFENTHIURON; N-[2,6-BIS(1-METHYLETHYL)-4-PHENOXYPHENYL]-N'-(1,1-DIMETHYLETHYL)UREA; AND N-[2,6-BIS(1-METHYLETHYL)-4-PHENOXYPHENYL]-N'-(1,1-DIMETHYLETHYL)CARBODIIMIDE, EXPRESSED AS DIAFENTHIURON	
COMMON BEANS (PODS AND/OR IMMATURE SEEDS)	0.1
POTATO	0.1
TOMATO	0.5
<b>DIFLUBENZURON</b> DIFLUBENZURON	
CATTLE MEAT	*0.02
<b>DIOFENOLAN</b> DIOFENOLAN	
SHEEP, EDIBLE OFFAL OF	T0.2
SHEEP MEAT	T5
<b>FENPICLONIL</b> FENPICLONIL	
COTTON SEED	0.02
<b>FIPRONIL</b> SUM OF FIPRONIL, THE SULPHENYL METABOLITE (5-AMINO-1-[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4-[(TRIFLUOROMETHYL)SULPHENYL]-1H-PYRAZOLE-3-CARBONITRILE), THE SULPHONYL METABOLITE (5-AMINO-1-[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4-[(TRIFLUOROMETHYL)SULPHONYL]-1H-PYRAZOLE-3-CARBONITRILE), AND THE TRIFLUOROMETHYL METABOLITE (5-AMINO-4-TRIFLUOROMETHYL-1-[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-1H-PYRAZOLE-3-CARBONITRILE)	
BERRIES AND OTHER SMALL FRUITS [EXCEPT STRAWBERRY AND WINE GRAPES]	T*0.01
BROCCOLI	0.03
BRUSSELS SPROUTS	0.1
CABBAGES, HEAD	0.03
CAULIFLOWER	0.03
<b>FLUQUINCONAZOLE</b> FLUQUINCONAZOLE	
PEAR	0.5
<b>GLYPHOSATE</b> GLYPHOSATE	
RAPE SEED, EDIBLE	T0.05

<b>HALOSULFURON-METHYL</b> HALOSULFURON-METHYL	
SOYA BEAN (DRY)	0.5
SOYA BEAN (IMMATURE SEEDS)	0.5
WHEAT	0.2
<b>IMIDACLOPRID</b> SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE 6- CHLOROPYRIDINYMETHYLENEMOIEY, EXPRESSED AS IMIDACLOPRID	
FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.5
<b>INDOXACARB</b> INDOXACARB	
MILK (IN THE FAT)	0.5
<b>IVERMECTIN</b> H <sub>2</sub> B <sub>1A</sub>	
EDIBLE OFFAL (MAMMALIAN)	T*0.05
MEAT (MAMMALIAN)	T*0.05
MILKS	T*0.05
SUGAR CANE	T*0.01
<b>METALAXYL</b> METALAXYL	
PODDED PEA (YOUNG PODS)	T1
<b>METHIDATHION</b> METHIDATHION	
CATTLE, EDIBLE OFFAL OF	0.5
EDIBLE OFFAL (MAMMALIAN) [EXCEPT CATTLE, EDIBLE OFFAL OF]	0.05
MEAT (MAMMALIAN) [EXCEPT CATTLE MEAT (IN THE FAT)]	0.05
<b>METHOPRENE</b> METHOPRENE, SUM OF CIS- AND TRANS- ISOMERS	
MEAT (MAMMALIAN)	0.3

<b>PERMETHRIN</b> PERMETHRIN, SUM OF ISOMERS	
POULTRY, EDIBLE OFFAL OF	0.1
<b>PIPERONYL BUTOXIDE</b> PIPERONYL BUTOXIDE	
POULTRY MEAT	*0.5
<b>PROPARGITE</b> PROPARGITE	
HOPS, WET	3
<b>PYRIMETHANIL</b> PYRIMETHANIL	
APPLE	1.0
PEAR	1.0
<b>SPINOSAD</b> SUM OF SPINOSYN A AND SPINOSYN D	
PEAS (PODS AND SUCCULENT AND IMMATURE SEEDS)	T0.2
STRAWBERRY	T0.5
<b>TEBUFENOZIDE</b> TEBUFENOZIDE	
APPLES	T2
<b>THIODICARB</b> SUM OF THIODICARB, METHOMYL AND METHOMYLOXIME, EXPRESSED AS THIODICARB <i>SEE ALSO METHOMYL</i>	
POULTRY, EDIBLE OFFAL OF	*0.5
POULTRY MEAT	*0.5
RICE	*0.05
<b>TRICLOPYR</b> TRICLOPYR	
EGGS	0.05
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT (IN THE FAT)	0.05
SORGHUM	0.1

[2.3] *omitting from Schedule 1 the foods and associated MRLs for Sulphosulfuron, substituting –*

<b>SULFOSULFURON</b> SUM OF SULFOSULFURON AND ITS METABOLITES WHICH CAN BE HYDROLYSED TO 2-(ETHYLSULFONYL)IMIDAZO[1,2-A]PYRIDINE, EXPRESSED AS SULFOSULFURON	
EDIBLE OFFAL (MAMMALIAN)	*0.005
EGGS	*0.005
MEAT (MAMMALIAN)	*0.005
MILKS	*0.005
POULTRY, EDIBLE OFFAL OF	*0.005
POULTRY MEAT	*0.005
TRITICALE	*0.01
WHEAT	*0.01

[2.4] inserting in alphabetical order in Schedule 1, the foods and associated MRLs for each of the following chemicals –

<b>AMINOETHOXYVINYLGLYCINE</b> AMINOETHOXYVINYLGLYCINE	
STONE FRUITS [EXCEPT CHERRIES]	0.2
<b>AZOXYSTROBIN</b> AZOXYSTROBIN	
AVOCADO	1
LEEK	0.5
<b>CARBARYL</b> CARBARYL	
DEWBERRIES (INCLUDING BOYSENBERRY AND LOGANBERRY)	10
<b>CARFENTRAZONE-ETHYL</b> CARFENTRAZONE-ETHYL	
GRAPES	*0.05
OLIVES	*0.05
POME FRUITS	*0.05
STONE FRUITS	*0.05
TREE NUTS	*0.05
<b>CHLORPYRIFOS</b> CHLORPYRIFOS	
SWEET POTATO	T0.05
<b>CHLORPYRIFOS-METHYL</b> CHLORPYRIFOS-METHYL	
COTTON SEED OIL, CRUDE	*0.01
<b>CYFLUTHRIN</b> CYFLUTHRIN, SUM OF ISOMERS	
COTTONSEED OIL, CRUDE	0.02
MEAT (MAMMALIAN)	0.02
<b>CYHALOTHRIN</b> CYHALOTHRIN, SUM OF ISOMERS	
BEETROOT	*0.01
<b>CYPERMETHRIN</b> CYPERMETHRIN, SUM OF ISOMERS	
COMMON BEAN (DRY) (NAVY BEAN)	0.05
<b>CYPRODINIL</b> CYPRODINIL	
DRIED STONE FRUITS	0.05
<b>DELTAMETHRIN</b> DELTAMETHRIN	
POULTRY MEAT (IN THE FAT)	*0.01

<b>DIMETHOATE</b> SUM OF DIMETHOATE AND OMETHOATE, EXPRESSED AS DIMETHOATE <i>SEE ALSO OMETHOATE</i>	
MIZUNA	T2
<b>FIPRONIL</b> SUM OF FIPRONIL, THE SULPHENYL METABOLITE (5-AMINO-1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL) SULPHENYL]-1H- PYRAZOLE-3-CARBONITRILE), THE SULPHONYL METABOLITE (5-AMINO-1-[2,6- DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL)SULPHONYL]-1H- PYRAZOLE-3-CARBONITRILE), AND THE TRIFLUOROMETHYL METABOLITE (5-AMINO-4-TRIFLUOROMETHYL- 1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-1H-PYRAZOLE-3- CARBONITRILE)	
BERRIES AND OTHER SMALL FRUITS [EXCEPT WINE GRAPES]	T*0.01
<b>FLUDIOXONIL</b> FLUDIOXONIL	
MAIZE	T*0.02
SORGHUM	T*0.05
SUNFLOWER SEED	T*0.02
SWEET CORN (CORN-ON-THE- COB)	T*0.02
<b>GLYPHOSATE</b> GLYPHOSATE	
ADZUKI BEANS (DRY)	T10
PEANUT	*0.1
<b>IMIDACLOPRID</b> SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE 6- CHLOROPYRIDINYMETHYLENEMOIEITY, EXPRESSED AS IMIDACLOPRID	
FRUITING VEGETABLES, OTHER THAN CUCURBITS [EXCEPT SWEET CORN, CORN-ON-THE COB]	0.5
<b>IVERMECTIN</b> H <sub>2</sub> B <sub>1A</sub>	
PIG, LIVER	*0.01
<b>LINDANE</b> LINDANE	
PINEAPPLE	0.5

<b>METALAXYL</b> METALAXYL	
PODDED PEA (YOUNG PODS) (SNOW AND SUGAR SNAP)	T0.1
<b>METHIOCARB</b> SUM OF METHIOCARB, ITS SULFOXIDE AND SULFONE, EXPRESSED AS METHIOCARB	
CITRUS FRUITS	0.1
<b>METHOMYL</b> METHOMYL	
MANGO	T*0.05
<b>METHOPRENE</b> METHOPRENE, SUM OF CIS- AND TRANS- ISOMERS	
MEAT (MAMMALIAN) (IN THE FAT)	0.3
<b>OXYCARBOXIN</b> OXYCARBOXIN	
BLUEBERRIES	T10
<b>OXYFLUORFEN</b> OXYFLUORFEN	
COTTON SEED	*0.05
<b>PERMETHRIN</b> PERMETHRIN, SUM OF ISOMERS	
CORIANDER (LEAVES AND STEMS)	T10
<b>PIPERONYL BUTOXIDE</b> PIPERONYL BUTOXIDE	
POULTRY MEAT (IN THE FAT)	*0.5
<b>PIRIMIPHOS-METHYL</b> PIRIMIPHOS-METHYL	
TRITICALE	10
<b>PROPARGITE</b> PROPARGITE	
HOPS, DRY	3
<b>PROPazine</b> PROPazine	
LUPIN	*0.1

<b>PROPICONAZOLE</b> PROPICONAZOLE	
CELERY	T5
<b>PYRETHRINS</b> SUM OF PYRETHRINS I AND II, CINERINS I AND II AND JASMOLINS I AND II , DETERMINED AFTER CALIBRATION BY MEANS OF THE INTERNATIONAL PYRETHRUM STANDARD	
PUMPKINS	T0.02
<b>SETHOXYDIM</b> SUM OF SETHOXYDIM AND METABOLITES CONTAINING THE 5-(2- ETHYLTHIOPROPYL)CYCLOHEXENE-3-ONE AND 5-HYDROXYCYCLOHEXENE-3-ONE MOIETIES AND THEIR SULFOXIDES AND SULFOXIDES AND SULFONES, EXPRESSED AS SETHOXYDIM	
WHEAT	*0.1
<b>SPINOSAD</b> SUM OF SPINOSYN A AND SPINOSYN D	
PEAS	T0.2
RADISH	*0.05
<b>SULPHADIMIDINE</b> SULPHADIMIDINE	
TURKEY, EDIBLE OFFAL OF	0.2
<b>TERBUFOS</b> SUM OF TERBUFOS, ITS OXYGEN ANALOGUE AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS TERBUFOS	
SWEET CORN (CORN-ON-THE- COB)	*0.05
<b>THIAMETHOXAM</b> THIAMETHOXAM	
CITRUS FRUITS	T0.2
<b>TILMICOSIN</b> TILMICOSIN	
CATTLE MILK	T*0.025
<b>TRIADIMEFON</b> SUM OF TRIADIMEFON AND TRIADIMENOL, EXPRESSED AS TRIADIMEFON <i>SEE ALSO TRIADIMENOL</i>	
MUNG BEAN (DRY)	T0.1

[2.5] inserting in Schedule 1 under the entry for the following chemical the chemical residue definition –

<b>CARBONYL SULPHIDE</b> CARBONYL SULPHIDE
---

[2.6] inserting in alphabetical order in Schedule 1 the following reference –

<b>FLUAZIFOP-P-BUTYL</b> SEE FLUAZIFOP-BUTYL
---

[2.7] omitting from Schedule 1, under the entries for the following chemicals, the maximum residue limit for the food, substituting –

<b>ABAMECTIN</b> SUM OF AVERMECTIN B 1A, AVERMECTIN B 1B AND D-8,9 ISOMER OF AVERMECTIN B 1A	
PEPPERS	0.02
<b>ACIFLUORFEN</b> ACIFLUORFEN	
EDIBLE OFFAL (MAMMALIAN)	0.1
EGGS	*0.01
<b>ALDICARB</b> SUM OF ALDICARB, ITS SULFOXIDE AND ITS SULFONE, EXPRESSED AS ALDICARB	
SUGAR CANE	*0.02
<b>ASULAM</b> ASULAM	
POTATO	0.4
<b>AZINPHOS-METHYL</b> AZINPHOS-METHYL	
EDIBLE OFFAL (MAMMALIAN)	*0.05
<b>AZOXYSTROBIN</b> AZOXYSTROBIN	
MANGO	0.5
PASSIONFRUIT	0.5
POPPY SEED	*0.02
<b>BIFENTHRIN</b> BIFENTHRIN	
EGG PLANT	T0.5
<b>BRODIFACOUM</b> BRODIFACOUM	
CEREAL GRAINS	T*0.00002
EDIBLE OFFAL (MAMMALIAN)	T*0.00005
MEAT (MAMMALIAN)	T*0.00005
PULSES	T*0.00002
<b>BUPIRIMATE</b> BUPIRIMATE	
FRUITING VEGETABLES, CUCURBITS	1
<b>BUPROFEZIN</b> BUPROFEZIN	
CITRUS FRUITS	2
EDIBLE OFFAL (MAMMALIAN)	*0.05
MILKS	*0.01
TOMATO	1

<b>BUTROXYDIM</b> BUTROXYDIM	
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
LEGUME VEGETABLES	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
OILSEED	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
PULSES	*0.01
<b>CARBENDAZIM</b> SUM OF CARBENDAZIM AND 2- AMINOBENZIMIDAZOLE, EXPRESSED AS CARBENDAZIM	
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	3
<b>CHLORPYRIFOS</b> CHLORPYRIFOS	
KIWIFRUIT	2
<b>CLOMAZONE</b> CLOMAZONE	
BEANS [EXCEPT BROAD BEANS AND SOYA BEANS]	*0.05
<b>DIMETHOATE</b> SUM OF DIMETHOATE AND OMETHOATE, EXPRESSED AS DIMETHOATE SEE ALSO OMETHOATE	
QUANDONG	T5
<b>DIMETHOMORPH</b> SUM OF E AND Z ISOMERS OF DIMETHOMORPH	
POPPY SEED	*0.02
<b>DITHIOCARBAMATES</b> TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
COTTON SEED	T10
EGGS	*0.5
PAPAYA (PAWPAW)	5
<b>DORAMECTIN</b> DORAMECTIN	
CATTLE, EDIBLE OFFAL OF	0.1

CATTLE FAT	0.1
<b>EMAMECTIN</b> EMAMECTIN B1A, PLUS ITS 8,9-Z ISOMER AND EMAMECTIN B1B, PLUS ITS 8,9-Z ISOMER	
MILKS	*0.0005
<b>ETHOFUMESATE</b> ETHOFUMESATE	
MEAT (MAMMALIAN) (IN THE FAT)	0.5
MILKS (IN THE FAT)	0.2
<b>ETHOPROPHOS</b> ETHOPROPHOS	
POTATO	*0.02
<b>FENHEXAMID</b> FENHEXAMID	
STRAWBERRY	10
<b>FIPRONIL</b> SUM OF FIPRONIL, THE SULPHENYL METABOLITE (5-AMINO-1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL)SULPHENYL]-1H- PYRAZOLE-3-CARBONITRILE), THE SULPHONYL METABOLITE (5-AMINO-1-[2,6- DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL)SULPHONYL]-1H- PYRAZOLE-3-CARBONITRILE), AND THE TRIFLUOROMETHYL METABOLITE (5-AMINO-4-TRIFLUOROMETHYL- 1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-1H-PYRAZOLE-3- CARBONITRILE)	
COTTON SEED	*0.01
COTTON SEED OIL, CRUDE	*0.01
MUSHROOMS	0.02
SORGHUM	0.01
SUGAR CANE	*0.01
<b>FLUAZIFOP-BUTYL</b> FLUAZIFOP-BUTYL	
CITRUS FRUITS	*0.02
<b>FLUAZINAM</b> FLUAZINAM	
BRASSICA (COLE OR CABBAGE) VEGETABLES	*0.01
POME FRUITS	*0.01
<b>FLUPROPANATE</b> FLUPROPANATE	
EDIBLE OFFAL (MAMMALIAN)	*0.1
MEAT (MAMMALIAN) (IN THE FAT)	*0.1
<b>GLYPHOSATE</b> GLYPHOSATE	
SUGAR CANE	T0.3

<b>IPRODIONE</b> IPRODIONE	
MACADAMIA NUTS	*0.01
TURMERIC ROOT	T5
<b>LINCOMYCIN</b> INHIBITORY SUBSTANCE, IDENTIFIED AS LINCOMYCIN	
CATTLE MILK	*0.02
<b>LUFENURON</b> LUFENURON	
COTTON SEED	T0.2
<b>METALDEHYDE</b> METALDEHYDE	
TURMERIC ROOT	T1
VEGETABLES	1
<b>METHABENZTHIAZURON</b> METHABENZTHIAZURON	
CEREAL GRAINS	*0.05
GRAPES	*0.1
ONION, BULB	*0.05
<b>METHIDATHION</b> METHIDATHION	
COFFEE BEANS	T1
MEAT (MAMMALIAN) (IN THE FAT)	0.5
<b>METHOMYL</b> SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL <i>SEE ALSO</i> THIODICARB	
TURMERIC, ROOT	T*0.02
<b>METHYL BROMIDE</b> METHYL BROMIDE	
FRUIT [EXCEPT JACKFRUIT; LITCHI; MANGO; PAPAYA]	T*0.05
<b>MONENSIN</b> MONENSIN	
POULTRY, EDIBLE OFFAL OF	*0.5
POULTRY MEAT (IN THE FAT)	*0.5
<b>OXYFLUORFEN</b> OXYFLUORFEN	
EDIBLE OFFAL (MAMMALIAN)	*0.01
<b>PARATHION-METHYL</b> PARATHION-METHYL	
MEAT (MAMMALIAN)	T*0.05
MILKS	T*0.05

<b>PERMETHRIN</b> PERMETHRIN, SUM OF ISOMERS	
HERBS	T10
<b>PROCYMIDONE</b> PROCYMIDONE	
RAPE SEED OIL, CRUDE	T2
STRAWBERRY	5
<b>PROPICONAZOLE</b> PROPICONAZOLE	
MINT OIL	*0.02
<b>PYRIMETHANIL</b> PYRIMETHANIL	
POTATO	*0.01
TOMATO	1
<b>PYRITHIOBAC SODIUM</b> PYRITHIOBAC SODIUM	
COTTON SEED	*0.02
<b>QUINZALOFOP-ETHYL</b> SUM OF QUIZALOFOP-ETHYL AND QUIZALOFOP ID ACID AND OTHER ESTERS, EXPRESSED AS QUIXZALOFOP-ETHYL	
PULSES	0.2

<b>SIMAZINE</b> SIMAZINE	
RAPE SEED	*0.02
TREE NUTS	*0.1
<b>SPINOSAD</b> SUM OF SPINOSYN A AND SPINOSYN D	
GRAPES	0.5
POME FRUITS	0.2
<b>SULPHADOXINE</b> SULPHADOXINE	
CATTLE MILK	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.1
MEAT (MAMMALIAN)	*0.1
<b>TEBUCONAZOLE</b> TEBUCONAZOLE	
BROAD BEAN (DRY)	T0.5
<b>TRICHLORFON</b> TRICHLORFON	
PEPPERS	T0.5

[2.8] *inserting in alphabetical order in Schedule 2 the foods and ERLs for the following chemicals –*

<b>LINDANE</b> LINDANE	
FRUITS [EXCEPT AS OTHERWISE LISTED IN SCHEDULES 1 AND 2]	E0.5
MEAT (MAMMALIAN) (IN THE FAT)	E2
MILKS (IN THE FAT)	E0.2

[2.9] *omitting from Schedule 2 the food and ERL for the following chemicals, substituting –*

<b>ALDRIN AND DIELDRIN</b> SUM OF HHDN AND HEOD	
SUGAR CANE	E*0.01

[2.10] *omitting from Schedule 3 all entries for the following chemicals –*

Bioresmethrin

[2.11] *inserting in alphabetical order in Schedule 4 in the Commodities listed under the heading Herbs –*

Mizuna



[3] *Standard 4.5.1 is varied by inserting in the Table to clause 4 –*  
Collagen