

FOOD STANDARDS AUSTRALIA NEW ZEALAND

VARIATIONS TO THE AUSTRALIA NEW ZEALAND FOOD STANDARDS CODE

(AMENDMENT NO. 74)

1. Preamble

The variations set forth in the Schedule below are variations to the *Australia New Zealand Food Standards Code* (hereinafter called 'the Code') which was published by the National Health and Medical Research Council in the *Commonwealth of Australia Gazette*, No. P 27, on 27 August 1987, and which has been varied from time to time.

These variations are published pursuant to section 23A of the *Food Standards Australia New Zealand Act 1991*.

2. Citation

These variations may be collectively known as *Amendment No. 74* to the Code.

3. Commencement

These variations commence on the date of gazettal.

Note: These variations were published in the Commonwealth of Australia Gazette No. FSC 16 on 14 October 2004.

SCHEDULE

[1] *Standard 1.2.4* is varied by inserting in the Table to clause 4, for the Generic name *fats or oils*, under the Conditions for Use –

4. Must not be used for Diacylglycerol oil.

[2] *Standard 1.2.8* is varied by –

[2.1] *omitting subclause 16(2), substituting –*

(2) A claim to the effect that a food is gluten free must not be made in relation to a food unless the food contains –

- (a) no detectable gluten; and
- (b) no –

- (i) oats or their products; or
- (ii) cereals containing gluten that have been malted, or their products.

[2.2] *omitting subclause 16(3), substituting –*

(3) A claim to the effect that a food has a low gluten content must not be made in relation to a food unless the food contains no more than 20 mg gluten per 100 g of the food.

[2.3] *inserting in the Table to subclause 18(1) –*

Total dietary fibre (including resistant maltodextrins)	Section 2001.03 of the AOAC, 17th Edition, 1 st Revision (2002)
---	--

[2.4] *inserting in the Editorial note after subclause 18(2) –*

Total dietary fibre as determined by Section 985.29, or Section 991.43 of the AOAC, 17th Edition (2000) may include resistant maltodextrins. However, these methods cannot fully determine resistant maltodextrins as total dietary fibre, and should not be used for this purpose. Section 2001.03 of the AOAC, 17th Edition, 1st Revision (2002) is an accurate method for determining resistant maltodextrins as dietary fibre, and should be used to ascertain total dietary fibre content where full analysis of resistant maltodextrins is required.

Added resistant maltodextrins must comply with Standard 1.3.4 – Identity and Purity

[3] *Standard 1.3.4 is varied by inserting in the Schedule –*

Specification for resistant maltodextrins

Chemical structure	Glucopyranose linked by $\alpha(1-4)$, $\alpha(1-6)$, $\alpha/\beta(1-2)$, and $\alpha/\beta(1-3)$ glucosidic bonds; and contains levoglucosan.
Dextrose equivalent	8-12
Appearance	Free-flowing fine powder
Colour	White
Taste/odour	Slightly sweet/odourless
Solution	Clear
pH (in 10% solution)	4-6
Moisture (%)	max. 5
Ash (%)	max. 0.2
Arsenic (ppm)	max. 1
Heavy metals (ppm)	max. 5
Microbiological	Standard plate count (cfu/g) max. 300
	Yeast and mould (cfu/g) max. 100
	Salmonella Negative to test
	Coliforms Negative to test

[4] *Standard 1.4.2 is varied by –*

[4.1] *omitting from Schedule 1 all entries for the following chemicals -*

Fenchlorphos
Fenoprop
Methacrifos
Promacyl

[4.2] *inserting in Schedule 1 the foods and associated MRLs for the following chemicals –*

BIFENAZATE	
SUM OF BIFENAZATE AND BIFENAZATE DIAZENE (DIAZENECARBOLXYLIC ACID, 2-(4-METHOXY-[1,1'-BIPHENYL-3-YL] 1-METHYLETHYL ESTER), EXPRESSED AS BIFENAZATE	
EDIBLE OFFAL (MAMMALIAN)	*0.01
MEAT (MAMMALIAN) (IN THE FAT)	*0.01
MILKS	*0.01
POME FRUITS	2
BIORESMETHRIN	
BIORESMETHRIN	
MANGO	T0.5
FLORFENICOL	
SUM OF FLORFENICOL AND ITS METABOLITES FLORFENICOL ALCOHOL, FLORFENICOL OXAMIC ACID, MONOCHLOROFORFENICOL AND FLORFENICOL AMINE EXPRESSED AS FLORFENICOL AMINE	
CATTLE KIDNEY	0.5
CATTLE LIVER	3
CATTLE MEAT	0.3
PIG FAT/SKIN	1
PIG KIDNEY	1
PIG LIVER	3
PIG MEAT	0.5

[4.3] *omitting from Schedule 1 the foods and associated MRLs for each of the following chemicals –*

DITHIOCARBAMATES	
TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
BULB VEGETABLES [EXCEPT SPRING ONION]	4
SPRING ONION	T10
PYRETHRINS	
SUM OF PYRETHRINS I AND II, CINERINS I AND II AND JASMOLINS I AND II, DETERMINED AFTER CALIBRATION BY MEANS OF THE INTERNATIONAL PYRETHRUM STANDARD	
PUMPKINS	T0.02
TRIADIMEFON	
SUM OF TRIADIMEFON AND TRIADIMENOL, EXPRESSED AS TRIADIMEFON <i>SEE ALSO</i> TRIADIMENOL	
MUNG BEAN (DRY)	T0.1

[4.4] inserting in alphabetical order in Schedule 1 the foods and associated MRLs for the following chemicals –

AZOXYSTROBIN AZOXYSTROBIN	
RADISH	T0.3
BENALAXYL BENALAXYL	
SPRING ONION	T0.1
BUPROFEZIN BUPROFEZIN	
PASSIONFRUIT	T2
CYPROCONAZOLE CYPROCONAZOLE, SUM OF ISOMERS	
BARLEY	T*0.02
WHEAT	T*0.02
DIFENOCONAZOLE DIFENOCONAZOLE	
CEREAL GRAINS	T*0.01
DIMETHOMORPH SUM OF E AND Z ISOMERS OF DIMETHOMORPH	
CHARD (SILVER BEET)	T2
LEEK	0.5
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
BULB VEGETABLES [EXCEPT GARLIC AND ONION, BULB]	T10

ONION, BULB	4
WALNUTS	T*0.2
HALOXYFOP SUM OF HALOXYFOP, ITS ESTERS AND CONJUGATES, EXPRESSED AS HALOXYFOP	
LINOLA SEED	0.1
LINSEED	0.1
LASALOCID LASALOCID	
POULTRY SKIN/FAT	T1.2
METALAXYL METALAXYL	
CEREAL GRAINS	T*0.05
MILKS	T*0.05
PROPICONAZOLE PROPICONAZOLE	
EGGS	*0.05
PROPYZAMIDE PROPYZAMIDE	
CHICORY LEAVES	*0.2
TEBUFENOZIDE TEBUFENOZIDE	
BLUEBERRIES	T2

[4.5] omitting from Schedule 1 under the entries for the following chemical, the maximum residue limit for the food, substituting –

ACETAMIPRID COMMODITIES OF PLANT ORIGIN: ACETAMIPRID COMMODITIES OF ANIMAL ORIGIN: SUM OF ACETAMIPRID AND N-DIMETHYL ACETAMIPRID ((E)-N ¹ -[(6-CHLORO-3-PYRIDYL)METHYL]-N ² -CYANOACETAMIDINE), EXPRESSED AS ACETAMIPRID	
COTTON SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POTATO	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.01
CYPROCONAZOLE CYPROCONAZOLE, SUM OF ISOMERS	
EDIBLE OFFAL (MAMMALIAN)	T1

MEAT (MAMMALIAN)	T0.03
DIFENOCONAZOLE DIFENOCONAZOLE	
ASPARAGUS	*0.05
DIMETHOMORPH SUM OF E AND Z ISOMERS OF DIMETHOMORPH	
LETTUCE, LEAF	T2
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
STONE FRUITS	3

FIPRONIL	
SUM OF FIPRONIL, THE SULPHENYL METABOLITE (5-AMINO-1-[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4-[(TRIFLUOROMETHYL)SULPHENYL]-1H-PYRAZOLE-3-CARBONITRILE), THE SULPHONYL METABOLITE (5-AMINO-1-[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4-[(TRIFLUOROMETHYL)SULPHONYL]-1H-PYRAZOLE-3-CARBONITRILE), AND THE TRIFLUOROMETHYL METABOLITE (5-AMINO-4-TRIFLUOROMETHYL-1-[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-1H-PYRAZOLE-3-CARBONITRILE)	
ASPARAGUS	0.2

FLUVALINATE	
FLUVALINATE, SUM OF ISOMERS	
ASPARAGUS	0.2
GLYPHOSATE	
GLYPHOSATE	
PASSIONFRUIT	3
LASALOCID	
LASALOCID	
EGGS	T*0.05
POULTRY, EDIBLE OFFAL OF	T*0.7
POULTRY MEAT	T*0.05

[5] *Standard 1.4.4 is varied by inserting in Schedule 1 –*

Nicotiana spp.

Tobacco

[6] *Standard 1.5.1 is varied by inserting in the Table to clause 2 –*

Diacylglycerol oil (DAG-Oil)	<p>‘Diacylglycerol oil’ is a prescribed name.</p> <p>Notwithstanding clause 4 of Standard 1.2.4, diacylglycerol oil must be declared in the statement of ingredients using the prescribed name.</p>
------------------------------	---

[7] *Standard 2.4.1 is varied by omitting from clause 1, the definition of edible oils, substituting –*

edible oils mean the triglycerides and/or diglycerides of fatty acids of plant or animal origin.