Australia New Zealand Food Standards Code – Amendment No. 105 – 2009

Food Standards Australia New Zealand Act 1991

Preamble

The variations set forth in the Schedule below are variations to Standards in the *Australia New Zealand Food Standards Code* published by the National Health and Medical Research Council in the *Commonwealth of Australia Gazette*, No. P 27, on 27 August 1987, which have been varied from time to time.

Citation

These variations may be collectively known as the *Australia New Zealand Food Standards Code* – Amendment No. 105 – 2009.

Commencement

These variations commence on 15 January 2008.

Note: These variations were published in the Commonwealth of Australia *Food Standards Gazette* No. FSC 47 on 15 January 2009.

SCHEDULE

- [1] *Standard 1.1.1* is varied by –
- [1.1] inserting in clause 2
 - galacto-oligosaccharides means a mixture of those substances produced from lactose by enzymatic action, comprised of between two and eight saccharide units, with one of these units being a terminal glucose and the remaining saccharide units being galactose, and disaccharides comprised of two units of galactose.
 - inulin-derived substances means mixtures of polymers of fructose with predominantly β (2 \rightarrow 1) fructosyl-fructose linkages, with or without a terminal glucose molecule and includes inulin, but does not include those polymers of fructose produced from sucrose by enzymatic action.
- [1.2] inserting after clause 9 –

9A Certain substances not nutritive substances

Inulin-derived substances are taken not to be nutritive substances.

[2] Standard 1.4.1 is varied by omitting from the Table to clause 2, under the heading Cadmium, the entry for Peanuts, substituting –

Peanuts	0.5
---------	-----

[3] **Standard 1.4.2** is varied by –

ISSN 1446-9030

[3.1] omitting from Schedule 1 the chemical residue definition for the chemical appearing in Column 1 of the Table to this sub-item, substituting the chemical residue definition appearing in Column 2 –

COLUMN 1	COLUMN 2
CLOTHIANIDIN	CLOTHIANIDIN

[3.2] inserting in Schedule 1 –

DIMETHENAMID-P	
SUM OF DIMETHENAMID-P AND ITS (R)	-ISOMER
COMMON BEAN (PODS AND/OR	*0.02
IMMATURE SEEDS)	
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
MAIZE	*0.02
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PEAS	*0.02
POPPY SEED	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01

PULSES PUMPKINS SWEET CORN (CORN-ON-THE-	*0.02 *0.02 *0.02
SULFURYL FLUORIDE	
SULFURYL FLUORIDE	
CEREAL GRAINS	0.05
DRIED FRUITS	0.07
PEANUT	7
TREE NUTS	7

$[3.3] \quad \textit{omitting from Schedule 1 the foods and associated MRLs for each of the following chemicals} \, -$

BIFENTHRIN	
BIFENTHRIN	
LETTUCE, HEAD T2	
CLOTHIANIDIN	
COMMODITIES OF PLANT ORIGIN:	
CLOTHIANIDIN	
COMMODITIES OF ANIMAL ORIGIN: SUM OF	
CLOTHIANIDIN, 2-CHLOROTHIAZOL-5-	
YLMETHYLGUANIDINE, 2-CHLOROTHIAZOL-5-	
YLMETHYLUREA, AND THE PYRUVATE	
DERIVATIVE OF N-(2-CHLOROTHIAZOL-5-	
YLMETHYL)-N'-METHYLGUANIDINE EXPRESSED	
AS CLOTHIANIDIN	
MEAT (MAMMALIAN) (IN THE T*0.02	
FAT)	
T ((
FLUORINE (INORGANIC SALTS)	
FLUORIDE ION	
FRUIT 7	
VEGETABLES 7	
CI VINIOGA TEL	
GLYPHOSATE SUM OF GLYPHOSATE AND	
2011 01 01 11 01 11 11 11	
AMINOMETHYLPHOSPHONIC ACID (AMPA)	
METABOLITE, EXPRESSED AS GLYPHOSATE OILSEED [EXCEPT COTTON AND *0.1	
RAPE SEED]	

MALDISON	
MALDISON	
VEGETABLES [EXCEPT AS	2
OTHERWISE LISTED UNDER	
THIS CHEMICAL]	
METHOMYL	
SUM OF METHOMYL AND METH	
HYDROXYTHIOACETIMIDATE ('MET	
OXIME'), EXPRESSED AS METHO	MYL
SEE ALSO THIODICARB	
BERGAMOT	T5
BURNET, SALAD	T5
CHERVIL	T5
CORIANDER (LEAVES, STEM,	T10
ROOTS)	
CORIANDER, SEED	T5
DILL, SEED	T5
FENNEL, SEED	T5
GALANGAL, GREATER	T*0.02
KAFFIR LIME LEAVES	T5
LEMON GRASS	T5
LEMON VERBENA (DRY LEAVES)	T5
MIZUNA	T5
ROSE AND DIANTHUS (EDIBLE	T5
FLOWERS)	
RUCOLA (ROCKET)	T5
TURMERIC, ROOT	T*0.02

_	RACTOPAMINE	
	RACTOPAMINE	
CATTLE FAT		T*0.02

CATTLE KIDNEY	T0.1
CATTLE MEAT	T*0.02

$[3.4] \quad \textit{inserting in alphabetical order in Schedule 1, the foods and associated MRLs for each of the following chemicals} \, - \,$

AZOXYSTROBIN AZOXYSTROBIN	-
MAIZE	T*0.01
BIFENAZATE SUM OF BIFENAZATE AND BIFENAZ. DIAZENE (DIAZENECARBOXYLIC ACID METHOXY-[1,1'-BIPHENYL-3-YL] METHYLETHYL ESTER), EXPRESSED), 2-(4- 1-
PEAS BIFENAZATE	T0.5
BIFENTHRIN	
BIFENTHRIN LEAFY VEGETABLES [EXCEPT CHERVIL; MIZUNA; RUCOLA (ROCKET)]	T2
CLOSANTEL CLOSANTEL	_
CATTLE FAT CATTLE KIDNEY CATTLE LIVER CATTLE MUSCLE	T3 T3 T1 T1
CLOTHIANIDIN COMMODITIES OF PLANT ORIGIN: CLOTHIANIDIN COMMODITIES OF ANIMAL ORIGIN: SUM OF CLOTHIANIDIN, 2-CHLOROTHIAZOL-5- YLMETHYLGUANIDINE, 2-CHLOROTHIAZOL-5- YLMETHYLUREA, AND THE PYRUVATE DERIVATIVE OF N-(2-CHLOROTHIAZOL-5- YLMETHYL)-N'-METHYLGUANIDINE EXPRESSED AS CLOTHIANIDIN	
EGGS MEAT (MAMMALIAN) POULTRY, EDIBLE OFFAL OF POULTRY MEAT	*0.02 *0.02 *0.02 *0.02
CYANAMIDE CYANAMIDE	
APPLE BLUEBERRIES	*0.02 *0.05
CYPRODINIL CYPRODINIL	
CUCUMBER LETTUCE, HEAD PEPPERS, SWEET	T0.2 T10 T0.5

FLORFENICOL	
SUM OF FLORFENICOL AND ITS META	BOLITES
FLORFENICOL ALCOHOL, FLORFENICOI	L OXAMIC
ACID, MONOCHLOROFLORFENICOL	AND
FLORFENICOL AMINE EXPRESSED) AS
FLORFENICOL AMINE	
FISH	T0.5
FLUDIOXONIL	
COMMODITIES OF ANIMAL ORIGIN: S	SUM OF
FLUDIOXONIL AND OXIDISABLE META	BOLITES,
EXPRESSED AS FLUDIOXONIL	
COMMODITIES OF PLANT ORIGIN: FLUI	DIOXONIL
CUCUMBER	T0.3
LETTUCE, HEAD	T10
PEPPERS, SWEET	T2
TEITERS, SWEET	12
FLUORINE (INORGANIC SALTS	(2
FLUORINE (INORGANIC SALT)	3)
DRIED FRUITS	5
GRAPES	7
PEANUT	30
TREE NUTS	30
WHEAT GERM	10
WHEAT GERM	10
GLYPHOSATE	
SUM OF GLYPHOSATE AND	
AMINOMETHYLPHOSPHONIC ACID (A	AMPA)
METABOLITE, EXPRESSED AS GLYPH	/
LINSEED	T5
OILSEED [EXCEPT COTTON	T*0.1
SEED; LINSEED; RAPE SEED]	1 0.1
SEED, LINSEED, KAPE SEED]	
ISOXABEN	
ISOXABEN	_
BARLEY	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
TRITICALE	*0.01
WHEAT	*0.01
WILAI	0.01
MALDISON	
MALDISON	
SHALLOT	T5
SPRING ONION	T5
•	

Food Standards 3

VEGETABLES [EXCEPT BEANS (DRY); CAULIFLOWER; CHARD (SILVERBEET); EGG PLANT; GARDEN PEA; KALE; KOHLRABI; LENTIL (DRY); PEPPERS, SWEET; ROOT AND TUBER VEGETABLES; SHALLOT; SPRING ONION; TOMATO; TURNIP, GARDEN]	2
PHOSPHOROUS ACID	
PHOSPHOROUS ACID	_
FLOWERHEAD BRASSICAS	T50
PROPICONAZOLE	
PROPICONAZOLE	_
SPINACH	T0.1
PROSULFOCARB	
PROSULFOCARB	_
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	*0.02

POULTRY MEAT	*0.02	
THIAMETHOXAM		
COMMODITIES OF PLANT ORI	GIN:	
THIAMETHOXAM		
COMMODITIES OF ANIMAL ORIGIN	: SUM OF	
THIAMETHOXAM AND N-(2-CHLORG	O-THIAZOL-	
5-YLMETHYL)-N'-METHYL-N'-1	NITRO-	
GUANIDINE, EXPRESSED AS THIAM	ETHOXAM	
SUGAR CANE	T*0.02	
TOLTRAZURIL		
SUM OF TOLTRAZURIL, ITS SULFOXIDE AND		
SULFONE, EXPRESSED AS TOLTRAZURIL		
CATTLE FAT	1	
CATTLE KIDNEY	1	
CATTLE LIVER	2	
CATTLE MUSCLE	0.25	
TOLYLFLUANID		
TOLYLFLUANID		
CUCUMBER	T2	

[3.5] omitting from Schedule 1, under the entries for the following chemicals, the Maximum Residue Limit for the food, substituting –

CHLORPYRIFOS				
CHLORPYRIFOS				
PARSLEY	0.05			
CLOTHIANIDIN				
COMMODITIES OF PLANT ORIG	COMMODITIES OF PLANT ORIGIN:			
CLOTHIANIDIN				
COMMODITIES OF ANIMAL ORIGIN: SUM OF				
CLOTHIANIDIN, 2-CHLOROTHIAZOL-5-				
YLMETHYLGUANIDINE, 2-CHLOROTHIAZOL-5-				
YLMETHYLUREA, AND THE PYRUVATE				
DERIVATIVE OF N-(2-CHLOROTHIAZOL-5-				
YLMETHYL)-N'-METHYLGUANIDINE EXPRESSED				
AS CLOTHIANIDIN				
APPLE	0.5			
BANANA	*0.02			
COTTON SEED	*0.02			
EDIBLE OFFAL (MAMMALIAN)	*0.02			
MILKS	*0.01			
NECTARINE	2			
PEACH	2			
PEAR	0.5			
FLUDIOXONIL				
COMMODITIES OF ANIMAL ORIGIN: SUM OF				
FLUDIOXONIL AND OXIDISABLE METABOLITES,				
EXPRESSED AS FLUDIOXONIL				
COMMODITIES OF PLANT ORIGIN: FLUDIOXONIL				
SORGHUM	*0.01			
SORGITOM	0.01			

Food Standards

METSULFURON-METHYL				
METSULFURON-METHYL				
LINSEED	*0.02			
PROSULFOCARB				
PROSULFOCARB				
BARLEY	*0.01			
WHEAT	*0.01			
PROTHIOCONAZOLE				
COMMODITIES OF PLANT ORIGIN: SUM OF				
PROTHIOCONAZOLE AND PROTHIOCONAZOLE				
DESTHIO (2-(1-CHLOROCYCLOPROPYI				
CHLOROPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-				
PROPAN-2-OL), EXPRESSED AS				
PROTHIOCONAZOLE				
COMMODITIES OF ANIMAL ORIGIN: SUM OF				
PROTHIOCONAZOLE, PROTHIOCONAZOLE				
DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-				
CHLOROPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-				
PROPAN-2-OL), PROTHIOCONAZOL	E-3-			
HYDROXY-DESTHIO (2-(1-				
CHLOROCYCLOPROPYL)-1-(2-CHLOI				
HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZO				
PROPAN-2-OL) AND PROTHIOCONAZO	OLE-4-			
HYDROXY-DESTHIO (2-(1-				
CHLOROCYCLOPROPYL)-1-(2-CHLOI				
HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-				
PROPAN-2-OL), EXPRESSED AS				
PROTHIOCONAZOLE				
EDIBLE OFFAL (MAMMALIAN)	*0.05			

EGGS	*0.01	CEREAL GRAINS
MEAT (MAMMALIAN) (IN THE	*0.01	EDIBLE OFFAL (MAMMALIAN)
FAT)		EGGS
MILKS	*0.004	MEAT (MAMMALIAN)
POULTRY, EDIBLE OFFAL OF	*0.05	MILKS
POULTRY MEAT (IN THE FAT)	*0.05	POULTRY, EDIBLE OFFAL OF
WHEAT	*0.05	POULTRY MEAT
PYRASULFOTOLE		
SUM OF PYRASULFOTOLE AND (5-HYDROXY-3-		
METHYL-1 <i>H</i> -PYRAZOL-4-YL)[2-N		
(TRIFLUOROMETHYL)PHENYL]ME	THANONE,	
EXPRESSED AS PYRASULFO	TOLE	

0.03

*0.02 0.5 *0.01 *0.01 *0.01 *0.01

[4] *Standard 2.9.1* is varied by –

[4.1] inserting after clause 9 –

CEREAL BRAN, UNPROCESSED

9A Permitted inulin-derived substances and galacto-oligosaccharides

- (1) Infant formula product may contain no more than
 - (a) 110 mg per 100 kJ of inulin-derived substances; or
 - (b) 290 mg per 100 kJ of galacto-oligosaccharides; or
 - (c) 290 mg per 100 kJ of combined inulin-derived substances and galactooligosaccharides, where the inulin-derived substances is no more than 110 mg per 100 kJ.
- (2) For subclause (1) the maximum permitted amount only applies when the substances are added. In that case the maximum permitted amount then applies to the sum of the naturally occurring and the added substances.
- [4.2] omitting paragraph 16(1)(c), substituting
 - (c) the average amount of each vitamin, mineral and any other nutritive substance permitted by this Standard expressed in weight per 100 mL; and
 - (d) when added, the average amount of
 - (i) a combination of inulin-derived substances and galactooligosaccharides; or
 - (ii) inulin-derived substances; or
 - (iii) galacto-oligosaccharides

expressed in weight per 100 mL.

- [4.3] *omitting paragraph 16(2)(d), substituting*
 - (d) a declaration
 - (i) of the weight of one scoop in the case of powdered infant formula; and

- (ii) of the proportion of powder or concentrate required to reconstitute the formula according to directions; and
- (e) when added, the average amount of
 - (i) a combination of inulin-derived substances and galactooligosaccharides; or
 - (ii) inulin-derived substances; or
 - (iii) galacto-oligosaccharides

expressed in weight per 100 mL.

- [4.4] *omitting clause 20, substituting*
- (1) The label on a package of infant formula product must not contain
 - (a) a picture of an infant; or
 - (b) a picture that idealises the use of infant formula product; or
 - (c) the word 'humanised' or 'maternalised' or any word or words having the same or similar effect; or
 - (d) words claiming that the formula is suitable for all infants; or
 - (e) information relating to the nutritional content of human milk; or
 - subject to clause 28, a reference to the presence of any nutrient or nutritive substance, except for a reference to a nutrient or nutritive substance in
 - (i) clause 30 claims relating to lactose free formula or low lactose formula; or
 - (ii) Standard 1.2.4 Labelling of Ingredients; or
 - (iii) clause 16 declaration of nutrition information; or
 - (g) subject to Division 3, a representation that the food is suitable for a particular condition, disease or disorder.
- (2) Subject to clause 28, the label on a package of infant formula product must not contain a reference to inulin-derived substances or galacto-oligosaccharides except for a reference to either substances in
 - (a) a statement of ingredients; or
 - (b) the nutrition information statement.
- [4.5] *omitting the* Nutrition Information *table in the* Guidelines for Infant Formula Products, *substituting* –

NUTRITION INFORMATION

	Average amount per 100 mL made up formula *1	Average amount per 100 g of powder (or per 100 mL for liquid concentrate) *2
Energy	kJ	kJ
Protein	g	g
Fat	g	g
Carbohydrate	g	g
Vitamin A	μg	μg
Vitamin B ₆	μg	μg
Vitamin B ₁₂	μg	μg
Vitamin C	mg	mg
Vitamin D	μg	μg
Vitamin E	μg	μg
Vitamin K	μg	μg
Biotin	μg	μg
Niacin	mg	mg
Folate	μg	μg
Pantothenic acid	μg	μg
Riboflavin	μg	μg
Thiamin	μg	μg
Calcium	mg	mg
Copper	μg	μg
Iodine	μg	μg
Iron	mg	mg
Magnesium	mg	mg
Manganese	μg	μg
Phosphorus	mg	mg
Selenium	μg	μg
Zinc	mg	mg
Chloride	mg	mg
Potassium	mg	mg
Sodium	mg	mg
(insert any other nutritive substance or inulin-derived substances and galacto- oligosaccharides to be declared)	g, mg, µg	g, mg, μg

^{*1 –} Delete the words 'made up formula' in the case of formulas sold in 'ready to drink' form.

*2 – Delete this column in the case of formulas sold in 'ready to drink' form.

deleting the Note at the end of the Nutrition Information table in the Guidelines for [4.6]Infant Formula Products

- [5] Standard 2.9.2 is varied by -
- [5.1]omitting paragraph 2(2)(b) substituting –
 - lactic acid producing cultures; and (b)

- (c) either singularly or in combination, no more than 0.8 g/ 100 g of inulinderived substances and galacto-oligosaccharides, as consumed.
- (3) For paragraph 2(2)(c) the maximum permitted amount only applies when the substances are added. In that case the maximum permitted amount then applies to the sum of the naturally occurring and the added substances.
- [5.2] *omitting subclause 2(3) and the heading to the* Table to paragraph 2(3)(c), *substituting* –
- (4) Food for infants must not contain
 - (a) more than 50 mg/100 g of total iron in cereal-based food on a moisture free basis; or
 - (b) honey, unless it has been treated to inactivate *Clostridium botulinum* spores; or
 - (c) more than the total quantity of sodium set out in column 2 of the Table to this paragraph for each particular type of food for infants; or
 - (d) added salt, in the case of ready-to-eat fruit-based foods, fruit drink and vegetable juice.

Table to paragraph 2(4)(c)

- [5.3] omitting subclause 2(4) and the Editorial note, substituting –
- (5) Food for infants intended for infants under the age of 6 months must be formulated and manufactured to a consistency that minimises the risk of choking.

Editorial note:

The intent of subclause (5) is to ensure that the food, except in the case of rusks, should have a texture that is soft and free of lumps.

- [6] Standard 2.9.3 is varied by inserting in clause 6 –
- (4) Formulated supplementary foods for young children may contain singularly or in combination, no more than 1.6 g of inulin-derived substances and galacto-oligosaccharides per serving.
- (5) For subclause 6(4) the maximum permitted amount only applies when the substances are added. In that case the maximum permitted amount then applies to the sum of the naturally-occurring and the added substances.