# Australia New Zealand Food Standards Code – Amendment No. 122 – 2011

## Food Standards Australia New Zealand Act 1991

#### Preamble

The variations set forth in the Schedule below are variations to Standards in the *Australia New Zealand Food Standards Code* published by the National Health and Medical Research Council in the *Commonwealth of Australia Gazette*, No. P 27, on 27 August 1987, which have been varied from time to time.

#### Citation

These variations may be collectively known as the *Australia New Zealand Food Standards Code* – Amendment No. 122 – 2011.

#### **Correction of Typographical Error**

Amendment No. 121 published on 10 February 2011 contained the following typographical error -

Under Item [3.1], the text to be substituted in clause 1 of Standard 1.3.3 should have been -

processing aid means a substance listed in clauses 3 to 19, where -

#### Commencement

These variations commence on 5 May 2011.

Note: These variations were published in the Commonwealth of Australia *Food Standards Gazette* No. FSC 64 on 5 May 2011.

#### SCHEDULE

100

#### [1] Standard 1.3.3 is varied by –

[1.1] omitting from the Table to clause 6 –

Polyvinyl polypyrrolidone

substituting -

Polyvinyl polypyrrolidone GMP

[1.2] inserting in the Table to clause 6 –

Co-extruded polystyrene and polyvinyl polypyrrolidone GMP

#### [2] Standard 1.4.2 is varied by –

[2.1] omitting from Schedule 1 all entries for the following chemicals –

#### FOSETYL ALUMINIUM

[2.2] omitting from Schedule 1 the chemical residue definition for the chemical appearing in Column 1 of the Table to this sub-item, substituting the chemical residue definition appearing in Column 2 –

COLUMN 1	Column 2
CHLOROTHALONIL	COMMODITIES OF PLANT ORIGIN: CHLOROTHALONIL
	COMMODITIES OF ANIMAL ORIGIN: 4-HYDROXY-2,5,6-
	TRICHLOROISOPHTHALONITRILE METABOLITE, EXPRESSED AS
	CHLOROTHALONIL
MEFENPYR-DIETHYL	COMMODITIES OF PLANT ORIGIN: SUM OF MEFENPYR-DIETHYL AND
	METABOLITES HYDROLYSED TO 1-(2,4-DICHLOROPHENYL)-5-METHYL-2-
	PYRAZOLINE-3,5-DICARBOXYLIC ACID, AND 1-(2,4-DICHLOROPHENYL)-5-
	METHYL-PYRAZOLE-3-CARBOXYLIC ACID, EXPRESSED AS MEFENPYR-
	DIETHYL.
	COMMODITIES OF ANIMAL ORIGIN: SUM OF MEFENPYR-DIETHYL AND 1-(2,4-
	DICHLOROPHENYL)-5-ETHOXYCARBONYL-5-METHYL-2-PYRAZOLINE-3-
	CARBOXYLIC ACID, EXPRESSED AS MEFENPYR-DIETHYL

#### [2.3] *inserting in* Schedule 1 –

FLONICAMID FLONICAMID [ <i>N</i> -(CYANOMETHYL)-4-(TRIFLUOROMETHYL)- 3-PYRIDINECARBOXAMIDE] AND ITS METABOLITES TFNA [4-TRIFLUOROMETHYLNICOTINIC ACID], TFNA-AM [4- TRIFLUOROMETHYLNICOTINOMIDE] TFNG [ <i>N</i> -(4- TRIFLUOROMETHYLNICOTINOYL)GLYCINE]		
STONE FRUITS	0.6	
Fosetyl		
FOSETYL		
APPLE AVOCADO BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	1 5 T0.1	
DURIAN FRUITING VEGETABLES, OTHER THAN CUCURBITS	T5 T0.02	
LEAFY VEGETABLES PEACH PINEAPPLE	T0.2 1 5	

IPCONAZOLE	
IPCONAZOLE	
CEREAL GRAINS	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
Eggs	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
METCONAZOLE	
METCONAZOLE	
STONE FRUITS	0.2
PROPAMOCARB	
PROPAMOCARB (BASE)	
BRASSICA (COLE OR CABBAGE)	T0.1
VEGETABLES, HEAD CABBAGES,	
FLOWERHEAD BRASSICAS	
FRUITING VEGETABLES, OTHER THAN	T0.3
CUCURBITS	
LEAFY VEGETABLES	T20

[2.4] omitting from Schedule 1 the foods and associated MRLs for each of the following chemicals –

BIFENTHRIN
BIFENTHRIN
FRUITING VEGETABLES, CUCURBITS 0.1
_
Boscalid
Commodities of plant origin: Boscalid
COMMODITIES OF ANIMAL ORIGIN: SUM OF BOSCALID, 2-
CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2-YL)
NICOTINAMIDE AND THE GLUCURONIDE CONJUGATE OF 2-
CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2-YL)
NICOTINAMIDE, EXPRESSED AS BOSCALID EQUIVALENTS
Apple 2
CHLOROTHALONIL
COMMODITIES OF PLANT ORIGIN: CHLOROTHALONIL
COMMODITIES OF ANIMAL ORIGIN: SUM OF
CHLOROTHALONIL AND 4-HYDROXY-2, 5, 6-
TRICHLOROISOPHTHALONITRILE METABOLITE, EXPRESSED
AS CHLOROTHALONIL
LEAFY VEGETABLES T7
VEGETABLES [EXCEPT AS OTHERWISE T7
LISTED UNDER THIS CHEMICAL]
CHLORPYRIFOS
CHLORPYRIFOS
STONE FRUITS T1

DITHIOCARBAMATES	
TOTAL DITHIOCARBAMATES, DETERMINED AS CARB	ON
DISULPHIDE EVOLVED DURING ACID DIGESTION AN	D
EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE	PER
KILOGRAM OF FOOD	
BEANS (DRY)	0.5
EPOXICONAZOLE	
Epoxiconazole	
BARLEY	0.05
WHEAT	0.05
FLUDIOXONIL	
COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUDIOX	ONIL
AND OXIDISABLE METABOLITES, EXPRESSED AS	
FLUDIOXONIL	
COMMODITIES OF PLANT ORIGIN: FLUDIOXONIL	
STONE FRUITS	5
SUM OF IMIDACLOPRID AND METABOLITES CONTAININ	G THE
6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSE	D AS
IMIDACLOPRID	
LEAFY VEGETABLES [EXCEPT LETTUCE,	T5
LEAF]	
LETTUCE, LEAF	T20

PERMETHRIN	
PERMETHRIN, SUM OF ISOMERS	
CORIANDER (LEAVES AND STEMS) T10	
PIRIMICARB	
SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE $N$ -	
FORMYL-(METHYLAMINO) ANALOGUE	
(DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS	
PIRIMICARB	
LEAFY VEGETABLES [EXCEPT CHERVIL; T5	
MIZUNA; RUCOLA]	
VEGETABLES [EXCEPT LEAFY 1	
VEGETABLES; LUPIN (DRY); SOYA	
BEAN (DRY); SWEET CORN (CORN-	
ON-THE-COB)]	
_	
PYRACLOSTROBIN	
COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN	
COMMODITIES OF ANIMAL ORIGIN: SUM OF	
PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1-	
(4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS	
PYRACLOSTROBIN	
Apple 1	

SPIROTETRAMAT	
SUM OF SPIROTETRAMAT, AND CIS-3-(2,5-	
DIMETHYLPHENYL)-4-HYDROXY-8-METHOXY-1-	
AZASPIRO[4.5]DEC-3-EN-2-ONE, EXPRESSED AS	3
SPIROTETRAMAT	
FRUITING VEGETABLES, CUCURBITS	T2
LETTUCE, LEAF	T10
PEPPERS, SWEET	T5
Томато	T7
TEBUCONAZOLE	
TEBUCONAZOLE	
BULB VEGETABLES	*0.01
TRIADIMENOL	
TRIADIMENOL	
SEE ALSO TRIADIMEFON	
Peppers, Sweet	T1
TRICHLORFON	
TRICHLORFON	
FRUIT [EXCEPT AS OTHERWISE LISTED	0.1
UNDER THIS CHEMICAL]	
VEGETABLES [EXCEPT AS OTHERWISE	0.1
LISTED UNDER THIS CHEMICAL]	

[2.5] inserting in alphabetical order in Schedule 1, the foods and associated MRLs for each of the following chemicals –

-	
ABAMECTIN	
SUM OF AVERMECTIN B1A, AVERMECTIN B1B AN	
AVERMECTIN B1A, AND (Z)-8,9 AVERMECTI	v <b>В</b> 1в
Papaya (pawpaw)	T0.1
SWEET CORN (CORN-ON-THE-COB)	T*0.01
BENZYLADENINE	
Benzyladenine	
PISTACHIO NUT	T*0.05
BIFENAZATE	
SUM OF BIFENAZATE AND BIFENAZATE DIAZ	ZENE
(DIAZENECARBOXYLIC ACID, 2-(4-METHOXY-	[1,1'-
BIPHENYL-3-YL] 1-METHYLETHYL ESTER), EXPR	
BIFENAZATE	
CHERRIES	2.5
LETTUCE, HEAD	0 T5
LETTUCE, LEAF	T5
LETTOCE, LEAF	15
BIFENTHRIN	
BIFENTHRIN	
CUCUMBER	T0.3
FRUITING VEGETABLES, CUCURBITS	0.1
[EXCEPT CUCUMBER]	0.1
	T*0.01
	1 0.01
Boscalid	
Commodities of plant origin: Bosca	
COMMODITIES OF ANIMAL ORIGIN: SUM OF BOS	
	,
CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2-YL) NICOTINAMIDE AND THE GLUCURONIDE CONJUGATE OF 2-	
CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENY	•
NICOTINAMIDE, EXPRESSED AS BOSCALID EQUI	
ALL OTHER FOODS	0.5
MILK FATS	0.7
POME FRUITS	2

_	
BUPROFEZIN	
BUPROFEZIN	
STONE FRUITS [EXCEPT APRICOT;	1.9
PEACH]	
CARBARYL	
CARBARYL	
CRANBERRY	3
CHLOROTHALONIL	
COMMODITIES OF PLANT ORIGIN: CHLOROTHAL	ONIL
COMMODITIES OF ANIMAL ORIGIN: SUM OF	:
CHLOROTHALONIL AND 4-HYDROXY-2, 5, 6	-
TRICHLOROISOPHTHALONITRILE METABOLITE, EXPL	RESSED
AS CHLOROTHALONIL	
CHARD (SILVER BEET)	T50
CORIANDER (LEAVES, STEM, ROOTS)	T20
LEAFY VEGETABLES [EXCEPT CHARD	T10
(SILVER BEET); SPINACH]	
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
Spinach	T100
VEGETABLES [EXCEPT ASPARAGUS;	T7
BRUSSELS SPROUTS; CARROT;	
CELERY; CHARD (SILVER BEET);	
FENNEL, BULB; FRUITING	
VEGETABLES, CUCURBITS; GARLIC;	
LEAFY VEGETABLES; LEEK; ONION,	
BULB; PEAS (PODS AND SUCCULENT,	
IMMATURE SEEDS); POTATO; PULSES;	
SPINACH; SPRING ONION; TOMATO	
CHLORPYRIFOS	
CHLORPYRIFOS	
Cherries	1
CRANBERRY	1
STONE FRUITS [EXCEPT CHERRIES]	T1

	4.0
DRIED GRAPES	10
GRAPES [EXCEPT WINE GRAPES] WINE GRAPES	3 *0.02
WINE GRAPES	0.02
CYFLUTHRIN CYFLUTHRIN, SUM OF ISOMERS	
Сніа	T0.5
Papaya (pawpaw)	T0.2
CYHALOTHRIN	
CYHALOTHRIN, SUM OF ISOMERS	
STONE FRUITS	0.5
CYPERMETHRIN	
CYPERMETHRIN, SUM OF ISOMERS	-
DURIAN	1
LONGAN PEPPERS, CHILI	1
	I
EPOXICONAZOLE	
EPOXICONAZOLE	0.07
CEREAL GRAINS	0.05
<b>Etoxazole</b> Etoxazole	
BANANA	T0.05
PODDED PEA (YOUNG PODS) (SNOW	T*0.02
AND SUGAR SNAP)	
Fenbuconazole Fenbuconazole	
WHEAT	*0.01
<b>Fenbutatin oxide</b> Bis[tris(2-methyl-2-phenylpropyl)tin]	
CHERRIES	6
Fenvalerate	
<b>Fenvalerate</b> Fenvalerate, sum of isomers	
	0.5
FENVALERATE, SUM OF ISOMERS DRIED GRAPES	0.5
FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL	0.5
FENVALERATE, SUM OF ISOMERS DRIED GRAPES	0.5 T2
FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL	T2
FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL CHIA ONION, WELSH	T2
FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE	T2 0.05
FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEND	T2 0.05 IAMIDE
FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEND COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE	T2 0.05 IAMIDE BENDIAMIDE
FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEND COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE AND 3-IODO- <i>N</i> -(2-METHYL-4-[1,2,2,2-TETRAF	T2 0.05 IAMIDE BENDIAMIDE CLUORO-1-
FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEND COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE AND 3-IODO- <i>N</i> -(2-METHYL-4-[1,2,2,2-TETRAF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA	T2 0.05 IAMIDE BENDIAMIDE CLUORO-1-
FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEND COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE AND 3-IODO- <i>N</i> -(2-METHYL-4-[1,2,2,2-TETRAF	T2 0.05 IAMIDE BENDIAMIDE LUORO-1- LIMIDE,
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE         AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAF         (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE	T2 0.05 IAMIDE SENDIAMIDE LUORO-1- LIMIDE, 0.03
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE         AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAF         (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE         EDIBLE OFFAL (MAMMALIAN)         MEAT (MAMMALIAN)         MEAT (MAMMALIAN)         MEAT (MAMMALIAN)	T2 0.05 IAMIDE BENDIAMIDE SLUORO-1- LIMIDE, 0.03 0.05 0.05
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE         AND 3-IODO- <i>N</i> -(2-METHYL-4-[1,2,2,2-TETRAF         (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE         EDIBLE OFFAL (MAMMALIAN)         MEAT (MAMMALIAN) (IN THE FAT)       MILK FATS         MILKS       MILKS	T2 0.05 IAMIDE BENDIAMIDE SLUORO-1- LIMIDE, 0.03 0.05 0.05 *0.01
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE         AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAF         (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE         EDIBLE OFFAL (MAMMALIAN)         MEAT (MAMMALIAN) (IN THE FAT)       MILK FATS	T2 0.05 IAMIDE BENDIAMIDE CLUORO-1-
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF PLANT ORIGIN: SUM OF FLUE         AND 3-IODO- <i>N</i> -(2-METHYL-4-[1,2,2,2-TETRAF         (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE         EDIBLE OFFAL (MAMMALIAN)         MEAT (MAMMALIAN) (IN THE FAT)       MILK FATS         MILKS       POTATO	T2 0.05 IAMIDE BENDIAMIDE SEUDRO-1- LIMIDE, 0.03 0.05 0.05 *0.01
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE         AND 3-IODO- <i>N</i> -(2-METHYL-4-[1,2,2,2-TETRAF         (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE         EDIBLE OFFAL (MAMMALIAN)         MEAT (MAMMALIAN) (IN THE FAT)         MILK FATS       MILKS         POTATO       FLUDIOXONIL	T2 0.05 IAMIDE BENDIAMIDE SLUORO-1- LIMIDE, 0.03 0.05 0.05 *0.01 T*0.02
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE         AND 3-IODO- <i>N</i> -(2-METHYL-4-[1,2,2,2-TETRAF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE         EDIBLE OFFAL (MAMMALIAN)         MEAT (MAMMALIAN) (IN THE FAT)         MILK FATS         MILKS       POTATO         FLUDIOXONIL         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE	T2 0.05 IAMIDE BENDIAMIDE SEUDORO-1- LIMIDE, 0.03 0.05 0.05 *0.01 T*0.02
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE         AND 3-IODO- <i>N</i> -(2-METHYL-4-[1,2,2,2-TETRAF         (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE         EDIBLE OFFAL (MAMMALIAN)         MEAT (MAMMALIAN) (IN THE FAT)         MILK FATS       MILKS         POTATO       FLUDIOXONIL	T2 0.05 IAMIDE BENDIAMIDE SEUDORO-1- LIMIDE, 0.03 0.05 0.05 *0.01 T*0.02
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE         AND 3-IODO- <i>N</i> -(2-METHYL-4-[1,2,2,2-TETRAF         (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE         EDIBLE OFFAL (MAMMALIAN)         MEAT (MAMMALIAN) (IN THE FAT)         MILK FATS       MILKS         POTATO       FLUDIOXONIL         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE         AND OXIDISABLE METABOLITES, EXPRESSI	T2 0.05 IAMIDE SENDIAMIDE LUORO-1- LIMIDE, 0.03 0.05 0.05 *0.01 T*0.02 JDIOXONIL ED AS
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE         AND 3-IODO-N-(2-METHYL)-4-[1,2,2,2-TETRAF         (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE         EDIBLE OFFAL (MAMMALIAN)         MEAT (MAMMALIAN) (IN THE FAT)         MILK FATS         MILKS         POTATO         FLUDIOXONIL         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU         AND OXIDISABLE METABOLITES, EXPRESSI         FLUDIOXONIL         COMMODITIES OF PLANT ORIGIN: FLUDIOX         AND OXIDISABLE METABOLITES, EXPRESSI         FLUDIOXONIL         COMMODITIES OF PLANT ORIGIN: FLUDIOX	T2 0.05 IAMIDE SENDIAMIDE LUORO-1- LIMIDE, 0.03 0.05 0.05 *0.01 T*0.02 JDIOXONIL ED AS XONIL
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF PLANT ORIGIN: SUM OF FLUE         AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAF         (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE         EDIBLE OFFAL (MAMMALIAN)         MEAT (MAMMALIAN)         MEAT (MAMMALIAN)         MEAT (MAMMALIAN)         MEAT (MAMMALIAN)         MILK FATS         MILKS       POTATO         FLUDIOXONIL         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU         AND OXIDISABLE METABOLITES, EXPRESSI         FLUDIOXONIL         COMMODITIES OF PLANT ORIGIN: FLUDIOX         AND OXIDISABLE METABOLITES, EXPRESSI         FLUDIOXONIL         COMMODITIES OF PLANT ORIGIN: FLUDIOX         APRICOT         CITRUS FRUITS	T2 0.05 IAMIDE BENDIAMIDE LUORO-1- LIMIDE, 0.03 0.05 0.05 *0.01 T*0.02 JDIOXONIL ED AS XONIL 10 10
FENVALERATE, SUM OF ISOMERS         DRIED GRAPES         FLUAZIFOP-BUTYL         FLUAZIFOP-BUTYL         CHIA         ONION, WELSH         FLUBENDIAMIDE         COMMODITIES OF PLANT ORIGIN: FLUBEND         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUE         AND 3-IODO-N-(2-METHYL)-4-[1,2,2,2-TETRAF         (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHA         EXPRESSED AS FLUBENDIAMIDE         EDIBLE OFFAL (MAMMALIAN)         MEAT (MAMMALIAN) (IN THE FAT)       MILK FATS         MILKS       POTATO         FLUDIOXONIL         COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU         AND OXIDISABLE METABOLITES, EXPRESSI         FLUDIOXONIL         COMMODITIES OF PLANT ORIGIN: FLUDIOXONIL         COMMODITIES OF PLANT ORIGIN: FLUDIOXONIL         COMMODITIES OF PLANT ORIGIN: FLUDIOXONIL	T2 0.05 IAMIDE BENDIAMIDE LUORO-1- LIMIDE, 0.03 0.05 0.05 *0.01 T*0.02 JDIOXONIL ED AS XONIL

IMAZAPYR IMAZAPYR         POPPY SEED         T*0.05         IMIDACLOPRID         SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE 6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSED AS IMIDACLOPRID         BROAD BEAN (DRY)       *0.05         FIELD PEA (DRY)       *0.05         FIELD PEA (DRY)       *0.05         FIELD PEA (DRY)       *0.05         FIELD PEA (DRY)       *0.05         LEAFY VEGETABLES [EXCEPT LETTUCE, 20         HEAD         LEATUL (DRY)       0.2         LETTUCE, HEAD       5         INDOXACARE         SUM OF INDOXACARE         SUM OF INDOXACARE         PEANUT       T0.02         INDOSULFURON METHYL IODOSULFURON METHYL         IODOSULFURON METHYL         IPRODIONE         IPRODIONE         IPRODIONE         IPRODIONE         IPRODIONE         IPRODIONE         IPROPERS         SUM OF METHOMYL AND METHYL         NETHOMYL	PEACH POME FRUITS STONE FRUITS [EXCEPT APRICOT; PEACH]	10 5 5	
POPPY SEED T*0.05           IMAZAPYR           IMAZAPYR           POPPY SEED         T*0.05           IMIDACLOPRID           SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE           6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSED AS IMIDACLOPRID           BROAD BEAN (DRY)         *0.05           FIELD PEA (DRY)         *0.05           INDOXACARE         20           HEAD]         0.2           LENTIL (DRY)         0.2           LETTUCE, HEAD         5           INDOXACARE         SUM OF INDOXACARE AND ITS R-ISOMER           PEANUT         T0.02           IODOSULFURON METHYL         10.02           IODOSULFURON METHYL         10.02           IDODOSULFURON METHYL         10.02           IDODOSULFURON METHYL         10.02           IPRODIONE         PEPPERS           T2         METALAXYL           METALAXYL         METALAXYL           GINGER, ROOT         T0.5           METHOXYFENOZIDE         CORIANDER (LEAVES, STEM, ROOTS)           CHIA         T0.5           METHOXYFENOZIDE         CORANDER (LEAVES, STEM, ROOTS)           CHIA         T20           CANDERRY         0.5           METHOXYFENOZIDE         T2			
IMAZAPYR POPPY SEED T*0.05 IMIDACLOPRID SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE 6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSED AS IMIDACLOPRID BROAD BEAN (DRY) *0.05 IEAD PEA (DRY) *0.05 IEAFY VEGETABLES [EXCEPT LETTUCE, 20 HEAD] LENTIL (DRY) 0.2 LETTUCE, HEAD INDOXACARB SUM OF INDOXACARB AND ITS <i>R</i> -ISOMER PEANUT IODOSULFURON METHYL INTODIONE PEPPERS T2 METALAXYL METALAXYL GINGER, ROOT T0.5 METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5 METHOXYFENOZIDE METHOXYFENOZIDE METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 HERS T20 MEXCAN TARRAGON T20 STONE FRUITS [EXCEPT PLUMS 3 (INCLUDING PRUNES)]	POPPY SEED	T*0.05	
POPPY SEED       T*0.05         IMIDACLOPRID         SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE         6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSED AS IMIDACLOPRID       *0.05         BROAD BEAN (DRY)       *0.05         FIELD PEA (DRY)       *0.05         FIELD PEA (DRY)       *0.05         LEAFY VEGETABLES [EXCEPT LETTUCE,       20         HEAD]       LENTIL (DRY)       0.2         LETTUCE, HEAD       5         INDOXACARB AND ITS <i>R</i> -ISOMER         PEANUT       T0.02         INDOSULFURON METHYL         IODOSULFURON METHYL       1000SULFURON METHYL         BARLEY       *0.01         IPRODIONE         IPRODIONE       IPRODIONE         IPRODIONE       IPRODIONE         PEPPERS       T2         METALAXYL         METALAXYL       METALAXYL         GINGER, ROOT       T0.5         METHOMYL AND METHYL         HYDROXYTHIDACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL         SUM OF METHOXYFENOZIDE       METHOXYFENOZIDE         CORIANDER (LEAVES, STEM, ROOTS)       T20         RAUCOLA (ROCKET)       T20         STONE FRUITS [EXCEPT PLUMS<	<b>I</b> MAZAPYR		
IMIDACLOPRID         SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE         6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSED AS IMIDACLOPRID       *0.05         BROAD BEAN (DRY)       *0.05         FIELD PEA (DRY)       *0.05         LEAFY VEGETABLES [EXCEPT LETTUCE,       20         HEAD]       LENTIL (DRY)       0.2         LETTUCE, HEAD       5         INDOXACARB         SUM OF INDOXACARB AND ITS <i>R</i> -ISOMER         PEANUT       T0.02         IDOSULFURON METHYL         IODOSULFURON METHYL       IOO2         IDOSULFURON METHYL         BARLEY       *0.01         IPRODIONE         IPRODIONE       IPRODIONE         IPRODIONE       IPRODIONE         IPRODIONE       T0.5         METALAXYL         GINGER, ROOT       T0.5         METHOMYL         SUM OF METHOMYL AND METHYL         HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'),         EXPRESSED AS METHOMYL       SEE ALSO THIODICARB         CHIA       T0.5         METHOXYFENOZIDE         METHOXYFENOZIDE       METHOXYFENOZIDE         METHOXYFENOZIDE			
SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE 6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSED AS IMIDACLOPRID BROAD BEAN (DRY) *0.05 FIELD PEA (DRY) *0.05 LEAFY VEGETABLES [EXCEPT LETTUCE, 20 HEAD] 0.2 LETTUCE, HEAD 5 INDOXACARB SUM OF INDOXACARB AND ITS <i>R</i> -ISOMER PEANUT T0.02 IODOSULFURON METHYL IODOSULFURON METHYL BARLEY *0.01 IPRODIONE IPRODIONE PEPPERS T2 METALAXYL METALAXYL METALAXYL GINGER, ROOT T0.5 METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5 METHOXYFENOZIDE METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 HERBS T20 MEXICAN TARRAGON T20 RUCOLA (ROCKET) T20 STONE FRUITS [EXCEPT PLUMS 33 (INCLUDING PRUNES)] OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL	POPPY SEED	1*0.05	
6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSED AS IMIDACLOPRID BROAD BEAN (DRY) *0.05 FIELD PEA (DRY) *0.05 LEAFY VEGETABLES [EXCEPT LETTUCE, 20 HEAD] LENTIL (DRY) 0.2 LETTUCE, HEAD 5 INDOXACARB SUM OF INDOXACARB AND ITS <i>R</i> -ISOMER PEANUT T0.02 IODOSULFURON METHYL IODOSULFURON METHYL BARLEY *0.01 IPRODIONE IPRODIONE PEPPERS T2 METALAXYL METALAXYL GINGER, ROOT T0.5 METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5 METHOXYFENOZIDE METHOXYFENOZIDE METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 MEXICAN TARRAGON T20 RUCOLA (ROCKET) T20 STONE FRUITS [EXCEPT PLUMS 33 (INCLUDING PRUNES)] OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL			
FIELD PEA (DRY) *0.05 LEAFY VEGETABLES [EXCEPT LETTUCE, 20 HEAD] LENTIL (DRY) 0.2 LETTUCE, HEAD 5 INDOXACARB SUM OF INDOXACARB AND ITS <i>R</i> -ISOMER PEANUT T0.02 IODOSULFURON METHYL IODOSULFURON METHYL IODOSULFURON METHYL BARLEY *0.01 IPRODIONE IPRODIONE PEPPERS T2 METALAXYL METALAXYL GINGER, ROOT T0.5 METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5 METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 HERBS T20 MEXICAN TARRAGON T20 RUCOLA (ROCKET) T20 STONE FRUITS [EXCEPT PLUMS 3 (INCLUDING PRUNES)] CLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL BARLEY T0.1	6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRES IMIDACLOPRID	SED AS	
LEAFY VEGETABLES [EXCEPT LETTUCE, 20 HEAD] LENTIL (DRY) 0.2 LETTUCE, HEAD 5 INDOXACARB SUM OF INDOXACARB AND ITS <i>R</i> -ISOMER PEANUT T0.02 IODOSULFURON METHYL IODOSULFURON METHYL IODOSULFURON METHYL BARLEY *0.01 IPRODIONE PEPPERS T2 METALAXYL METALAXYL GINGER, ROOT T0.5 METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5 METHOXYFENOZIDE METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 HERBS T20 MEXICAN TARRAGON T20 RUCOLA (ROCKET) T20 STONE FRUITS [EXCEPT PLUMS 3 (INCLUDING PRUNES)] OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL BARLEY T0.1			
LENTIL (DRY) 0.2 LETTUCE, HEAD 5 INDOXACARB SUM OF INDOXACARB AND ITS <i>R</i> -ISOMER PEANUT T0.02 IODOSULFURON METHYL IODOSULFURON METHYL BARLEY *0.01 IPRODIONE IPRODIONE PEPPERS T2 METALAXYL METALAXYL GINGER, ROOT T0.5 METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5 METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 HERBS T20 MEXICAN TARRAGON T200 STONE FRUITS [EXCEPT PLUMS 33 (INCLUDING PRUNES)] OXYFLUORFEN OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL	LEAFY VEGETABLES EXCEPT LETTUCE,		
LETTUCE, HÉAD 5 INDOXACARB SUM OF INDOXACARB AND ITS <i>R</i> -ISOMER PEANUT T0.02 IODOSULFURON METHYL IODOSULFURON METHYL BARLEY *0.01 IPRODIONE PEPPERS T2 METALAXYL METALAXYL GINGER, ROOT T0.5 METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5 METHOXYFENOZIDE METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 HERBS T20 MEXICAN TARRAGON T20 STONE FRUITS [EXCEPT PLUMS 3 (INCLUDING PRUNES)] OXYFLUORFEN OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL			
INDOXACARB SUM OF INDOXACARB AND ITS <i>R</i> -ISOMER PEANUT T0.02 IODOSULFURON METHYL IODOSULFURON METHYL BARLEY *0.01 IPRODIONE PEPPERS T2 METALAXYL METALAXYL GINGER, ROOT T0.5 METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5 METHOXYFENOZIDE METHOXYFENOZIDE METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY HERBS T20 MEXICAN TARRAGON T20 CRANBERRY MEXICAN TARRAGON T20 MEXICAN TARRAGON T20 MEXICAN TARRAGON T20 MEXICAN TARRAGON T20 MEXICAN TARRAGON T20 MEXICAN TARRAGON T20 NEXICAN TARRAGON T20 MEXICAN TARRAGON T20			
Sum of indoxacarb and its <i>R</i> -isomer         PEANUT       T0.02         Iodosulfuron methyl Iodosulfuron methyl       *0.01         Barley       *0.01         IPRODIONE IPRODIONE       IPRODIONE         PEPPERS       T2         Metalaxyl Metalaxyl       Metalaxyl         Ginger, root       T0.5         Methomyl SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB         CHIA       T0.5         METHOXYFENOZIDE METHOXYFENOZIDE       T20         CORIANDER (LEAVES, STEM, ROOTS)       T20         CRANBERRY       0.5         HERBS       T20         MEXICAN TARRAGON       T20         RUCOLA (ROCKET)       T20         STONE FRUITS [EXCEPT PLUMS       3         (INCLUDING PRUNES)]       3         OLIVES       1         PACLOBUTRAZOL PACLOBUTRAZOL       PACLOBUTRAZOL         BARLEY       T0.1		Ĵ	
PEANUT       T0.02         IODOSULFURON METHYL         IODOSULFURON METHYL       BARLEY         BARLEY       *0.01         IPRODIONE IPRODIONE IPRODIONE         PEPPERS       T2         METALAXYL METALAXYL         GINGER, ROOT       T0.5         METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB         CHIA       T0.5         METHOXYFENOZIDE METHOXYFENOZIDE         CORIANDER (LEAVES, STEM, ROOTS)       T20 CRANBERRY         MEXICAN TARRAGON       T20 RUCOLA (ROCKET)         STONE FRUITS [EXCEPT PLUMS (INCLUDING PRUNES)]       3 (INCLUDING PRUNES)]         OXYFLUORFEN OXYFLUORFEN         OLIVES       1         PACLOBUTRAZOL PACLOBUTRAZOL       T0.1			
IODOSULFURON METHYL BARLEY *0.01 PRODIONE PEPPERS T2 METALAXYL GINGER, ROOT T0.5 METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5 METHOXYFENOZIDE METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 HERBS T20 MEXICAN TARRAGON T20 RUCOLA (ROCKET) T20 RUCOLA (ROCKET) T20 STONE FRUITS [EXCEPT PLUMS 3 (INCLUDING PRUNES)] OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL	PEANUT	T0.02	
IODOSULFURON METHYL BARLEY *0.01 PRODIONE PEPPERS T2 METALAXYL GINGER, ROOT T0.5 METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5 METHOXYFENOZIDE METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 HERBS T20 MEXICAN TARRAGON T20 RUCOLA (ROCKET) T20 RUCOLA (ROCKET) T20 STONE FRUITS [EXCEPT PLUMS 3 (INCLUDING PRUNES)] OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL			
BARLEY *0.01  PRODIONE  PEPPERS T2  METALAXYL METALAXYL GINGER, ROOT T0.5  METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5  METHOXYFENOZIDE METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 HERBS T20 MEXICAN TARRAGON T20 RUCOLA (ROCKET) T20 RUCOLA (ROCKET) T20 RUCOLA (ROCKET) T20 STONE FRUITS [EXCEPT PLUMS 3 (INCLUDING PRUNES)]  OLIVES 1  PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL PACLOBUTRAZOL			
IPRODIONE         PEPPERS       T2         METALAXYL       METALAXYL         GINGER, ROOT       T0.5         METHOMYL       SUM OF METHOMYL AND METHYL         HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL       SIME'         SEE ALSO THIODICARB       T0.5         CHIA       T0.5         METHOXYFENOZIDE METHOXYFENOZIDE       T20         CORIANDER (LEAVES, STEM, ROOTS)       T20         CRANBERRY       0.5         HERBS       T20         MEXICAN TARRAGON       T20         RUCOLA (ROCKET)       T20         STONE FRUITS [EXCEPT PLUMS (INCLUDING PRUNES)]       3         OLIVES       1         PACLOBUTRAZOL PACLOBUTRAZOL       T0.1	BARLEY	*0.01	
IPRODIONE         PEPPERS       T2         METALAXYL       METALAXYL         GINGER, ROOT       T0.5         METHOMYL       SUM OF METHOMYL AND METHYL         HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL       SIME'         SEE ALSO THIODICARB       T0.5         CHIA       T0.5         METHOXYFENOZIDE METHOXYFENOZIDE       T20         CORIANDER (LEAVES, STEM, ROOTS)       T20         CRANBERRY       0.5         HERBS       T20         MEXICAN TARRAGON       T20         RUCOLA (ROCKET)       T20         STONE FRUITS [EXCEPT PLUMS (INCLUDING PRUNES)]       3         OLIVES       1         PACLOBUTRAZOL PACLOBUTRAZOL       T0.1	PRODIONE		
METALAXYL         METALAXYL         GINGER, ROOT       T0.5         METHOMYL         SUM OF METHOMYL AND METHYL         HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'),         EXPRESSED AS METHOMYL         SEE ALSO THIODICARB         CHIA       T0.5         METHOXYFENOZIDE         CORIANDER (LEAVES, STEM, ROOTS)       T20         CRANBERRY       0.5         HERBS       T20         MEXICAN TARRAGON       T20         RUCOLA (ROCKET)       T20         STONE FRUITS [EXCEPT PLUMS       3         (INCLUDING PRUNES)]       OXYFLUORFEN         OLIVES       1         PACLOBUTRAZOL       PACLOBUTRAZOL         BARLEY       T0.1			
METALAXYL         GINGER, ROOT       T0.5         METHOMYL         SUM OF METHOMYL AND METHYL         HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'),         EXPRESSED AS METHOMYL         SEE ALSO THIODICARB         CHIA       T0.5         METHOXYFENOZIDE         CORIANDER (LEAVES, STEM, ROOTS)       T20         METHOXYFENOZIDE         METHOXYFENOZIDE         CORIANDER (LEAVES, STEM, ROOTS)       T20         MEXICAN TARRAGON       T20         RUCOLA (ROCKET)       T20       STONE FRUITS [EXCEPT PLUMS       3         (INCLUDING PRUNES)]       OXYFLUORFEN       OXYFLUORFEN         OLIVES       1       PACLOBUTRAZOL       PACLOBUTRAZOL         BARLEY       T0.1       T0.1	Peppers	T2	
METHOMYL         SUM OF METHOMYL AND METHYL         HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'),         EXPRESSED AS METHOMYL         SEE ALSO THIODICARB         CHIA       T0.5         METHOXYFENOZIDE         METHOXYFENOZIDE         CORIANDER (LEAVES, STEM, ROOTS)       T20         CRANBERRY       0.5         HERBS       T20         MEXICAN TARRAGON       T20         RUCOLA (ROCKET)       T20         STONE FRUITS [EXCEPT PLUMS       3         (INCLUDING PRUNES)]       OXYFLUORFEN         OLIVES       1         PACLOBUTRAZOL       PACLOBUTRAZOL         BARLEY       T0.1			
SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB CHIA T0.5 METHOXYFENOZIDE CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 HERBS T20 MEXICAN TARRAGON T20 RUCOLA (ROCKET) T20 STONE FRUITS [EXCEPT PLUMS 33 (INCLUDING PRUNES)] OLIVES 1 OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL BARLEY T0.1	GINGER, ROOT	T0.5	
METHOXYFENOZIDE METHOXYFENOZIDE         CORIANDER (LEAVES, STEM, ROOTS)       T20         CRANBERRY       0.5         HERBS       T20         MEXICAN TARRAGON       T20         RUCOLA (ROCKET)       T20         STONE FRUITS [EXCEPT PLUMS (INCLUDING PRUNES)]       3         OXYFLUORFEN OXYFLUORFEN       1         PACLOBUTRAZOL PACLOBUTRAZOL       10.1	SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIMI EXPRESSED AS METHOMYL		
METHOXYFENOZIDE         CORIANDER (LEAVES, STEM, ROOTS)       T20         CRANBERRY       0.5         HERBS       T20         MEXICAN TARRAGON       T20         RUCOLA (ROCKET)       T20         STONE FRUITS [EXCEPT PLUMS       3         (INCLUDING PRUNES)]       OXYFLUORFEN         OLIVES       1         PACLOBUTRAZOL       PACLOBUTRAZOL         BARLEY       T0.1	Сніа	T0.5	
CORIANDER (LEAVES, STEM, ROOTS) T20 CRANBERRY 0.5 HERBS T20 MEXICAN TARRAGON T20 RUCOLA (ROCKET) T20 STONE FRUITS [EXCEPT PLUMS 3 (INCLUDING PRUNES)] COXYFLUORFEN 0XYFLUORFEN 1 OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL BARLEY T0.1	METHOXYFENOZIDE		
CRANBERRY     0.5       HERBS     T20       MEXICAN TARRAGON     T20       RUCOLA (ROCKET)     T20       STONE FRUITS [EXCEPT PLUMS     3       (INCLUDING PRUNES)]     3       OXYFLUORFEN       OLIVES     1       PACLOBUTRAZOL       PACLOBUTRAZOL     T0.1		T20	
HERBS T20 MEXICAN TARRAGON T20 RUCOLA (ROCKET) T20 STONE FRUITS [EXCEPT PLUMS 3 (INCLUDING PRUNES)] OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL BARLEY T0.1			
RUCOLA (ROCKET) T20 STONE FRUITS [EXCEPT PLUMS 3 (INCLUDING PRUNES)] OXYFLUORFEN OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL BARLEY T0.1	HERBS		
STONE FRUITS [EXCEPT PLUMS 3 (INCLUDING PRUNES)] OXYFLUORFEN OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL BARLEY T0.1			
(INCLUDING PRUNES)]  OXYFLUORFEN OXYFLUORFEN OLIVES 1  PACLOBUTRAZOL PACLOBUTRAZOL BARLEY T0.1			
OXYFLUORFEN OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL BARLEY T0.1		3	
OXYFLUORFEN OLIVES 1 PACLOBUTRAZOL PACLOBUTRAZOL BARLEY T0.1			
PACLOBUTRAZOL PACLOBUTRAZOL BARLEY T0.1	-		
PACLOBUTRAZOL BARLEY T0.1	OLIVES	1	
BARLEY TO.1	_		
VV HEAT TO.1	BARLEY		
	VVHEAT	10.1	

LEMON BALM       30         PHOSPHOROUS ACID         PHOSPHOROUS ACID       PHOSPHOROUS ACID         BRASSICA (COLE OR CABBAGES,       FLOWERHEAD BRASSICAS [EXCEPT         FLOWERHEAD BRASSICAS [EXCEPT       FLOWERHEAD BRASSICAS]         FRUTING VEGETABLES, OTHER THAN       T100         CUCURBITS       T100         BINGARR, ROOT       T100         PIRIMICARB AND THE N-FORMYL-(METHYL-MINO) ANALOGUE         (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS       PIRIMICARB         ADZUKI BEAN (DRY)       T0.5         LEAFY VEGETABLES [EXCEPT CHERVIL;       T7         MUNG BEAN (DRY)       T0.5         ONION, WELSH       T3         SHALLOT       T3         SPRING ONION       T3         VEGETABLES [EXCEPT ADZUKI BEAN       1         (DRY); LEAFY VEGETABLES; LUPIN       (DRY);         (DRY); MUNG BEAN (DRY);       SNON         SPRING ONION; WEET CORN (CORN-ON-ON-THE-COB)]       1         (DRY); LEAFY VEGETABLES; LUPIN       (DRY);         SPRING ONION; SWEET CORN (CORN-ON-ON-THE-COB)]       5         PROFENOFOS         PROFENOFOS       PROFENOFOS         PROFENOFOS       PROFENOFOS         PROTHIOCONAZOLE AND PROTHIOCONAZOLE	PENDIMETHALIN			
PERMETHRIN         SUM OF ISOMERS           CORIANDER (LEAVES, STEM, ROOTS)         30           LEMON BALM         30           PHOSPHOROUS ACID         PHOSPHOROUS ACID           PHOSPHOROUS ACID         PHOSPHOROUS ACID           BRASSICA (COLE OR CABBAGE)         T1           VEGETABLES, HEAD CABBAGES,         FLOWERHEAD BRASSICAS [EXCEPT           FLOWERHEAD BRASSICAS]         FRUITING VEGETABLES, OTHER THAN         T100           CUCURBITS         GINGER, ROOT         T000           PIRIMICARB, DEMETHYL-PIRIMICARB AND THE <i>N</i> -FORMYL-(METHYLAMINO) ANALOGUE         (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS           PIRIMICARB         SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB, EXPRESSED AS         PIRIMICARB           ADZUKI BEAN (DRY)         T0.5         COMMON (DALOGUE)           (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS         PIRIMICARB           ADZUKI BEAN (DRY)         T0.5           MIZUAR, RUCOLA (ROCKET)]         MIZUAR, RUCOLA (ROCKET)]           MUNG BEAN (DRY)         T0.5           SHALLOT         T3           SPRING ONION         T3           VEGETABLES [EXCEPT ADZUKI BEAN         1           (DRY); LEAFY VEGETABLES; LUPIN         (DRY);           (DRY); MUNG BEAN (DRY); ONION,         WELSH; SHALLOT; SOYA BEAN (DRY);		*0.05		
PERMETHRIN, SUM OF ISOMERS         CORIANDER (LEAVES, STEM, ROOTS)       30         LEMON BALM       30         PHOSPHOROUS ACID       70         BRASSICA (COLE OR CABBAGE)       T1         VEGETABLES, HEAD CABBAGES,       FLOWERHEAD BRASSICAS [EXCEPT         FLOWERHEAD BRASSICAS]       FRUITING VEGETABLES, OTHER THAN       T100         CUCURBITS       GINGER, ROOT       T100         CUCURBITS       GINGER, ROOT       T0.5         CDEMETHYLFORMAMIDO-PIRIMICARB, AND THE N-FORMYL-(METHYLAMINO) ANALOGUE       (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS PIRIMICARB         ADZUKI BEAN (DRY)       T0.5         LEAFY VEGETABLES [EXCEPT CHERVIL;       T7         MUNG BEAN (DRY)       T0.5         DONION, WELSH       T3         SPRING ONION       T3         VEGETABLES [EXCEPT ADZUKI BEAN       1         (DRY); MUNG BEAN (DRY); ONION,       WELSH; SHALLOT; SOYA BEAN (DRY); SPRING ONION; SWEET CORN (CORN-ON-THE-COB)]         PROFENOFOS       PROFENOFOS         PROTHIOCONAZOLE       COMMODITIES OF PLANT ORIGIN: SUM OF         PROTHIOCONAZOLE       COMMODITIES OF PLANT ORIGIN: SUM OF         PROTHIOCONAZOLE       COMMODITIES OF ANIMAL ORIGIN: SUM OF         PROTHIOCONAZOLE       COMMODITIES OF ANIMAL ORIGIN: SUM OF	HERBS	0.05		
LEMON BALM       30         PHOSPHOROUS ACID       PHOSPHOROUS ACID         BRASSICA (COLE OR CABBAGE)       T1         VEGETABLES, HEAD CABBAGES,       FLOWERHEAD BRASSICAS [EXCEPT         FLOWERHEAD BRASSICAS]       FRUTTING VEGETABLES, OTHER THAN       T100         CUCURBITS       GINGER, ROOT       T100         SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE N-FORMYL-(METHYLAMINO) ANALOGUE       (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS         PIRIMICARB       SUM OF PIRIMICARB [EXCEPT CHERVIL;       T7         MIZUNA; RUCOLA (ROCKET)]       MUNG BEAN (DRY)       T0.5         DONION, WELSH       T3         SHALLOT       T3         SPRING ONION       T3         VEGETABLES [EXCEPT ADZUKI BEAN       1         (DRY); LEAFY VEGETABLES; LUPIN       1         (DRY); UADS BEAN (DRY); ONION,       WELSH; SHALLOT; SOYA BEAN (DRY);         SPRING ONION       T3         VEGETABLES [EXCEPT ADZUKI BEAN       1         (DRY); UADS BEAN (DRY);       ONION, WELSH         SPROFENOFOS       PROFENOFOS         PROFENOFOS       PROFENOFOS         PROFENOFOS       PROFENOFOS         PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1H-1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), REVRESSED AS				
PHOSPHOROUS ACID         BRASSICA (COLE OR CABBAGES)       T1         VEGETABLES, HEAD CABBAGES,       FLOWERHEAD BRASSICAS [EXCEPT         FLOWERHEAD BRASSICAS]       T100         CUCURBITS       T100         GINGER, ROOT       T100         PRIMICARB         SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE N-FORMYL-(METHYLAMINO) ANALOGUE         (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS PIRIMICARB         ADZUKI BEAN (DRY)       T0.5         LEAFY VEGETABLES [EXCEPT CHERVIL;       T7         MIZUNA; RUCOLA (ROCKET)]       MUNG BEAN (DRY)         MUNG BEAN (DRY)       T0.5         ONION, WELSH       T3         SHALLOT       T3         SPRING ONION       T3         VEGETABLES [EXCEPT ADZUKI BEAN       1         (DRY); ILEAFY VEGETABLES; LUPIN       1         (DRY); ILEAFY VEGETABLES; LUPIN       1         (DRY); ILEAFY VEGETABLES; LUPIN       1         (DRY); ILEAFY VEGETABLES       5         PROFENOFOS         PROFENOFOS       PROFENOFOS         PROFENOFOS       PROFENOFOS         PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1H-1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE         COMMODIT		30 30		
BRASSICA (COLE OR CABBAGE)       T1         VEGETABLES, HEAD CABBAGES,       FLOWERHEAD BRASSICAS [EXCEPT         FLOWERHEAD BRASSICAS]       FRUITING VEGETABLES, OTHER THAN       T100         CUCURBITS       T100         BIRIMICARB       SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE N-FORMYL-(METHYLAMINO) ANALOGUE       (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS PIRIMICARB         ADZUKI BEAN (DRY)       T0.5         LEAFY VEGETABLES [EXCEPT CHERVIL;       T7         MIZUNA; RUCOLA (ROCKET)]       MONG BEAN (DRY)         MING BEAN (DRY)       T0.5         ONION, WELSH       T3         SHALLOT       T3         SPRING ONION       T3         VEGETABLES [EXCEPT ADZUKI BEAN       1         (DRY); LEAFY VEGETABLES; LUPIN       10         (DRY); LEAFY VEGETABLES; LUPIN       10         (DRY); LEAFY VEGETABLES; LUPIN       10         (DRY); MUNG BEAN (DRY); ONION,       10         SPRING ONION; SWEET CORN (CORN-ON-ON-THE-COB)]       10         PROFENOFOS       PROFENOFOS         PROTHIOCONAZOLE       COMMODITIES OF PLANT ORIGIN: SUM OF         PROTHIOCONAZOLE       PROTHIOCONAZOLE         COMMODITIES OF PLANT ORIGIN: SUM OF       PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1H-1,2,4-TRIAZOL-1-YL				
VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS] FRUITING VEGETABLES, OTHER THAN T100 CUCURBITS GINGER, ROOT T100 PIRIMICARB SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE N- FORMYL-(METHYLAMINO) ANALOGUE (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS PIRIMICARB ADZUKI BEAN (DRY) T0.5 LEAFY VEGETABLES [EXCEPT CHERVIL; T7 MIZUNA; RUCOLA (ROCKET)] MUNG BEAN (DRY) T0.5 ONION, WELSH T3 SHALLOT T3 SHAILOT T3 SPRING ONION T3 SHAILOT T3 SPRING ONION T3 SHAILOT T3 SPRING ONION; SWEET CORN (CORN- ON-THE-COB)] PROFENOFOS PROFENOFOS MANGOSTEEN 5 PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-Y-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-YPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 WHEAT GERM 0.5		T1		
FRUITING VEGETABLES, OTHER THAN       T100         CUCURBITS       T100         GINGER, ROOT       T100 <b>PIRIMICARB</b> SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE <i>N</i> -FORMYL-(METHYLAMINO) ANALOGUE         (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS PIRIMICARB         ADZUKI BEAN (DRY)       T0.5         LEAFY VEGETABLES [EXCEPT CHERVIL;       T7         MIZUNA; RUCOLA (ROCKET)]       MONG BEAN (DRY)         MUNG BEAN (DRY)       T0.5         ONION, WELSH       T3         SHALLOT       T3         SPRING ONION       T3         VEGETABLES [EXCEPT ADZUKI BEAN       1         (DRY); LEAFY VEGETABLES; LUPIN       1         (DRY); LEAFY VEGETABLES; LUPIN       1         (DRY); MUNG BEAN (DRY); ONION,       WELSH; SHALLOT; SO'A BEAN (DRY);         SPRING ONION; SWEET CORN (CORN-ON-THE-COB)]       5 <b>PROFENOFOS</b> PROFENOFOS       PROFENOFOS         PROFENOFOS	VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS [EXCEPT			
GINGER, ROOT PIRIMICARB, DEMETHYL-PIRIMICARB AND THE N- FORMYL-(METHYLAMINO) ANALOGUE (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS PIRIMICARB ADZUKI BEAN (DRY) T0.5 LEAFY VEGETABLES [EXCEPT CHERVIL; T7 MIZUNA; RUCOLA (ROCKET)] MUNG BEAN (DRY) T0.5 ONION, WELSH T3 SHALLOT T3 SHALLOT T3 SHALLOT T3 SHALLOT T3 SHALLOT T3 VEGETABLES [EXCEPT ADZUKI BEAN 1 (DRY); LEAFY VEGETABLES; LUPIN (DRY); MUNG BEAN (DRY); ONION, WELSH; SHALLOT; SOYA BEAN (DRY); SPRING ONION; SWEET CORN (CORN- ON-THE-COB)] PROFENOFOS MANGOSTEEN 5 PROFENOFOS MANGOSTEEN 5 PROFINICONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE COMMODITIES OF ANIMAL ORIGIN: SUM OF PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE SHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROYL)-1-(2- (HLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROXY-DESTHIO (2-(1-CHLOROXYDESTON 0.5 OATS '0.05 WHEAT GERM 0.5	FRUITING VEGETABLES, OTHER THAN	T100		
SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE <i>N</i> - FORMYL-(METHYLAMINO) ANALOGUE (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS PIRIMICARB ADZUKI BEAN (DRY) T0.5 LEAFY VEGETABLES [EXCEPT CHERVIL; T7 MIZUNA; RUCOLA (ROCKET)] MUNG BEAN (DRY) T0.5 ONION, WELSH T3 SHALLOT T3 SHALLOT T3 SHALLOT T3 VEGETABLES [EXCEPT ADZUKI BEAN 1 (DRY); LEAFY VEGETABLES; LUPIN (DRY); MUNG BEAN (DRY); ONION, WELSH; SHALLOT; SOYA BEAN (DRY); SPRING ONION; SWEET CORN (CORN- ON-THE-COB)] PROFENOFOS PROFENOFOS PROFENOFOS MANGOSTEEN 5 PROFENOFOS PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPYL)-1-(2- CHLOROCYCLOPROPYL)-1-(2-CHLOROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS '0.05 WHEAT GERM 0.5 WHEAT GERM 0.5 WHEAT GERM 0.5 WHEAT GERM 0.5		T100		
SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE <i>N</i> - FORMYL-(METHYLAMINO) ANALOGUE (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS PIRIMICARB ADZUKI BEAN (DRY) T0.5 LEAFY VEGETABLES [EXCEPT CHERVIL; T7 MIZUNA; RUCOLA (ROCKET)] MUNG BEAN (DRY) T0.5 ONION, WELSH T3 SHALLOT T3 SHALLOT T3 SHALLOT T3 VEGETABLES [EXCEPT ADZUKI BEAN 1 (DRY); LEAFY VEGETABLES; LUPIN (DRY); MUNG BEAN (DRY); ONION, WELSH; SHALLOT; SOYA BEAN (DRY); SPRING ONION; SWEET CORN (CORN- ON-THE-COB)] PROFENOFOS PROFENOFOS PROFENOFOS MANGOSTEEN 5 PROFENOFOS PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPYL)-1-(2- CHLOROCYCLOPROPYL)-1-(2-CHLOROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS '0.05 WHEAT GERM 0.5 WHEAT GERM 0.5 WHEAT GERM 0.5 WHEAT GERM 0.5				
PIRIMICARB         ADZUKI BEAN (DRY)       T0.5         LEAFY VEGETABLES [EXCEPT CHERVIL;       T7         MIZUNA; RUCOLA (ROCKET)]       MUNG BEAN (DRY)         MUNG BEAN (DRY)       T0.5         ONION, WELSH       T3         SHALLOT       T3         SPRING ONION       T3         VEGETABLES [EXCEPT ADZUKI BEAN       1         (DRY); LEAFY VEGETABLES; LUPIN       1         (DRY); MUNG BEAN (DRY); ONION,       WELSH; SHALLOT; SOYA BEAN (DRY);         SPRING ONION; SWEET CORN (CORN-ON-THE-COB)]       PROFENOFOS         PROFENOFOS         PROFIDCONAZOLE         COMMODITIES OF PLANT ORIGIN: SUM OF         PROTHIOCONAZOLE DESTHIO (2-         COMMODITIES OF PLANT ORIGIN: SUM OF         PROTHIOCONAZOLE DESTHIO (2-         COMMODITIES OF ANIMAL ORIGIN: SUM OF         PROTHIOCONAZOLE         COMMODITIES OF ANIMAL ORIGIN: SUM OF         PROTHIOCONAZOLE         COMMODITIES OF ANIMAL ORIGIN: SUM OF         PROTHIOCONAZOLE DESTHIO (2-(1-         COMMODITIES OF ANIMAL ORIGIN: SUM OF         PROTHIOCONAZOLE PROPYL)-1-(2-         CHLOROCYCLOPROPYL)	SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND FORMYL-(METHYLAMINO) ANALOGUE			
LEAFY VEGETABLES [EXCEPT CHERVIL; T7 MIZUNA; RUCOLA (ROCKET)] MUNG BEAN (DRY) T0.5 ONION, WELSH T3 SHALLOT T3 SPRING ONION T3 VEGETABLES [EXCEPT ADZUKI BEAN 1 (DRY); LEAFY VEGETABLES; LUPIN (DRY); MUNG BEAN (DRY); ONION, WELSH; SHALLOT; SOYA BEAN (DRY); SPRING ONION; SWEET CORN (CORN- ON-THE-COB)] PROFENOFOS MANGOSTEEN 5 PROFENOFOS MANGOSTEEN 5 PROTHIOCONAZOLE COMMODITIES OF PLANT ORIGIN: SUM OF PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL), AND PROTHIOCONAZOLE DESTHIO (2-(1- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 WHEAT GERM 0.5 WHEAT GERM 0.5 WHEAT GERM 0.5 VHEAT GERM 0.5 VHEAT GERM 0.5 PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN	PIRIMICARB			
MUNG BEAN (DRY) T0.5 ONION, WELSH T3 SHALLOT T3 SPRING ONION T3 VEGETABLES [EXCEPT ADZUKI BEAN 1 (DRY); LEAFY VEGETABLES; LUPIN (DRY); MUNG BEAN (DRY); ONION, WELSH; SHALLOT; SOYA BEAN (DRY); SPRING ONION; SWEET CORN (CORN- ON-THE-COB)] PROFENOFOS MANGOSTEEN 5 PROFENOFOS MANGOSTEEN 5 PROTHIOCONAZOLE COMMODITIES OF PLANT ORIGIN: SUM OF PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE OF ONAZOLE COMMODITIES OF ANIMAL ORIGIN: SUM OF PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE COMMODITIES OF ANIMAL ORIGIN: SUM OF PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 <b>PYRACLOSTROBIN</b> COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01	LEAFY VEGETABLES [EXCEPT CHERVIL;	T0.5 T7		
SHALLOT T3 SPRING ONION T3 VEGETABLES [EXCEPT ADZUKI BEAN 1 (DRY); LEAFY VEGETABLES; LUPIN (DRY); MUNG BEAN (DRY); ONION, WELSH; SHALLOT; SOYA BEAN (DRY); SPRING ONION; SWEET CORN (CORN- ON-THE-COB)] PROFENOFOS MANGOSTEEN 5 PROFENOFOS MANGOSTEEN 5 PROTHIOCONAZOLE COMMODITIES OF PLANT ORIGIN: SUM OF PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE COMMODITIES OF ANIMAL ORIGIN: SUM OF PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01	MUNG BEAN (DRY)	T0.5 T3		
VEGETABLES [EXCEPT ADZUKI BEAN 1 (DRY); LEAFY VEGETABLES; LUPIN (DRY); MUNG BEAN (DRY); ONION, WELSH; SHALLOT; SOYA BEAN (DRY); SPRING ONION; SWEET CORN (CORN- ON-THE-COB)] PROFENOFOS MANGOSTEEN 5 COMMODITIES OF PLANT ORIGIN: SUM OF PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE COMMODITIES OF ANIMAL ORIGIN: SUM OF PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE COMMODITIES OF ANIMAL ORIGIN: SUM OF PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN		T3		
(DRY); LEAFY VEGETABLES; LUPIN (DRY); MUNG BEAN (DRY); ONION, WELSH; SHALLOT; SOYA BEAN (DRY); SPRING ONION; SWEET CORN (CORN- ON-THE-COB)] PROFENOFOS MANGOSTEEN 5 PROFENOFOS MANGOSTEEN 5 PROTHIOCONAZOLE COMMODITIES OF PLANT ORIGIN: SUM OF PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE COMMODITIES OF ANIMAL ORIGIN: SUM OF PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE -4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.55 OATS *0.05 WHEAT GERM 0.5		T3		
(DRY); MUNG BEAN (DRY); ONION, WELSH; SHALLOT; SOYA BEAN (DRY); SPRING ONION; SWEET CORN (CORN- ON-THE-COB)] PROFENOFOS MANGOSTEEN 5 PROTHIOCONAZOLE COMMODITIES OF PLANT ORIGIN: SUM OF PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.55 OATS *0.05 WHEAT GERM 0.5 PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: CYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: CYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: CYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: CYRACLOSTROBIN CEREAL GRAINS *0.01		1		
SPRING ONION; SWEET CORN (CORN- ON-THE-COB)] PROFENOFOS MANGOSTEEN 5 PROTHIOCONAZOLE COMMODITIES OF PLANT ORIGIN: SUM OF PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE COMMODITIES OF ANIMAL ORIGIN: SUM OF PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE OS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 WHEAT GERM 0.5 PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN				
PROFENOFOS         MANGOSTEEN       5         PROTHIOCONAZOLE       COMMODITIES OF PLANT ORIGIN: SUM OF         PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE         COMMODITIES OF ANIMAL ORIGIN: SUM OF         PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE         CEREAL BRAN, UNPROCESSED       0.5         OATS       *0.05         WHEAT GERM       0.5         OATS       *0.05         WHEAT GERM       0.5         COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: SUM OF         PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN	SPRING ONION; SWEET CORN (CORN-			
MANGOSTEEN       5         PROTHIOCONAZOLE         COMMODITIES OF PLANT ORIGIN: SUM OF         PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2-         (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1H-         1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS         PROTHIOCONAZOLE         COMMODITIES OF ANIMAL ORIGIN: SUM OF         PROTHIOCONAZOLE         COMMODITIES OF ANIMAL ORIGIN: SUM OF         PROTHIOCONAZOLE DESTHIO (2-(1-         CHLOROCYCLOPROPYL)-1-(2-CHLOROCYCLOPROPYL)-1-(2-CHLOROCYCLOPROPYL)-3-(1H-1,2,4-TRIAZOL-1-         YL)-PROPAN-2-OL), AND PROTHIOCONAZOLE-4-HYDROXY-         DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-3-HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1-         YL)-PROPAN-2-OL), AND PROTHIOCONAZOLE-4-HYDROXY-         DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4-         HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1-YL)-PROPAN-         2-OL), EXPRESSED AS PROTHIOCONAZOLE         CEREAL BRAN, UNPROCESSED       0.5         OATS *0.05         WHEAT GERM       0.5         OMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN         COMMODITIES OF PLANT ORIGIN: SUM OF <td and<="" colspan="2" pyraclostrobin="" th=""><th></th><th></th></td>	<th></th> <th></th>			
COMMODITIES OF PLANT ORIGIN: SUM OFPROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1H- 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1H- 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-3-HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLECEREAL BRAN, UNPROCESSED0.5 OATSYNEAT GERM0.5OATS*0.05WHEAT GERM0.5COMMODITIES OF PLANT ORIGIN: COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBINCEREAL GRAINS*0.01		5		
COMMODITIES OF PLANT ORIGIN: SUM OFPROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIO (2- (1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1H- 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1H- 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-3-HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLECEREAL BRAN, UNPROCESSED0.5 OATSYNEAT GERM0.5OATS*0.05WHEAT GERM0.5COMMODITIES OF PLANT ORIGIN: COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBINCEREAL GRAINS*0.01				
(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE <i>COMMODITIES OF ANIMAL ORIGIN:</i> SUM OF PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 <b>PYRACLOSTROBIN</b> <i>COMMODITIES OF PLANT ORIGIN:</i> PYRACLOSTROBIN <i>COMMODITIES OF PLANT ORIGIN:</i> SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01		=		
1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED AS PROTHIOCONAZOLE COMMODITIES OF ANIMAL ORIGIN: SUM OF PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
PROTHIOCONAZOLE COMMODITIES OF ANIMAL ORIGIN: SUM OF PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1- CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
COMMODITIES OF ANIMAL ORIGIN: SUM OF         PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1-         CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1H-         1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE-         3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-         CHLORO-3-HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1-         YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY-         DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4-         HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1-YL)-PROPAN-         2-OL), EXPRESSED AS PROTHIOCONAZOLE         CEREAL BRAN, UNPROCESSED       0.5         OATS       *0.05         WHEAT GERM       0.5         OATS       *0.05         WHEAT GERM       0.5         OATS       *0.05         PYRACLOSTROBIN       COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN         COMMODITIES OF ANIMAL ORIGIN: SUM OF       PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1-         (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS       PYRACLOSTROBIN         CEREAL GRAINS       *0.01		DED AS		
CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1 <i>H</i> - 1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01		F		
1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE- 3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
3-HYDROXY-DESTHIO (2-(1-CHLORÓCYCLOPROPYL)-1-(2- CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 <b>PYRACLOSTROBIN</b> COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
CHLORO-3-HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1- YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 <b>PYRACLOSTROBIN</b> COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY- DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4- HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 <b>PYRACLOSTROBIN</b> COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PROPAN- 2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 <b>PYRACLOSTROBIN</b> COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
2-OL), EXPRESSED AS PROTHIOCONAZOLE CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
CEREAL BRAN, UNPROCESSED 0.5 OATS *0.05 WHEAT GERM 0.5 PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
OATS *0.05 WHEAT GERM 0.5 PYRACLOSTROBIN COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01		0.5		
Pyraclostrobin           Commodities of plant origin: Pyraclostrobin           Commodities of animal origin: Sum of           Pyraclostrobin and metabolites hydrolysed to 1-           (4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as           pyraclostrobin           Cereal grains           *0.01		*0.05		
COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01	WHEAT GERM	0.5		
COMMODITIES OF ANIMAL ORIGIN: SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1- (4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
(4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN CEREAL GRAINS *0.01				
CEREAL GRAINS *0.01	(4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRE			
CUSTARD APPLE T3				
	CUSTARD APPLE	Т3		

FRUITING VEGETABLES, OTHER THAN	0.3
CUCURBITS	
Mango	0.1
Papaya (pawpaw)	T0.5
POME FRUITS	1
POPPY SEED	*0.05

PYRIMETHANIL PYRIMETHANIL

T5

LEAFY VEGETABLES

SPIROTETRAMAT SUM OF SPIROTETRAMAT, AND CIS-3-(2,5- DIMETHYLPHENYL)-4-HYDROXY-8-METHOXY-1- AZASPIRO[4.5]DEC-3-EN-2-ONE, EXPRESSED AS	
SPIROTETRAMAT	
DRIED GRAPES FRUITING VEGETABLES, CUCURBITS [EXCEPT MELONS]	4 2
FRUITING VEGETABLES, OTHER THAN CUCURBITS	7
GRAPES LEAFY VEGETABLES [EXCEPT LETTUCE, HEAD]	2 5
LEGUME VEGETABLES MELONS, EXCEPT WATERMELON POTATO SWEET POTATO WATERMELON	T2 0.5 5 0.5
WATERWIELON	0.5
<b>Tebuconazole</b> Tebuconazole	
CHERRIES	0.01 5 T0.2

TEBUFENOZIDE TEBUFENOZIDE

CRANBERRY	0.5
TERBUTHYLAZINE	
TERBUTHYLAZINE	
Maize	T*0.02
Sorghum	T*0.02
SWEET CORN (CORN-ON-THE-COB)	T*0.02
TRIADIMENOL	
TRIADIMENOL	
SEE ALSO TRIADIMEFON	
Peppers	T1

### TRICHLORFON TRICHLORFON

T*0.01	
0.1	
0.1	
SUM OF TRIFLOXYSTROBIN AND ITS ACID METABOLITE ((E,E)-METHOXYIMINO-[2-[1-(3-	

((Е,Е)-метнохуіміло-[2-[1-(3-
TRIFLUOROMETHYLPHENYL)-
ETHYLIDENEAMINOOXYMETHYL]PHENYL] ACETIC ACID),
EXPRESSED AS TRIFLOXYSTROBIN EQUIVALENTS
CELERY T1
CHARD (SILVER BEET) T0.7

CHICORY LEAVES ENDIVE SPINACH STONE FRUITS	T0.7 T0.7 T0.7 2
TRIFLUMIZOLE	
SUM OF TRIFLUMIZOLE AND (E)-4-CHLORO-A,A,A- TRIFLUORO- N-(1-AMINO-2-PROPOXYETHYLIDENE)-O- TOLUIDINE, EXPRESSED AS TRIFLUMIZOLE	
CHERRIES	1.5
TRIFLURALIN	
TRIFLURALIN	
Сніа	T*0.01

TRINEXAPAC-ETHYL	
4-(CYCLOPROPYL- $\alpha$ -HYDROXY-METHYLENE)-	3,5-DIOXO-
CYCLOHEXANECARBOXYLIC ACID	
BARLEY	T0.3
WHEAT	T0.3
UNICONAZOLE-P	
SUM OF UNICONAZOLE-P AND ITS Z-ISOMER EXPRESSED AS	
UNICONAZOLE-P	
CUSTARD APPLE	T1

[2.6] omitting from Schedule 1, under the entries for the following chemicals, the Maximum Residue Limit for the food, substituting –

BIFENTHRIN	
BIFENTHRIN	
PEAS (PODS AND SUCCULENT,	*0.01
IMMATURE SEEDS)	
_	
Boscalid	
COMMODITIES OF PLANT ORIGIN: BOSCALID	
Commodifies of animal origin: Sum of Boscal chloro-N-(4'-chloro-5-hydroxybiphenyl-2-	
NICOTINAMIDE AND THE GLUCURONIDE CONJUGATE	
CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2-	
NICOTINAMIDE, EXPRESSED AS BOSCALID EQUIVALE	
BRASSICA LEAFY VEGETABLES	T30
EDIBLE OFFAL (MAMMALIAN)	0.3
LETTUCE, HEAD	T15
LETTUCE, LEAF	T15
MEAT (MAMMALIAN) (IN THE FAT)	0.3
Milks	0.1
BROMOXYNIL	
BROMOXYNIL	
EDIBLE OFFAL (MAMMALIAN)	Т3
MEAT (MAMMALIAN) (IN THE FAT)	T1
Milks	T0.1
CHLOROTHALONIL	
COMMODITIES OF PLANT ORIGIN: CHLOROTHALO	NIII
Commodifies of Animal Origin: Sum of	
CHLOROTHALONIL AND 4-HYDROXY-2, 5, 6-	
TRICHLOROISOPHTHALONITRILE METABOLITE, EXPRE	SSED
AS CHLOROTHALONIL	
EDIBLE OFFAL (MAMMALIAN)	7
HERBS [EXCEPT FENNEL, LEAF]	T20
MEAT (MAMMALIAN) (IN THE FAT)	2
MILKS PULSES	0.05 3
1 01353	5
CHLORPYRIFOS	
CHLORPYRIFOS	*0.01
BLUEBERRIES	*0.01
DITHIOCARBAMATES	
TOTAL DITHIOCARBAMATES, DETERMINED AS CARE	BON
DISULPHIDE EVOLVED DURING ACID DIGESTION AND	
EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER	
KILOGRAM OF FOOD	_
Mango	5

FENBUCONAZOLE	
FENBUCONAZOLE	
- ( /	0.05
STONE FRUITS [EXCEPT NECTARINE]	1
FENVALERATE	
FENVALERATE, SUM OF ISOMERS	
Grapes	0.1
FIPRONIL	
SUM OF FIPRONIL, THE SULPHENYL METABOLITE (5-AN	
1-[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-	IINO-
[(TRIFLUOROMETHYL) SULPHENYL]-1H-PYRAZOLE-	+-
CARBONITRILE), THE SULPHONYL METABOLITE (5-AMIN	
[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4 [(TRIFLUOROMETHYL)SULPHONYL]-1H-PYRAZOLE-3	-
CARBONITRILE), AND THE TRIFLUOROMETHYL METABO	
(5-AMINO-4-TRIFLUOROMETHYL-1-[2,6-DICHLORO-	4-
(TRIFLUOROMETHYL)PHENYL]-1H-PYRAZOLE-3-	
CARBONITRILE)	0.04
SWEET POTATO *	0.01
FLUAZIFOP-BUTYL	
FLUAZIFOP-BUTYL	
Parsnip	0.1
FLUBENDIAMIDE	
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMIDE	
COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAMIDE	
AND 3-10D0- <i>N</i> -(2-METHYL-4-[1,2,2,2-TETRAFLUORO-1-	
(TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMIDE,	
EXPRESSED AS FLUBENDIAMIDE	
LETTUCE, HEAD	5
LETTUCE, LEAF	7
Peppers, Sweet	1
Томато	2
FLUMETSULAM	
FLUMETSULAM	
EDIBLE OFFAL (MAMMALIAN)	0.3
	0.5
SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE	
6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSED	) AS
IMIDACLOPRID	
LUPIN (DRY)	0.2
Ροτατο	0.3
SWEET POTATO	0.3

IPRODIONE IPRODIONE	
BRUSSELS SPROUTS	0.5
DRUSSELS SPROUTS	0.5
METALAXYL	
METALAXYL	
Papaya (pawpaw)	*0.01
Permethrin	
PERMETHRIN, SUM OF ISOMERS	
Herbs	30
KAFFIR LIME LEAVES	30
LEMON GRASS	30
PROTHIOCONAZOLE	
COMMODITIES OF PLANT ORIGIN: SUM O	
PROTHIOCONAZOLE AND PROTHIOCONAZOLE DES	
(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL	
1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRES	SED AS
PROTHIOCONAZOLE	
COMMODITIES OF ANIMAL ORIGIN: SUM OF	
PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1-	
CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1H-	
1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE-	
3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-	
CHLORO-3-HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1-	
YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDROXY-	
DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLORO-4-	
HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOL-1-YL)-	PROPAN-
2-OL), EXPRESSED AS PROTHIOCONAZOL	
BARLEY	0.3
EDIBLE OFFAL (MAMMALIAN)	0.1
WHEAT	0.3
PYRACLOSTROBIN	
COMMODITIES OF PLANT ORIGIN: PYRACLOST	
COMMODITIES OF ANIMAL ORIGIN: SUM C	
PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1-	
(4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS	
PYRACLOSTROBIN	
EDIBLE OFFAL (MAMMALIAN)	0.1

PYRIPROXYFEN	
Pyriproxyfen	
Mango	0.05
0	
SIMAZINE SIMAZINE	
	*0.05
EDIBLE OFFAL (MAMMALIAN)	
MEAT (MAMMALIAN) Milks	*0.05
MILKS	*0.02
Spirotetramat	
SUM OF SPIROTETRAMAT, AND CIS-3-(2,5-	
DIMETHYLPHENYL)-4-HYDROXY-8-METHOXY-	-
AZASPIRO[4.5]DEC-3-EN-2-ONE, EXPRESSED	
SPIROTETRAMAT	-
CITRUS FRUITS	1
COTTON SEED	0.7
LETTUCE, HEAD	3
Mango	0.3
ONION, BULB	0.5
TERBUTHYLAZINE	
TERBUTHYLAZINE	
EDIBLE OFFAL (MAMMALIAN)	*0.01
Eggs	*0.01
MEAT (MAMMALIAN)	*0.01
Milks	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
PULSES	*0.02
RAPE SEED (CANOLA)	*0.02
Tolclofos-methyl Tolclofos-methyl	
BEETROOT	*0.01
DELINOUT	0.01

#### [3] Standard 4.5.1 is varied by omitting subclause 5(5), substituting -

- (5) Wine, sparkling wine and fortified wine must contain no more than -
  - (a) 250 mg/L in total of sulphur dioxide in the case of products containing less than 35 g/L of sugars, or 300 mg/L in total of sulphur dioxide in the case of other products; and
  - 200 mg/L of sorbic acid or potassium sorbate expressed as sorbic acid; and (b)
  - (c)
  - 1 g/L of soluble chlorides expressed as sodium chloride; and 2 g/L of soluble sulphates expressed as potassium sulphate; and 400 mg/L of soluble phosphates expressed as phosphorus; and (d)
  - (e)
  - 1.5 g/L of volatile acidity excluding sulphur dioxide, expressed as acetic acid; and (f)
  - 0.1 mg/L of cyanides and complex cyanides expressed as hydrocyanic acid; and (g)
  - 200 mg/L of added dimethyl dicarbonate. (h)