


Vehicle Standard (Australian Design Rule – Definitions and Vehicle Categories) 2005 Amendment 7





[Signed]

Jamie Edward Briggs

Assistant Minister for Infrastructure and Regional Development

CONTENTS

1.	LEGISLATIVE PROVISIONS	3
2.	AMENDMENT OF VEHICLE STANDARD	3
SCHED	SCHEDULE 1	

1. LEGISLATIVE PROVISIONS

- 1.1. Name of Legislative Instrument
- 1.1.1. This instrument is the Vehicle Standard (Australian Design Rule Definitions and Vehicle Categories) 2005 Amendment 7.
- 1.2. Commencement
- 1.2.1. This instrument commences on the day after it is registered.

2. AMENDMENT OF VEHICLE STANDARD

2.1. The changes specified in Schedule 1 amend Vehicle Standard (Australian Design Rule – Definitions and Vehicle Categories) 2005.

SCHEDULE 1

[1] Add the following, in alphabetical order, to clause 3. DEFINITIONS:

"IDENTIFICATION PLATE – refer to section 5 of the *Motor Vehicle Standards Act 1989.*"

[2] Clause 3. DEFINITIONS amend to read:

"

- 50TH PERCENTILE 6 YEARS OLD CHILD a dummy whose dimensions comply with the appropriate dimensions in Table 1 of ADR 4/03, or a person with dimensions which are less than the appropriate dimensions in Table 1 of ADR 4/03.
- 5TH PERCENTILE ADULT FEMALE a dummy whose dimensions comply with the appropriate dimensions in Table 1 of ADR 4/03, or a person with dimensions which are less than the appropriate dimensions in Table 1 of ADR 4/03.
- 95TH PERCENTILE ADULT MALE a dummy whose dimensions comply with the appropriate dimensions in Table 1 of ADR 4/03, or a person with dimensions which are greater than the appropriate dimensions in Table 1 of ADR 4/03.

•••

[3] Clause 3. DEFINITIONS amend to read:

"

COMPLIANCE PLATE - see 'Identification Plate'.

...,

[4] Clause 3. DEFINITIONS amend to read:

"…

- OVERALL WIDTH the maximum distance measured across the body including wheel guards, but excluding:
 - rear vision mirrors, signalling devices and side-mounted lamps and reflectors;
 - anti-skid devices mounted on wheels, central tyre inflation systems, tyre pressure gauges;
 - permanently fixed webbing-assembly-type devices such as curtain-side devices, provided that the maximum distance measured across the body including any part of the devices does not exceed 2.55m."

...,

[5] Clause 3. DEFINITIONS amend to read:

٠٠.

REFERENCE PLANE - the horizontal plane passing through the points of contact of the heels of the 'Hybrid III' when seated according to the requirements of clauses 7.3.3 to 7.3.3.4 of ADR 68/00.

...

[6] Clause 3. DEFINITIONS amend to read:

"

SEATING CAPACITY - the number of seated adult persons which the vehicle is designed to carry and for which seating positions (established in accordance with clause 5.7 of ADRs 5/00 to 5/01 "Anchorages for Seatbelts and Child Restraints", clause 5.7 of ADR 5/02 "Anchorages for Seatbelts" and clause 10 of ADRs 5/03 to 5/04 "Anchorages for Seatbelts") are provided.

...

[7] Remove the following from clause 3. DEFINITIONS:

"TRANSVERSE DIRECTION S - means the shortest transverse distance in mm from the 'Seating Reference Plan' to the point under consideration."