

Schedule 20 Maximum residue limits

Note This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Maximum residue limits are regulated by subsection 1.1.1—10(6) and Standard 1.4.2. This Standard identifies agvet chemicals, and their permitted residues, for the purpose of section 1.4.2—4.

S20—1 Name

This Standard is *Australia New Zealand Food Standards Code – Schedule 20 – Maximum residue limits*.

Note Commencement:
This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

Note 2 This Standard applies in Australia only. In New Zealand, maximum residue limits for agricultural compounds are set out in a Maximum Residue Limits Standard.

S20—2 Interpretation

In this Schedule:

- (a) an asterisk (*) indicates that the maximum residue limit is set at the limit of determination; and
- (b) the symbol 'T' indicates that the maximum residue limit is a temporary maximum residue limit; and
- (c) **animal food commodities** means an animal food commodity listed in Schedule 22, including a secondary commodity of animal origin listed in that Schedule.

S20—3 Maximum residue limits

For section 1.4.2—4, the *agvet chemicals, permitted residues, and amounts are as follows, expressed in mg per kg:

Maximum residue limits			
Agvet chemical: Abamectin		Cotton seed	*0.01
Permitted residue: Avermectin B1a		Cranberry	0.05
		Cucumber	0.05
Adzuki bean (dry)	*0.002	Currant, black	0.02
All other foods except animal food commodities	0.01	Custard apple	*0.01
Almonds	*0.01	Dried grapes (currants, raisins and sultanas)	0.1
Avocado	0.05	Fennel, bulb	0.05
Beetroot leaves	0.5	Fruiting vegetables, cucurbits [except cucumber; squash, summer]	0.02
Blueberries	T0.1	Fruiting vegetables, other than cucurbits	0.1
Bulb vegetables [except chives]	0.05	Fungi, edible (except mushrooms)	0.1
Cabbages, head	T0.05	Goat fat	0.1
Cane berries	0.2	Goat kidney	0.01
Cattle, edible offal of	0.1	Goat liver	0.05
Cattle fat	0.1	Goat milk	0.005
Cattle meat	0.005	Goat muscle	0.01
Cattle milk	0.02	Grapes	0.03
Celery	T0.05	Grape juice	0.05
Chinese cabbage (Pe-tsai)	T0.5	Hops, dry	0.2
Chive, dry	0.08		
Citrus fruits [except kumquats]	0.02		
Common bean (dry) (navy bean)	*0.002		

Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, leaf; whitloof chicory]	T0.5
Legume vegetables [except peas (pods and succulent, immature seeds)]	T0.1
Lettuce, leaf	T1
Litchi	0.05
Macadamia nuts	T*0.01
Maize	T*0.01
Mung bean (dry)	*0.002
Mushrooms	0.05
Orange oil, edible	0.1
Papaya (pawpaw)	0.1
Passionfruit	0.2
Peanut	T*0.002
Peas	0.5
Peppers, chili, dried	0.5
Pig kidney	0.01
Pig liver	0.02
Pig meat (in the fat)	0.02
Pineapple	T*0.002
Pome fruits [except Persimmon, Japanese]	0.02
Popcorn	T*0.01
Rhubarb	T0.05
Root and tuber vegetables	*0.01
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.05
Soya bean (dry)	*0.002
Squash, summer	0.05
Stone fruits [except jujube, Chinese]	0.09
Strawberry	0.1
Sweet corn (corn-on-the-cob)	0.05

Agvet chemical: Acephate

Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)

Banana	1
Bean, seed (dry)	3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	5
Broccoli, Chinese (Gai lan)	5
Cranberry	0.5
Edible offal (mammalian)	0.2
Eggs	0.2
Lime	1
Macadamia nuts	*0.1
Mango	*0.01
Meat (mammalian) [except sheep meat]	0.2
Peanut	0.2
Peppers, chili, dried	50
Peppers, sweet	5
Potato	0.5
Sheep meat	*0.01
Tomato	5

Agvet chemical: Acequinocyl

Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl

All other foods except animal food commodities	0.02
Apricots, dried	1
Blueberries	3
Citrus fruits [except kumquats]	0.2
Grapes	1.6
Edible offal (mammalian)	*0.02
Hops, dry	15
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Peach, dried	1
Pome fruits [except Persimmon, Japanese]	0.7
Prunes	1
Stone fruits [except jujube, Chinese]	0.7
Tomato	T0.3

Agvet chemical: Acetamiprid

Permitted residue—commodities of plant origin: Acetamiprid

Permitted residue—commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N¹-[(6-chloro-3-pyridyl)methyl]-N²-cyanoacetamidine), expressed as acetamiprid

All other foods except animal food commodities	0.1
Almonds	0.1
Apple	0.2
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.2
Blueberries	1.6
Cane berries [except raspberries, red, black]	1
Celery	1.5
Cherries (subgroup)	2
Chives	3
Citrus fruits	1
Cotton seed	0.2
Cranberry	0.6
Currants, black, red, white	2
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruiting vegetables other than cucurbits [except tomato]	0.2
Fungi, edible (except mushrooms)	0.2
Goji berries	2
Grapes	0.35
Herbs	3
Macadamia nuts	*0.01
Meat (mammalian)	*0.01
Milks	*0.01

Olives for oil production	T0.5	Pulses	0.1
Peaches (subgroup)	1		
Pear	0.3	Agvet chemical: Aclonifen	
Peppers, chili, dried	2	<i>Permitted residue: Aclonifen</i>	
Persimmon, Japanese	T0.3	Barley	*0.01
Plums (subgroup)	0.5	Edible offal (mammalian)	*0.01
Potato	*0.05	Eggs	*0.01
Poultry, edible offal of	*0.05	Meat (mammalian) [in the fat]	*0.01
Poultry meat	*0.01	Milks [in the fat]	*0.01
Pulses [except field pea (dry); lupin (dry)]	0.1	Poultry meat [in the fat]	*0.01
Raspberries, red, black	2	Poultry, edible offal of	*0.01
Sentul	0.2	Triticale	T*0.01
Spices [except peppers, chili, dried; spices, seeds]	0.1	Wheat	*0.01
Spices, seeds	2		
Strawberry	0.5	Agvet chemical: Afidopyropen	
Table olives	T0.5	<i>Permitted residue: commodities of plant origin: Afidopyropen</i>	
		<i>Permitted residue: commodities of animal origin: Afidopyropen and the carnitine conjugate of cyclopropanecarboxylic acid (M4401060), expressed as afidopyropen</i>	
Agvet chemical: Acetochlor		All other foods except animal food commodities	0.02
<i>Permitted residue: Sum of compounds hydrolysable with base to 2-ethyl-6-methylaniline (EMA) and 2-(1-hydroxyethyl)-6-methylaniline (HEMA), expressed in terms of Acetochlor</i>		Apples, dried (peeled)	0.02
Edible offal (mammalian)	0.05	Artichoke, globe	0.1
Peanut	0.2	Barley	*0.01
Soya bean (dry)	1.5	Brassica vegetables (except Brassica leafy vegetables), [except Chinese cabbage (Pe-tsai)]	0.5
		Broccoli, Chinese (Gai lan)	0.5
Agvet chemical: Acibenzolar-S-methyl		Cane berries	T0.3
<i>Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl</i>		Carrot	*0.01
Cotton seed	*0.02	Chinese cabbage (Pe-tsai)	5
Edible offal (mammalian)	*0.02	Citrus fruits [except kumquats]	0.15
Eggs	*0.02	Cotton seed	0.1
Meat (mammalian)	*0.02	Edible offal (mammalian)	0.2
Milks	*0.005	Eggs	*0.1
Poultry, edible offal of	*0.02	Fruiting vegetables, cucurbits	0.7
Poultry meat	*0.02	Fruiting vegetables, other than cucurbits	0.2
Tomato	1	Fungi, edible (except mushrooms)	0.2
		Ginger, root	*0.01
Agvet chemical: Acifluorfen		Herbs	T5
<i>Permitted residue: Acifluorfen</i>		Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
All other foods except animal food commodities	0.01	Mammalian fats [except milk fats]	*0.01
Edible offal (mammalian)	0.1	Meat (mammalian)	*0.1
Eggs	*0.01	Milks	*0.01
Legume vegetables	0.1	Mushrooms	0.2
Meat (mammalian)	*0.01	Mustard seeds	T*0.01
Milks	*0.01	Orange oil, edible	0.7
Peanut	0.1	Peppers, chili, dried	1
Poultry, edible offal of	0.1	Pome fruits [except persimmon, Japanese]	0.03
Poultry meat	*0.01	Potato	*0.01

Poultry, edible offal of	*0.1
Poultry fats	*0.01
Poultry meat	*0.1
Rape seed [canola]	*0.01
Stalk and Stem Vegetables - Stems and Petioles	3
Strawberry	0.2
Stone fruits [except jujube, Chinese]	0.03
Sweet corn (corn-on-the-cob)	*0.01
Sweet Potato	*0.01
Tomato, dried	0.7
Wheat	*0.01

Agvet chemical: Albendazole

Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	*0.1
Goat meat	*0.1
Sheep, edible offal of	3
Sheep meat	0.2

Agvet chemical: Albendazole sulphoxide

see *Albendazole*

Agvet chemical: Aldicarb

Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb

Peanut	0.05
--------	------

Agvet chemical: Aliphatic alcohol ethoxylates

Permitted residue: Aliphatic alcohol ethoxylates

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1

Agvet chemical: Alpha-cypermethrin

see *Cypermethrin*

Agvet chemical: Altrenogest

Permitted residue: Altrenogest

Pig meat	*0.005
Pig, edible offal of	0.005

Agvet chemical: Aluminium phosphide

see *Phosphine*

Agvet chemical: Ametoctradin

Permitted residue—commodities of plant origin: Ametoctradin

Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid

All other foods except animal food commodities	0.2
Basil	T20
Beetroot	0.3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	9
Broccoli, Chinese (Gai lan)	9
Bulb onions [except garlic; onion, bulb; Shallot]	0.7
Celery	20
Chinese cabbage (Pe-tsai)	50
Cucumber	2
Dried grapes (currants, raisins and sultanas)	20
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits [except cucumber]	3
Fruiting vegetables, other than cucurbits [except tomato]	1.5
Fungi, edible (except mushrooms)	1.5
Garlic	1.5
Grapes [except dried grapes]	6
Green onions [except leek; spring onion]	3
Hops, dry	100
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	50
Leek	5
Meat (mammalian)	*0.02
Milks	*0.02
Onion, bulb	1.5
Peppers, chili, dried	15
Poppy seed	0.7
Potato	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Shallot	1.5
Spring onion	20
Tomato	2

Agvet chemical: Ametryn

Permitted residue: Ametryn

All other foods except animal food commodities	0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Pineapple	*0.05
Sugar cane	0.05

Agvet chemical: Amicarbazone		Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
<i>Permitted residue— Sum of amicarbazone, N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide and N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-hydroxy-1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide, expressed as amicarbazone</i>		Broccoli, Chinese (Gai lan)	2
Edible offal (Mammalian)	0.7	Dried grapes (currants, raisins and sultanas)	1
Meat [mammalian]	0.01	Edible offal (mammalian)	*0.01
Milks	*0.01	Eggs	*0.01
Sugarcane	0.1	Grapes	0.5
Agvet chemical: Aminocyclopyrachlor		Meat (mammalian)	*0.01
<i>Permitted residue: Aminocyclopyrachlor</i>		Milks	*0.01
Edible offal (mammalian)	0.5	Potato	0.3
Meat (mammalian) [in the fat]	0.05	Poultry, edible offal of	*0.01
Milks	0.02	Poultry meat	*0.01
Agvet chemical: Aminoethoxyvinylglycine		Agvet chemical: Amitraz	
<i>Permitted residue: Aminoethoxyvinylglycine</i>		<i>Permitted residue: Sum of amitraz and N-(2,4-dimethylphenyl)-n'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide</i>	
Almonds	*0.05	Cotton seed	*0.1
Apple	0.1	Cotton seed oil, crude	1
Cherries	*0.05	Edible offal (mammalian)	0.5
Stone fruits [except cherries; jujube, Chinese]	0.2	Honey	0.2
Walnuts	*0.05	Meat (mammalian)	0.1
Agvet chemical: Aminopyralid		Milks	0.1
<i>Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid</i>		Agvet chemical: Amitrole	
<i>Permitted residue—commodities of animal origin: Aminopyralid</i>		<i>Permitted residue: Amitrole</i>	
All other foods except animal food commodities	0.02	Avocado	*0.01
Cereal grains [except sweet corns]	0.1	Banana	*0.01
Edible offal (mammalian) [except kidney]	0.02	Cereal grains [except sweet corns]	*0.01
Eggs	*0.01	Citrus fruits [except kumquats]	*0.01
Kidney (mammalian)	0.3	Edible offal (mammalian)	*0.01
Meat (mammalian)	*0.01	Grapes	*0.01
Milks	*0.01	Hops, dry	*0.01
Mustard seeds	T*0.01	Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01	Milks	*0.01
Poultry meat	*0.01	Oilseed	*0.01
Rape seed (canola)	*0.01	Palm nuts	*0.01
Wheat bran, unprocessed	0.3	Papaya (pawpaw)	*0.01
Agvet chemical: Amisulbrom		Passionfruit	*0.01
<i>Permitted residue: Amisulbrom</i>		Peanut	*0.01
All other foods except animal food commodities	0.02	Pecan	*0.01
Agvet chemical: Amoxicillin		Pineapple	T0.01
<i>Permitted residue: Inhibitory substance, identified as amoxicillin</i>		Pome fruits [except Persimmon, Japanese]	*0.01
		Potato	*0.05
		Pulses	*0.01
		Stone fruits [except jujube, Chinese]	*0.02
		Agvet chemical: Amoxicillin	
		<i>Permitted residue: Inhibitory substance, identified as amoxicillin</i>	
		Cattle milk	*0.01
		Edible offal (mammalian)	*0.01

Eggs	0.05
Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sheep milk	*0.01

Agvet chemical: Ampicillin

Permitted residue: Inhibitory substance, identified as ampicillin

Cattle milk	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01

Agvet chemical: Amprolium

Permitted residue: Amprolium

Eggs	4
Poultry, edible offal of	1
Poultry meat	0.5

Agvet chemical: Apramycin

Permitted residue: Apramycin

Edible offal (mammalian)	2
Meat (mammalian)	*0.05
Poultry, edible offal of	1
Poultry meat	*0.05

Agvet chemical: Asulam

Permitted residue: Asulam

Apple	*0.1
Edible offal (mammalian)	*0.1
Hops, dry	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.1
Potato	0.4
Sugar cane	*0.1

Agvet chemical: Atrazine

Permitted residue: Atrazine

Edible offal (mammalian)	T*0.1
Lupin (dry)	*0.02
Maize	*0.1
Meat (mammalian)	T*0.01
Milks	T*0.01
Mustard seeds	T*0.02
Potato	*0.01
Rape seed (canola)	*0.02
Sorghum, grain	*0.1
Sugar cane	*0.1
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Avermectin B1

see *Abamectin*

Agvet chemical: Avilamycin

Permitted residue: Inhibitory substance, identified as avilamycin

Pig fat/skin	0.2
Pig kidney	0.2
Pig liver	0.3
Pig meat	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Azamethiphos

Permitted residue: Azamethiphos

Cereal grains [except sweet corns]	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat bran, unprocessed	0.5

Agvet chemical: Azaperone

Permitted residue: Azaperone

Pig, edible offal of	0.2
Pig meat	0.2

Agvet chemical: Azimsulfuron

Permitted residue: Azimsulfuron

Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	*0.02

Agvet chemical: Azinphos-methyl

Permitted residue: Azinphos-methyl

Blueberries	T5
Grapes	T2
Pome fruits	T1
Stone fruits	T2
Strawberry	*0.01

Agvet chemical: Azoxystrobin

Permitted residue: Azoxystrobin

All other foods except animal food commodities	0.1
--	-----

Almonds	*0.01	Poppy seed	*0.02
Anise myrtle leaves (dried)	T3	Potato	7
Avocado	3	Poultry, edible offal of	*0.01
Banana	T0.5	Poultry meat	*0.01
Barley	0.2	Pulses	0.3
Bayberries	T5	Radish	0.5
Bayberry, red	T5	Rape seed (canola)	0.01
Beetroot	T*0.005	Raspberries, red, black	5
Blackberries	5	Rhubarb	0.6
Blueberries	5	Riberry	T1
Boysenberry	5	Rice	T7
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1	Rye	0.1
Broccoli, Chinese (Gai lan)	1	Spices [except peppers, chili, dried]	*0.1
Bulb vegetables [except chives; onion, bulb]	5	Stone fruits [except jujube, Chinese]	1.5
Carrot	0.2	Strawberry	10
Celery	5	Sweet corn (corn-on-the-cob)	*0.01
Chinese cabbage (Pe-tsai)	15	Sweet corn (kernels)	T0.05
Chives	70	Tomato	T1
Citrus fruits [except kumquats]	10	Tree nuts [except almonds and macadamia nuts]	2
Cloudberry	T5	Triticale	0.1
Cotton seed	T0.05	Wheat	0.1
Cranberry	0.5		
Currants, black, red, white	5	Agvet chemical: Bacitracin	
Dewberries (including boysenberry and loganberry)	T5	<i>Permitted residue: Inhibitory substance, identified as bacitracin</i>	
Dried grapes	5	Chicken, edible offal of	*0.5
Edible offal (mammalian)	0.03	Chicken fat	*0.5
Egg plant	T2	Chicken meat	*0.5
Eggs	*0.01	Eggs	*0.5
Fennel, bulb	5	Milks	*0.5
Fruiting vegetables, cucurbits	2		
Grapes	2	Agvet chemical: Benalaxyl	
Guava	0.2	<i>Permitted residue: Benalaxyl</i>	
Herbs	70	Fruiting vegetables, cucurbits	0.2
Horseradish	0.5	Garlic	0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	15	Grapes	0.5
Legume vegetables	3	Lettuce, head	*0.01
Lemon myrtle leaves (dried)	T3	Lettuce, leaf	*0.01
Macadamia nuts	*0.01	Onion, bulb	0.1
Maize	*0.01	Shallot	T0.5
Mango	0.5	Spring onion	T0.1
Meat (mammalian) (in the fat)	0.02		
Milks	0.005	Agvet chemical: Bendiocarb	
Mustard seeds	T0.01	<i>Permitted residue—commodities of plant origin: Unconjugated bendiocarb</i>	
Oats	0.1	<i>Permitted residue—commodities of animal origin: Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as Bendiocarb</i>	
Okra	T2	Banana	*0.02
Olives	T2	Cattle, edible offal of	0.2
Onion, bulb	0.2	Cattle meat	0.1
Passionfruit	0.5	Eggs	0.05
Peanut	0.2	Milks	0.1
Peanut oil, crude	0.1		
Peppers	3		
Peppers, chili, dried	30		

Poultry, edible offal of	0.1
Poultry meat	0.05

Agvet chemical: Benfluralin

Permitted residue: Benfluralin

Lettuce, head	T*0.05
Lettuce, leaf	T*0.05

Agvet chemical: Benomyl

see *Carbendazim*

Agvet chemical: Bensulfuron-methyl

Permitted residue: Bensulfuron-methyl

Rice	*0.02
Rice bran, processed	*0.05

Agvet chemical: Bensulide

Permitted residue: Bensulide

Fruiting vegetables, cucurbits	*0.1
--------------------------------	------

Agvet chemical: Bentazone

Permitted residue: Bentazone

All other foods except animal food commodities	0.1
Beans [except soya bean]	0.5
Dry beans	0.5
Dry peas	0.5
Dry underground pulses	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fats (mammalian)	*0.01
Herbs	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	T0.1
Peanut	*0.1
Peas	3
Potato	0.15
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.05
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Benzocaine

Permitted residue: Benzocaine

Abalone	*0.05
Finfish	*0.05

Agvet chemical: Benzofenap

Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap

Rice	*0.01
------	-------

Agvet chemical: Benzovindiflupyr

Permitted residue: Benzovindiflupyr

All other foods except animal food commodities	0.02
Barley	0.2
Beans, dry [except soya bean (dry)]	0.15
Blueberries	2
Bulb onions	0.02
Coffee beans	0.15
Edible offal (mammalian)	*0.01
Eggs	*0.01
Ginseng	0.3
Grapes	1
Green onions	0.4
Meat (mammalian) [in the fat]	*0.01
Milks	*0.01
Peanut	0.01
Peas, dry	0.2
Peppers, chili, dried	9
Pome fruits [except Persimmon, Japanese]	0.2
Potato	0.02
Poultry, edible offal of	*0.01
Poultry meat [in the fat]	*0.01
Sugar beet	0.08
Sugar cane	0.4
Wheat	*0.01

Agvet chemical: Benzyladenine

Permitted residue: Benzyladenine

All other foods except animal food commodities	0.01
Apple	0.2
Pear	*0.005
Walnut	T*0.005

Agvet chemical: Benzyl G penicillin

Permitted residue: Inhibitory substance, identified as benzyl G penicillin

Edible offal (mammalian)	*0.06
Meat (mammalian)	*0.06
Milks	*0.0015

Agvet chemical: Betacyfluthrin

see *Cyfluthrin*

Agvet chemical: Bicyclopyrone

Permitted residue: Bicyclopyrone and its structurally related metabolites determined as the common moieties SYN503780 and CSCD686480 and expressed as bicyclopyrone

Barley	0.02
Edible offal (mammalian)	2
Eggs	*0.02
Meat (mammalian)	*0.02
Milk	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Wheat	0.02
Wheat bran, unprocessed	0.05

Agvet chemical: Bifenazate

Permitted residue: Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate

All other foods except animal food commodities	0.2
Almonds	0.1
Apricot	0.5
Avocado	T2
Blackberries	T7
Cherries	2.5
Cloudberry	T7
Cos lettuce	T20
Cranberry	1.5
Dewberries (including boysenberry and loganberry)	T7
Dried grapes	T2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits [except peppers, chili]	1
Fungi, edible (except mushrooms)	1
Grapes [except wine grapes]	T1
Hops, dry	15
Lettuce, head	T20
Lettuce, leaf	T20
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Nectarine	0.5
Papaya (pawpaw)	2
Peach	2
Peppers, chili	3
Plums (including prunes)	0.5
Podded pea (young pods) (snow and sugar snap)	T1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pome fruits [except Persimmon, Japanese]	2

Raspberries, red, black	T7
Strawberry	2
Yard-long bean (pods)	T1

Agvet chemical: Bifenthrin

Permitted residue: Bifenthrin

All other foods except animal food commodities	0.03
Almonds	T0.1
Apple	*0.05
Avocado	T0.1
Banana	0.1
Blackberries	T3
Blueberries	T3
Brassica vegetables (except Brassica leafy vegetables), [except cabbages, head; Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Bulb vegetables [except chives; onion, bulb]	T5
Cabbages, head	T0.5
Celery	T*0.01
Cereal grains [except sweet corns]	*0.02
Cherries	T3
Chervil	T0.5
Chia	T0.2
Chinese cabbage (Pe-tsai)	*0.01
Chives	T0.5
Citrus fruits	*0.05
Cloudberry	T3
Common bean (dry) (navy bean)	0.2
Common bean (pods and/or immature seeds)	0.7
Cotton seed	0.1
Cucumber	0.5
Currants, black, red, white	T3
Dewberries (including boysenberry and loganberry)	T3
Edible offal (mammalian)	0.5
Eggs	*0.05
Fennel, bulb	T5
Fig	T1
Fruiting vegetables, cucurbits [except cucumber]	0.1
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Galangal, rhizomes	T10
Ginger, root	T*0.01
Gooseberry	T3
Grapes	0.2
Herbs [except hops, dry]	T0.5
Hops, dry	10
Kaffir lime leaves	T10
Leafy vegetables [except broccoli, Chinese (Gai lan); chervil; mizuna; rucola (rocket); witloof chicory]	*0.01

Lemon balm	T10	<i>Permitted residue—commodities of animal origin: Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen</i>
Lemon grass	T10	
Lemon verbena	T10	
Meat (mammalian) (in the fat)	2	
Milks	0.5	All other foods 0.03
Mizuna	T0.5	Cereal grains [except sweet corns] *0.01
Mung bean (dry)	T0.2	Cotton seed T0.3
Mushrooms	0.5	Cotton seed oil, crude T0.5
Mustard seeds	*0.02	Oilseed [except cotton seed] *0.01
Olives	T0.5	Eggs *0.02
Pear	0.5	Edible offal (mammalian) 0.7
Peanut	0.05	Lupin (dry) T0.1
Peas (pods and succulent, immature seeds)	*0.01	Meat (mammalian) (in the fat) 0.2
Peppers chili, dry	5	Milk fats 0.5
Pineapple	*0.01	Milks 0.05
Poppy seed	*0.02	Palm nuts *0.01
Poultry, edible offal of	*0.05	Peanut *0.01
Poultry meat (in the fat)	*0.05	Poultry, edible offal of *0.02
Pulses [except common bean (dry) (navy bean); mung bean (dry)]	*0.02	Poultry meat (in the fat) *0.02
Rape seed (canola)	*0.02	Pulses [except lupin (dry)] *0.01
Raspberries, red, black	T3	
Rucola (rocket)	T0.5	
Stone fruits [except cherries; jujube, Chinese]	1	
Strawberry	1	
Sugar cane	T0.7	
Sweet corns	0.5	
Sweet potato	*0.05	
Taro	T*0.05	
Tea, green, black	5	
Truffle	T*0.01	
Turmeric, root	T10	
<hr/>		
Agvet chemical: Bioresmethrin		
<i>Permitted residue: Bioresmethrin</i>		
Mango	T0.5	
<hr/>		
Agvet chemical: Bitertanol		
<i>Permitted residue: Bitertanol</i>		
Beans [except broad bean; soya bean]	0.5	
Edible offal (mammalian)	3	
Eggs	*0.01	
Meat (mammalian) (in the fat)	0.3	
Milks	0.2	
Poultry, edible offal of	*0.01	
Poultry meat	*0.01	
<hr/>		
Agvet chemical: Bixafen		
<i>Permitted residue—commodities of plant origin: Bixafen</i>		
<hr/>		
Agvet chemical: Bixlozone		
<i>Permitted residue: Bixlozone</i>		
All other foods except animal food commodities	0.01	
Barley	*0.01	
Broad bean (dry)	*0.01	
Edible offal (mammalian)	*0.01	
Eggs	*0.01	
Field pea (dry)	*0.01	
Meat (mammalian)	*0.01	
Milks	*0.01	
Mustard seeds	T*0.01	
Poultry, edible offal of	*0.01	
Poultry meat	*0.01	
Rape seed (canola)	*0.01	
Wheat	*0.01	
<hr/>		
Agvet chemical: Boscalid		
<i>Permitted residue—commodities of plant origin: Boscalid</i>		
<i>Permitted residue—commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents</i>		
Adzuki bean	T3	
All other foods	0.5	
Barley, grain	4	
Blackberries	T10	
Blueberries	T15	
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2	
Broccoli, Chinese (Gai lan)	2	
Bulb vegetables [except chives]	5	

Eggs	*0.01
Fruiting vegetables, cucurbits	T2
Fruiting vegetables, other than cucurbits [except peppers, chili; tomato]	T2
Fungi, edible (except mushrooms)	T2
Garlic chives	2
Grapes	2.5
Lettuce, leaf	T10
Litchi	T0.5
Mango	0.2
Marjoram (oregano)	5
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mints	5
Mushrooms	T2
Nectarine	9
Oilseeds [except cotton seed]	*0.01
Olives	T0.5
Olive oil, crude	T2
Olive oil, virgin	20
Palm nuts	*0.01
Passionfruit	2
Peach	9
Peanut	*0.01
Pear	0.2
Peppers, chili	10
Persimmon, Japanese	1
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Pulses	*0.01
Stone fruits [except apricot; jujube, Chinese; nectarine; peach]	1.9
Sweet corns	T2
Tomato	1
Thyme	5
Tree tomato	T1
Walnut	T0.05

Agvet chemical: Butafenacil

Permitted residue: Butafenacil

Cereal grains [except rice; sweet corns]	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.01
Grapes	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seeds	T*0.01
Pome fruits [except Persimmon, Japanese]	T*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.01
Pulses	*0.01
Rape seed (canola)	*0.01
Stone fruits [except jujube, Chinese]	T*0.02

Agvet chemical: Butroxydim

Permitted residue: Butroxydim

Edible offal (mammalian)	*0.01
Eggs	*0.01
Legume vegetables	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Palm nuts	*0.01
Peanut	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.01

Agvet chemical: Cadusafos

Permitted residue: Cadusafos

Banana	*0.01
Citrus fruits [except kumquats]	*0.01
Ginger, root	0.1
Sugar cane	*0.01
Tomato	*0.01

Agvet chemical: Captan

Permitted residue: Captan

All other foods except animal food commodities	0.1
Almonds	0.3
Berries and other small fruits [except blueberries; grapes; strawberry]	T30
Blueberries	20
Chick-pea (dry)	T0.1
Cucumber	T5
Dried grapes	15
Edible offal (mammalian)	*0.05
Eggs	*0.02
Grapes	10
Lentil (dry)	T0.1
Lettuce, leaf	T15
Mandarins	T3
Meat (mammalian)	*0.05
Milks	*0.01
Peppers, chili	T7
Peppers, sweet	T7
Pitaya (dragon fruit)	T20
Pome fruits [except Persimmon, Japanese]	10
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Stone fruits [except jujube, Chinese]	15
Strawberry	10
Tangelo, large-sized cultivars	T3
Tree nuts [except almonds]	3

Agvet chemical: Carbaryl	
<i>Permitted residue: Carbaryl</i>	
All other foods except animal food commodities	0.02
Avocado	2
Barley	15
Beetroot	0.5
Cereal grains [except barley; rice; sorghum, grain; sweet corns]	5
Coconut	*0.01
Cacao beans	0.02
Cotton seed	3
Cranberry	3
Edible offal (mammalian)	3
Eggs	*0.02
Feijoa	*0.01
Fruiting vegetables, cucurbits	*0.01
Grapes	*0.01
Guava	*0.01
Hazelnuts	0.01
Jaboticaba	*0.01
Jackfruit	*0.01
Lemon	3
Litchi	*0.01
Longan	*0.01
Macadamia nuts	2
Mango	2
Meat (mammalian)	0.07
Milks	0.1
Oilseed [except cotton seed]	0.1
Oranges, sweet, sour	3
Palm nuts	0.1
Peanut	0.1
Pecan	2
Peppers, chili, dried	2
Pome fruits [except Persimmon, Japanese]	0.2
Potato	0.1
Poultry, edible offal of	0.2
Poultry meat	*0.02
Pulses	0.1
Rambutan	*0.01
Raspberries, red, black	15
Rice	7
Sorghum, grain	10
Strawberry	*0.01
Stone fruits [except cherries; jujube, Chinese]	0.5
Swede	2
Sweet potato	0.1
Turnip, garden	2
Wheat bran, unprocessed	10

Agvet chemical: Carbendazim	
<i>Permitted residue: Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim</i>	
Apple	0.2
Apricot	2
Blackberry	*0.1
Cherries	20
Chives	*0.1
Citron	0.7
Currants, black, red, white	0.1
Edible offal (mammalian)	0.2
Eggs	*0.1
Garlic	T*0.01
Grapefruit	0.2
Grapes	0.3
Lemon	0.7
Lime	0.7
Macadamia nuts	0.1
Mandarins	0.7
Mango	2
Meat (mammalian)	0.2
Milks	*0.1
Mineola	0.7
Mushrooms	T1
Nectarine	0.2
Oranges	0.2
Peach	0.2
Pear	0.2
Peppers, chili	2
Peppers, chili, dried	20
Peppers [except peppers, chili]	*0.1
Podded pea (young pods) (snow and sugar snap)	0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	0.5
Raspberries, red, black	0.1
Rhubarb	0.1
Rice, husked	2
Shaddock (pomelo)	0.2
Spices [except peppers, chili, dried; spices, seeds]	*0.1
Spices, seeds	5
Strawberry	1
Tangelo [except mineola]	0.2
Tangors	0.7
Tomato	0.5

Agvet chemical: Carbetamide

Permitted residue: Carbetamide

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05

Poultry meat	*0.05
Pulses	*0.01

Agvet chemical: Carbofuran

Permitted residue: Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran

Cotton seed	0.1
Sunflower seed	0.1

Agvet chemical: Carbon disulphide

Permitted residue: Carbon disulfide

Cereal grains [except sweet corns]	10
Pulses	T10

Agvet chemical: Carbonyl sulphide

Permitted residue: Carbonyl sulphide

Cereal grains [except sweet corns]	T0.2
Pulses	T0.2
Rape seed (canola)	T0.2

Agvet chemical: Carbosulfan

see *Carbofuran*

Agvet chemical: Carboxin

Permitted residue: Carboxin

Cereal grains [except sweet corns]	0.1
Peanut	0.2

Agvet chemical: Carfentrazone-ethyl

Permitted residue: Carfentrazone-ethyl

All other foods except animal food commodities	0.05
Assorted tropical and sub-tropical fruits – edible peel	*0.05
Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Berries and other small fruits [except blueberries; grapes]	*0.05
Blueberries	0.1
Cereal grains [except sweet corns]	*0.05
Citrus fruits	*0.05
Cotton seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	*0.05
Hops, dry	0.1
Meat (mammalian)	*0.05
Milks	*0.025
Peanut	0.1
Pome fruits	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05

Poultry meat	*0.05
Stone fruits	*0.05
Tree nuts	*0.05

Agvet chemical: Ceftiofur

Permitted residue: Desfuroylceftiofur

Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.1

Agvet chemical: Cefuroxime

Permitted residue: Inhibitory substance, identified as cefuroxime

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

Agvet chemical: Cephalonium

Permitted residue: Inhibitory substance, identified as cephalonium

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.02

Agvet chemical: Cephapirin

Permitted residue: Cephapirin and des-acetylcephapirin, expressed as cephapirin

Cattle, edible offal of	*0.02
Cattle meat	*0.02
Cattle milk	*0.01

Agvet chemical: Chlorantraniliprole

Permitted residue—plant commodities and animal commodities other than milk: Chlorantraniliprole

Permitted residue—milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole

All other foods	T0.1
Asparagus	13
Avocado	4
Berries and other small fruits [except blueberries]	2.5
Blueberries	T3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Celery	7

Cherries	2.5	Stone fruits [except cherries; jujube, Chinese and plums]	4
Chinese cabbage (Pe-tsai)	15	Sugar cane	T0.5
Chives	T20	Sunflower seed	2
Citrus fruits [except kumquats]	1.4	Sweet corn (corn-on-the-cob)	*0.01
Coffee beans	0.4	Tree nuts	0.1
Cotton seed	0.3		
Coriander (leaves, roots, stems)	T20		
Dried fruits	2	Agvet chemical: Chlorfenapyr	
Dry beans [except mung beans (dry); soya bean (dry)]	0.3	<i>Permitted residue: Chlorfenapyr</i>	
Dry peas	0.3	All other foods except animal food commodities	0.02
Dry underground pulses	0.07	Brassica leafy vegetables [except Chinese cabbage (Pak-choi)]	T3
Edible, fungi	0.6	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Edible offal (mammalian)	0.02	Broccoli, Chinese (Gai lan)	0.5
Eggs	0.03	Chinese cabbage (Pak-choi)	3
Fruiting vegetables, cucurbits	0.5	Citron	0.8
Fruiting vegetables, other than cucurbits [except peppers, chili]	0.6	Cotton seed	0.5
Ginger, root	T0.1	Edible offal (mammalian)	*0.05
Hempseed	T1	Eggs	*0.01
Herbs	T20	Fats (mammalian)	0.6
Hops, dry	40	Garlic	*0.01
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; rucola; witloof chicory]	15	Lemon	0.8
Legume vegetables	2	Lime	0.8
Lettuce, head	3	Meat (mammalian)	0.6
Linseed	T0.5	Meat (mammalian) (in the fat)	0.05
Maize cereals	T*0.01	Melons [except watermelon]	0.4
Meat (mammalian) (in the fat)	0.02	Milks	0.03
Mexican tarragon	T20	Mizuna	T3
Milk fats	0.1	Onion, bulb	*0.01
Milks	0.02	Onion, Welsh	T1
Mung bean (dry)	0.7	Oranges, sweet, sour	1.5
Mushrooms	0.6	Papaya	0.3
Palm fruit (African oil palm)	0.8	Peach	1
Palm kernel oil, crude	2	Peppers	0.3
Peanuts	0.06	Peppers, chili	0.01
Peppers, chili	1	Peppers, chili, dried	3
Peppers, chili, dried	5	Persimmon, Japanese	1
Plums	1	Pome fruits [except Persimmon, Japanese]	0.5
Pome fruits [except Persimmon, Japanese]	1.2	Potato	*0.01
Potato	*0.01	Poultry, edible offal of	0.01
Poultry, edible offal of	*0.01	Poultry fats	0.02
Poultry meat (in the fat)	*0.01	Poultry meat	0.02
Rape seed (canola)	2	Poultry meat (in the fat)	*0.01
Rhubarb	5	Rucola (rocket)	T5
Rice	0.4	Shallot	T1
Root and tuber vegetables [except potato]	T0.5	Soya bean (dry)	0.08
Rucola (rocket)	T20	Soya bean oil, crude	0.4
Safflower seed	T0.1	Spices [except peppers, chili, dried]	0.05
Sesame seed	T0.5	Spring onion	T1
Sorghum grain and millet	T1	Tea, green, black	60
Soya bean (dry)	0.07	Tomato	0.4

Agvet chemical: Chlorfenvinphos		Banana	3
<i>Permitted residue: Chlorfenvinphos, sum of E and Z isomers</i>		Berries and other small fruits [except currant, black; grapes]	T10
Cattle, edible offal of	T*0.1	Brussels sprouts	7
Cattle meat (in the fat)	T0.2	Carrot	7
Cattle milk (in the fat)	T0.2	Celery	20
Deer meat (in the fat)	0.2	Cherries	10
Goat, edible offal of	T*0.1	Chinese cabbage (Pe-tsai)	T100
Goat meat (in the fat)	T0.2	Coriander (leaves, roots, stems)	T20
Sheep, edible offal of	T*0.1	Currant, black	10
Sheep meat (in the fat)	T0.2	Edible offal (mammalian)	7
Agvet chemical: Chlorhexidine		Eggplant	T10
<i>Permitted residue: Chlorhexidine</i>		Fennel, bulb	5
Milks	0.05	Fennel, leaf	5
Sheep, edible offal of	*0.5	Fennel, seed	5
Sheep fat	*0.5	Fruiting vegetables, cucurbits	5
Sheep meat	*0.5	Galangal, Greater	T7
Agvet chemical: Chloridazon		Galangal, Lesser	T7
<i>Permitted residue: Chloridazon</i>		Garlic	10
Beetroot	*0.05	Grapes	10
Beetroot leaves	1	Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce; witloof chicory]	T100
Chard (silver beet)	1	Leek	T10
Spinach	1	Lettuce, head	T10
Agvet chemical: Chlormequat		Lettuce, leaf	T10
<i>Permitted residue: Chlormequat cation</i>		Mango	T1
Barley	T2	Meat (mammalian) (in the fat)	2
Dried grapes	0.75	Milks	0.05
Edible offal (mammalian)	0.5	Nectarine	7
Eggs	0.1	Onion, bulb	10
Grapes	0.75	Onion, Welsh	T10
Meat (mammalian)	0.2	Papaya (pawpaw)	10
Milks	0.5	Parsley	T20
Poultry, edible offal of	0.1	Peach	30
Poultry meat	*0.05	Peanut	0.3
Wheat	5	Peas (pods and succulent, immature seeds)	10
Agvet chemical: Chloropicrin		Peppers, chili, dried	70
<i>Permitted residue: Chloropicrin</i>		Persimmon, American	T5
Cereal grains [except sweet corns]	*0.1	Persimmon, Japanese	T5
Agvet chemical: Chlorothalonil		Pistachio nut	T0.1
<i>Permitted residue—commodities of plant origin: Chlorothalonil</i>		Plums (including prunes)	10
<i>Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil</i>		Potato	0.1
Almonds	T0.1	Poultry, edible offal of	*0.05
Apricot	7	Poultry meat	*0.05
Asparagus	T*0.1	Pulses	3
		Rice	T*0.1
		Shallot	T10
		Spring onion	T10
		Sunflower seed	T*0.01
		Sweet corns	T7
		Tomato	10
		Tree tomato	T10
		Turmeric, root	T7

Vegetables [except asparagus; Brussels sprouts; carrot; celery; eggplant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7	Persimmon, American	T1
Wasabi	T7	Persimmon, Japanese	T1
<hr/>		Pineapple	T0.5
Agvet chemical: Chlorpropham		Pitaya (dragon fruit)	T*0.05
<i>Permitted residue: Chlorpropham</i>		Pome fruits [except Persimmon, Japanese]	T0.5
Potato	30	Potato	0.05
<hr/>		Poultry, edible offal of	T0.1
Agvet chemical: Chlorpyrifos		Poultry meat (in the fat)	T0.1
<i>Permitted residue: Chlorpyrifos</i>		Raspberries, red, black	0.01
Asparagus	T0.5	Rice	0.5
Avocado	0.5	Sorghum, grain	T3
Banana	T0.5	Spices [except peppers, chili, dried]	5
Bean, dry seed	0.05	Star apple	T*0.05
Blackberries	0.5	Stone fruits [except cherries; jujube, Chinese]	T1
Blueberries	*0.01	Strawberry	0.3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.5	Sugar cane	T0.1
Broccoli, Chinese (Gai lan)	T0.5	Swede	T0.3
Cacao beans	*0.01	Sweet corns	T*0.01
Cassava	T*0.02	Sweet potato	T0.05
Celery	T5	Taro	0.05
Cereal grains [except rice; sorghum, grain; sweet corns]	T0.1	Tea, green, black	2
Cherries	1	Tomato	T0.5
Chives	*0.01	Tree nuts	T0.05
Citrus fruits [except kumquats]	1	Vegetables [except asparagus; bean, dry, seed; brassica vegetables; cassava; celery; leek; peppers, sweet; potato; swede; sweet potato; taro; tomato]	T*0.01
Coffee beans	T0.5	<hr/>	
Cotton seed	0.05	Agvet chemical: Chlorpyrifos-methyl	
Cotton seed oil, crude	0.2	<i>Permitted residue: Chlorpyrifos-methyl</i>	
Cranberry	1	Cereal grains [except rice; sweet corns]	10
Dried fruits	T2	Chives	*0.01
Edible offal (mammalian)	T0.1	Cotton seed	*0.01
Eggs	T*0.01	Edible offal (mammalian)	*0.05
Ginger, root	*0.02	Eggs	*0.05
Grapes	T1	Herbs	*0.01
Herbs [except parsley]	*0.01	Lupin (dry)	10
Kiwifruit	2	Meat (mammalian) (in the fat)	*0.05
Leek	T5	Milks (in the fat)	*0.05
Mango	*0.05	Oilseed [except cotton seed]	0.15
Meat (mammalian) (in the fat)	T0.5	Palm nuts	0.15
Milks (in the fat)	T0.2	Peanut	0.15
Oilseed [except cotton seed; peanut]	T*0.05	Peppers	1
Olives	T*0.05	Peppers, chili, dried	10
Onion, bulb	0.2	Poultry, edible offal of	*0.05
Parsley	0.05	Poultry meat (in the fat)	*0.05
Passionfruit	*0.05	Pulses [except lupin (dry)]	0.15
Peanut	0.2	Strawberry	0.5
Peppers, chili, dried	20	Tea, green, black	0.1
Peppers, sweet	2	Wheat bran, unprocessed	20
		Wheat germ	30

Agvet chemical: Chlorsulfuron	
<i>Permitted residue: Chlorsulfuron</i>	
Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

Agvet chemical: Chlortetracycline	
<i>Permitted residue: Inhibitory substance, identified as chlortetracycline</i>	
Cattle kidney	0.6
Cattle liver	0.3
Cattle meat	0.1
Eggs	0.2
Pig kidney	0.6
Pig liver	0.3
Pig meat	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

Agvet chemical: Chlorthal-dimethyl	
<i>Permitted residue: Chlorthal-dimethyl</i>	
Eggs	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Lettuce, head	2
Lettuce, leaf	2
Milks	*0.05
Parsley	T2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sweet corns	5
Vegetables [except as otherwise listed under this chemical]	5

Agvet chemical: Cinmethylin	
<i>Permitted residue: Cinmethylin</i>	
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.01

Agvet chemical: Clavulanic acid	
<i>Permitted residue: Clavulanic acid</i>	
Cattle, edible offal of	*0.01
Cattle meat	*0.01
Cattle milk	*0.01

Agvet chemical: Clethodim	
see Sethoxydim	
<i>Residues arising from the use of clethodim are covered by MRLs for sethoxydim</i>	

Agvet chemical: Clodinafop acid	
<i>Permitted residue: (R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid</i>	
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Wheat	*0.1

Agvet chemical: Clodinafop-propargyl	
<i>Permitted residue: Clodinafop-propargyl</i>	
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat	*0.05

Agvet chemical: Clofentezine	
<i>Permitted residue: Clofentezine</i>	
All other foods except animal food commodities	0.02
Almonds	0.5
Banana	*0.01
Edible offal (mammalian)	T*0.05
Grapes	1
Hops, dry	7
Meat (mammalian)	T*0.05
Milks	T*0.05
Plums (including prunes)	0.1
Pome fruits [except Persimmon, Japanese]	0.1
Stone fruits [except jujube, Chinese; plums (including prunes)]	1
Strawberry	2
Tea, green, black	*0.05
Tomato	0.5

Agvet chemical: Clomazone	
<i>Permitted residue: Clomazone</i>	
Beans [except broad bean; soya bean]	*0.05
Common bean (pod and/or immature seeds)	T*0.05
Edible offal (mammalian)	*0.03
Eggs	*0.03

Fruiting vegetables, cucurbits	*0.05	Cattle milk	1.5
Meat (mammalian)	*0.03		
Milks	0.03		
Mustard seeds	T*0.01	Agvet chemical: Closantel	
Potato	*0.05	<i>Permitted residue: Closantel</i>	
Poultry, edible offal of	0.03	Sheep, edible offal of	5
Poultry meat	0.03	Sheep meat	2
Rape seed (canola)	0.01		
Rice	*0.01		
Agvet chemical: Clopyralid			
<i>Permitted residue: Clopyralid</i>			
All other foods except animal food commodities	0.1	All other foods except animal food commodities	T0.1
Blueberries	0.5	Almonds	0.05
Cauliflower	T0.2	Banana	*0.02
Cereal grains [except sweet corns]	2	Blueberries	T*0.01
Cherries	0.5	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Cranberry	4	Broccoli, Chinese (Gai lan)	0.5
Currants, black, red, white	0.5	Cereal grains [except maize, popcorn; rice; sorghum, grain; sweet corns]	*0.02
Edible offal (mammalian) [except kidney]	0.5	Cherimoya	T0.1
Hops, dry	5	Chinese cabbage (Pe-tsai)	0.7
Kidney of cattle, goats, pigs and sheep	5	Citrus fruits [except kumquats]	0.5
Meat (mammalian)	0.1	Common bean (dry) (navy bean)	T0.1
Milks	0.05	Cotton seed	*0.02
Mustard seeds	T0.5	Cranberry	0.07
Poppy seed	T1	Custard apple	T0.1
Rape seed (canola)	0.5	Dried grapes	10
Raspberries, red, black	0.5	Edible offal (mammalian)	*0.02
Strawberry	4	Eggs	*0.02
Agvet chemical: Cloquintocet acid		Fruiting vegetables, cucurbits	T0.5
see <i>Cloquintocet mexyl</i>		Fruiting vegetables, other than cucurbits	T0.7
<i>Residues arising from the use of cloquintocet acid are covered by the MRLs for cloquintocet mexyl</i>		Fungi, edible (except mushrooms)	T0.7
Agvet chemical: Cloquintocet-mexyl		Grapes [except wine grapes]	3
<i>Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxacetic acid, expressed as cloquintocet mexyl</i>		llama	T0.1
Cereal grains [except sweet corns]	*0.1	Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.7
Edible offal (mammalian)	*0.1	Maize	*0.01
Eggs	*0.1	Mango	T2
Meat (mammalian)	*0.1	Meat (mammalian)	*0.02
Milks	*0.1	Milks	*0.01
Poppy seed	T*0.02	Mung bean (dry)	T0.1
Poultry, edible offal of	*0.1	Mustard seeds	T*0.01
Poultry meat	*0.1	Olives	T0.3
Agvet chemical: Clorsulon		Persimmon, American	2
<i>Permitted residue: Clorsulon</i>		Pome fruits	2
Cattle, edible offal of	*0.1	Popcorn	*0.01
Cattle meat	*0.1	Poultry, edible offal of	*0.02
		Poultry meat	*0.02
		Rape seed (canola)	*0.01
		Rice	0.5
		Sorghum, grain	*0.01
		Soursop	T0.1
		Soya bean (dry)	T0.02

Spices	0.05
Stone fruits	3
Sugar apple	T0.1
Sugar cane	0.1
Sunflower seed	*0.01
Sweet corn (corn-on-the-cob)	0.02
Tea, green, black	T0.7
Wine grapes	0.07

Agvet chemical: Cloxacillin

Permitted residue: Inhibitory substance, identified as Cloxacillin

Cattle milk	*0.01
-------------	-------

Agvet chemical: Coumaphos

Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos

Cattle fat	*0.02
Cattle kidney	*0.02
Cattle liver	*0.02
Cattle milk	*0.01
Cattle milk fat	0.1
Cattle muscle	*0.02

Agvet chemical: Coumatetralyl

Permitted residue: Coumatetralyl

Pig, edible offal of [except liver]	T0.003
Pig fat	T*0.001
Pig liver	T0.004
Pig meat	T*0.001

Agvet chemical: Cyanamide

Permitted residue: Cyanamide

Almonds	*0.01
Apple	*0.02
Blueberries	*0.05
Grapes	*0.05
Kiwifruit	*0.1
Pear, Oriental (nashi)	*0.1
Plums (including prunes)	*0.02
Walnuts	*0.02

Agvet chemical: Cyanazine

Permitted residue: Cyanazine

Bulb vegetables [except chives]	*0.02
Cereal grains [except sweet corns]	*0.01
Fennel, bulb	*0.02
Leek	0.05
Peas	0.02
Podded pea (young pods) (snow and sugar snap)	0.05
Potato	0.02
Pulses	*0.01

Sweet corn (corn-on-the-cob)	*0.02
------------------------------	-------

Agvet chemical: Cyantraniliprole

Permitted residue: Cyantraniliprole

All other foods	0.05
Apple	1.5
Apricot	0.5
Blueberries	4
Bulb vegetables [except chives; onion, bulb]	7
Celery	15
Cherries	6
Citrus fruits [except kumquats]	0.7
Common beans (pods and/or immature seeds)	T1
Cotton seed	*0.01
Cranberry	4
Currants, black, red	4
Edible offal (mammalian)	0.05
Eggs	*0.01
Fennel, bulb	7
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	2
Fungi, edible (except mushrooms)	2
Gooseberry	4
Mango	0.7
Meat (mammalian) (in the fat)	*0.01
Milk fats	0.07
Milks	*0.01
Mushrooms	2
Oilseed	1.5
Onion, bulb	0.05
Palm nuts	1.5
Peach	1.5
Peanut	1.5
Pear	1.5
Peppers, chili, dried	5
Plums (including prunes)	0.5
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	1.5
Sweet corns	2
Sweet potato	T0.05
Wine grapes	1

Agvet chemical: Cyazofamid

Permitted residue: Cyazofamid

All other foods except animal food commodities	0.04
Basil	T30
Basil, dry	T90
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2

Brassica leafy vegetables	15
Broccoli, Chinese (Gai lan)	2
Chard (silver beet)	T10
Edible offal (mammalian)	*0.01
Eggs	*0.01
Garlic	2
Green onions	6
Hops, dry	10
Meat (mammalian)	*0.01
Milks	*0.01
Onions, bulb	2
Parsley	T10
Peppers, chili	0.8
Poppy seed	T*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Spinach	T10

Agvet chemical: Cyclanilide

Permitted residue: Sum of cyclanilide and its methyl ester, expressed as cyclanilide

Cotton seed	0.2
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	2
Eggs	*0.01
Meat (mammalian)	0.05
Milks	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Cyclaniliprole

Permitted residue: Cyclaniliprole

All other foods except animal food commodities	0.02
Brassica leafy vegetables	10
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Bush berries	1.5
Cane berries	0.8
Citrus fruits	0.4
Citrus oil, edible	50
Edible offal (mammalian)	0.2
Eggs	*0.01
Elderberries	1.5
Fruiting vegetables, Cucurbits – Cucumbers and Summer squashes	0.05
Fruiting vegetables, Cucurbits – Melons, Pumpkins and Winter squashes	0.1
Fruiting vegetables other than curcubits	0.2
Fungi, edible (except mushrooms)	0.2
Grapes	0.8
Guelder rose	1.5
Leafy greens	7

Low growing berries	0.4
Mammalian fats [except milk fats]	0.25
Meat (mammalian) (in the fat)	0.25
Milks	*0.01
Milk fats	0.2
Mushrooms	0.2
Peppers, chili, dried	1.5
Pome fruit [except perisimmon, Japanese]	0.3
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Stone fruits [except jujube, Chinese]	1
Sweet corns	0.2
Tea, green, black	50
Tomato, dried	0.35
Tree nuts	0.03

Agvet chemical: Cycloxydim

Permitted residue: Cycloxydim, metabolites and degradation products which can be oxidized to 3-(3-thianyl) glutaric acid S-dioxide and 3-hydroxy-3-(3-thianyl) glutaric acid S-dioxide, expressed as cycloxydim

Beans (dry)	30
Beans (green pods and immature seeds) [except broad bean; soya bean]	15
Carrot	5
Grapes	0.3
Leek	4
Linseed	7
Maize	0.2
Onion, bulb	3
Peas (dry)	30
Peas, shelled (succulent seeds)	15
Peppers, chili, dried	90
Potato	15
Rape seed (canola)	3
Rice	0.09
Soya bean (dry)	80
Stone fruits [except jujube, Chinese]	0.09
Strawberry	3
Sugar beet	0.2
Sunflower seed	6
Tomato	1.5

Agvet chemical: Cyflufenamid

Permitted residue: Cyflufenamid

Dried grapes (currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.1
Grapes	0.15
Hops, dry	5
Meat (mammalian) (in the fat)	*0.01

Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	0.3

Agvet chemical: Cyflumetofen

Permitted residue—commodities of plant origin: Cyflumetofen

Permitted residue—commodities of animal origin: Sum of cyflumetofen and 2-trifluoromethylbenzoic acid, expressed as cyflumetofen

Citrus fruits [except kumquats]	0.3
Dried grapes (currants, raisins and sultanas)	3
Edible offal (mammalian)	*0.03
Fruiting vegetables, other than cucurbits	2
Grapes [except dried]	0.7
Meat (mammalian)	*0.03
Milks	*0.003
Pome fruits [except persimmon, Japanese]	0.5
Strawberry	0.8
Tree nuts	0.01

Agvet chemical: Cyfluthrin

Permitted residue: Cyfluthrin, sum of isomers

All other foods except animal food commodities	0.05
Avocado	0.1
Chia	T*0.05
Citrus fruits [except kumquats]	0.2
Custard apple	T0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	1
Hops, dry	20
Litchi	T0.3
Macadamia nuts	0.05
Mango	T0.1
Mammalian fats [except milk fats]	0.5
Meat (mammalian)	0.02
Milks	0.1
Papaya (pawpaw)	T0.2
Peppers, chili, dried	1
Persimmon, American	T0.1
Persimmon, Japanese	T0.1
Pomegranate	T0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Stone fruits [except jujube, Chinese]	0.3
Tomato	T0.2

Agvet chemical: Cyhalofop-butyl

Permitted residue: Sum of cyhalofop-butyl, cyhalofop and metabolites expressed as cyhalofop-butyl

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	*0.01

Agvet chemical: Cyhalothrin

Permitted residue: Cyhalothrin, sum of isomers

Almonds	0.05
Asparagus	0.02
Barley	0.2
Basil	0.7
Beetroot	*0.01
Berries and other small fruits [except Strawberry]	0.2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.1
Broccoli, Chinese (Gai lan)	0.1
Cereal grains [except barley; sorghum, grain; sweet corns; wheat]	*0.01
Chard	T0.5
Citrus fruits [except kumquats]	*0.01
Coffee beans	0.05
Coriander (leaves, roots, stems)	T1
Cotton seed	*0.02
Cucumber	T0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, other than cucurbits	0.3
Fungi, edible (except mushrooms)	0.3
Garlic	*0.05
Hazelnuts	T*0.01
Hops, dry	10
Legume vegetables	0.1
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.5
Mustard seeds	T0.02
Onion, bulb	*0.05
Onion, Welsh	T0.05
Parsley	T1
Peanut	0.05
Pecan	0.05
Peppers, chili, dried	3
Podded pea (young pods) (snow and sugar snap)	0.2
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Pulses [except soya bean (dry)]	0.2	Fruiting vegetables, other than cucurbits [except; tomato]	T1
Radish	*0.01	Fungi, edible (except mushrooms)	T1
Rape seed (canola)	0.02	Ginseng	*0.03
Shallot	T0.05	Ginseng, dried	0.15
Sorghum, grain	0.5	Ginseng, extract	*0.06
Soya bean (dry)	*0.02	Goat, edible offal of	0.05
Spring onion	T0.05	Goat meat (in the fat)	0.5
Stone fruits [except jujube, Chinese]	0.5	Grapes	2
Strawberry	0.5	Hempseed	T0.1
Sunflower seed	*0.01	Herbs	T5
Sweet corns	0.3	Horse, edible offal of	*0.05
Tea, green, black	1	Horse meat (in the fat)	*0.05
Tomato	0.02	Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	T5
Wheat	*0.05	Leek	T0.5
Agvet chemical: Cyhexatin		Lentil (dry)	T0.05
<i>Permitted residue: Sum of azocyclotin and cyhexatin, expressed as cyhexatin</i>		Lettuce, head	2
Peppers, chili, dried	5	Linola oil, edible	0.1
Agvet chemical: Cypermethrin		Linola seed	0.1
<i>Permitted residue: Cypermethrin, sum of isomers</i>		Linseed	0.5
Adzuki bean (dry)	T0.05	Longan	1
All other foods	*0.01	Lupin (dry)	*0.01
Asparagus	0.5	Mango	0.7
Avocado	T0.2	Milks (in the fat)	1
Beetroot	T0.1	Mung bean (dry)	0.05
Berries and other small fruits [except blueberries; grapes]	0.5	Mustard seeds	T0.2
Blueberries	0.8	Mustard seeds oil, edible	T0.2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1	Mushrooms	T1
Broad bean (dry) (fava bean)	0.05	Olives	T*0.05
Broccoli, Chinese (Gai lan)	1	Onion, bulb	*0.01
Cattle, edible offal of	0.05	Onion, Welsh	T0.5
Cattle meat (in the fat)	0.5	Peanut	T*0.05
Celery	T1	Peas	1
Cereal grains [except rice; sweet corns; wheat]	1	Peppers, chili	2
Cherries	2	Peppers, chili, dried	10
Chick-pea (dry)	0.2	Pig, edible offal of	*0.05
Chinese cabbage (Pe-tsai)	T5	Pig meat (in the fat)	*0.05
Chives	T5	Persimmon, American	T0.2
Citrus fruits [except kumquats]	0.3	Persimmon, Japanese	T0.2
Common bean (dry) (navy bean)	0.05	Pome fruits [except Persimmon, Japanese]	1
Corriander (leaves, roots, stems)	T5	Poppy seed	T*0.05
Cotton seed	0.2	Potato	*0.01
Cotton seed oil, crude	*0.02	Poultry, edible offal of	*0.05
Cumin seed	0.5	Poultry meat (in the fat)	*0.05
Deer meat (in the fat)	T0.5	Radish	T0.05
Durian	1	Rape seed (canola)	0.2
Eggs	0.05	Rape seed oil, edible	0.2
Field pea (dry)	0.05	Rice	2
Fruiting vegetables, cucurbits	T0.3	Shallot	T0.5
		Sheep, edible offal of	0.05
		Sheep meat (in the fat)	0.5
		Soya bean (dry)	0.05
		Soya bean oil, crude	0.1
		Spring onion	T0.5

Stone fruits [except cherries]	1	Dried grapes (currants, raisins and sultanas)	5
Sunflower seed	0.1	Dried herbs	T200
Sunflower seed oil, crude	0.1	Dried stone fruits	0.05
Sweet corn (corn-on-the-cob)	0.05	Edible offal (mammalian)	*0.01
Tea, green, black	0.5	Egg plant	T0.2
Tomato	0.5	Eggs	T*0.01
Wheat	0.2	Grapes	3
<hr/>			
Agvet chemical: Cyproconazole			
<i>Permitted residue: Cyproconazole, sum of isomers</i>			
All other foods except animal food commodities	0.01	Herbs [except basil]	T50
Barley	*0.02	Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	10
Edible offal (mammalian)	1	Litchi	T2
Eggs	*0.01	Meat (mammalian)	*0.01
Maize	*0.01	Melons, except watermelon	T0.2
Meat (mammalian)	0.03	Milks	*0.01
Milks	*0.01	Onion, bulb	0.2
Oats	0.05	Peas (pods and succulent, immature seeds)	0.5
Peanut	0.02	Peppers, chili [except dried]	T0.7
Potato	*0.02	Peppers, chili, dried	9
Poultry, edible offal of	*0.01	Peppers, sweet	0.7
Poultry meat	*0.01	Pistachio nut	T0.1
Pulses	0.05	Pome fruits [except Persimmon, Japanese]	2
Rape seed (canola)	T0.02	Pomegranate	10
Rye	*0.02	Poultry, edible offal of	T*0.01
Sweet corn (corn-on-the-cob)	*0.01	Poultry meat	T*0.01
Triticale	*0.02	Raspberries, red, black	10
Wheat	*0.02	Soya bean (dry)	0.3
<hr/>			
Agvet chemical: Cyprodinil			
<i>Permitted residue: Cyprodinil</i>			
All other foods except animal food commodities	0.05	Stone fruits [except jujube, Chinese]	2
Almonds	0.02	Strawberry	5
Basil	40	Tomato	T1
Bayberries	T3	<hr/>	
Bayberry, red	T3	Agvet chemical: Cyromazine	
Blackberries	10	<i>Permitted residue: Cyromazine</i>	
Blueberries	3	All other foods except animal food commodities	0.05
Boysenberry	10	Broccoli	T1
Broad bean (dry)	T0.2	Cattle, edible offal of	0.05
Bulb vegetables [except chives;; onion, bulb]	3	Cattle meat	0.05
Celery	30	Fruiting vegetables, cucurbits	T0.7
Chick-pea (dry)	T0.2	Fruiting vegetables, other than cucurbits	T1
Chinese cabbage (Pe-tsai)	10	Fungi, edible (except mushrooms)	T1
Chives	T3	Eggs	0.2
Cloudberry	T3	Goat, edible offal of	0.2
Common bean (pods and/or immature seeds)	0.7	Goat meat	0.2
Cucumber	0.5	Milks	*0.01
Currants, black, red, white	5	Mushrooms	10
Dewberries (including boysenberry and loganberry) [except boysenberry]	T3	Legume vegetables	T1
		Lettuce, head	T8
		Peppers, chili, dried	10
		Pig, edible offal of	0.05
		Pig meat	0.05
		Poultry, edible offal of	0.1
		Poultry meat	0.05

Root and tuber vegetables	T1
Sheep, edible offal of	0.2
Sheep meat	0.2
Stalk and stem vegetables [except fennel, bulb]	T7
Witloof chicory	T7

Agvet chemical: 2,4-D

Permitted residue: 2,4-D

All other foods except animal food commodities	0.05
Blueberries	0.2
Cereal grains [except sweet corns]	0.2
Cherries	0.05
Citrus fruits [except kumquats]	5
Cranberry	0.5
Edible offal (mammalian)	7
Eggs	*0.05
Grapes	T*0.05
Hops, dry	0.2
Legume vegetables	*0.05
Meat (mammalian) (in the fat)	0.7
Milks	0.1
Oilseed	*0.05
Palm nuts	*0.05
Peanut	*0.05
Pear	*0.05
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.05
Sugar cane	5
Walnuts	*0.05

Agvet chemical: 2,4-DB

Permitted residue: 2,4-DB

All other foods except animal food commodities	0.05
Cereal grains [except sweet corns]	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.05
Meat (mammalian)	0.2
Milks	*0.05
Peanut	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Decoquinat

Permitted residue: Decoquinat

Chicken kidney	0.8
Chicken liver	1
Chicken meat	0.5
Chicken fat/skin	1

Agvet chemical: Deltamethrin

Permitted residue: Deltamethrin

All other foods except animal food commodities	0.05
Brassica vegetables (except Brassica leafy vegetables [except Chinese cabbage (Pe-tsai)])	*0.05
Broccoli, Chinese (Gai lan)	*0.05
Cattle, edible offal of	0.1
Cattle meat (in the fat)	0.5
Cereal grains [except sweet corns]	2
Cherries	0.1
Currants, black, red, white	0.6
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.1
Fungi, edible (except mushrooms)	0.1
Goat, edible offal of	0.1
Goat meat (in the fat)	0.2
Legume vegetables	0.1
Milks	0.05
Mushrooms	0.1
Oilseed	0.1
Palm nuts	0.1
Peanut	0.1
Pig, edible offal of	*0.01
Pig meat (in the fat)	0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.1
Raspberries, red, black	0.5
Sheep, edible offal of	0.1
Sheep meat (in the fat)	0.2
Strawberry	0.2
Sweet corn (kernels)	0.1
Tea, green, black	5
Wheat bran, unprocessed	5
Wheat germ	3

Agvet chemical: Derquantel

Permitted residue: Derquantel

Sheep fat	0.0002
Sheep kidney	0.0002
Sheep liver	0.0002
Sheep muscle	0.0002

Agvet chemical: Dexamethasone and Dexamethasone trimethylacetate

Permitted residue: Dexamethasone

Cattle, edible offal of	0.1
Cattle meat	0.1
Cattle milk	*0.05
Horse, edible offal of	0.1
Horse meat	0.1
Pig, edible offal of	0.1

Pig meat	0.1
----------	-----

Agvet chemical: Diafenthiuron

Permitted residue: Sum of diafenthiuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron

All other foods except animal food commodities	0.01
Cotton seed	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Mushrooms	0.5
Mustard seeds	T*0.01
Peanut	T0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01
Soya bean (dry)	T0.3

Agvet chemical: Diazinon

Permitted residue: Diazinon

Cereal grains [except sweet corns]	0.1
Citrus fruits [except kumquats]	0.7
Coriander (leaves, roots, stems)	*0.05
Coriander, seed	*0.05
Edible offal (mammalian)	0.7
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.5
Kiwifruit	0.5
Meat (mammalian) (in the fat)	0.7
Milks (in the fat)	0.5
Olive oil, crude	2
Parsley	*0.05
Peach	0.7
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	T0.5
Spring onion	T0.5
Sugar cane	0.5
Sweet corn (corn-on-the-cob)	0.7
Tree nuts	0.1
Vegetable oils, crude [except olive oil, virgin]	0.1
Vegetables	0.7

Agvet chemical: Dicamba

Permitted residue: Dicamba

All other foods except animal food commodities	0.05
Cereal grains [except maize; sweet corns]	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.05
Maize	0.1
Meat (mammalian)	0.05
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	0.1
Sugar cane molasses	2

Agvet chemical: Dicamba

Permitted residue: Sum of dicamba, 3,6-dichloro-5-hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2-hydroxybenzoic acid, expressed as dicamba

Cotton seed	3
Soya bean	10

Agvet chemical: Dichlobenil

Permitted residue: Dichlobenil

All other foods except animal food commodities	0.05
Blueberries	T1
Celery	0.07
Cereal grains [except maize and sweet corns]	*0.05
Citrus fruits [except kumquats]	0.1
Cranberry	0.1
Currants, black, red, white	T1
Gooseberry	T1
Grapes	0.1
Maize	0.1
Peppers, chili, dried	*0.01
Pome fruits [except Persimmon, Japanese]	0.1
Raspberries, red, black	T1
Stone fruits [except jujube, Chinese]	0.1
Tomato	0.1

Agvet chemical: Dichlofluanid

Permitted residue: Dichlofluanid

Berries and other small fruits [except grapes; strawberry]	T50
Grapes	0.5
Peanut	*0.02
Strawberry	10
Tomato	1

Agvet chemical: 1,3-dichloropropene	
<i>Permitted residue: 1,3-dichloropropene</i>	
Grapes	0.018

Agvet chemical: Dichlorprop-P	
<i>Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid</i>	
Citrus fruits [except kumquats]	0.2
Edible offal (mammalian)	*0.05
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.02

Agvet chemical: Dichlorvos	
<i>Permitted residue: Dichlorvos</i>	
All other foods except animal food commodities	0.01
Cereal grains [except rice; sweet corns]	*0.01
Coffee beans	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed [except peanut]	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.01
Rice	7

Agvet chemical: Diclofop-methyl	
<i>Permitted residue: Diclofop-methyl</i>	
Cereal grains [except sweet corns]	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	0.1
Palm nuts	0.1
Peanut	0.1
Peas	0.1
Poppy seed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Dicofol	
<i>Permitted residue: Sum of dicofol and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol</i>	
Almonds	5

Cotton seed	0.1
Cucumber	2
Fruit [except strawberry]	5
Gherkin	2
Hops, dry	5
Strawberry	1
Sweet corns	5
Tea, green, black	5
Tomato	1
Vegetables [except as otherwise listed under this chemical]	5

Agvet chemical: Dicyclanil	
<i>Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil</i>	
Sheep fat	0.3
Sheep kidney	0.3
Sheep liver	0.3
Sheep meat	0.3

Agvet chemical: Didecyldimethylammonium chloride	
<i>Permitted residue: Didecyldimethylammonium chloride</i>	
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	20
Sentul	20

Agvet chemical: Dieldrin	
<i>see Aldrin and Dieldrin</i>	

Agvet chemical: Difenoconazole	
<i>Permitted residue: Difenoconazole</i>	
All other foods except animal food commodities	0.02
Almonds	0.03
Anise myrtle (dried)	T10
Asparagus	*0.05
Avocado	0.5
Banana	*0.02
Blueberries	4
Brassica leafy vegetables	T5
Celeriac	T1
Celery	10
Cereal grains [except rice]	*0.01
Cereal grains [except rice; sweet corns]	*0.01
Chard (silver beet)	T5
Chicory leaves (green and red cultivars)	T5
Chives	2
Coffee beans	T*0.01
Coriander (leaves, roots, stems)	T20
Cotton seed	T0.05
Cranberry	0.6

Currants, black, red, white	0.2
Dried grapes	6
Edible offal (mammalian)	*0.05
Eggs	*0.05
Endive	T5
Fruiting vegetables, cucurbits	0.3
Fruiting vegetables, other than cucurbits	1
Grapefruit	0.6
Grapes	4
Lemon	0.6
Lemon myrtle leaves (dried)	T10
Macadamia nuts	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Orange	0.6
Papaya (pawpaw)	1
Parsley	T20
Peanut	*0.01
Pecan	0.03
Peppers, chili	0.9
Peppers, chili, dried	5
Pome fruits [except Persimmon, Japanese]	0.3
Poppy seed	T*0.01
Potato	4
Poultry meat	*0.05
Poultry, edible offal of	*0.05
Riberry	T1
Rice	8
Root and tuber vegetables [except celeriac; potato]	0.5
Spinach	T5
Stone fruits [except jujube, Chinese]	2.5
Strawberry	2
Tea, green, black	*0.05

Agvet chemical: Diflubenzuron
Permitted residue: Diflubenzuron

Almonds	0.2
Cattle, edible offal of	*0.02
Cattle milk	0.05
Citrus fruits [except kumquats]	3
Fish muscle	T*0.002
Mushrooms	0.1
Peanut	0.1
Peppers, chili, dried	20
Rice	*0.01
Sheep kidney	0.05
Sheep liver	0.05
Sheep meat (in the fat)	0.05
Sheep milk	0.05
Stone fruits [except cherries; jujube, Chinese]	0.07
Tea, green, black	0.1

Agvet chemical: Diflufenican

Permitted residue: Diflufenican

All other foods except animal food commodities	0.01
Barley	0.05
Edible offal (mammalian)	0.1
Eggs	*0.02
Grapes	*0.002
Meat (mammalian) (in the fat)	0.05
Milks	0.01
Oats	0.05
Peas	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	0.05
Rye	0.05
Safflower seed	T*0.05
Tea, green, black	*0.05
Triticale	0.05
Wheat	0.02
Walnuts	T*0.01

Agvet chemical: Dimethenamid-P

Permitted residue: Sum of dimethenamid-P and its (R)-isomer

Common bean (pods and/or immature seeds)	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Hops, dry	0.05
Maize	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	T*0.01
Peanut	0.01
Peas	*0.02
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.02
Pumpkins	*0.02
Rape seed (canola)	T*0.01
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Dimethoate

Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate

see also *Omethoate*

Abiu	5
Asparagus	0.02
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango; pineapple; tree tomato (tamarillo)]	5

Avocado	3	Brassica (vegetables [except Brassica leafy vegetables] [except Chinese cabbage (Pe-tsai)])	6
Bearberry	T5	Bulb onions [except garlic; onion, bulb; shallot]	0.5
Beetroot	*0.1	Celery	15
Bilberry	T5	Chinese cabbage (Pe-tsai)	30
Bilberry, bog	T5	Chives	10
Bilberry, red	T5	Corn salad (lamb's lettuce)	10
Blackberries	T5	Edible offal (mammalian)	*0.01
Blueberries	T5	Fruiting vegetables, cucurbits	0.5
Boysenberry	0.02	Fruiting vegetables, other than cucurbits	1.5
Cactus fruit	5	Fungi, edible (except mushrooms)	1.5
Cereal grains [except sweet corns]	0.5	Garlic	0.6
Cherries	T0.2	Grapes	3
Citrus fruits [except kumquats]	5	Green onions [except spring onion]	2
Cotton seed	*0.1	Herbs [except parsley]	10
Cranberry	T5	Hops, dry	80
Currant, black, red, white	*0.01	Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	30
Edible offal (mammalian)	0.1	Lima bean (young pods and/or immature seeds)	0.6
Egg plant	T0.2	Meat (mammalian)	*0.01
Eggs	*0.05	Milks	*0.01
Elderberries	0.02	Mizuna	T10
Legume vegetables	2	Mushrooms	1.5
Mango	1	Onion, bulb	0.6
Meat (mammalian)	*0.05	Parsley	T20
Melons [except watermelon]	5	Peas	1
Milks	*0.05	Peppers, chili, dried	5
Oilseed [except cotton seed; peanut]	0.2	Poppy seed	*0.02
Olive oil, refined	T0.3	Potato	0.05
Olives for oil production	T3	Radish	T0.3
Onion, bulb	0.7	Shallot	0.6
Peanut	0.02	Spices [except peppers, chili, dried]	0.05
Peppers, sweet	0.7	Spring onion	15
Pineapple	0.07	Strawberry	0.7
Potato	0.1	Sweet corns	1.5
Poultry, edible offal of	*0.05		
Poultry meat	*0.05		
Pulses	0.7		
Raspberries, red, black	T5		
Rhubarb	0.7		
Rollinia	5		
Santols (Sentul)	5		
Squash, summer (including zucchini)	0.7		
Strawberry	*0.02		
Sweet potato	0.1		
Tomato	0.02		
Turnip, garden	*0.2		
Watermelon	5		
Wheat bran, processed	1		
<hr/>		<hr/>	
Agvet chemical: Dimethomorph		Agvet chemical: Dimpropyridaz	
<i>Permitted residue: Sum of E and Z isomers of dimethomorph</i>		<i>Permitted residue—commodities of plant origin: Dimpropyridaz</i>	
<hr/>		<i>Permitted residue—commodities of animal origin: sum of dimpropyridaz and 1-(3-hydroxy-3-methylbutan-2-yl)-5-methyl-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide, expressed as dimpropyridaz</i>	
<hr/>		<hr/>	
All other foods except animal food commodities	0.2	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7
Beetroot	0.3	Cotton seed	0.02
		Edible offal (mammalian)	*0.02
		Eggs	*0.02
		Fruiting vegetables, cucurbits	0.3
		Fruiting vegetables, other than cucurbits	1

Leafy vegetables	15
Meat (mammalian)	*0.02
Milks	*0.02
Poultry meat	*0.02
Poultry, edible offal of	*0.02

Agvet chemical: Dinitolmide

Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents

Poultry, edible offal of	6
Poultry fats	2
Poultry meat	3

Agvet chemical: Dinitro-o-toluamide

see *Dinitolmide*

Agvet chemical: Dinocap

Permitted residue: Sum of dinocap isomers and dinocap phenols, expressed as dinocap

Peppers, chili, dried	2
-----------------------	---

Agvet chemical: Dinotefuran

Permitted residue—commodities of plant origin: Dinotefuran

Permitted residue—commodities of animal origin: Sum of Dinotefuran and 1-methyl-3-(tetrahydro-3-furylmethyl) urea (UF) expressed as dinotefuran

All other foods except animal food commodities	0.02
Celery	0.6
Cotton seed	0.1
Cranberry	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Grapes	0.9
Meat (mammalian)	*0.02
Milks	*0.02
Mung bean (dry)	0.3
Peppers, chili, dried	5
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	8

Agvet chemical: Diphenylamine

Permitted residue: Diphenylamine

All other foods except animal food commodities	0.05
Apple	10
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.05
Liver of cattle, goats, pigs and sheep	0.05
Meat (mammalian) (in the fat)	*0.01
Milks (in the fat)	*0.01

Pear	7
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Diquat

Permitted residue: Diquat cation

Barley	5
Beans [except broad bean; soya bean]	1
Broad bean (green pods and/or immature seeds)	1
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit	*0.05
Hops, dry	T0.2
Linseed	*0.01
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Oats	5
Oilseed [except linseed; poppy seed]	5
Onion, bulb	0.1
Palm nuts	5
Peanut	5
Peas	0.1
Poppy seed	*0.01
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Quinoa	T5
Rice	5
Rice, polished	1
Rye	2
Sorghum, grain	2
Sugar beet	0.1
Sugar cane	*0.05
Sweet corns	*0.05
Tea, green, black	T0.5
Tree nuts	*0.05
Triticale	2
Vegetable oils, crude	1
Vegetables [except beans; broad bean; onion, bulb; peas; potato; pulses; sugar beet]	*0.05
Wheat	2

Agvet chemical: Dithianon

Permitted residue: Dithianon

All other foods except animal food commodities	0.02
Blueberries	T7
Fruits [except blueberries]	2
Hops, dry	100

Agvet chemical: Dithiocarbamates

Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food

Almonds	3
Asparagus	T1
Avocado	7
Banana	T15
Basil	T5
Beans [except broad bean; soya bean]	2
Beetroot	1
Berries and other small fruits [except strawberry]	T15
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broad bean (green pods and immature seeds)	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives; garlic; onion, bulb]	T10
Carrot	1
Celery	5
Cereal grains [except sweet corns]	0.5
Chinese cabbage (Pe-tsai)	5
Citrus fruits [except kumquats]	T7
Common bean (pods and/or immature seeds)	2
Coriander, seed	0.1
Cotton seed	10
Custard apple	5
Edible offal (mammalian)	2
Eggs	*0.5
Fennel, bulb	T10
Fig	3
Fruiting vegetables, cucurbits	2
Fruiting vegetables, other than cucurbits [except roselle; tomato]	3
Fungi, edible (except mushrooms)	3
Garlic	4
Ginger, root	T3
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Litchi	5
Mango	7
Meat (mammalian)	*0.5
Milks	*0.2
Mushrooms	3
Olives for oil production	T30
Onion, bulb	4
Papaya (pawpaw)	5
Parsley	5
Parsnip	T1
Passionfruit (including granadilla)	3
Peanut	0.2

Peas (pods and succulent, immature seeds)	2
Pepper, black, white	0.1
Peppers, chili (dry)	20
Pistachio nut	T3
Pome fruits	3
Pomegranate	T5
Poppy seed	*0.2
Potato	1
Poultry meat	*0.5
Poultry, edible offal of	*0.5
Pulses	0.5
Radish	T1
Rhubarb	2
Roselle (rosella)	5
Stone fruits [except jujube, Chinese]	3
Strawberry	10
Sunflower seed	T*0.05
Sweet corns	3
Table olives	T30
Tomato	T5
Tree tomato	T5
Walnuts	T*0.2

Agvet chemical: Diuron

Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron

All other foods except animal food commodities	0.05
Asparagus	2
Banana	0.5
Blueberries	0.1
Cereal grains [except sweet corns]	0.1
Cotton seed oil, crude	0.5
Date	T0.5
Edible offal (mammalian)	3
Lime	1
Meat (mammalian)	0.1
Milks	0.1
Oilseed	0.5
Palm nuts	0.5
Peanut	0.5
Pineapple	0.5
Pulses	*0.05
Sugar cane	0.2

Agvet chemical: Dodine

Permitted residue: Dodine

All other foods, except animal food commodities	0.1
Almonds	0.3
Cherries	3
Peanut	0.013
Pome fruits [except Persimmon, Japanese]	5

Stone fruits [except cherries; jujube, Chinese]	*0.05	Chia	T0.05
Walnuts	T0.3	Chinese cabbage (Pe-tsai)	T0.5
<hr/>		Cotton seed	0.005
Agvet chemical: Doramectin		Edible offal (mammalian)	0.02
<i>Permitted residue: Doramectin</i>		Fruiting vegetables, cucurbits	0.01
Cattle, edible offal of	0.1	Fruiting vegetables, other than cucurbits	0.1
Cattle fat	0.1	Fungi, edible (except mushrooms)	0.1
Cattle meat	0.01	Grapes	*0.002
Cattle milk	0.05	Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head and lettuce, leaf; witloof chicory]	T0.5
Pig kidney	0.03	Legume vegetables	0.1
Pig liver	0.05	Lettuce, head	0.2
Pig meat (in the fat)	0.1	Lettuce, leaf	0.2
Sheep, edible offal of	0.05	Maize cereals	T*0.01
Sheep fat	0.1	Meat (mammalian) (in the fat)	0.01
Sheep meat	0.02	Milks	*0.001
<hr/>		Milk fats	0.01
Agvet chemical: 2,2-DPA		Mustard seeds	T*0.01
<i>Permitted residue: 2,2-dichloropropionic acid</i>		Pecan	0.02
Avocado	*0.1	Peppers, chili, dried	0.2
Banana	*0.1	Pulses	*0.01
Cereal grains [except sweet corns]	*0.1	Rape seed (canola)	*0.01
Citrus fruits [except kumquats]	*0.1	Root and tuber vegetables [except potato]	*0.01
Cotton seed	*0.1	Sorghum, grain	*0.002
Currants, black, red, white	15	Strawberry	0.05
Edible offal (mammalian)	0.2	Sweet corn (corn-on-the-cob)	*0.002
Grapes	3	Tea, green, black	*0.02
Meat (mammalian)	0.2	Wheat, similar grains, and pseudocereals without husks	T*0.01
Milks	*0.1	<hr/>	
Papaya (pawpaw)	*0.1	Agvet chemical: Endosulfan	
Pecan	*0.1	<i>Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate</i>	
Pineapple	*0.1	Cacao beans	0.2
Pome fruits [except Persimmon, Japanese]	*0.1	Tea, green, black	10
Stone fruits [except jujube, Chinese]	1	<hr/>	
Sugar cane	*0.1	Agvet chemical: Endothal	
Sunflower seed	*0.1	<i>Permitted residue: Endothal</i>	
Vegetables	*0.1	Edible offal (mammalian)	T*0.05
<hr/>		Eggs	T*0.05
Agvet chemical: EDC		Hops, dry	0.1
<i>see Ethylene dichloride</i>		Meat (mammalian)	T*0.05
<hr/>		Milks	T*0.01
Agvet chemical: Emamectin		Poultry, edible offal of	T*0.05
<i>Permitted residue: Sum of emamectin B1a and emamectin B1b</i>		Poultry meat	T*0.05
All other foods except animal food commodities	0.005	<hr/>	
Almonds	0.02	Agvet chemical: Enilconazole	
Blueberries	T0.07	<i>see Imazalil</i>	
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.02	<hr/>	
Broccoli, Chinese (Gai lan)	0.02		
Celery	T0.2		

Agvet chemical: Epoxiconazole	
<i>Permitted residue: Epoxiconazole</i>	
Avocado	0.5
Banana	1
Cereal grains [except sweet corns]	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.005
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat bran, unprocessed	0.3
Wheat germ	0.2

Agvet chemical: Eprinomectin	
<i>Permitted residue: Eprinomectin B1a</i>	
Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.03
Deer, edible offal of	2
Deer meat	0.1

Agvet chemical: EPTC	
<i>Permitted residue: EPTC</i>	
All other foods except animal food commodities	0.04
Cereal grains	*0.04
Edible offal (mammalian)	*0.1
Eggs	*0.01
Meat (mammalian)	*0.1
Milks	*0.1
Oilseed	0.1
Palm nuts	0.1
Peanut	0.1
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables [except potato]	*0.04

Agvet chemical: Erythromycin	
<i>Permitted residue: Inhibitory substance, identified as erythromycin</i>	
Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.04
Poultry, edible offal of	*0.3
Poultry meat	*0.3

Agvet chemical: Esfenvalerate	
<i>see Fenvalerate</i>	

Agvet chemical: Ethephon	
<i>Permitted residue: Ethephon</i>	
All other foods except animal food commodities	0.1
Apple	1
Banana	T*0.05
Barley	1
Blueberries	T10
Cherries	15
Cotton seed	2
Cotton seed oil, crude	*0.1
Currant, black	1
Edible offal (mammalian)	0.2
Eggs	*0.2
Grapes	10
Kiwifruit	0.1
Lychee	T*0.05
Macadamia nuts	*0.1
Mandarins	2
Mango	T*0.02
Meat (mammalian)	0.1
Milks	0.1
Nectarine	0.01
Olives	T20
Oranges, sweet, sour	2
Papaya	T1
Peach	0.5
Pineapple	2
Poultry, edible offal of	*0.2
Poultry meat	*0.1
Sugar cane	0.5
Sugar cane molasses	7
Tomato	2
Walnuts	T5
Wheat	T1

Agvet chemical: Ethion	
<i>Permitted residue: Ethion</i>	
Cattle, edible offal of	2.5
Cattle meat (in the fat)	2.5
Citrus fruits [except kumquats]	1
Cotton seed	0.1
Cotton seed oil, crude	0.05
Grapes	2
Milks (in the fat)	0.5
Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except jujube, Chinese]	1
Tea, green, black	5

Agvet chemical: Ethiprole

Permitted residue—commodities of plant origin:
Ethiprole

Permitted residue—commodities of animal origin:

Sum of ethiprole and 5-amino-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-ethylsulfonylpyrazole-3-carbonitrile (ethiprole-sulfone), expressed as parent equivalents.

Coffee beans	0.07
Coffee beans, roasted	0.2
Edible offal (mammalian)	0.1
Eggs	0.05
Fats (mammalian)	0.15
Meat (mammalian)	0.15
Milk fats	0.5
Milks	0.01
Poultry, Edible offal of	0.05
Poultry fats	0.05
Poultry meat	0.05
Rice	3
Rice, husked	1.5
Rice, polished	0.4

Agvet chemical: Ethofumesate

Permitted residue: *Ethofumesate*

Beetroot	0.1
Bulb vegetables [except chives]	*0.1
Chard (silver beet)	1
Edible offal (mammalian)	0.5
Fennel, bulb	*0.1
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.2
Poppy seed	*0.02
Spinach	T1
Strawberry	*0.03
Sugar beet	0.1

Agvet chemical: Ethopabate

Permitted residue: *Ethopabate*

Poultry, edible offal of	15
Poultry meat	5

Agvet chemical: Ethoprophos

Permitted residue: *Ethoprophos*

Banana	T*0.05
Cereal grains [except sweet corns]	*0.005
Hops, dry	0.02
Peppers, chili, dried	0.2
Tomato	T*0.01

Agvet chemical: Ethoxyquin

Permitted residue: *Ethoxyquin*

Crustaceans	1
Diadromous fish	1
Edible offal (mammalian)	1
Eggs	0.1
Freshwater fish	1
Marine fish	1
Meat (mammalian)	0.5
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.5

Agvet chemical: Ethoxysulfuron

Permitted residue—commodities of plant origin:
Ethoxysulfuron

Permitted residue—commodities of animal origin: *2-amino-4, 6-dimethoxypyrimidine, expressed as ethoxysulfuron*

Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Sugar cane	*0.01

Agvet chemical: Ethyl formate

Permitted residue: *Ethyl formate*

Dried fruits	1
--------------	---

Agvet chemical: Ethylene dichloride (EDC)

Permitted residue: *1,2-dichloroethane*

Cereal grains [except sweet corns]	*0.1
------------------------------------	------

Agvet chemical: Etofenprox

Permitted residue: *Etofenprox*

All other foods except animal food commodities	0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Hops, dry	5
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rice	*0.01
Stone fruits [except cherries; jujube, Chinese]	5

Agvet chemical: Etoxazole

Permitted residue: *Etoxazole*

All other foods except animal food commodities	0.05
Almonds	*0.01
Avocado	T0.1
Banana	0.2

Cane berries	T0.5
Cherries	1
Chervil	T1
Chives	T1
Citrus fruits [except kumquats]	0.5
Coriander (leaves, roots, stems)	T1
Cotton seed	0.2
Custard apple	T0.1
Dried grapes	1.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.05
Fruiting vegetables, cucurbits	T0.1
Fungi, edible (except mushrooms)	0.05
Grapes	0.5
Herbs	T1
Hops, dry	7
Ivy gourd	T0.1
Maize	T*0.01
Mango	T0.1
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Mizuna	T1
Mushrooms	0.05
Papaya	T0.1
Passionfruit	T0.1
Podded pea (young pods) (snow and sugar snap)	T*0.02
Pointed gourd	T0.1
Pome fruits [except Persimmon, Japanese]	0.2
Popcorn	T*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.02
Rucola (Rocket)	T1
Strawberry	0.2
Stone fruits [except cherries; jujube, Chinese]	0.3
Sweet corn (kernels)	T*0.01
Tea, green, black	15

Agvet chemical: Famoxadone

Permitted residue: Famoxadone

Dried grapes (currants, raisins and sultanas)	5
Hops, dry	80
Raspberries, red, black	10

Agvet chemical: Fenamidone

Permitted residue: Fenamidone

Celery	40
Peppers, chili, dried	30

Agvet chemical: Fenamiphos

Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos

Aloe vera	*0.05
Banana	*0.05
Strawberry	*0.05

Agvet chemical: Fenarimol

Permitted residue: Fenarimol

Cherries	T1
----------	----

Agvet chemical: Fenazaquin

Permitted residue: Fenazaquin

Citrus fruits [except kumquats]	0.4
Dried grapes (currants, raisins and sultanas)	0.8
Edible offal (mammalian)	*0.02
Grapes [except dried]	0.7
Hops, dry	30
Meat (mammalian)	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Milks (in the fat)	*0.02
Podded pea (young pods) (snow and sugar snap)	0.4
Raspberries, red, black	0.7
Stone fruits [except jujube, Chinese]	2
Tree nuts	0.02

Agvet chemical: Fenbendazole

Permitted residue: Fenbendazole

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	0.5
Goat meat	0.5
Milks	0.1
Sheep, edible offal of	0.5
Sheep meat	0.5

Agvet chemical: Fenbuconazole

Permitted residue: Fenbuconazole

All other foods except animal food commodities	0.02
Almonds	0.05
Banana	0.5
Blueberries	0.3
Cranberry	0.5
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Nectarine	0.5
Peanut	0.1

Peppers, chili, dried	2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Tea, green, black	*0.05
Wheat	*0.01

Agvet chemical: Fenbutatin oxide

Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	5
Berries and other small fruits [except table grapes]	1
Cherries	6
Citrus fruits [except kumquats]	5
Citrus peel	30
Dried grapes	T10
Grapes [except wine grapes]	5
Hops, dry	20
Nectarine	3
Peach	3
Pome fruits [except Persimmon, Japanese]	3
Tomato	T2
Sentul	5

Agvet chemical: Fenhexamid

Permitted residue: Fenhexamid

All other foods except animal food commodities	0.1
Blackberries	T20
Blueberries	5
Cloudberry	T20
Cucumber	T10
Currant, black, red, white	20
Dewberries (including boysenberry, loganberry and youngberry)	T20
Dried grapes	20
Edible offal (mammalian)	2
Grapes	10
Kiwifruit	15
Lettuce, head	T50
Lettuce, leaf	T50
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Peas (pods and succulent, immature seeds)	T5
Peppers	T30
Plums (including prunes)	1.5
Raspberries, red, black	T20
Stone fruits [except jujube, Chinese; plums]	10
Strawberry	10
Tomato	T2

Agvet chemical: Fenitrothion

Permitted residue: Fenitrothion

Apple	1
Cabbages, head	0.5
Cacao beans	0.1
Cereal grains [except sweet corns]	10
Cherries	1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	1
Lettuce, head	0.5
Lettuce, leaf	0.5
Meat (mammalian)	T*0.05
Milks (in the fat)	T*0.05
Oilseed	0.1
Palm nuts	0.1
Peanut	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	0.1
Rice, polished	0.1
Soya bean (dry)	0.3
Sugar cane	0.02
Tea, green, black	0.5
Tomato	0.5
Tree nuts	0.1
Wheat bran, unprocessed	20
Wheat germ	20

Agvet chemical: Fenoxaprop-ethyl

Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolylloxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl

Barley	*0.01
Chick-pea (dry)	*0.01
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian)	0.05
Milks	0.02
Peanut	0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.01
Rice	T*0.02
Rye	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Fenoxycarb

Permitted residue: Fenoxycarb

All other foods except animal food commodities	0.1
Olive oil, virgin	7
Olives for oil production	2

Pome fruits [except Persimmon, Japanese]	2	Apple	0.3
Table Olives	2	Cherries	2
<hr/>		Citrus fruits [except kumquats]	0.6
Agvet chemical: Fenpicoxamid		Cranberry	1
<i>Permitted residue—commodities of plant origin: Fenpicoxamid</i>		Currants, black, red, white	1
Banana	0.15	Edible offal (mammalian)	0.5
<hr/>		Fats (mammalian)	0.1
Agvet chemical: Fenpropathrin		Grapes	1
<i>Permitted residue: Fenpropathrin</i>		Hops, dry	10
Blueberries	3	Meat (mammalian)	0.1
Cherries	5	Milks	*0.01
Citrus fruits [except kumquats]	2	Pear	0.3
Cranberry	2	Raspberries, red, black	3
Grapes	5	Stone fruits [except cherries]	0.4
Peanut	0.01	Strawberry	1
Peppers, chili, dried	10	Tea, green, black	0.1
Stone fruits [except cherries; jujube, Chinese]	1.4	Tomatoes (includes goji berry)	0.3
Tea, green, black	2	<hr/>	
<hr/>		Agvet chemical: Fenvalerate	
Agvet chemical: Fenpropimorph		<i>Permitted residue: Fenvalerate, sum of isomers</i>	
<i>Permitted residue: Fenpropimorph</i>		All other foods except animal food commodities	0.05
Banana	2	Almonds	0.2
Barley	0.5	Berries and other small fruits	1
Oats	0.5	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Wheat	0.5	Brassica leafy vegetables	1
<hr/>		Cereal grains [except sweet corns]	2
Agvet chemical: Fenpyrazamine		Celery	2
<i>Permitted residue: Fenpyrazamine</i>		Cherries	3
All other foods except animal food commodities	0.02	Dried grapes	0.5
Blueberries	5	Edible offal (mammalian)	0.05
Dried grapes (currants, raisins and sultanas)	10	Eggs	0.02
Edible offal (mammalian)	*0.01	Grapes	0.1
Eggs	*0.01	Legume vegetables	0.5
Meat (mammalian)	*0.01	Meat (mammalian) (in the fat)	1
Milks	*0.005	Milks	0.2
Poultry, edible offal of	*0.01	Oilseed [except peanut]	0.5
Poultry meat	*0.01	Olives for oil production	T1
Raspberries, red, black	5	Olive oil, crude	T5
Strawberry	3	Poultry, edible offal of	*0.02
Table grapes	3	Poultry meat (in the fat)	0.05
Wine grapes	0.05	Pulses	0.5
<hr/>		Sweet corn (corn-on-the-cob)	0.05
Agvet chemical: Fenpyroximate		Table olives	T1
<i>Permitted residue: Fenpyroximate</i>		Tea, green, black	0.05
All other foods except animal food commodities	0.1	Tomato	0.2
Almonds	0.1	Wheat bran, unprocessed	5

Agvet chemical: Fipronil

Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)

Asparagus	0.2
Assorted tropical and sub-tropical fruit – inedible peel [except banana; custard apple; tamarillo (tree tomato)]	T*0.01
Banana	0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.05
Broccoli, Chinese (Gai lan)	T0.05
Carob	T*0.01
Carrot	T*0.01
Celery	T0.3
Citrus fruit	T*0.01
Cotton seed oil, crude	*0.01
Custard apple	T0.05
Edible offal (mammalian)	0.02
Eggs	0.02
Ginger, root	*0.01
Grapes [except wine grapes]	T*0.01
Honey	0.01
Lettuce, head	T0.1
Lettuce, leaf	T0.1
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mushrooms	0.02
Oilseed	*0.01
Palm nuts	*0.01
Peanut	*0.01
Peppers, chili	*0.005
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.02
Rice	0.01
Sentul	*T0.01
Sorghum, grain	0.01
Soya bean (dry)	T*0.01
Stone fruits	0.01
Sugar cane	*0.01
Swede	0.1
Sweet potato	*0.01
Turnip, garden	0.1
Wine grapes	*0.01

Agvet chemical: Flamprop-methyl

Permitted residue: Flamprop-methyl

Chick-pea (dry)	*0.01
-----------------	-------

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Triticale	0.05
Wheat	0.05

Agvet chemical: Flamprop-M-methyl

see Flamprop-methyl

Agvet chemical: Flavophospholipol

Permitted residue: Flavophospholipol

Cattle fat	*0.01
Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	*0.01
Cattle milk	T*0.01
Eggs	*0.02

Agvet chemical: Flazasulfuron

Permitted residue: Flazasulfuron

Almonds	0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Olives for oil production	*0.01
Poultry meat	*0.01
Poultry, edible offal of	*0.01
Table olives	*0.01

Agvet chemical: Flonicamid

Permitted residue: Flonicamid [N-(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N-(4-trifluoromethylnicotinoyl)glycine]

All other foods except animal food commodities	0.2
Blackberries	T2
Bulb vegetables [except chives]	T0.2
Celery	1.5
Cotton seed	1
Cranberry	1.5
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fennel, bulb	T0.2
Fruiting vegetables, cucurbits	0.7
Fruiting vegetables, other than cucurbits	T0.5

Fungi, edible (except mushrooms)	T0.5
Hops, dry	20
Lemons and Limes	1.5
Meat (mammalian)	*0.02
Milks	*0.02
Mushrooms	T0.5
Mustard seeds	T0.5
Oranges, Sweet, Sour	0.4
Pome fruits [except Persimmon, Japanese]	0.7
Potato	0.2
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pummelos	0.3
Rape seed (canola)	0.5
Raspberries, red, black	T2
Stone fruits	0.6
Strawberry	T2
Sweet corns	T0.5

Agvet chemical: Florasulam

Permitted residue: Florasulam

Cereal grains [except sweet corns]	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Florfenicol

Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine

Cattle kidney	0.5
Cattle liver	3
Cattle meat	0.3
Pig fat/skin	1
Pig kidney	1
Pig liver	3
Pig meat	0.5

Agvet chemical: Florylpicoxamid

Permitted residue: commodities of plant origin: Sum of florylpicoxamid and (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid

Permitted residue: commodities of animal origin: (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid

All other foods except animal food commodities	0.01
--	------

Agvet chemical: Florylpicoxamid

Dried grapes (= currants, raisins and sultanas)	20
Edible offal (mammalian)	0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Grapes	3
Leafy greens	20
Meat (mammalian) (in the fat)	0.07
Milks	*0.01
Poultry meat (in the fat)	*0.01
Poultry, edible offal of	*0.01
Strawberry	1
Wheat	0.02
Wheat bran, unprocessed	0.07

Agvet chemical: Florpyrauxifen-benzyl

Permitted residue: Sum of florpyrauxifen-benzyl and the XDE-848 acid metabolite [4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylic acid] expressed as florpyrauxifen-benzyl

Edible offal (mammalian)	T*0.02
Eggs	T*0.02
Meat (mammalian) [in the fat]	T*0.02
Milks	T*0.02
Poultry, edible offal of	T*0.02
Poultry meat (in the fat)	T*0.02
Rice	T*0.02
Sorghum, grain	*0.02

Agvet chemical: Fluoxapiprolin

Permitted residue: Fluoxapiprolin

Dried grapes (= currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	0.15
Meat (mammalian) [in the fat]	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat [in the fat]	*0.01

Agvet chemical: Fluazaindolizine

Permitted residue: Fluazaindolizine

All other foods except animal food commodities	0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2

Agvet chemical: Fluazindolizine	
Fungi, edible (except mushrooms)	0.2
Galangal, rhizomes	0.3
Meat (mammalian)	*0.01
Milks	*0.01
Mushrooms	0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Root and tuber vegetables	0.3
Sweet corns	0.2

Agvet chemical: Fluazifop-p-butyl

Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop

All other foods except animal food commodities	0.02
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; banana; tamarillo (tree tomato)]	0.05
Avocado	*0.02
Banana	*0.02
Berries and other small fruits [except bush berries; elderberries; guelder rose, strawberry]	0.2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Bush berries	0.3
Celery	*0.02
Chia	T2
Chinese cabbage (Pe-tsai)	T2
Citrus fruits [except kumquats]	*0.02
Coriander (leaves, roots, stems)	T2
Date	T0.2
Edible offal (mammalian)	*0.05
Egg plant	T0.7
Eggs	*0.05
Elderberries	0.3
Fruiting vegetables, cucurbits	0.1
Galangal, rhizomes	0.05
Garlic	0.05
Ginger, root	0.05
Guelder rose	0.3
Hops, dry	0.05
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	T2
Leek	T1
Legume vegetables	0.1
Lettuce, head	0.05
Lotus root	T3
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	0.1
Oilseed [except peanut]	0.5

Olives	T0.05
Onion, bulb	0.05
Onion, Chinese	0.05
Onion, Welsh	0.05
Parsley	T2
Peanut	1.5
Pecan	0.05
Peppers, sweet	*0.02
Pome fruits [except Persimmon, Japanese]	*0.01
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.5
Root and tuber vegetables [except potato; sweet potato; taro; yam bean; yams]	T1
Sentul	0.05
Shallot	0.05
Spring Onion	0.05
Stone fruits [except jujube, Chinese]	0.05
Strawberry	3
Sugar cane	T*0.1
Sweet potato	T0.3
Taro	T3
Tea, green, black	T50
Tomato	0.1
Turmeric, root	0.05
Water chestnut	T3
Yam bean	T3
Yams	T0.3

Agvet chemical: Fluazinam

Permitted residue: Fluazinam

All other foods except animal food commodities	0.01
Blueberries	7
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.01
Broccoli, Chinese (Gai lan)	*0.01
Peanut	0.02
Pome fruits [except Persimmon, Japanese]	*0.01
Potato	*0.01
Strawberry	T*0.05
Wine grapes	*0.05

Agvet chemical: Fluazuron

Permitted residue: Fluazuron

Cattle, edible offal of	0.5
Cattle meat (in the fat)	7

Agvet chemical: Flubendazole

*Permitted residue—commodities other than eggs:
Sum of flubendazole and 2-amino-1 H-
benzimidazole-5-yl)(4-fluorophenyl methanone,
expressed as flubendazole*

Permitted residue—eggs: Flubendazole

Chicken fat/skin	0.03
Chicken liver	0.2
Chicken kidney	0.1
Chicken muscle	*0.02
Eggs	0.6
Pig fat/skin	*0.02
Pig liver	0.4
Pig kidney	0.3
Pig muscle	*0.02

Agvet chemical: Flubendiamide

*Permitted residue—commodities of plant origin:
Flubendiamide*

*Permitted residue—commodities of animal origin:
Sum of flubendiamide and 3-iodo-N-(2-methyl-4-
[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)
phthalimide, expressed as flubendiamide*

All other foods except animal food commodities	0.05
Almonds	0.06
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	5
Broccoli, Chinese (Gai lan)	5
Chia	1
Chinese cabbage (Pe-tsai)	10
Chives	20
Common bean (pods and/or immature seeds)	T2
Cotton seed	0.5
Edible offal (mammalian)	0.03
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	2
Fungi, edible (except mushrooms)	2
Grapes	1.4
Herbs	20
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof, chicory]	10
Lettuce, head	5
Meat (mammalian) (in the fat)	0.05
Milk fats	0.05
Milks	*0.01
Mushrooms	2
Peppers, chili, dried	7
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Root and tuber vegetables [except potato]	0.2
Spices [except peppers, chili, dried]	0.02
Stalk and stem vegetables [except fennel, bulb]	5
Stone fruits [except jujube, Chinese]	1.6
Strawberry	0.3
Sweet corn (corn-on-the-cob)	T*0.05
Tea, green, black	0.02
Witloof, chicory	5

Agvet chemical: Fludioxonil

*Permitted residue—commodities of animal origin:
Sum of fludioxonil and oxidisable metabolites,
expressed as fludioxonil*

*Permitted residue—commodities of plant origin:
Fludioxonil*

All other foods except animal food commodities	0.02
Apricot	10
Avocado	2
Bayberry, red	T2
Beetroot	*0.01
Berries and other small fruits [except grapes]	5
Brassica leafy vegetables [except radish leaves]	15
Broccoli	T*0.01
Bulb onions (garlic; onion, bulb; shallots)	0.5
Bulb vegetables [except chives; onion, bulb]	3
Cabbages, head	0.7
Carrot	1
Celery	15
Chestnuts	1
Chick-pea (dry)	0.3
Chinese cabbage (Pe-tsai)	15
Chives	T20
Citrus fruits [except kumquats]	10
Common bean (pods and/or immature seeds)	0.7
Cotton seed	*0.05
Cucumber	0.5
Dried grapes (currants, raisins and sultanas)	5
Dried herbs	T70
Edible offal (mammalian)	0.1
Egg plant	T0.2
Eggs	0.02
Fats (mammalian)	0.02
Grapes	2
Guava	0.5
Herbs	T20
Kiwifruit	15
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	15

Lentils (dry)	0.3	Meat (mammalian)	*0.01
Litchi	T2	Milks	*0.01
Maize	*0.02	Mushrooms	1
Mango	3	Oilseeds	0.05
Meat (mammalian)	0.05	Palm nuts	0.05
Melons, except watermelon	T0.2	Peanut	0.05
Milks	0.05	Peppers, chili, dried	7
Mustard seeds	*0.01	Poultry, edible offal of	*0.01
Papaya	T5	Poultry meat	*0.01
Peach	10	Pulses	0.05
Peanut	T*0.01	Rice Cereals	0.05
Peas (pods and succulent, immature seeds)	0.5	Root and tuber vegetables	2
Peppers, chili, dried	4	Sorghum Grain and Millet	0.05
Peppers, chili [except dried]	T2	Sugar cane	0.06
Peppers, sweet	2	Sweet corns	1
Pineapple	5	Wheat, similar grains, and pseudocereals without husks	0.08
Pistachio nut	T0.2		
Pome fruits [except Persimmon, Japanese]	5		
Pomegranate	5		
Potato	5		
Poultry fats	*0.01		
Poultry meat	*0.01		
Poultry, edible offal of	0.1		
Pulses [except chick-pea (dry); lentil (dry), soya bean (dry)]	T0.1		
Rape seed (canola)	T0.2		
Sorghum, grain	*0.01		
Soya bean (dry)	0.2		
Stone fruits [except apricot; jujube, Chinese; peach]	5		
Strawberry	5		
Sunflower seed	T*0.02		
Sweet corn (corn-on-the-cob)	*0.02		
Tomato	T1		
<hr/>			
Agvet chemical: Fluensulfone			
<i>Permitted residue—commodities of plant origin: Sum of fluensulfone and 3,4,4-trifluorobut-3-ene-1-sulfonic acid (M-3627), expressed as fluensulfone</i>			
<i>Permitted residue—commodities of animal origin: Fluensulfone</i>			
All other foods	1		
Barley, similar grains, and pseudocereals with husks	0.08		
Celery	2		
Citrus oil, edible	1.5		
Dried grapes (equals currants; raisins; sultanas)	2		
Edible offal (mammalian)	*0.01		
Eggs	*0.01		
Fruiting vegetables, cucurbits	0.5		
Fruiting vegetables, other than cucurbits	1		
Fungi, edible (except mushrooms)	1		
Maize Cereals	0.15		
<hr/>			
Agvet chemical: Flumethrin			
<i>Permitted residue: Flumethrin, sum of isomers</i>			
Cattle, edible offal of	0.05		
Cattle meat (in the fat)	0.2		
Honey	T*0.005		
Horse, edible offal of	0.1		
Horse meat	0.1		
Milks	0.05		
<hr/>			
Agvet chemical: Flumetsulam			
<i>Permitted residue: Flumetsulam</i>			
Barley	*0.05		
Edible offal (mammalian)	0.3		
Eggs	*0.1		
Garden pea	*0.1		
Maize	*0.05		
Meat (mammalian)	*0.1		
Milks	*0.1		
Oats	*0.05		
Peanut	*0.05		
Poultry, edible offal of	*0.1		
Poultry meat	*0.1		
Pulses	*0.05		
Rye	*0.05		
Triticale	*0.05		
Wheat	*0.05		
<hr/>			
Agvet chemical: Flumiclorac pentyl			
<i>Permitted residue: Flumiclorac pentyl</i>			
Cotton seed	0.1		
Edible offal (mammalian)	*0.01		
Eggs	*0.01		
Meat (mammalian)	*0.01		
Milks	*0.01		
Poultry, edible offal of	*0.01		
Poultry meat	*0.01		

Agvet chemical: Flumioxazin	
<i>Permitted residue: Flumioxazin</i>	
All other foods except animal food commodities	0.02
Avocado	*0.02
Banana	T*0.02
Blueberries	0.02
Carrot	T*0.05
Cereal grains [except sweet corns]	*0.05
Citrus fruits [except kumquats]	*0.05
Cranberry	0.07
Edible offal (mammalian)	*0.01
Eggs	*0.01
Garlic	T*0.02
Grapes	*0.01
Hops, dry	T*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Mints	T*0.02
Oilseed	*0.1
Olives	*0.02
Palm nuts	*0.1
Peanut	*0.1
Pome fruits [except Persimmon, Japanese]	*0.02
Pomegranate	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.1
Stone fruits [except jujube, Chinese]	*0.02
Sugar cane	*0.01
Tree nuts	*0.02

Agvet chemical: Flunixin

Permitted residue: Flunixin

Cattle kidney	0.02
Cattle liver	0.02
Cattle meat (in the fat)	0.02

Agvet chemical: Fluometuron

Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron

Cereal grains [except sweet corns]	*0.1
Citrus fruits [except kumquats]	0.5
Cotton seed	*0.1
Pineapple	*0.1

Agvet chemical: Fluopicolide

Permitted residue: Fluopicolide

All other foods	0.01
Basil	T30
Brassica vegetables (except Brassica leaf vegetables)	5

Bulb vegetables [except chives; onion, bulb]	3
Cane berries	T1.5
Celery	20
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fennel, bulb	3
Fruiting vegetables, cucurbits	0.5
Grapes	2
Hops, dry	15
Leafy vegetables	30
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Onion, bulb	0.1
Peppers, chili, dried	7
Poppy seed	0.5
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Fluopyram

Permitted residue—commodities of plant origin: Fluopyram

Permitted residue—commodities of animal origin: Sum of fluopyram and 2-(trifluoromethyl)-benzamide, expressed as fluopyram

All other foods except animal food commodities	0.2
Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)]	2
Banana	0.1
Beans [except broad bean; snap bean (immature seeds); soya bean]	1
Blueberries	7
Brussels sprouts	0.3
Bulb onions	0.07
Cane berries [except raspberries, red, black]	3
Cereal grains [except rice; sweet corns]	0.03
Cherries	3
Chicory witloof	0.3
Citrus fruits	1
Cranberry	2
Currants, black, red, white	7
Dried grapes (= currants, raisins and sultanas)	3
Edible offal (mammalian)	0.7
Eggs	*0.02
Fruiting vegetables, cucurbits	0.5
Garden pea, shelled	0.2
Grapes	2
Green onions	2
Hops, dry	100
Lentil (dry)	0.4
Lettuce, head	15
Lettuce, leaf	15

Macadamia nuts	0.2
Meat (mammalian)	0.1
Milks	0.1
Oilseed	0.03
Olives for oil production	3
Olive oil, crude	5
Palm nuts	0.03
Peanut	0.2
Peas (dry)	0.7
Peppers, chili, dried	30
Peppers, sweet	0.3
Persimmon, Japanese	1.5
Pistachio nut	0.2
Podded pea (young pods) (snow and sugar snap)	1
Pome fruits [except Persimmon, Japanese]	1
Potato	0.1
Poultry, Edible offal of	*0.02
Poultry meat	*0.02
Pulses [except lentil (dry); peas (dry); soya bean (dry)]	0.09
Raspberries, red, black	5
Rice	4
Rice, husked	1.5
Rice, polished	0.5
Root and tuber vegetables	T0.2
Sentul	2
Snap bean (immature seeds)	0.2
Soya bean (dry)	0.04
Stone fruits [except cherries]	2
Strawberry	2
Sugar beet	0.04
Table olives	3
Tomatoes (subgroup)	T1.5
Tree nuts [except macadamia nuts; pistachio nut; walnuts]	0.05
Walnuts	T0.07

Agvet chemical: Fluoxastrobin

Permitted residue: Sum of fluoxastrobin and its Z isomer

Cranberry	1.9
Peanut	0.02

Agvet chemical: Flupropanate

Permitted residue: Flupropanate

Edible offal (mammalian)	*0.1
Meat (mammalian) (in the fat)	*0.1
Milks	0.1

Agvet chemical: Flupyradifurone

Permitted residue: Flupyradifurone

All other foods except animal food commodities	0.2
--	-----

Apple	0.7
Assorted tropical and sub-tropical fruits – inedible peel [except banana; mango; papaya; pineapple]	1.5
Blueberry	4
Cacao beans	*0.01
Cane berries	6
Citrus fruits [except kumquats]	3
Coffee beans	0.9
Common bean (pods and/or immature seeds)	2
Dried grapes (currants, raisins and sultanas)	5
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1.5
Fungi, edible (except mushrooms)	1.5
Grapes	3
Hops, dry	10
Mango	0.7
Meat (mammalian)	0.1
Milks	0.07
Olives for oil production	1
Papaya (pawpaw)	0.5
Peppers, chili, dried	9
Poultry meat	*0.01
Poultry, edible offal of	*0.01
Peanut	0.04
Potato	0.07
Soya bean (dry)	1.5
Stone fruits [except jujube, Chinese]	1.5
Strawberry	1.5
Sweet potato	0.07
Table olives	1
Tree nuts	0.02

Agvet chemical: Fluquinconazole

Permitted residue: Fluquinconazole

All other foods except animal food commodities	0.02
Barley	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian) (in the fat)	0.5
Milks	*0.02
Mustard seeds	T*0.01
Pome fruits [except Persimmon, Japanese]	0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01
Wheat	*0.02

Agvet chemical: Fluralaner*Permitted residue: Fluralaner*

Cattle fat	T0.7
Cattle kidney	T0.25
Cattle liver	T0.6
Cattle muscle	T0.07
Chicken eggs	1.3
Chicken fat/skin	0.6
Chicken kidney	0.4
Chicken liver	0.6
Chicken muscle	0.06
Sheep fat	0.35
Sheep kidney	0.15
Sheep liver	0.4
Sheep muscle	0.1

Agvet chemical: Fluroxypyr*Permitted residue: Fluroxypyr*

All other foods except animal food commodities	0.02
Cereal grains [except rice bran, unprocessed]	0.2
Edible offal (mammalian) [except kidney]	0.1
Eggs	*0.01
Kidney (mammalian)	1
Meat (mammalian) (in the fat)	0.1
Milks	0.1
Onion, bulb	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice bran, unprocessed	T0.3
Sugar cane (in the juice)	0.2

Agvet chemical: Flusilazole*Permitted residue: Flusilazole*

Apple	0.3
-------	-----

Agvet chemical: Flutolanil*Permitted residue—commodities of plant origin: Flutolanil**Permitted residue—commodities of animal origin: Flutolanil and metabolites hydrolysed to 2-trifluoromethyl-benzoic acid and expressed as flutolanil*

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Peanut	0.5
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

Agvet chemical: Flutriafol*Permitted residue: Flutriafol*

All other foods except animal food commodities	0.5
Barley	0.2
Celery	3
Cereal grains [except barley and sweet corns]	0.1
Edible offal (mammalian)	0.5
Eggs	*0.05
Garden pea (young pods)	*0.01
Hops, dry	20
Grapes	1.5
Meat (mammalian)	*0.05
Milks	*0.05
Mustard seeds	T0.07
Oilseed [except mustard seeds; peanut; rape seed (canola)]	0.05
Peanut	0.09
Peppers, chili, dried	10
Pome fruits [except Persimmon, Japanese]	0.4
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.05
Rape seed (canola)	0.07
Stone fruits [except jujube, Chinese]	1.5
Strawberry	1.5
Sugar cane	*0.01

Agvet chemical: Fluvalinate*Permitted residue: Fluvalinate, sum of isomers*

All other foods except animal food commodities	0.02
Apple	0.1
Asparagus	0.2
Carrot	T*0.01
Cauliflower	0.5
Cotton seed	0.1
Honey	T*0.01
Stone fruits [except jujube, Chinese]	0.05
Table grapes	0.05
Tomato	0.5

Agvet chemical: Fluxapyroxad*Permitted residue: Fluxapyroxad*

All other foods	0.1
Banana	3
Barley	3
Barley bran, unprocessed	0.5
Beans, shelled	0.5
Berries and other small fruit [except grapes]	7
Brassica leafy vegetables	4

Rucola (rocket)	T0.7
Spinach	T0.7
Stone fruits [except cherries; jujube, Chinese; peach]	T1
Sweet corns	T0.02

Agvet chemical: Fosetyl-aluminium

Permitted residue: Fosetyl-aluminium

Blackberries	70
Blueberries	40
Citrus fruits [except kumquats]	5
Coffee beans	30
Cranberry	0.5
Eggs	*0.05
Flowerhead brassicas	*0.2
Head brassicas	*0.2
Hops, dry	45
Kale	*0.2
Kiwifruit	150
Mammalian fats [except milk fats]	0.3
Pineapple	15
Poultry, edible offal of	*0.05
Poultry fats	*0.05
Poultry meat	*0.05
Raspberries, red, black	100
Strawberry	75

Agvet chemical: Furathiocarb

see *Carbofuran*

Residues arising from the use of furathiocarb are covered by MRLs for carbofuran

Agvet chemical: Glufosinate and Glufosinate-ammonium

Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)

All other foods except animal food commodities	0.1
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.2
Berries and other small fruits [except strawberry]	0.1
Cereal grains [except rice; sweet corns]	*0.1
Cherries	*0.05
Citrus fruits [except kumquats]	0.1
Coffee beans	T*0.05
Common bean (pods and immature seeds)	T*0.05
Cotton seed	3
Date	*0.05
Edible offal (mammalian)	5
Eggs	*0.05

Hops, dry	T1
Maize	0.2
Meat (mammalian)	0.1
Milks	*0.05
Mustard seeds	T0.5
Native foods	*0.05
Oilseed [except cotton seed; mustard seeds; rape seed (canola)]	T*0.1
Olives	*0.1
Palm nuts	*0.1
Peaches (including nectarines and apricots)	0.3
Peanut	*0.1
Peppers, sweet	*0.05
Plums	0.3
Podded pea (young pods) (snow and sugar snap)	T*0.05
Pome fruits [except Persimmon, Japanese]	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.1
Rape seed (canola)	0.5
Rice	0.9
Saffron	T*0.05
Sentul	0.2
Soya bean (dry)	2
Strawberry	0.3
Sugar cane	*0.2
Tomato	*0.05
Tea, green, black	*0.05
Tree nuts	0.1
Truffle	T*0.2

Agvet chemical: Glyphosate

Permitted residue: Sum of glyphosate, N-acetyl-glyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate

All other foods except animal food commodities	0.2
Almonds	1
Avocado	*0.05
Babaco	*0.05
Banana	0.2
Barley	20
Berries and other small fruits [except cranberry; raspberries, red, black]	*0.05
Bulb vegetables [except chives]	*0.1
Cereal grains [except barley; maize; popcorn, sorghum, grain; sweet corns; wheat]	T*0.1
Chinese cabbage (Pe-tsai)	*0.1
Citrus fruits [except kumquats]	0.5
Coffee beans	T0.2
Cotton seed	15
Cotton seed oil, crude	*0.1
Cranberry	0.2

Custard apple	*0.05	Stalk and stem vegetables [except fennel, bulb]	*0.01
Date	T2	Stone fruits	0.2
Dry beans [except soya bean (dry)]	15	Sugar cane	T0.3
Dry peas	10	Sugar cane molasses	T5
Dry underground pulses	5	Sunflower seed	20
Edible offal (mammalian)	2	Sweet corns	*0.1
Eggs	*0.05	Tea, green, black	T20
Fennel, bulb	*0.1	Tree nuts [except almonds]	0.2
Fig	*0.05	Truffle	T*0.05
Fruiting vegetables, cucurbits	*0.1	Wheat	5
Fruiting vegetables, other than cucurbits	*0.1	Wheat bran, unprocessed	20
Fungi, edible (except mushrooms)	*0.1	Witloof, chicory	*0.01
Guava	*0.05		
Honey	0.2	Agvet chemical: Guazatine	
Hops, dry	7	<i>Permitted residue: Guazatine</i>	
Kiwifruit	*0.05		
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	*0.1	Citrus fruits [except kumquats]	5
Legume vegetables	*0.1	Melons, except watermelon	10
Linseed	15	Tomato	5
Litchi	0.2		
Maize	5	Agvet chemical: Halauxifen-methyl	
Mango	*0.05	<i>Permitted residue—commodities of plant origin: Halauxifen-methyl</i>	
Meat (mammalian)	*0.1	<i>Permitted residue—commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl</i>	
Millet	T15		
Milks	*0.1	All other foods except animal food commodities	0.01
Monstero	*0.05	Cereal grains [except sweet corns]	*0.01
Mushrooms	*0.1	Edible offal (mammalian)	0.01
Mustard seeds	20	Eggs	*0.01
Native foods	T2	Meat (mammalian)	*0.01
Oilseed [except cotton seed; linseed; mustard seeds; peanut; poppy seed; rape seed (canola); safflower seed; sesame seed; sunflower seed]	T*0.1	Milks	*0.01
Olives	*0.1	Mustard seeds	T*0.01
Papaya (pawpaw)	*0.05	Poultry, edible offal of	*0.01
Passionfruit	3	Poultry meat	*0.01
Peanut	*0.1	Rape seed	*0.01
Persimmon, American	*0.05		
Pome fruits	*0.05	Agvet chemical: Halofuginone	
Popcorn	T2	<i>Permitted residue: Halofuginone</i>	
Poppy seed	20		
Potato	0.2	Cattle fat	0.025
Poultry, edible offal of	1	Cattle kidney	0.03
Poultry meat	*0.1	Cattle liver	0.03
Rape seed (canola)	20	Cattle muscle	0.01
Raspberries, red, black	0.2		
Rollinia	*0.05	Agvet chemical: Halosulfuron-methyl	
Root and tuber vegetables [except potato]	*0.1	<i>Permitted residue: Halosulfuron-methyl</i>	
Safflower seed	7		
Saffron	T*0.05	Almonds	0.05
Sesame seed	20	Blueberries	0.05
Sorghum, grain	15	Cotton seed	*0.05
Soya bean (dry)	20	Edible offal (mammalian)	0.2
		Eggs	*0.01
		Maize	*0.05

Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Raspberries, red, black	0.05
Rice	T*0.05
Sorghum, grain	*0.05
Soya bean (dry)	T*0.01
Sugar cane	*0.05

Agvet chemical: Haloxyfop

Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.05
Berries and other small fruits	*0.05
Chia	T3
Chinese cabbage (Pe-tsai)	T0.5
Citrus fruits [except kumquats]	*0.05
Cotton seed	0.1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.5
Eggs	*0.01
Hempseed	T0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); mizuna; witloof chicory]	T0.5
Linola seed	0.1
Linseed	0.1
Meat (mammalian) (in the fat)	0.02
Milks	0.02
Mizuna	T0.5
Mustard seeds	0.1
Onion, bulb	T0.2
Peanut	0.05
Pome fruits	*0.05
Poppy seed	T0.5
Poultry, edible offal of	0.05
Poultry meat (in the fat)	*0.01
Pulses	0.1
Rape seed (canola)	0.1
Sentul	*0.05
Sesame seed	T0.1
Stone fruits [except jujube, Chinese]	*0.05
Sunflower seed	*0.05
Tree nuts	*0.05

Agvet chemical: Hexaconazole

Permitted residue: Hexaconazole

Apple	0.1
Grapes	0.05
Pear	0.1

Agvet chemical: Hexazinone

Permitted residue: Hexazinone

Blueberries	0.6
Edible offal (mammalian)	*0.1
Eggs	*0.05
Meat (mammalian)	*0.1
Milks	*0.05
Pineapple	T1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.1

Agvet chemical: Hexythiazox

Permitted residue: Hexythiazox

All other foods except animal food commodities	0.05
Almonds	0.3
Berries and other small fruits	1
Date	2
Edible offal (mammalian)	*0.01
Fruiting vegetables, cucurbits	T0.05
Fruiting vegetables, other than cucurbits	T1
Fungi, edible (except mushrooms)	T1
Hops, dry	20
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Peas	T*0.05
Pome fruits [except Persimmon, Japanese]	1
Potato	T*0.02
Stone fruits [except jujube, Chinese]	1
Tea, green, black	4

Agvet chemical: Hydrogen phosphide

see Phosphine

Agvet chemical: Imazalil

Permitted residue: Imazalil

All other foods except animal food commodities	0.05
Banana	3
Chicken, edible offal of	*0.01
Chicken meat	*0.01
Citron	15
Citrus fruits [except kumquats; citron; lemon; lime]	10
Edible offal (mammalian)	0.3
Eggs	*0.01
Fats (mammalian)	0.02
Lemon	15
Lime	15
Meat (mammalian)	*0.02
Melons, except watermelon	10

Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	5	Poppy seed	T*0.05
Blueberries	3.5	Potato	0.4
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5	Poultry, edible offal of	*0.02
Broad bean (dry)	*0.05	Poultry meat	*0.02
Broccoli, Chinese (Gai lan)	0.5	Radish, Japanese	T0.05
Burdock, greater	T0.05	Rape seed (canola)	*0.05
Carrot	T0.05	Rhubarb	T0.2
Celery	6	Sorghum, grain	*0.02
Cereal grains [except maize; popcorn; sorghum, grain; sweet corns]	*0.05	Spices [except galangal; ginger root; [except Peppers, chili, dried]]	0.05
Cherries	3	Stone fruits [except cherries; jujube, Chinese]	0.5
Chinese cabbage (Pe-tsai)	20	Strawberry	0.5
Citrus fruits [except kumquats]	2	Sugar cane	*0.05
Common bean (dry) (navy bean)	T1	Sunflower seed	*0.02
Common bean (pods and/or immature seeds)	2	Sweet corn (corn-on-the-cob)	*0.05
Cotton seed	*0.02	Sweet potato	0.3
Cranberry	0.05	Taro	T0.05
Edible offal (mammalian)	0.2	Tea, green, black	50
Eggs	*0.02	Tree tomato	T2
Field pea (dry)	*0.05	Yam bean	T0.05
Fruiting vegetables, cucurbits	0.2	Yams	T0.05
Fruiting vegetables, other than cucurbits [except peppers]	0.5		
Fungi, edible (except mushrooms)	0.5		
Galangal, Greater	T0.05	Agvet chemical: Imidocarb (dipropionate salt)	
Galangal, Lesser	T0.05	<i>Permitted residue: Imidocarb</i>	
Garlic	T0.5		
Ginger, Japanese	T0.05	Cattle, edible offal of	5
Ginger, root	T0.3	Cattle meat	1
Grapes	1	Cattle milk	0.2
Hazelnuts	T0.05		
Hops, dry	T10	Agvet chemical: Indaziflam	
Kaffir lime leaves	T5	<i>Permitted residue—commodities of plant origin: Sum of indaziflam and 6-[(1R)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine, expressed as indaziflam</i>	
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	20	<i>Permitted residue—commodities of animal origin: Indaziflam</i>	
Lentil (dry)	0.2		
Lettuce, head	5	Almonds	*0.01
Lupin (dry)	0.2	Citrus fruits	*0.01
Maize	0.05	Edible offal (mammalian)	0.1
Mango	0.2	Grapes	*0.01
Meat (mammalian)	0.05	Meat (mammalian) (in the fat)	0.03
Milks	0.05	Milks	*0.005
Mushrooms	0.5		
Mustard seeds	T*0.05	Agvet chemical: Indoxacarb	
Papaya (pawpaw)	0.2	<i>Permitted residue: Sum of indoxacarb and its R-isomer</i>	
Peanut	0.45		
Peppers	1	All other foods except animal food commodities	0.05
Peppers, chili (dry)	10	Asparagus	*0.01
Persimmon, Japanese	T1	Bayberry, red	T1
Podded Pea (young pods) (snow and sugar snap)	T0.2	Beans [except broad bean; soya bean]	0.9
Popcorn	0.05	Berries and other small fruits	2

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2	Dates, dried	100
Broccoli, Chinese (Gai lan)	2	Dried fruits [except as otherwise listed under this chemical]	30
Celery	3	Dried grapes	100
Cherries	1	Dried herbs	400
Chinese cabbage (Pe-tsai)	5	Dried peach	50
Chia	T0.5	Figs, dried	250
Cotton seed	1	Fruit [except as otherwise listed under this chemical]	20
Cucumber	0.5	Peppers, sweet	50
Dried grapes (currants, raisins, and sultanas)	5	Prunes	20
Edible offal (mammalian) [except kidney]	0.02	Spices	400
Egg plant	0.5	Strawberry	30
Eggs	*0.01	Sweet corns	20
Fennel, leaf	5	Vegetables [except as otherwise listed under this chemical]	20
Fruiting vegetables, cucurbits	0.2		
Hempseed	T*0.05	Agvet chemical: Inpyrfluxam	
Kidney (mammalian)	0.5	<i>Permitted residue—commodities of plant origin:</i>	
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	5	Inpyrfluxam	
Lettuce, head	3	<i>Permitted residue—commodities of animal origin:</i>	
Linseed	T0.5	<i>Sum of inpyrfluxam and 1'-CH₂OH-S-2840 (free or conjugated), expressed as inpyrfluxam.</i>	
Macadamia nuts	0.03	Banana	0.7
Maize cereals	T*0.01	Edible offal (mammalian)	*0.02
Meat (mammalian) (in the fat)	3	Eggs	*0.02
Milk fats	2	Meat (mammalian)	*0.02
Milks	0.1	Milks	*0.02
Olives	T0.2	Poultry, edible offal of	*0.02
Peanut	T0.02	Poultry meat	*0.02
Peppers	0.5	Potato	0.05
Pome fruits [except Persimmon, Japanese]	2		
Poultry (edible offal of)	*0.01	Agvet chemical: Iodosulfuron methyl	
Poultry meat (in the fat)	*0.01	<i>Permitted residue: Iodosulfuron methyl</i>	
Pulses	0.2	Barley	*0.01
Pumpkin	0.5	Edible offal (mammalian)	*0.01
Rape seed (canola)	T*0.05	Eggs	*0.01
Safflower seed	T0.5	Meat (mammalian) (in the fat)	*0.01
Stone fruits [except cherries; jujube, Chinese]	2	Milks	*0.01
Sunflower seed	T1	Poultry, edible offal of	*0.01
Sweet corn (corn-on-the-cob)	0.02	Poultry meat (in the fat)	*0.01
Tea, green, black	5	Wheat	*0.01
Tomato	0.2		
Walnuts	T0.02	Agvet chemical: Ioxynil	
		<i>Permitted residue: Ioxynil</i>	
Agvet chemical: Inorganic bromide		Garlic	*0.02
<i>Permitted residue: Bromide ion</i>		Leek	T2
All other foods except animal food commodities	15	Onion, bulb	*0.02
Almonds	200	Onion, Welsh	T10
Avocado	75	Shallot	T10
Cereal grains [except sweet corns]	50	Spring onion	T10
Citrus fruits [except kumquats]	30	Sugar cane	*0.02

Agvet chemical: Ipconazole	
<i>Permitted residue: Ipconazole</i>	
Cereal grains [except sweet corns]	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Peanut	0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Ipflufenquin	
<i>Permitted residue: Ipflufenquin</i>	
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	0.3

Agvet chemical: Iprodione	
<i>Permitted residue: Iprodione</i>	
All other foods except animal food commodities	0.1
Almonds	0.3
Beans [except broad bean; soya bean]	T2
Beetroot	T0.1
Beetroot leaves	T20
Berries and other small fruits [except blackberries; grapes]	12
Blackberries	25
Brassica leafy vegetables	15
Broad bean (green pods and immature seeds)	0.2
Broccoli	T*0.05
Brussels sprouts	0.5
Carrot	T0.5
Celeriac	T0.7
Celery	2
Chard (silver beet)	T15
Chestnuts	T10
Chicory leaves	T20
Cucumber	T0.5
Edible offal (mammalian)	*0.1
Egg plant	T1
Endive	T20
Garlic	T0.3
Grapes	60
Kiwifruit	10
Lettuce, head	5

Lettuce, leaf	5
Lupin (dry)	*0.1
Macadamia nuts	*0.01
Mandarins	T5
Meat (mammalian)	*0.1
Milks	*0.1
Mustard seeds	T0.5
Onion, bulb	T0.7
Parsley	T20
Passionfruit	10
Peanut	0.5
Peanut oil, crude	0.05
Peppers	T3
Pistachio nut	T0.2
Podded pea (young pods) (snow and sugar snap)	T2
Pome fruits [except Persimmon, Japanese]	3
Potato	*0.05
Rape seed (canola)	0.5
Soya bean (dry)	0.05
Spinach	T5
Stone fruits [except jujube, Chinese]	10
Tangelo, large-sized cultivars	T5
Tomato	2

Agvet chemical: Isocycloseram	
<i>Permitted residue: Isocycloseram</i>	
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7
Brassica leafy vegetables	4
Bulb onions	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Green onions	0.6
Meat (mammalian)(in the fat)	*0.01
Milks	*0.01
Poultry meat (in the fat)	*0.01
Poultry, edible offal of	*0.01

Agvet chemical: Isoeugenol	
<i>Permitted residue: Isoeugenol, sum of cis- and trans- isomers</i>	
Diadromous fish (whole commodity)	100
Freshwater fish (whole commodity)	100
Marine fish (whole commodity)	100

Agvet chemical: Isofetamid

Permitted residue: commodities of plant origin:
Isfetamid

Permitted residue: commodities of animal origin:
Sum of isofetamid and 2-[3-methyl-4-[2-methyl-2-(3-methylthiophene-2-carboxamido)propanoyl]phenoxy]propanoic acid (PPA), expressed as isofetamid

All other foods except animal food commodities	0.02
Almonds	0.01
Beans with pods	0.6
Berries and other small fruits [except grapes]	5
Cherries	4
Dry beans [except soya bean (dry)]	0.09
Dry peas	0.09
Edible offal (mammalian)	*0.02
Grapes	3
Lettuce, head	30
Lettuce, leaf	30
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Milk fats	*0.02
Peaches (including nectarines and apricots)	3
Plums (including fresh prunes)	0.8
Podded peas (young pods) (snow and sugar snap)	0.6
Pome fruits [except Persimmon, Japanese]	0.6
Poultry eggs	*0.02
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Prunes, dried	3

Agvet chemical: Isopyrazam

Permitted residue: Isopyrazam

All other foods except animal food commodities	0.01
Almonds	*0.01
Edible offal (mammalian)	*0.005
Eggs	*0.005
Meat (mammalian) (in the fat)	*0.005
Milks	*0.005
Pome fruit	0.7
Poultry, edible offal of	*0.005
Poultry meat (in the fat)	*0.005

Agvet chemical: Isotianil

Permitted residue: Commodities of plant origin:
Isotianil

Permitted residue: Commodities of animal origin:
sum of isotianil and 3,4-dichloroisothiazole-5-carboxylic acid, expressed as isotianil

Banana	0.03
--------	------

Agvet chemical: Isotianil

Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Isoxaben

Permitted residue: Isoxaben

Assorted tropical and sub-tropical fruits – edible peel	*0.01
Assorted tropical and sub-tropical fruits – inedible peel	*0.01
Barley	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Hops, dry	*0.1
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.01
Tree nuts	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Isoxaflutole

Permitted residue: Sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole

All other foods except animal food commodities	0.02
Cereal grains [except sweet corns]	*0.02
Chick-pea (dry)	*0.02
Edible offal (mammalian)	0.1
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Pineapple	*0.02
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Soya bean (dry)	0.05
Sugar cane	*0.01

Agvet chemical: Ivermectin

Permitted residue: H₂B_{1a}

Cattle kidney	0.06
---------------	------

Cattle liver	0.5	Grape leaves	15
Cattle meat (in the fat)	0.2	Grapefruit	0.5
Cattle milk	0.05	Leek	10
Deer kidney	*0.01	Mammalian fats [except milk fats]	0.05
Deer liver	*0.01	Mango	0.1
Deer meat (in the fat)	*0.01	Meat (mammalian)	0.05
Horse, edible offal of	*0.01	Milks	0.05
Horse meat	*0.01	Oats	0.1
Pig kidney	*0.01	Olive oil, virgin	1
Pig liver	*0.01	Olives	0.2
Pig meat (in the fat)	0.02	Onion, bulb	0.3
Sheep kidney	*0.01	Oranges, sweet, sour	0.5
Sheep liver	0.015	Peach	1.5
Sheep meat (in the fat)	0.02	Pear	5
<hr/>			
Agvet chemical: Ketoprofen			
<i>Permitted residue: Ketoprofen</i>			
Cattle, edible offal of	*0.05	Pecan	0.15
Cattle meat	*0.05	Peppers, sweet	1
Cattle milk	*0.05	Persimmon, Japanese	5
<hr/>			
Agvet chemical: Kitasamycin			
<i>Permitted residue: Inhibitory substance, identified as kitasamycin</i>			
Eggs	*0.2	Pome fruits [except pear; persimmon, Japanese]	0.2
Pig, edible offal of	*0.2	Potato	0.1
Pig meat	*0.2	Poultry, edible offal of	*0.02
<hr/>			
Agvet chemical: Kresoxim-methyl			
<i>Permitted residue—commodities of plant origin: Kresoxim-methyl</i>			
<i>Permitted residue—commodities of animal origin: Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl</i>			
All other foods except animal food commodities	0.02	Poultry fats	*0.02
Asparagus	0.05	Poultry meat	0.05
Barley, similar grains, and pseudocereals with husks (barley; buckwheat; oats)	0.15	Rice	0.02
Beetroot	0.05	Rye	0.1
Berries and other small fruits	1.5	Shallot	0.3
Chard (beet leaves)	0.05	Soya bean (dry)	0.05
Coffee beans	0.05	Sugar beet	0.05
Cotton seed	0.05	Sunflower seed	0.1
Dried grapes (= currants, raisins and sultanas)	3	Tea, green, black	15
Edible offal (mammalian)	0.05	Tomato	0.6
Eggs	*0.02	Turnip, garden	0.05
Egg plant	0.6	Wheat	0.1
Fruiting vegetables, cucurbits	0.5	<hr/>	
Garlic	0.3	Agvet chemical: Lambda-cyhalothrin	
Ginseng (dried)	1	<i>see Cyhalothrin</i>	
<hr/>			
Agvet chemical: Lasalocid			
<i>Permitted residue: Lasalocid</i>			
Cattle milk	*0.01	<hr/>	
Edible offal (mammalian)	0.7	Agvet chemical: Levamisole	
Eggs	*0.05	<i>Permitted residue: Levamisole</i>	
Meat (mammalian)	*0.05	Edible offal (mammalian)	1
Poultry fat/skin	0.6	Eggs	1
Poultry kidney	0.7	Meat (mammalian)	0.1
Poultry liver	1.2	Milks [except goat milk]	0.3
Poultry muscle	0.4	<hr/>	
<hr/>			

Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lincomycin

Permitted residue: Inhibitory substance, identified as lincomycin

Cattle milk	*0.02
Edible offal (mammalian) [except sheep, edible offal of]	0.2
Eggs	0.2
Goat milk	*0.1
Meat (mammalian) [except sheep meat]	0.2
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lindane

Permitted residue: Lindane

Pineapple	0.5
-----------	-----

Agvet chemical: Linuron

Permitted residue: Sum of linuron plus 3,4-dichloroaniline, expressed as linuron

All other foods except animal food commodities	0.05
Celeriac	T3
Celery	*0.05
Cereal grains	*0.05
Chia	T*0.05
Coriander (leaves, roots, stems)	T2
Coriander, seed	0.2
Edible offal (mammalian)	1
Eggs	*0.05
Leek	*0.02
Meat (mammalian)	*0.05
Milks	*0.05
Parsley	T1
Parsnip	T0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Turmeric, root	T*0.05
Vegetables [except celeriac; celery; leek; parsnip]	*0.05

Agvet chemical: Lufenuron

Permitted residue: Lufenuron

All other foods except animal food commodities	0.02
Coffee beans	0.07
Cotton seed	T0.2
Cotton seed oil, crude	T0.5
Edible offal (mammalian)	0.15
Eggs	T0.05
Fats (mammalian)	2
Lime	0.4

Maize	*0.01
Meat (mammalian)	2
Meat (mammalian) (in the fat)	T1
Milks	T0.2
Milk fats	5
Orange oil, edible	8
Oranges, sweet, sour	0.3
Pome fruits [except Persimmon, Japanese]	1
Poultry, edible offal of	T*0.01
Poultry meat (in the fat)	T1

Agvet chemical: Maduramicin

Permitted residue: Maduramicin

Poultry, edible offal of	1
Poultry meat	0.1

Agvet chemical: Magnesium phosphide

see Phosphine

Agvet chemical: Malathion

see Maldison

Agvet chemical: Maldison

Permitted residue: Maldison

All other foods except animal food commodities	0.05
Berries and other small fruits [except grapes; strawberry]	10
Brassica (vegetables (except Brassica leafy vegetables) [except cauliflower; kohlrabi])	2
Brassica leafy vegetables [except kale]	2
Carrot	0.5
Cauliflower	0.5
Celery	2
Cereal grains [except sweet corns]	8
Cherries	8
Citrus fruits [except kumquats]	4
Cucumber	3
Dried fruits	8
Dry beans	8
Edible offal (mammalian)	1
Eggs	1
Fruiting vegetables, cucurbits [except cucumber]	2
Fruiting vegetables, other the cucurbits [except peppers, sweet]	3
Fruits [except berries and other small fruits; citrus fruits [except kumquats]; dried fruits; stone fruits [except jujube, Chinese]	2
Garden pea	0.5
Grapes	8
Hops, dry	1

Agvet chemical: MCPB		Dried grapes (equals currants; sultanas)	3
<i>Permitted residue: MCPB</i>		Dried grapes (raisin)	4
Cereal grains [except sweet corns]	*0.02	Edible offal (mammalian)	T0.3
Chives	*0.05	Eggs	*0.01
Edible offal (mammalian)	*0.05	Fruiting vegetables, cucurbits [except melons]	0.3
Eggs	*0.05	Fruiting vegetables, other than cucurbits	1
Herbs	*0.05	Grapes	1.5
Legume vegetables	*0.02	Green onions	4
Meat (mammalian)	*0.05	Kumquat	1
Milks	*0.05	Leafy greens [except lettuce, head]	30
Poultry, edible offal of	*0.05	Leaves of root and tuber vegetables	20
Poultry meat	*0.05	Legume vegetables [except lentils; soya bean]	0.15
Pulses	*0.02	Lemon	1
Agvet chemical: Mebendazole		Lentils, dry	2
<i>Permitted residue: Mebendazole</i>		Lettuce, head	5
Edible offal (mammalian)	*0.02	Lime	1
Meat (mammalian)	*0.02	Low growing berries	2
Milks	0.02	Maize Cereals	0.01
Agvet chemical: Mefenpyr-diethyl		Meat (mammalian) (in the fat)	T0.2
<i>Permitted residue—commodities of plant origin:</i>		Melons (including watermelon)	0.5
<i>Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl</i>		Milks	*0.01
<i>Permitted residue—commodities of animal origin:</i>		Peaches (including nectarines and apricots)	1.5
<i>Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl</i>		Peanut	0.01
Cereal grains [except sweet corns]	*0.01	Plums	2
Edible offal (mammalian)	*0.05	Pome fruits [except Persimmon, Japanese]	1.5
Eggs	*0.01	Potato	0.04
Meat (mammalian)	*0.05	Poultry, edible offal of	0.02
Milks	*0.01	Poultry meat (in the fat)	*0.01
Poultry, edible offal of	*0.05	Prunes, dried	4
Poultry meat	*0.05	Rape seed	1
Agvet chemical: Mefentrifluconazole		Rice Cereals	4
<i>Permitted residue: Mefentrifluconazole</i>		Root vegetables [except sugar beet]	0.7
All other foods except animal food commodities	0.02	Sorghum Grain and Millet	4
Baby leaves	30	Soya bean (dry)	0.4
Barley, similar grains, and pseudocereals with husks	4	Sugar beet	0.6
Brassica leafy vegetables	30	Sugar cane	1.5
Bulb onions	0.2	Sunflower seeds	0.15
Bush berries	5	Sweet corn (corn-on-the-cob; kernels)	0.03
Cane berries	3	Tree nuts	0.2
Cherries	4	Wheat, similar grains, and pseudocereals without husks	0.3
Citrus fruit [except kumquat; lemon; lime]	0.6	Agvet chemical: Meloxicam	
Citrus oil	15	<i>Permitted residue: Meloxicam</i>	
Cottonseed	0.2	Cattle kidney	0.2
		Cattle liver	0.1
		Cattle meat	*0.01
		Cattle milk	0.005
		Pig fat/skin	0.1
		Pig kidney	*0.01

Pig liver	*0.01
Pig meat	0.02
Sheep fat	0.01
Sheep kidney	0.01
Sheep liver	0.01
Sheep meat	0.01

Agvet chemical: Mepanipyrim

Permitted residue: Mepanipyrim

Strawberry	3
Raspberries, red, black	4

Agvet chemical: Mepiquat

Permitted residue: Mepiquat

Cotton seed	1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.1
Eggs	0.05
Meat (mammalian)	0.1
Milks	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Mesosulfuron-methyl

Permitted residue: Mesosulfuron-methyl

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.02

Agvet chemical: Mesotrione

Permitted residue: Mesotrione

All other foods except animal food commodities	0.01
Almonds	0.01
Asparagus	0.01
Barley	*0.01
Blueberries	0.01
Cherries	0.01
Cranberry	0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapefruit	0.01
Lemon	0.01
Linseed	T*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oats	*0.01
Oranges, sweet, sour	0.01
Peach	0.01

Pecan	0.01
Plums (including prunes)	0.01
Poppy seed	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Soya bean (dry)	0.03
Sweet corn (corn-on-the-cob)	T*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Metaflumizone

Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl) phenyl]ethyl}-benzotrile expressed as metaflumizone

Apple	0.9
Cherries	0.04
Citrus fruits [except kumquats; oranges, sweet, sour]	2
Coffee beans	0.15
Dried grapes (equals currants; raisins; sultanas)	13
Edible offal (mammalian)	*0.02
Eggs	0.02
Grapes	5
Maize	0.04
Mammalian fats [except milk fats]	0.6
Meat (mammalian) (in the fat)	*0.02
Melons [except watermelons]	1
Milk fats	0.7
Milks	0.02
Orange oil, edible	100
Oranges, Sweet, Sour	3
Peppers, chili, dried	6
Potato	0.02
Poultry, edible offal of	*0.02
Poultry fats	0.08
Poultry meat (fat)	*0.02
Soya bean (including soya bean (dry))	0.2
Sugar cane	0.02
Tomato	0.6
Tree nuts	0.04

Agvet chemical: Metobromuron

Permitted residue: Commodities of plant origin: Sum of metobromuron and 4-bromophenylurea (CGA18237), expressed as metobromuron

Permitted residue: Commodities of animal origin: Sum of 4-bromo-2-hydroxyphenylurea (CGA 72905) and 4-bromophenyl urea (CGA18237), expressed as metobromuron

Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02

Agvet chemical: Metobromuron	
Poultry meat	*0.02
Potato	*0.02

Agvet chemical: Metalaxyl

Permitted residue: Metalaxyl

All other foods except animal food commodities	0.05
Almonds	0.5
Asparagus	0.05
Avocado	0.5
Basil	T5
Basil, dry	T30
Beetroot	T*0.01
Beetroot leaves	T0.1
Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	T0.5
Blueberries	2
Bulb vegetables [except chives]	0.1
Cacao beans	0.2
Cereal grains [except sweet corns]	*0.01
Chestnuts	T0.05
Chinese cabbage (Pe-tsai)	0.3
Chives	3
Cranberry	4
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fennel, bulb	0.1
Fruiting vegetables, cucurbits	0.2
Ginger, root	0.5
Grapefruit	1
Grapes	1
Hazelnuts	T*0.05
Herbs [except basil; basil, dry; hops, dry]	3
Hops, dry	20
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.3
Lemon	1
Macadamia nuts	1
Meat (mammalian)	*0.05
Milks	*0.01
Oranges, sweet, sour	1
Papaya (pawpaw)	*0.01
Parsley	T0.3
Peanut	0.2
Peppers	T0.1
Peppers, chili, dried	10
Pineapple	0.1
Podded pea (young pods) (snow and sugar snap)	T0.1
Pome fruits [except Persimmon, Japanese]	0.2
Poppy seed	*0.02
Poultry, edible offal of	*0.05

Poultry meat	*0.05
Spices [except ginger, root; peppers, chili, dried]	*0.1
Stone fruits [except jujube, Chinese]	0.2
Strawberry	0.6
Sweet corns	T0.1
Tomato	T0.5
Vegetables [except asparagus; beetroot; bulb vegetables [alliums]; fruiting vegetables, cucurbits; leafy vegetables; peppers; podded pea (young pods) (snow and sugar snap peas); tomatoes]	T0.1
Walnuts	T*0.01

Agvet chemical: Metalaxyl-M

see *Metalaxyl*

Agvet chemical: Metaldehyde

Permitted residue: Metaldehyde

Cereal grains	1
Chives	1
Fruit	1
Herbs	1
Oilseed	1
Palm nuts	1
Peanut	1
Pulses	1
Spices	1
Teas (tea and herb teas)	1
Vegetables	1

Agvet chemical: Metamitron

Permitted residue: Metamitron

Edible offal (Mammalian)	*0.05
Meat [mammalian]	*0.05
Milks	*0.05
Pome fruits [except Persimmon, Japanese]	0.01

Agvet chemical: Metazachlor

Permitted residue—commodities of plant origin: Sum of metabolites 479M04 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)oxalamide), 479M08 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfonic acid) and 479M16 (3-[N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfanyl]-2-hydroxypropanoic acid), expressed as metazachlor

Permitted residue—commodities of animal origin: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor

All other foods	1
Cereal grains [except sweet corns]	*0.03
Eggs	*0.05

Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Oilseeds	*0.03
Palm nuts	*0.03
Peanut	*0.03
Poultry, edible offal	*0.05
Poultry meat	*0.05
Pulses	*0.03

Agvet chemical: Metcamifen

Permitted residue—commodities of plant origin: metcamifen

Permitted residue—commodities of animal origin: Sum of metcamifen and 4-(3-methyl-ureido)-benzenesulfonamide, expressed as metcamifen

Edible offal (mammalian)	*0.03
Eggs	*0.03
Meat (mammalian)	*0.03
Milks	*0.03
Poultry, edible offal of	*0.03
Poultry meat	*0.03
Sorghum, grain	*0.01

Agvet chemical: Metconazole

Permitted residue: Metconazole

Banana	*0.1
Beans with pods	*0.05
Blueberries	0.5
Cherries	0.3
Cotton seed	0.3
Dry beans [except soya bean (dry)]	*0.04
Dry peas	0.15
Edible offal (mammalian)	*0.04
Eggs	*0.04
Garlic	*0.05
Maize (not including sweet corn)	0.015
Mammalian fats [except milk fats]	*0.04
Meat (mammalian)	*0.04
Milks	*0.04
Onion, bulb	*0.05
Peaches (including apricots; nectarines)	0.2
Peanut	0.04
Peanut oil, edible	0.06
Plums	0.1
Poultry, edible offal of	*0.04
Poultry fats	*0.04
Poultry meat	*0.04
Prunes, dried	0.5
Rape seed	0.15
Rape seed oil, edible	0.5
Soya bean (dry)	0.04
Sugar beet	0.07
Sugar cane	0.06

Sunflower seeds	1.5
Sweet corn (corn-on-the-cob)	0.015
Tree nuts	*0.04
Tuberous and corm vegetables	*0.04

Agvet chemical: Methabenzthiazuron

Permitted residue: Methabenzthiazuron

Garlic	T*0.01
Leek	T*0.05
Onion, bulb	*0.05
Onion, Welsh	T0.5
Shallot	T0.5
Spring onion	T0.5

Agvet chemical: Metham

see *Dithiocarbamates*

Agvet chemical: Metham-sodium

see *Metham*

Agvet chemical: Methamidophos

Permitted residue: Methamidophos

see also *Acephate*

Banana	0.2
Bean, seed (dry)	1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Edible offal (mammalian)	*0.01
Lime	0.01
Mango	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Peppers, chili, dried	0.1
Peppers, sweet	2
Potato	0.25
Raspberry, black, red	*0.01
Tomato	2

Agvet chemical: Methidathion

Permitted residue: Methidathion

All other foods except animal food commodities	0.02
Passionfruit	T0.2
Pear	T0.2

Agvet chemical: Methiocarb

Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb

Citrus fruits [except kumquats]	0.1
---------------------------------	-----

Fruit [except as otherwise listed under this chemical]	T0.1	Onion, Chinese	T1
Grapes	0.5	Onion, Welsh	T2
Sweet corns	0.1	Parsley	T10
Truffle	T0.05	Peanut	0.1
Vegetables	0.1	Pear	3
Wine	0.1	Peppers	T2
<hr/>		Peppers, chili, dried	10
Agvet chemical: Methomyl		Persimmon, Japanese	T0.05
<i>Permitted residue: Methomyl</i>		Pitaya (dragon fruit)	T0.2
<hr/>		Poppy seed	*0.05
All other foods except animal food commodities	0.05	Poultry, edible offal of	*0.02
Apple	1	Poultry meat	*0.02
Avocado	*0.1	Pulses	1
Blueberries	2	Rape seed (canola)	0.5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2	Root and tuber vegetables	1
Brassica leafy vegetables	T0.7	Sesame seed	*0.1
Broccoli, Chinese (Gai lan)	2	Shallot	T2
Celery	3	Spinach	T0.7
Cereal grains [except sweet corn (corn-on-the-cob)]	*0.1	Spring onion	T2
Chard	2	Stone fruits [except cherries; jujube, Chinese]	1
Cherries	2	Strawberry	3
Chia	T1	Sunflower seed	*0.1
Citrus fruits [except kumquats]	1	Sweet corn (corn-on-the-cob)	0.1
Coriander (leaves, roots, stems)	T10	<hr/>	
Cotton seed	*0.1	Agvet chemical: Methoprene	
Cumin seed	0.07	<i>Permitted residue: Methoprene, sum of cis- and trans-isomers</i>	
Dried grapes	*0.05	<hr/>	
Edible offal (mammalian)	0.05	All other foods except animal food commodities	0.05
Eggs	*0.02	Cattle milk	0.1
Fennel, bulb	T0.2	Cereal grains [except sweet corns]	2
Fennel, leaf	T3	Edible offal (mammalian)	*0.01
Fruiting vegetables, cucurbits	0.1	Meat (mammalian) (in the fat)	0.3
Fruiting vegetables, other than cucurbits [except peppers]	1	Peanut	5
Fungi, edible (except mushrooms)	1	Wheat bran, unprocessed	5
Ginger, Japanese	T2	Wheat germ	10
Ginger, root	*0.1	<hr/>	
Grapes	2	Agvet chemical: Methoxyfenozide	
Hops, dry	0.5	<i>Permitted residue: Methoxyfenozide</i>	
Leek	T0.5	<hr/>	
Legume vegetables	1	All other foods except animal food commodities	0.03
Lettuce, head	2	Almonds	0.2
Lettuce, leaf	2	Avocado	0.5
Linseed	*0.1	Blueberries	2
Macadamia nuts	T1	Celery	15
Mango	T*0.01	Chick-pea (dry)	2
Meat (mammalian)	0.05	Citrus fruits	3
Milks	0.05	Coffee beans	0.2
Mints	0.5	Cotton seed	2
Mushrooms	1	Cranberry	0.5
Mustard seeds	T0.5	Cucumber	T2
Onion, bulb	T0.1	Custard apple	0.3
		Dried grapes	6
		Edible offal (mammalian)	0.05

Eggs	*0.01		
Fruiting vegetables, other than cucurbits	3		
Fungi, edible (except mushrooms)	3		
Grapes	2		
Kiwifruit	2		
Lettuce, head	T30		
Lettuce, leaf	T30		
Litchi	2		
Longan	2		
Macadamia nuts	0.05		
Maize	*0.02		
Mango	T0.5		
Meat (mammalian) (in the fat)	0.1		
Milks	*0.01		
Mung bean (dry)	0.5		
Mushrooms	3		
Peppers, chili, dried	20		
Persimmon, American	1		
Persimmon, Japanese	1		
Plums (including prunes)	0.3		
Podded pea (young pods) (snow and sugar snap)	T3		
Pome fruits [except Persimmon, Japanese]	0.5		
Poultry, edible offal of	*0.01		
Poultry meat (in the fat)	*0.01		
Raspberries, red, black	6		
Soya bean (dry)	0.9		
Stone fruits [except jujube, Chinese; plums (including prunes)]	3		
Sweet corn (corn-on-the-cob)	T0.05		
Agvet chemical: Methyl benzoquate			
<i>Permitted residue: Methyl benzoquate</i>			
Poultry, edible offal of	0.1		
Poultry meat	0.1		
Agvet chemical: Methyl bromide			
<i>Permitted residue: Methyl bromide</i>			
Cereal grains [except sweet corns]	50		
Chives	*0.05		
Cucumber	*0.05		
Dried fruits	*0.05		
Fruit [except jackfruit; litchi; mango; papaya]	T*0.05		
Herbs	*0.05		
Jackfruit	*0.05		
Litchi	*0.05		
Mango	*0.05		
Papaya (pawpaw)	*0.05		
Peppers, sweet	*0.05		
Spices	*0.05		
Sweet corns	T*0.05		
Vegetables [except cucumber; peppers, sweet]	T*0.05		
Agvet chemical: Methyl isothiocyanate			
<i>Permitted residue: Methyl isothiocyanate</i>			
Barley		T0.1	
Rape seed (canola)		T0.1	
Wheat		T0.1	
Agvet chemical: Metiram			
<i>see Dithiocarbamates</i>			
Agvet chemical: Metolachlor			
<i>Permitted residue: Metolachlor</i>			
Adzuki bean (dry)		T*0.05	
All other foods except animal food commodities		0.02	
Beetroot		T0.7	
Beetroot leaves		T15	
Bergamot		T*0.05	
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]		*0.02	
Brassica leafy vegetables		*0.01	
Broccoli, Chinese (Gai lan)		*0.02	
Burnet, salad		T*0.05	
Celeriac		T*0.2	
Celery		T0.05	
Cereal grains [except maize; sorghum, grain; sweet corns]		*0.02	
Chard (silver beet)		T*0.01	
Chervil		T*0.05	
Chives		T*0.05	
Coriander (leaves, stems)		T*0.05	
Coriander, roots		T0.5	
Coriander, seed		T*0.05	
Cotton seed		*0.01	
Dill, seed		T*0.05	
Edible offal (mammalian)		*0.05	
Eggs		*0.01	
Fennel, seed		T*0.05	
Fruiting vegetables, cucurbits		*0.05	
Galangal, Greater		T0.5	
Herbs		T*0.05	
Kaffir lime leaves		T*0.05	
Lemon grass		T*0.05	
Lemon verbena (dry leaves)		T*0.05	
Maize		0.1	
Meat (mammalian)		*0.05	
Milks		*0.05	
Mizuna		T*0.05	
Mung bean (dry)		T*0.05	
Mustard seeds		*0.02	
Onion, Welsh		*0.01	
Peanut		0.2	
Potato		*0.01	
Poultry, edible offal of		*0.01	

Poultry meat	*0.01	Peppers, chili, dried	20
Pulses [except soya beans (dry); adzuki beans (dry)]	*0.01	Peppers, sweet (including pimento and pimiento)	2
Rape seed (canola)	*0.02	Poultry, edible offal of	*0.05
Rhubarb	*0.05	Poultry meat (in the fat)	*0.05
Rose and dianthus (edible flowers)	T*0.05	Strawberry	0.6
Rucola (rocket)	T*0.05	Tomato	0.9
Safflower seed	*0.05	Wheat	0.06
Sesame seed	T*0.02	Wheat bran, processed	T0.3
Shallot	*0.01		
Sorghum, grain	*0.05		
Soya bean (dry)	*0.05		
Spinach	T*0.01		
Spring onion	*0.01		
Sugar cane	*0.05		
Sunflower seed	*0.05		
Sweet corn (kernels)	0.1		
Sweet potato	*0.2		
Tomato	T*0.01		
Turmeric, root	T0.5		
<hr/>			
Agvet chemical: Metosulam			
<i>Permitted residue: Metosulam</i>			
Cereal grains [except sweet corns]	*0.02	All other foods except animal food commodities	0.05
Edible offal (mammalian)	*0.01	Asparagus	0.2
Eggs	*0.01	Carrot	T0.3
Lupin (dry)	*0.02	Cereal grains [except sweet corns]	*0.05
Meat (mammalian)	*0.01	Edible offal (mammalian)	*0.05
Milks	*0.01	Eggs	*0.05
Poppy seed	*0.01	Ginger root	T*0.01
Poultry, edible offal of	*0.01	Meat (mammalian)	*0.05
Poultry meat	*0.01	Milks	*0.05
<hr/>			
Agvet chemical: Metrafenone			
<i>Permitted residue: Metrafenone</i>			
All other foods except animal food commodities	0.05	Mustard seeds	T*0.02
Apple	1.5	Peas [except peas, shelled]	T*0.05
Apricot	0.7	Peas, shelled	*0.05
Barley	0.5	Pineapple	*0.01
Cherries	2	Potato	0.6
Dried grapes (currants, raisins and sultanas)	17	Poultry, edible offal of	*0.05
Edible offal (mammalian)	*0.05	Poultry meat	*0.05
Eggs	*0.05	Pulses [except soya bean (dry)]	*0.01
Fruiting vegetables, cucurbits	0.2	Rape seed (canola)	*0.02
Grapes	7	Soya bean (dry)	*0.05
Hops, dry	70	Sugar cane	*0.02
Meat (mammalian) (in the fat)	*0.05	Sugar cane molasses	0.1
Milks	*0.01	Tomato	0.1
Mushrooms	T0.5		
Nectarine	0.7		
Oats	0.6		
Peach	0.7		
Peppers, chili	2		
<hr/>			
Agvet chemical: Metribuzin			
<i>Permitted residue: Metribuzin</i>			
Cereal grains [except sweet corns]	*0.02	All other foods except animal food commodities	0.05
Chick-pea (dry)	T*0.05	Asparagus	0.2
Edible offal (mammalian)	*0.1	Carrot	T0.3
Linseed	*0.02	Cereal grains [except sweet corns]	*0.05
Meat (mammalian)	*0.1	Edible offal (mammalian)	*0.05
Milks	*0.1	Eggs	*0.05
Mung bean (dry)	0.2	Ginger root	T*0.01
Poppy seed	*0.01	Meat (mammalian)	*0.05
Safflower seed	*0.02	Milks	*0.05
<hr/>			
Agvet chemical: Mevinphos			
<i>Permitted residue: Mevinphos</i>			
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.05	Mustard seeds	T*0.02
Broccoli, Chinese (Gai lan)	0.05	Peas [except peas, shelled]	T*0.05
Edible offal (mammalian)	*0.05	Peas, shelled	*0.05

Meat (mammalian)	*0.05
Milks	*0.05

Agvet chemical: Milbemectin

Permitted residue: Sum of milbemycin MA₃ and milbemycin MA₄ and their photoisomers, milbemycin (Z) 8,9-MA₃ and (Z) 8,9Z-MA₄

Edible offal (mammalian)	*0.002
Fruiting vegetables, other than cucurbits	0.02
Fungi, edible (except mushrooms)	0.02
Hops, dry	*0.2
Meat (mammalian) (in the fat)	*0.002
Milk fats	*0.0005
Milks	*0.0005
Mushrooms	0.02
Pome fruits [except Persimmon, Japanese]	0.03
Stone fruits [except jujube, Chinese]	0.1
Strawberry	0.2
Sweet corns	0.02

Agvet chemical: Molinate

Permitted residue: Molinate

Rice	*0.05
------	-------

Agvet chemical: Monensin

Permitted residue: Monensin

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Goat, edible offal of	*0.05
Goat meat	*0.05
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Sheep fat	0.07
Sheep kidney	0.015
Sheep liver	0.2
Sheep muscle	0.005

Agvet chemical: Monepantel

Permitted residue: Monepantel

Cattle fat	7
Cattle kidney	1
Cattle liver	2
Cattle meat	0.3
Milks	*0.05
Sheep fat	7
Sheep kidney	2
Sheep muscle	0.7
Sheep liver	5

Agvet chemical: Morantel

Permitted residue: Morantel

Cattle, edible offal of	2
Goat, edible offal of	2
Meat (mammalian)	0.3
Milks	*0.1
Pig, edible offal of	5
Sheep, edible offal of	2

Agvet chemical: Moxidectin

Permitted residue: Moxidectin

Cattle, edible offal of	0.5
Cattle meat (in the fat)	1
Cattle milk (in the fat)	2
Deer meat (in the fat)	1
Deer, edible offal of	0.2
Goat meat (in the fat)	T0.5
Goat, edible offal of	T0.05
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.5

Agvet chemical: MSMA

Permitted residue: Total arsenic, expressed as MSMA

Sugar cane	0.3
------------	-----

Agvet chemical: Myclobutanil

Permitted residue: Myclobutanil

All other foods except animal food commodities	0.05
Asparagus	T0.02
Cane berries	2
Cherries	5
Edible offal (mammalian)	*0.01
Grapes	1
Hops, dry	10
Meat (mammalian)	*0.01
Milks	*0.01
Peppers	3
Peppers, chili (dry)	20
Pome fruits [except Persimmon, Japanese]	0.5
Stone fruits [except cherries; jujube, Chinese]	2
Strawberry	2

Agvet chemical: Naled

Permitted residue: Sum of naled and dichlorvos, expressed as naled

Hops, dry	0.5
-----------	-----

Agvet chemical: Naphthalene acetic acid	
<i>Permitted residue: 1-Naphthalene acetic acid</i>	
Apple	1
Pear	1
Pineapple	1
Rambutan	T*0.05
Agvet chemical: Naphthalophos	
<i>Permitted residue: Naphthalophos</i>	
Sheep, edible offal of	*0.01
Sheep meat	*0.01
Agvet chemical: Napropamide	
<i>Permitted residue: Napropamide</i>	
All other foods except animal food commodities	0.02
Almonds	*0.1
Basil	T*0.1
Berries and other small fruits	*0.1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T*0.1
Broccoli, Chinese (Gai lan)	T*0.1
Edible offal (mammalian)	*0.08
Eggs	*0.08
Meat (mammalian)	*0.08
Milks	*0.08
Mustard seeds	T*0.01
Poultry, edible offal of	*0.08
Poultry meat	*0.08
Rape seed (canola)	*0.01
Stone fruits [except jujube, Chinese]	*0.1
Tomato	*0.1
Agvet chemical: Narasin	
<i>Permitted residue: Narasin</i>	
Cattle, edible offal of	0.05
Cattle meat	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1
Agvet chemical: Neomycin	
<i>Permitted residue: Inhibitory substance, identified as neomycin</i>	
Eggs	T0.5
Fats (mammalian) [except milk fats]	T0.5
Kidney of cattle, goats, pigs and sheep	T10
Liver of cattle, goats, pigs and sheep	T0.5
Meat (mammalian)	T0.5
Milks	T1.5
Poultry kidney	T10
Poultry liver	T0.5
Poultry meat	T0.5

Agvet chemical: Netobimin	
see <i>Albendazole</i>	
Agvet chemical: Nicarbazin	
<i>Permitted residue: 4,4'-dinitrocarbanilide (DNC)</i>	
Chicken fat/skin	10
Chicken kidney	20
Chicken liver	35
Chicken muscle	5
Eggs	0.3
Agvet chemical: Niclosamide	
<i>Permitted residue: Niclosamide</i>	
Edible offal (mammalian)	T*0.01
Eggs	T*0.01
Meat (mammalian)	T*0.01
Milks	T*0.01
Poultry, edible offal of	T*0.01
Poultry meat	T*0.01
Rice	T*0.01
Agvet chemical: Nitrothal-isopropyl	
<i>Permitted residue: Nitrothal-isopropyl</i>	
Apple	1
Agvet chemical: Nitroxylin	
<i>Permitted residue: Nitroxylin</i>	
Cattle, edible offal of	1
Cattle meat	1
Cattle milk	T0.5
Goat, edible offal of	1
Goat meat	1
Sheep, edible offal of	1
Sheep meat	1
Agvet chemical: Norflurazon	
<i>Permitted residue: Norflurazon</i>	
All other foods except animal food commodities	0.05
Asparagus	0.05
Citrus fruits [except kumquats]	0.2
Cotton seed	0.1
Cranberry	0.1
Edible offal (mammalian)	0.3
Eggs	*0.02
Fats (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Grapes	0.1
Hops, dry	3

Pome fruits [except Persimmon, Japanese]	*0.2
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Stone fruits [except jujube, Chinese]	*0.2
Tree nuts	*0.2

Agvet chemical: Norgestomet

Permitted residue: Norgestomet

Edible offal (mammalian)	*0.0001
Meat (mammalian)	*0.0001

Agvet chemical: Novaluron

Permitted residue: Novaluron

All other foods except animal food commodities	0.1
Apple	0.3
Blueberries	7
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.3
Broccoli, Chinese (Gai lan)	0.3
Cherries	8
Chinese cabbage (Pe-tsai)	5
Cotton seed	T1
Cotton seed oil, crude	T2
Cranberry	0.45
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Meat (mammalian) (in the fat)	0.1
Milk fats	0.2
Milks	*0.01
Mushrooms	0.2
Pear	0.3
Peppers, chili, sweet	0.7
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Stone fruits [except cherries]	0.5
Sweet corns	0.2

Agvet chemical: Novobiocin

Permitted residue: Novobiocin

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

Agvet chemical: ODB

Permitted residue: 1,2-dichlorobenzene

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

Agvet chemical: Olaquinox

Permitted residue: Sum of olaquinox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxaline, expressed as olaquinox

Pig, edible offal of	0.3
Pig meat	0.3

Agvet chemical: Oleandomycin

Permitted residue: Oleandomycin

Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

Agvet chemical: Omethoate

Permitted residue: Omethoate

see also *Dimethoate*

Abiu	2
Asparagus	*0.002
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango; pineapple]	2
Avocado	0.1
Beetroot	*0.05
Blackberries	T3
Cactus fruit	2
Cereal grains	*0.05
Citrus fruits	0.5
Cottonseed	*0.05
Edible offal (mammalian)	0.1
Eggs	*0.05
Eggplant	T0.07
Legume vegetables	1
Mango	0.1
Meat (mammalian)	*0.05
Melons [except watermelon]	0.2
Milks	*0.05
Oilseed [except cottonseed; peanut]	0.05
Olives for oil production	T2
Olive oil, refined	T0.01
Onion, bulb	0.5
Palm nuts	0.05
Peanut	*0.01
Peppers, sweet	0.3
Pineapple	0.03
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.1
Raspberries, red, black	T3

Rhubarb	0.3
Rollinia	2
Santols	2
Squash, summer (zucchini)	0.2
Strawberry	*0.01
Sweet potato	0.05
Tomato	0.02
Turnip, garden	*0.1
Vaccinium berries (including bearberry) [except cranberry]	T2
Watermelon	0.2
Wheat bran, processed	0.05

Agvet chemical: OPP

see 2-phenylphenol

Agvet chemical: Oryzalin

Permitted residue: Oryzalin

All other foods except animal food commodities	0.02
Cereal grains [except sweet corns]	*0.01
Coffee beans	T0.1
Fruit	0.1
Garlic	T*0.05
Ginger, root	T*0.05
Mustard seeds	*0.05
Rape seed (canola)	*0.05
Tree nuts	0.1

Agvet chemical: Oxabetrinil

Permitted residue: Oxabetrinil

Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Oxadixyl

Permitted residue: Oxadixyl

All other foods except animal food commodities	0.1
Chinese cabbage (Pe-tsai)	T5
Fruiting vegetables, cucurbits	0.5
Grapes	2
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T5
Onion, bulb	0.5

Agvet chemical: Oxamyl

Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl

All other foods except animal food commodities	0.05
Banana	0.2
Cereal grains [except sweet corns]	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Onion, Welsh	T0.5
Peanut	0.05
Peppers, sweet	1
Peppers, chilli	*0.01
Potato	0.1
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Shallot	T0.5
Spring onion	T0.5
Sweet potato	0.2
Tomato	*0.05

Agvet chemical: Oxathiapiprolin

Permitted residue: Oxathiapiprolin

All other foods except animal food commodities	0.02
Avocado	0.1
Basil	10
Basil, dry	T90
Blueberries	0.5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives; onion, bulb]	2
Cane berries	0.5
Cardoon	15
Citrus fruits [except kumquats]	0.06
Citrus oil, edible	3
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fennel, bulb	2
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Grapes	0.9
Hops, dried cones	5
Leafy vegetables (including brassica leafy vegetables) [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	15
Lettuce, head	2

Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Mushrooms	0.5
Onion, bulb	0.04
Peas (pods and succulent, immature seeds)	1
Peas, shelled (succulent seeds)	0.05
Peppers, chili, dried	4
Pomegranate	0.1
Poppy seed	*0.01
Potato	0.04
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Poultry meat (in the fat)	*0.01
Root and tuber vegetables [except beetroot; carrot; celeriac; chicory, roots; horseradish; parsnip; radish, japanese; salsify; scorzonera; sugar beet; swede; turnip, garden	0.04
Strawberry	0.4
Sweet corn	0.5
Tree nuts	0.01
Young shoots	2

Agvet chemical: Oxfendazole

Permitted residue: Oxfendazole

Edible offal (mammalian)	3
Meat (mammalian)	*0.1
Milks	0.1

Agvet chemical: Oxycarboxin

Permitted residue: Oxycarboxin

Beans [except broad bean; soya bean]	5
Blueberries	T10
Broad bean (green pods and immature seeds)	5

Agvet chemical: Oxyclozanide

Permitted residue: Oxyclozanide

Cattle, edible offal of	2
Cattle meat	0.5
Goat, edible offal of	2
Goat meat	0.5
Milks	0.05
Sheep, edible offal of	2
Sheep meat	0.5

Agvet chemical: Oxyfluorfen

Permitted residue: Oxyfluorfen

All other foods except animal food commodities	0.05
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.01

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.05
Broccoli, Chinese (Gai lan)	*0.05
Bulb vegetables [except chives]	*0.05
Cereal grains [except sweet corns]	*0.05
Coffee beans	T0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Eggs	0.05
Fennel, bulb	*0.05
Grapes	0.05
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Olives	1
Pome fruits [except Persimmon, Japanese]	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.2
Stone fruits [except jujube, Chinese]	0.05
Tree nuts	0.05

Agvet chemical: Oxytetracycline

Permitted residue: Inhibitory substance, identified as oxytetracycline

Fish	T0.2
Honey	0.3
Kidney of cattle, goats, pigs and sheep	0.6
Liver of cattle, goats, pigs and sheep	0.3
Meat (mammalian)	0.1
Milks	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

Agvet chemical: Paclobutrazol

Permitted residue: Paclobutrazol

All other foods except animal food commodities	0.01
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango; tamarillo (tree tomato)]	*0.01
Avocado	0.1
Barley	T0.1
Broccoli	T*0.01
Fruiting vegetables, cucurbits	T*0.01
Fruiting vegetables, other than cucurbits	T*0.01
Mango	T1
Pome fruits [except Persimmon, Japanese]	1
Potato	T*0.01
Stone fruits [except jujube, Chinese]	*0.01
Wheat	T0.1

Agvet chemical: Paracetamol		Agvet chemical: Pencycuron	
<i>Permitted residue: Paracetamol</i>		<i>Permitted residue: Pencycuron</i>	
Pig fat/skin	*0.1	Potato	0.05
Pig kidney	*0.1		
Pig liver	*0.1	Agvet chemical: Pendimethalin	
Pig muscle	*0.1	<i>Permitted residue: Pendimethalin</i>	
Agvet chemical: Paraquat		All other foods except animal food commodities	0.02
<i>Permitted residue: Paraquat cation</i>		Artichoke, globe	0.05
Cereal grains [except as otherwise listed under this chemical]	*0.05	Asparagus	0.15
Cotton seed	0.2	Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.05
Cotton seed oil, edible	0.05	Barley	*0.05
Edible offal (mammalian)	0.5	Berries and other small fruits [except blueberries]	*0.05
Eggs	*0.01	Blueberries	0.1
Fruit [except olives]	*0.05	Brassica leafy vegetables (except Broccoli, Chinese (Gai lan))	0.2
Hops, dry	0.5	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.05
Maize	0.1	Broccoli, Chinese (Gai lan)	*0.05
Meat (mammalian)	*0.05	Bulb vegetables [except chives]	*0.05
Milks	*0.01	Carrot	T0.3
Oilseed [except cotton seed]	*0.05	Celery	0.09
Olives	1	Chinese cabbage (Pe-tsai)	*0.05
Palm nuts	*0.05	Citrus fruits [except kumquats]	*0.05
Peanut	*0.05	Coffee beans	T*0.01
Potato	0.2	Date	T*0.05
Poultry, edible offal of	*0.05	Edible offal (mammalian)	*0.01
Poultry meat	*0.05	Eggs	*0.01
Pulses	1	Fennel, bulb	*0.05
Rice	10	Hops, dry	*0.1
Rice, polished	0.5	Leafy vegetables [except brassica leafy vegetables; lettuce, leaf; witloof chicory]	*0.05
Sugar cane	*0.05	Legume vegetables	T0.2
Tree nuts	*0.05	Lettuce, leaf	4
Vegetables [except potato; pulses]	*0.05	Maize	*0.05
Agvet chemical: Pebulate		Meat (mammalian)	*0.01
<i>Permitted residue: Pebulate</i>		Melons, including watermelon	0.1
Tomato	*0.1	Mints	0.2
Agvet chemical: Penconazole		Milk	*0.01
<i>Permitted residue: Penconazole</i>		Oats	T*0.05
All other foods except animal food commodities	0.02	Oilseed	*0.05
Brussels sprouts	0.05	Olives	*0.05
Chives	0.05	Palm nuts	*0.05
Grapes	0.1	Parsley	T*0.05
Herbs	0.05	Peanut	0.1
Pome fruits [except Persimmon, Japanese]	0.1	Peppermint oil, edible	6
Raspberries, red, black	0.1	Peppers, sweet	*0.05
Spices	0.1	Pome fruits [except Persimmon, Japanese]	*0.05
Strawberries	0.5	Poultry, edible offal of	*0.01
Tea, green, black	0.1	Poultry meat	*0.01
		Pulses	*0.05

Rice	*0.05	Fruiting vegetables, other than cucurbits	5
Root and tuber vegetables [except carrot]	*0.05	Fungi, edible (except mushrooms)	5
Sorghum, grain	0.1	Guelder rose	7
Stone fruits [except jujube, Chinese]	*0.05	Leafy vegetables [except brassica leafy vegetables; lettuce, head; witloof chicory]	50
Sugar cane	*0.05	Lettuce, head	10
Sweet corn (corn-on-the-cob)	*0.05	Meat (mammalian)	*0.01
Tomato	*0.05	Milks	*0.01
Tree nuts	*0.05	Mushrooms	5
Wheat	*0.05	Onion, bulb	1
<hr/>		Onion, Welsh	5
Agvet chemical: Penflufen		Peppers, chili, dried	14
<i>Permitted residue: Penflufen</i>		Pome fruits [except Persimmon, Japanese]	0.5
Cereal grains [except sweet corns]	*0.01	Potato	0.1
Chick-pea (dry)	T*0.01	Poultry, edible offal of	*0.01
Cotton seed	*0.01	Poultry meat	*0.01
Edible offal (mammalian)	*0.01	Root and tuber vegetables [except potato]	2
Eggs	*0.01	Shallot	5
Lentil (dry)	T*0.01	Spring onion	5
Lupin (dry)	T*0.01	Stone fruits [except jujube, Chinese]	5
Meat (mammalian) (in the fat)	*0.01	Strawberry	5
Milks	*0.01	Sweet corns	5
Milk fats	*0.01	Tree nuts	0.1
Mustard seeds	T*0.01	<hr/>	
Potato	*0.01	Agvet chemical: Permethrin	
Poultry, edible offal of	*0.01	<i>Permitted residue: Permethrin, sum of isomers</i>	
Poultry meat (in the fat)	*0.01	All other foods except animal food commodities	0.05
Rape seed (canola)	*0.01	Almonds	0.05
Soya bean (dry)	T*0.01	Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)]	1
<hr/>		Broccoli, Chinese (Gai lan)	1
Agvet chemical: Penthioopyrad		Brussels sprouts	2
<i>Permitted residue—commodities of plant origin: Penthioopyrad</i>		Celery	5
<i>Permitted residue—commodities of animal origin: Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide, expressed as penthiopyrad</i>		Cereal grains [except sweet corn]	2
All other foods except animal food commodities	0.05	Cherries	4
Bayberries	T5	Chervil	T30
Bayberry, red	T5	Chives	T30
Brassica leafy vegetables (except broccoli, Chinese (Gai lan))	70	Common bean (dry) (navy bean)	0.1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	7	Common bean (pods and/or immature seeds)	0.5
Broccoli, Chinese (Gai lan)	7	Coriander (leaves, roots, stems)	T30
Bush berries	7	Edible offal (mammalian)	0.5
Cane berries	10	Eggs	0.1
Celery	15	Herbs	T30
Chinese cabbage (Pe-tsai)	50	Lettuce, head	5
Cranberry	3	Lettuce, leaf	5
Edible offal (mammalian)	*0.01	Linseed	0.1
Eggs	*0.01	Meat (mammalian) (in the fat)	1
Elderberries	7	Milks	0.05
Fruiting vegetables, cucurbits	1	Mushrooms	2
		Mustard seeds	T0.2

Nectarine	2	Coriander, seed	0.1
Peach	1	Cotton seed	0.5
Peas	1	Edible offal (mammalian)	*0.05
Peppers, chili, dried	10	Eggplant	0.5
Poppy seed	T0.2	Eggs	*0.05
Potato	0.05	Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T*0.01
Poultry meat (in the fat)	0.1	Meat (mammalian)	*0.05
Rape seed (canola)	0.2	Milks	*0.05
Rhubarb	1	Onion, bulb	0.5
Sugar cane	*0.1	Onion, Welsh	0.5
Sweet corn (corn-on-the-cob)	*0.05	Parsley	T*0.01
Tea, green, black	0.1	Peanut	0.1
Tomato	0.4	Peppers	0.5
Wheat bran, unprocessed	5	Potato	0.5
Wheat germ	2	Poultry, edible offal of	*0.05
<hr/>		Poultry meat	*0.05
Agvet chemical: Phenmedipham		Shallot	0.5
<i>Permitted residue—commodities of plant origin:</i>		Spring onion	0.5
<i>Phenmedipham</i>		Sweet potato	0.5
<i>Permitted residue—commodities of animal origin: 3-</i>		Tomato	0.5
<i>methyl-N-(3-hydroxyphenyl)carbamate</i>		<hr/>	
All other foods except animal food commodities	0.02	Agvet chemical: Phosmet	
Beetroot	0.5	<i>Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet</i>	
Chard (silver beet)	2	All other foods except animal food commodities	0.05
Chinese cabbage (Pe-tsai)	T1	Blueberries	10
Edible offal (mammalian)	*0.1	Cattle, edible offal of	1
Leafy vegetables [except broccoli, Chinese (Gai lan); chard (silver beet); witloof chicory]	T1	Cattle meat (in the fat)	1
Meat (mammalian)	*0.1	Cereal grains [except sweet corns]	*0.05
Milks	*0.1	Cranberry	10
Radicchio	T1	Currants, black, red, white	2
Strawberry	0.3	Goat, edible offal of	*0.05
<hr/>		Goat meat	*0.05
Agvet chemical: 2-Phenylphenol		Grapes	10
<i>Permitted residue: Sum of 2-phenylphenol and 2-</i>		Lemon	5
<i>phenylphenate, expressed as 2-phenylphenol</i>		Mandarins	5
All other foods except animal food commodities	0.1	Milks (in the fat)	0.2
Citrus fruits [except kumquats]	10	Oranges	3
<hr/>		Pig, edible offal of	0.1
Agvet chemical: Phorate		Pig meat	0.1
<i>Permitted residue: Sum of phorate, its oxygen</i>		Sheep, edible offal of	*0.05
<i>analogue, and their sulfoxides and sulfones,</i>		Sheep meat	*0.05
<i>expressed as phorate</i>		Stone fruits [except cherries; jujube, Chinese]	5
<hr/>		<hr/>	
Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; broccoli; cauliflower; Chinese cabbage (Pe-tsai); head cabbages]	T*0.01	Agvet chemical: Phosphine	
Broccoli	0.5	<i>Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)</i>	
Cabbages, head	0.5	All other foods except animal food commodities	*0.01
Carrot	0.5	Cereal grains [except sweet corns]	*0.1
Cauliflower	0.5	Citrus fruits [except kumquats]	*0.01
Celery	T*0.01	Dried foods [except as otherwise listed under this chemical]	*0.01
Coriander (leaves, roots, stems)	T*0.01	<hr/>	

Dried fruits	*0.01
Dried vegetables	*0.01
Garlic	T*0.01
Honey	*0.01
Oilseed [except peanut]	*0.01
Peanut	0.1
Pulses	*0.01
Seed for beverages	T*0.01
Spices	*0.01
Sugar cane	*0.01
Tree nuts	*0.01

Agvet chemical: Phosphorous acid

Permitted residue: Phosphorous acid

Anise myrtle leaves	T1000
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; passionfruit; tamarillo (tree tomato)]	T100
Avocado	500
Basil	T300
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai); flowerhead brassicas]	T1
Broccoli, Chinese (Gai lan)	T1
Bulb vegetables [except chives]	T10
Chinese cabbage (Pe-tsai)	T150
Citrus fruits [except kumquats]	100
Coriander (leaves, roots, stems)	T300
Edible offal (mammalian)	5
Fennel, bulb	T10
Fennel, leaf	T300
Flowerhead brassicas	50
Fruiting vegetables, cucurbits	T100
Fruiting vegetables, other than cucurbits	T100
Fungi, edible (except mushrooms)	T100
Galangal, rhizomes	T100
Ginger, root	T100
Grapes	200
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T150
Lemon myrtle leaves	T1000
Meat (mammalian)	1
Mushrooms	T100
Parsley	T300
Passionfruit	T500
Peach	100
Peas, shelled	T100
Poppy seed	1
Potato	T700
Rhubarb	T100
Riberry	T1000
Root and tuber vegetables [except potato]	T100
Stone fruits [except cherries; jujube, Chinese; peach]	T100

Strawberry	T500
Sweet corns	T100
Tree nuts	3000
Turmeric, root	T100

Agvet chemical: Picloram

Permitted residue: Picloram

Cereal grains [except sweet corns]	0.2
Edible offal (mammalian)	5
Meat (mammalian)	*0.05
Milks	*0.05
Sugar cane	*0.01

Agvet chemical: Picolinafen

Permitted residue—commodities of plant origin: Picolinafen

Permitted residue—commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethylphenoxy]-2-pyridine carboxylic acid

Cereal grains [except sweet corns]	*0.02
Edible offal (mammalian)	0.05
Eggs	*0.01
Field pea (dry)	*0.02
Lupin (dry)	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

Agvet chemical: Picoxystrobin

Permitted residue: Picoxystrobin

Coffee beans	0.04
Cottonseed	2
Edible offal (mammalian)	0.02
Mammalian fats [except milk fats]	0.02
Meat mammalian (in the fat)	0.02
Milks	*0.01
Peanut	0.05
Rice	0.05
Sorghum, grain	0.02
Soya bean (dry)	0.06
Tea, green, black	15
Wheat	0.04

Agvet chemical: Pinoxaden

Permitted residue: Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo [1,2-d][1,4,5] oxadiazepine-7,9-dione, expressed as Pinoxaden

Barley	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02

Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Wheat	0.1
Wheat bran, unprocessed	0.5

Agvet chemical: Piperonyl butoxide

Permitted residue: Piperonyl butoxide

All other foods except animal food commodities	0.5
Cattle milk	0.05
Cereal bran, unprocessed	40
Cereal grains [except sweet corns]	20
Chives	8
Dried fruits	8
Dried vegetables	8
Edible offal (mammalian)	0.1
Eggs	*0.1
Fruit	8
Herbs	8
Meat (mammalian)	0.1
Oilseed	8
Palm nuts	8
Peanut	8
Peppers, chili, dried	20
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Sweet corns	8
Tree nuts	8
Vegetables	8
Wheat germ	50

Agvet chemical: Pirimicarb

Permitted residue: Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb

All other foods except animal food commodities	0.05
Almonds	0.05
Blackberries	T2
Celeriac	0.1
Celery	15
Cereal grains [except sweet corns]	*0.02
Cherries	5
Chinese cabbage (Pe-tsai)	7
Cotton seed	0.05
Cotton seed oil, crude	T0.1
Currants, black, red, white	1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Fruit [except listed under this chemical]	0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	7
Meat (mammalian)	*0.1
Milks	*0.1

Mustard seeds	T0.2
Onion, Welsh	T7
Peppers, chili, dried	20
Peppers, chilli, other cultivars	1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.02
Rape seed (canola)	0.2
Raspberries, red, black	4
Sesame seed	T0.05
Shallot	T7
Spices	*0.05
Spring onion	T7
Strawberry	3
Sweet corn (corn-on-the-cob)	0.1
Tree nuts [except almonds]	T*0.05
Vegetables [except celeriac; celery; leafy vegetables; onion, Welsh; shallot; spring onion;]	1

Agvet chemical: Pirimiphos-methyl

Permitted residue: Pirimiphos-methyl

All other foods except animal food commodities	0.02
Barley	7
Cacao beans	*0.05
Cereal bran, unprocessed	20
Edible offal (mammalian)	*0.05
Eggs	*0.05
Maize	7
Meat (mammalian)	*0.05
Milks	*0.05
Millet	10
Oats	7
Peanut	5
Peanut oil, edible	15
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	10
Rice, husked	2
Rice, polished	1
Rye	10
Sorghum, grain	10
Triticale	10
Wheat	10
Wheat germ	30

Agvet chemical: Praziquantel

Permitted residue: Praziquantel

Fish muscle	T*0.02
Sheep, edible offal of	*0.05
Sheep meat	*0.05

Agvet chemical: Procaine penicillin	
<i>Permitted residue: Inhibitory substance, identified as procaine penicillin</i>	
Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1
Milks	*0.0025

Agvet chemical: Prochloraz	
<i>Permitted residue: Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz</i>	
All other foods except animal food commodities	0.1
Avocado	5
Banana	5
Cherimoya	T1
Cherries	*0.05
Custard apple	T1
Lettuce, head	2
Lettuce, leaf	T3
Litchi	T1
llama	T1
Mandarins	T10
Mango	5
Mushrooms	3
Papaya (pawpaw)	5
Pepper, black, white	10
Pineapple	2
Pistachio nut	T0.5
Soursop	T1
Sugar apple	T1
Sugar cane	*0.05

Agvet chemical: Procymidone	
<i>Permitted residue: Procymidone</i>	
All other foods except animal food commodities	0.05
Cherries	7
Chick-pea (dry)	T0.5
Chives	T3
Common bean (dry) (navy bean)	T10
Durian (in the pulp)	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Garlic	5
Lentil (dry)	0.5
Lupin (dry)	*0.01
Meat (mammalian) (in the fat)	0.2
Milks	0.02
Mustard seeds	T0.5
Mustard seed oil, crude	T2
Onion, bulb	0.2
Peppers	T2
Potato	0.2
Poultry, edible offal of	*0.01

Poultry meat (in the fat)	*0.01
Rape seed (canola)	0.5
Rape seed (canola) oil, crude	2
Strawberry	*0.02
Stone fruits [except cherries]	2
Wine grapes	5

Agvet chemical: Profenofos	
<i>Permitted residue: Profenofos</i>	
All other foods except animal food commodities	0.02
Cattle milk	*0.01
Coffee beans	0.04
Coriander, seed	0.1
Cotton seed	1
Cotton seed oil, edible	0.3
Edible offal (mammalian)	*0.05
Eggs	*0.02
Mangosteen	5
Meat (mammalian)	*0.05
Peppers, chili	3
Peppers, chili, dried	20
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Tea, green, black	*0.05

Agvet chemical: Profoxydim	
<i>Permitted residue: Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim</i>	
Edible offal (mammalian)	0.5
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.05

Agvet chemical: Prohexadione-calcium	
<i>Permitted residue: Sum of the free and conjugated forms of prohexadione expressed as prohexadione</i>	
Apple	*0.02
Cherries	0.4
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Peanut	1

Agvet chemical: Prometryn	
<i>Permitted residue: Prometryn</i>	
Adzuki bean (dry)	T*0.1
Cattle milk	*0.05

Cereal grains	*0.1	Chives	30	
Coriander (leaves, roots, stems)	T1	Edible offal (mammalian)	1.5	
Coriander, seed	T1	Eggs	*0.01	
Cotton seed	*0.1	Fats (mammalian)	0.03	
Edible offal (mammalian)	*0.05	Fennel, bulb	30	
Meat (mammalian)	*0.05	Fruiting vegetables, cucurbits	5	
Peanut	*0.1	Fruiting vegetables, other than cucurbits	T0.3	
Sunflower seed	*0.1	Fungi, edible (except mushrooms)	T0.3	
Turmeric, root	T*0.01	Herbs [except basil]	30	
Vegetables	*0.1	Leafy vegetables	70	
<hr/>				
Agvet chemical: Propachlor				
<i>Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor</i>				
<hr/>				
All other foods except animal food commodities	0.05	Meat (mammalian)	0.03	
Beetroot	*0.05	Milks	*0.01	
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.6	Mushrooms	T0.3	
Broccoli, Chinese (Gai lan)	0.6	Onion, bulb	0.5	
Cereal grains [except sorghum, grain; sweet corns]	0.05	Peppers, chili, dried	10	
Chinese cabbage (Pe-tsai)	T1	Poppy seed	5	
Edible offal (mammalian)	0.1	Potato	0.3	
Eggs	*0.02	Poultry, edible offal of	*0.01	
Garlic	2.5	Poultry meat	*0.01	
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] lettuce, head; lettuce, leaf]	T1	Sweet corns	T0.3	
Leek	*0.02	<hr/>		
Meat (mammalian) (in the fat)	*0.02	Agvet chemical: Propanil		
Milks	*0.02	<i>Permitted residue: Propanil</i>		
Onion, bulb	0.7	<hr/>		
Onion, Welsh	T1	Cattle, edible offal of	*0.1	
Poultry, edible offal of	*0.02	Cattle meat	*0.1	
Poultry meat (in the fat)	*0.02	Eggs	*0.1	
Radish	*0.02	Milks	*0.01	
Shallot	T1	Poultry, edible offal of	3	
Sorghum, grain	0.2	Poultry meat	*0.1	
Spring onion	T1	Rice	2	
Swede	*0.02	Sheep, edible offal of	*0.1	
Sweet corn (corn-on-the-cob)	0.05	Sheep meat	*0.1	
Turnip, garden	*0.02	<hr/>		
<hr/>				
Agvet chemical: Propamocarb				
<i>Permitted residue: Propamocarb (base)</i>				
<hr/>				
All other foods except animal food commodities	0.1	Agvet chemical: Propaquizafop		
Basil	T150	<i>Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop</i>		
Brassica vegetables (except Brassica leafy vegetables)	30	Currants, black, red, white	*0.05	
Bulb vegetables [except chives; onion, bulb]	30	Edible offal (mammalian)	*0.02	
Cane berries	T15	Meat (mammalian)	*0.02	
<hr/>				
Agvet chemical: Propargite				
<i>Permitted residue: Propargite</i>				
<hr/>				
Apple				3

Banana	3	Parsley	T30
Cotton seed	0.2	Peanut	*0.05
Edible offal (mammalian)	*0.1	Persimmon, American	T0.2
Eggs	*0.1	Pineapple	2
Hops, dry	3	Plums (including prunes)	2
Meat (mammalian) (in the fat)	*0.1	Poppy seed	*0.01
Milks	*0.1	Poultry, edible offal of	0.1
Passionfruit	3	Poultry meat	0.1
Pear	3	Pulses	T0.3
Poultry, edible offal of	*0.1	Radicchio	T1
Poultry meat (in the fat)	*0.1	Radish	T0.2
Stone fruits [except jujube, Chinese]	3	Raspberries, red, black	1
Strawberry	7	Riberry	T5
Sweet corns	3	Spices	*0.1
Vegetables	3	Spinach	T0.7
<hr/>		Stone fruits [except plum (including prunes)]	4
Agvet chemical: Propazine		Sugar cane	*0.02
<i>Permitted residue: Propazine</i>		Sunflower seed	T0.5
<hr/>		Sweet corn (corn-on-the-cob)	*0.02
Sweet corns	*0.1	Tree nuts [except almonds]	T0.2
Vegetables	*0.1	<hr/>	
<hr/>		Agvet chemical: Propineb	
Agvet chemical: Propetamphos		<i>see Dithiocarbamates</i>	
<i>Permitted residue: Propetamphos</i>		<hr/>	
<hr/>		Agvet chemical: Propoxur	
Sheep, edible offal of	*0.01	<i>Permitted residue: Propoxur</i>	
Sheep meat (in the fat)	*0.01	<hr/>	
<hr/>		Agvet chemical: Propylene oxide	
Agvet chemical: Propiconazole		<i>Permitted residue: Propylene oxide</i>	
<i>Permitted residue: Propiconazole</i>		<hr/>	
<hr/>		Almonds	100
All other foods except animal food commodities	0.05	<hr/>	
Almonds	0.2	Agvet chemical: Propyzamide	
Asparagus	T*0.1	<i>Permitted residue: Propyzamide</i>	
Avocado	*0.02	<hr/>	
Banana	0.2	All other foods except animal food commodities	0.02
Beetroot	*0.02	Artichoke, globe	T*0.02
Blackberries	1	Cherries	0.1
Boysenberry	1	Chicory leaves	*0.2
Blueberries	2	Currants, black, red, white	0.01
Celery	T5	Edible offal (mammalian)	*0.2
Cereal grains [except sweet corns]	*0.05	Eggs	*0.05
Chard (silver beet)	T0.5	Endive	*0.2
Chicory leaves	T1	Lettuce, head	1
Citrus fruits [except kumquats]	10	Lettuce, leaf	1
Cranberry	0.3	Meat (mammalian)	*0.05
Edible offal (mammalian)	1	Milks	*0.01
Eggs	*0.05	Mustard seeds	0.02
Endive	T1	Poppy seed	0.02
Gai lan	T1	Poultry, edible offal of	*0.05
Grapes	1	Poultry meat	*0.05
Meat (mammalian)	0.1	Pulses	*0.01
Milks	*0.01	Quinoa	T0.2
Mint oil	*0.02	Rape seed (canola)	0.02
Mushrooms	*0.05		
Orange oil, edible	1850		

Safflower Seed T0.02

Agvet chemical: Proquinazid

Permitted residue—commodities of plant origin:
Proquinazid

Permitted residue—commodities of animal origin:
Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yloxy)propionic acid, expressed as proquinazid

All other foods except animal food commodities	0.1
Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except peppers, sweet]	0.3
Grapes	0.5
Meat (mammalian)	*0.01
Milks	*0.01
Peppers, sweet	0.2
Pome fruits	0.3
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	T*0.02

Agvet chemical: Prosulfocarb

Permitted residue: Prosulfocarb

Barley	*0.01
Carrot	T*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Oats	*0.01
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	*0.01
Safflower seed	T*0.1
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Prothioconazole

Permitted residue—commodities of plant origin:
Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

Permitted residue—commodities of animal origin:
Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

All other foods except animal food commodities	0.02
Blueberries	2
Cereal bran, unprocessed	0.5
Cereal grains [except sweet corns]	0.3
Cotton seed	T0.2
Cranberry	0.2
Edible offal (mammalian)	0.2
Eggs	*0.01
Meat (mammalian) (in the fat)	0.02
Milks	*0.004
Mustard seeds	*0.02
Peanut	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Pulses	T0.7
Rape seed (canola)	*0.02
Soya bean (dry)	0.2
Sunflower seed	*0.02
Watermelon	T0.2
Wheat germ	0.5

Agvet chemical: Prothiofos

Permitted residue: Prothiofos

Banana	*0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2
Broccoli, Chinese (Gai lan)	0.2
Pear	0.05

Agvet chemical: Pydiflumetofen

Permitted residue: Pydiflumetofen

All other foods except animal food commodities	0.05
Berries and other small fruits [except blueberries; grapes; strawberry]]	3
Blueberries	5
Brassica leafy vegetables [except broccoli, Chinese (Gai lan)]	15

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5	Broad bean (dry)	T0.02
Cereal grains [except Maize cereals; Sweet corns]	T3	Broccoli, Chinese (Gai lan)	0.5
Cottonseed	0.3	Celery	0.2
Chinese cabbage (Pe-tsai)	T30	Chinese cabbage (Pe-tsai)	5
Dried grapes (currants, raisins and sultanas)	5	Cotton seed	*0.02
Edible offal (mammalian)	1	Cotton seed oil, edible	*0.02
Eggs	0.02	Edible offal (mammalian)	*0.01
Fruiting vegetables, cucurbits	T0.5	Eggs	*0.01
Fruiting vegetables, other than cucurbits	T0.7	Fruiting vegetables, cucurbits	1
Fungi, edible (except mushrooms)	T0.7	Fruiting vegetables, other than cucurbits	0.5
Grapes	2	Fungi, edible (except mushrooms)	0.5
Leafy vegetables [except brassica leafy vegetables; witloof chicory]	T30	Leafy herbs	T10
Legume vegetables	T0.5	Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Maize	0.04	Lupin (dry)	T0.02
Maize flour	0.07	Meat (mammalian)	*0.01
Maize oil, edible	0.08	Milks	*0.01
Mammalian fats [except milk fats]	0.1	Mizuna	5
Meat (mammalian) (in the fat)	0.1	Pistachio nut	*0.01
Milks	*0.01	Podded pea (young pods) (snow and sugar snap)	0.3
Mustard seeds	T0.05	Potato	*0.02
Peanut	0.05	Poultry, edible offal of	*0.01
Peanut oil, edible	0.15	Poultry meat	*0.01
Peppers, chili, dried	5	Stone fruits [except jujube, Chinese]	*0.05
Pome fruits [except Persimmon, Japanese]	T0.2	Strawberry	T0.3
Popcorn	T0.02	Sweet corn (corn-on-the-cob)	*0.01
Potato	T0.05		
Potato, dried	0.5	Agvet chemical: Pyraclofos	
Poultry, edible offal of	*0.01	<i>Permitted residue: Pyraclofos</i>	
Poultry fats	*0.01	Sheep fat	0.5
Poultry meat	*0.01	Sheep kidney	*0.01
Pulses	0.4	Sheep liver	*0.01
Rape seed (canola)	T0.07	Sheep muscle	*0.01
Root and tuber vegetables [except potato]	0.3		
Small seed oilseeds	0.9	Agvet chemical: Pyraclostrobin	
Stalk and Stem Vegetables - Stems and	15	<i>Permitted residue—commodities of plant origin: Pyraclostrobin</i>	
Strawberry	2	<i>Permitted residue—commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin</i>	
Sunflower seeds	0.3	All other foods except animal food commodities	0.05
Sweet corn (corn-on-the-cob)	0.03	Artichoke, globe	2
Tomato, dried	7	Avocado	0.2
		Banana	*0.02
Agvet chemical: Pymetrozine		Barley	1
<i>Permitted residue: Pymetrozine</i>		Beans, podded [except common bean]	0.3
All other foods except animal food commodities	0.02	Berries and other small fruits [except blackberries; blueberries; boysenberry; grapes]	3
Almonds	*0.01		
Beetroot	*0.02		

Blackberries	4	Peanut	0.05
Blueberries	T5	Peas (dry)	0.3
Boysenberry	4	Peas with pods	0.3
Brassica leafy vegetables	T3	Peas without pods (succulent)	0.08
Broccoli, Chinese (Gai lan)	T1	Peppers	0.5
Brussels sprouts	0.3	Pineapple	0.3
Cabbages, head	0.2	Pistachio nut	T1
Cereal grains [except barley; oats; rice; rye; sweet corns; triticale; wheat]	*0.01	Pome fruits [except Persimmon, Japanese]	1
Celery	T8	Pomegranate	T0.3
Cherries	3	Poppy seed	*0.05
Chick-pea (dry)	T0.5	Poultry, edible offal of	*0.05
Chives	2	Poultry meat (in the fat)	*0.05
Coffee beans	0.3	Raspberries, red, black	4
Common bean (pods and/or immature seeds)	0.6	Rice	1.5
Common beans (succulent seeds)	0.3	Rice, husked	0.09
Corn salad (lamb's lettuce)	10	Rice, polished	0.03
Cress, garden	10	Root and tuber vegetables	0.5
Custard apple	T3	Rucola	10
Endive	0.4	Rye	0.2
Dried grapes	5	Shallot	0.3
Dry beans	0.3	Silvanberries	T3
Edible offal (mammalian)	0.1	Sorghum, grain	0.5
Eggs	*0.05	Spices	0.1
Fats (mammalian)	0.5	Spinach	0.6
Flowerhead brassicas (including broccoli; broccoli, Chinese (Gai lan); cauliflower)	0.1	Spring onion	1.5
Fruiting vegetables, cucurbits	0.5	Stone fruits [except jujube, Chinese]	2.5
Fruiting vegetables, other than cucurbits [except peppers]	0.3	Sugar cane	0.08
Fungi, edible (except mushrooms)	0.3	Sunflower seed	T0.3
Garlic	0.3	Sweet corns	0.3
Grapes	2	Table olives	T0.3
Herbs	2	Tea, green, black	6
Hops, dry	23	Tree nuts [except pistachio nut and walnut]	0.07
Leek	0.7	Triticale	0.2
Lentil (dry)	0.5	Walnut	T0.01
Lettuce, head	2	Wheat	0.2
Lettuce, leaf	2	Witloof chicory (sprouts)	0.09
Litchi	T2		
Mango	0.6	Agvet chemical: Pyraflufen-ethyl	
Meat (mammalian) (in the fat)	0.5	<i>Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5- difluoromethoxy-1-methylpyrazol-3-yl)-4- fluorophenoxyacetic acid)</i>	
Milks	0.03		
Mung bean (dry)	T0.2	Almonds	0.01
Mushrooms	0.3	Cereal grains [except sweet corns]	*0.02
Oats	1	Cherries	0.01
Oilseed [except peanut]	0.4	Cotton seed	*0.05
Olives for oil production	T0.3	Edible offal (mammalian)	*0.02
Olive oil, crude	T1	Eggs	*0.02
Olive oil, virgin	0.07	Hops, dry	*0.1
Onion, bulb	1.5	Meat (mammalian)	*0.02
Onion, Welsh	1.5	Milks	*0.02
Oranges	2	Poultry, edible offal of	*0.02
Papaya (pawpaw)	T0.5	Poultry meat	*0.02
Passionfruit	T1	Pulses	*0.02

Agvet chemical: Pyrasulfotole	
<i>Permitted residue: Sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesy-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole</i>	
Cereal bran, unprocessed	0.03
Cereal grains [except sweet corns]	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Pyrethrins	
<i>Permitted residue: Sum of pyrethrins i and ii, Cinerins i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard</i>	
All other foods except animal food commodities	0.2
Cereal grains [except sweet corns]	3
Chives	1
Cucumber	T2
Dried fruits	1
Dried vegetables	1
Edible offal (Mammalian)	*0.05
Eggs	*0.05
Fennel, leaf	1
Fruit	1
Fruiting vegetables, cucurbits [except cucumber]	0.2
Herbs	1
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Oilseed	1
Olive oil, crude	T3
Palm nuts	1
Peanut	1
Peppers, chili, dried	0.5
Poultry, Edible offal of	*0.05
Poultry, Meat (in the fat)	*0.05
Tree nuts	1
Vegetables	1

Agvet chemical: Pyridaben	
<i>Permitted residue: Pyridaben</i>	
Banana	0.5
Cranberry	0.5
Citrus fruits [except kumquats]	0.5
Grapes	5
Hops, dry	10
Pome fruits [except Persimmon, Japanese]	0.5

Stone fruits [except jujube, Chinese]	0.5
Strawberry	1
Tree nuts	T*0.05

Agvet chemical: Pyridate	
<i>Permitted residue: sum of pyridate and metabolites containing 6 chloro-4-hydroxyl-3-phenyl pyridazine, expressed as pyridate</i>	
Chick-pea (dry)	*0.05
Edible offal (mammalian)	*0.2
Eggs	*0.2
Meat (mammalian)	*0.2
Milks	*0.2
Poppy seed	T0.05
Poultry, edible offal of	*0.2
Poultry meat	*0.2

Agvet chemical: Pyrimethanil	
<i>Permitted residue: Pyrimethanil</i>	
All other foods except animal food commodities	0.1
Almond	0.2
Banana	2
Berries and other small fruits [except blueberries; grapes; strawberry]	15
Blueberries	8
Chives	3
Citrus fruits [except kumquats; lemon]	10
Coriander (leaves)	3
Cucumber	5
Edible offal (mammalian)	*0.05
Grapes	5
Herbs	3
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory]	T5
Lemon	11
Lettuce, head	20
Lettuce, leaf	20
Meat (mammalian)	*0.05
Milks	*0.01
Onion, bulb	0.2
Peppers, sweet	1
Podded pea (young pods) (snow and sugar snap)	T10
Pome fruits [except Persimmon, Japanese]	15
Potato	0.05
Spices	0.1
Stone fruits [except jujube, Chinese]	10
Strawberry	5
Sweet potato	0.05
Tomato	1

Agvet chemical: Pyriofenone	
<i>Permitted residue: Pyriofenone</i>	
All other foods	0.05
Berries and other small fruit [except Cane berries; cloudberry; cranberry; strawberry]	1.5
Cane berries	0.9
Cloudberry	0.5
Cranberry	0.5
Dried grapes (currants, raisins and sultanas)	2.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.7
Mammalian fats [except milk fats]	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Strawberry	0.5

Agvet chemical: Pyriproxyfen	
<i>Permitted residue: Pyriproxyfen</i>	
All other foods except animal food commodities	0.1
Almonds	0.02
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.3
Beans with pods	T0.3
Blueberries	1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.7
Broccoli, Chinese (Gai lan)	T0.7
Cane berries	1
Chervil	T5
Chives	T5
Citrus fruits [except kumquats]	0.5
Coriander (leaves, roots, stems)	T5
Cotton seed	*0.01
Cotton seed oil, crude	*0.02
Cranberry	1
Edible offal (mammalian)	*0.02
Eggs	0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Galangal, Greater	T*0.05
Galangal, Lesser	T*0.05
Grapes	2.5
Herbs	T5
Lettuce, leaf	5
Macadamia nuts	*0.01

Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Mizuna	T5
Mushrooms	1
Olives for oil production	1
Olive oil, crude	3
Peanut	0.2
Peppers, chili, dried)	6
Persimmon, Japanese	T0.2
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.1
Rose and dianthus (edible flowers)	T5
Rucola (rocket)	T5
Stone fruits [except jujube, Chinese]	1
Strawberry	T0.5
Sweet corns	1
Sweet potato	*0.05
Table olives	1
Turmeric, root	T*0.05

Agvet chemical: Pyriproxyfen sodium	
<i>Permitted residue: Pyriproxyfen sodium</i>	
Cotton seed	*0.02
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Pyroxasulfone	
<i>Permitted residue—commodities of plant origin: Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone</i>	
<i>Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone</i>	
All other foods except animal food commodities	0.01
Cereal grains [except maize; popcorn and sweet corns]	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Maize	0.02
Meat (mammalian)	*0.02
Milks	*0.002
Peanut	0.3
Popcorn	0.015
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	*0.01

Safflower seed	T*0.01
Soya bean (dry)	0.06
Soya bean oil	0.06
Sunflower oil	0.3
Sunflower seed	0.3
Sweet corn (corn-on-the-cob and kernels)	0.015

Agvet chemical: Pyroxsulam

Permitted residue: Pyroxsulam

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rye	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Quinclorac

Permitted residue: Quinclorac

Barley	2
Cranberry	1.5
Rape seed (canola)	1.5
Rice	10
Rice, husked	10
Rice, polished	8
Wheat	0.5

Agvet chemical: Quinoxifen

Permitted residue: Quinoxifen

All other foods except animal food commodities	0.02
Barley	*0.01
Chard (silver beet)	T3
Cherries	0.7
Dried grapes	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	2
Hops, dry	3
Meat (mammalian) (in the fat)	0.1
Milk fats	0.2
Milks	0.01
Peppers, chili, dried	10
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Stone fruits [except jujube, Chinese]	0.7
Strawberry	0.3
Tea, green, black	*0.05

Agvet chemical: Quintozene

Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene

Beans, except broad bean and soya bean	0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2
Broad bean (green pods and immature seeds)	0.01
Broccoli, Chinese (Gai lan)	0.2
Common bean (dry) (navy bean)	0.2
Cotton seed	0.03
Edible offal (mammalian)	*0.1
Eggs	*0.03
Lettuce, head	0.3
Lettuce, leaf	0.3
Meat (mammalian)(in the fat)	*0.2
Milks	*0.02
Peanut	0.3
Peppers, chili, dried	0.1
Potato	0.2
Poultry, Edible offal of	*0.1
Poultry meat (in the fat)	*0.1
Tomato	0.1

Agvet chemical: Quizalofop-ethyl

Permitted residue: Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl

All other foods except animal food commodities	0.01
Barley	*0.02
Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and immature seeds)	*0.02
Cucumber	*0.02
Currants, black, red, white	*0.05
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Hempseed	T*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Mustard seeds	T*0.02
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05

Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Quizalofop-p-tefuryl

Permitted residue: Sum of quizalofop-p-tefuryl and quizalofop acid, expressed as quizalofop-p-tefuryl

All other foods except animal food commodities	0.01
Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and/or immature seeds)	*0.02
Cucumber	*0.02
Currents, black, red, white	*0.05
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Mustard seeds	T*0.02
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Ractopamine

Permitted residue: Ractopamine

Cattle fat	0.01
Cattle kidney	0.09
Cattle liver	0.04
Cattle muscle	0.01
Pig fat	0.05
Pig kidney	0.2
Pig liver	0.2
Pig meat	0.05
Turkey kidney	0.3
Turkey liver	0.3
Turkey meat	0.02
Turkey fat/skin	0.05

Agvet chemical: Rimsulfuron

Permitted residue: Rimsulfuron

Almonds	0.01
Blueberries	0.02
Cherries	0.01
Cranberry	0.02
Tomato	*0.05

Agvet chemical: Robenidine

Permitted residue: Robenidine

Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Saflufenacil

Permitted residue—commodities of plant origin: Sum of saflufenacil, N'-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-({[(isopropylamino)sulfonyl]amino} carbonyl)phenyl]urea, expressed as saflufenacil equivalents

Permitted residue—commodities of animal origin: Saflufenacil

All other foods except animal food commodities	0.03
Barley (desiccant use)	1
Cereal grains [except rice and sweet corns]	0.2
Cereal bran, unprocessed	0.5
Citrus fruits [except kumquats]	*0.03
Cotton seed	0.2
Edible offal (mammalian)	7
Eggs	*0.01
Grapes	*0.03
Legume vegetables	*0.03
Linseed	T0.5
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seed	0.6
Oilseed [except cotton seed; linseed; mustard seed; rapeseed; sunflower seed]	*0.03
Palm nuts	*0.03
Peanut	*0.03
Pome fruits [except Persimmon, Japanese]	*0.03
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	0.2
Rapeseed	0.6
Rice	*0.01
Stone fruits [except jujube, Chinese]	*0.03
Sunflower seed	0.7
Sugar cane molasses	1
Tree nuts	*0.03

Wheat (desiccant use)	0.6	Broccoli, Chinese (Gai lan)	0.5
<hr/>		Celery	0.1
Agvet chemical: Salinomycin		Chia	T0.7
<i>Permitted residue: Salinomycin</i>		Chinese cabbage (Pe-tsai)	T0.5
Cattle, edible offal of	0.5	Chives, Chinese	T1
Cattle meat	*0.05	Citrus fruits [except kumquats]	0.5
Eggs	*0.02	Cotton seed	0.2
Pig, edible offal of	*0.1	Cranberry	2.5
Pig meat	*0.1	Dried herbs [except hops, dry]]	T5
Poultry, edible offal of	0.5	Dry beans	25
Poultry meat	0.1	Edible offal (mammalian)	*0.05
<hr/>		Egg plant	T0.1
Agvet chemical: Sedaxane		Eggs	*0.05
<i>Permitted residue: Sedaxane, sum of isomers</i>		Fennel, bulb	T1
All other foods except animal food commodities	0.01	Fruiting vegetables, cucurbits	*0.1
Beetroot	*0.01	Garlic	0.3
Beetroot leaves	*0.01	Garlic chives	T1
Cereal grains [except sweet corns]	*0.01	Hazelnut	T*0.03
Cotton seed	*0.01	Hempseed	T0.5
Edible offal (mammalian)	*0.01	Herbs	T1
Eggs	*0.01	Hops, dry	0.5
Meat (mammalian)	*0.01	Leafy vegetables [except lettuce, head; lettuce, leaf]	T1
Milks	*0.01	Leek	0.7
Poppy seed	T*0.01	Lettuce, head	0.2
Potato	0.1	Lettuce, leaf	0.2
Poultry, edible offal of	*0.01	Linseed	0.5
Poultry meat	*0.01	Lupin (dry)	0.2
<hr/>		Meat (mammalian)	*0.05
Agvet chemical: Semduramicin		Milks	*0.05
<i>Permitted residue: Semduramicin</i>		Mustard seeds	T0.5
Chicken fat/skin	0.5	Onion, bulb	0.3
Chicken kidney	0.2	Onion, Welsh	0.7
Chicken liver	0.5	Peanut	25
Chicken meat	*0.05	Peas (pods and succulent, immature seeds)	T0.7
<hr/>		Peppers	T2
Agvet chemical: Sethoxydim		Poppy seed	0.2
<i>Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim</i>		Poultry, edible offal of	*0.05
All other foods except animal food commodities	0.1	Poultry meat	*0.05
Almonds	0.2	Pulses [except beans (dry); lupin (dry)]	*0.1
Asparagus	1	Quinoa	T0.5
Barley	*0.1	Radicchio	T0.5
Beans [except broad bean; soya bean]	T0.5	Rape seed (canola)	0.5
Blueberries	4	Rhubarb	0.1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5	Root and tuber vegetables	1
Broad bean (green pods and immature seeds)	*0.1	Safflower seed	T0.5
<hr/>		Sesame seed	T0.5
Agvet chemical: Sethoxydim		Shallot	0.7
<i>Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim</i>		Spices	T5
All other foods except animal food commodities	0.1	Spring onion	0.7
Almonds	0.2	Stone fruits [except jujube, Chinese; plum]	0.2
Asparagus	1	Strawberry	10
Barley	*0.1	Sunflower seed	*0.1
Beans [except broad bean; soya bean]	T0.5	Tomato	0.1
Blueberries	4	Wheat	*0.1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5		
Broad bean (green pods and immature seeds)	*0.1		

Agvet chemical: Simazine		Cacao beans	*0.01
<i>Permitted residue: Simazine</i>		Carob	0.1
Asparagus	*0.1	Celery	6
Basil	T1	Cherries	0.2
Basil, dry	T5	Chia	T0.05
Broad bean (dry)	*0.01	Chinese cabbage (Pe-tsai)	0.7
Broad bean (green pods and immature seeds)	*0.01	Chives	1
Chick-pea (dry)	*0.05	Citrus fruits	3
Chick-pea (green pods)	*0.05	Coffee beans	*0.01
Citrus fruits [except kumquats]	0.25	Coriander (leaves, roots, stems)	5
Cranberry	0.25	Coriander, seed	5
Edible offal (mammalian)	*0.05	Cotton seed	*0.01
Eggs	*0.01	Dill, seed	5
Fruit [except citrus fruits]	*0.1	Dried grapes (currants, raisins and sultanas)	1
Ginger, root	T*0.05	Edible offal (mammalian)	0.2
Hazelnut	T*0.03	Eggs	*0.01
Kumquats	*0.1	Fennel, bulb	0.1
Leek	*0.01	Fennel, seed	5
Lupin (dry)	*0.05	Fig	T0.1
Meat (mammalian)	*0.05	Fruiting vegetables, cucurbits	0.05
Milks	*0.02	Fruiting vegetables, other than cucurbits	0.1
Mustard seeds	T*0.02	Fungi, edible (except mushrooms)	0.1
Poultry, edible offal of	*0.01	Ginger, root	T0.02
Poultry meat	*0.01	Ginger, Japanese	T1
Rape seed (canola)	*0.02	Herbs	1
Tree nuts	*0.1	Hops, dry	22
Agvet chemical: Spectinomycin		Kaffir lime leaves	5
<i>Permitted residue: Inhibitory substance, identified as spectinomycin</i>		Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.7
Edible offal (mammalian) [except sheep, edible offal of]	*1	Legume vegetables	0.2
Eggs	2	Lemon grass	5
Meat (mammalian) [except sheep meat]	*1	Lemon verbena (dry leaves)	5
Poultry, edible offal of	*1	Maize cereals	*0.01
Poultry meat	*1	Meat (mammalian) (in the fat)	2
Agvet chemical: Spinetoram		Milk fats	0.2
<i>Permitted residue: Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L</i>		Milks	0.01
All other foods except animal food commodities	0.01	Mizuna	0.7
Almonds	0.1	Mushrooms	0.1
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.3	Mustard seeds	T*0.01
Bayberry, red	T0.5	Olives for oil production	T0.07
Berries and other small fruits	0.5	Peaches (including nectarines and apricots)	0.3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2	Peanut	0.04
Broccoli, Chinese (Gai lan)	0.2	Peppers, chili, dried	4
Bulb vegetables (alliums) [except chives]	0.1	Plums	0.3
		Pome fruits	0.1
		Poultry, edible offal of	*0.01
		Poultry meat (in the fat)	*0.01
		Pulses	0.01
		Rape seed (canola)	*0.01
		Root and tuber vegetables	0.02
		Sorghum grains and millet	T*0.01
		Stalk and stem vegetables [except fennel, bulb; celery]	2
		Sweet corn (corn-on-the-cob)	*0.01

Table olives	T0.07
Tree nuts [except almonds]	0.02
Turmeric, root	0.02
Witloof, chicory	2

Agvet chemical: Spinosad

Permitted residue: Sum of spinosyn A and spinosyn D

All other foods except animal food commodities	0.01
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.3
Beans [except broad bean; soya bean]	0.5
Berries and other small fruits [except grapes]	0.7
Bergamot	5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Celery	2
Cereal grains [except sweet corns]	1
Chervil	5
Chinese cabbage (Pe-tsai)	5
Chives	5
Citrus fruits [except kumquats]	0.3
Coffee beans	*0.01
Coriander, seed	5
Cotton seed	*0.01
Dill, seed	5
Edible offal (mammalian)	0.5
Eggs	0.05
Fennel, seed	5
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Galangal, Greater	0.02
Grapes	0.5
Herbs	5
Hops, dry	22
Japanese greens	5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Lemon verbena (dry leaves)	5
Meat (mammalian) (in the fat)	2
Milk fats	0.7
Milks	0.1
Mushrooms	0.2
Onion, Welsh	0.3
Peanut	0.02
Peas (pods and succulent, immature seeds)	0.5
Peppers, chili, dried	3
Pome fruits [except Persimmon, Japanese]	0.5

Potato	0.1
Poultry, edible offal of	0.05
Poultry meat (in the fat)	0.5
Pulses	0.01
Rhubarb	2
Root and tuber vegetables [except potato]	0.02
Rucola (rocket)	5
Shallot	0.3
Spring onion	0.3
Stone fruits [except jujube, Chinese]	1
Sweet corn (corn-on-the-cob)	0.02
Tree nuts	T*0.01
Turmeric, root	0.02
Wheat bran, unprocessed	2

Agvet chemical: Spirodiclofen

Permitted residue: Spirodiclofen

Almonds	0.1
Citrus fruits [except kumquats]	0.5
Currants, black, red, white	1
Grapes	2
Hops, dry	30
Stone fruits [except jujube, Chinese]	1

Agvet chemical: Spiromesifen

Permitted residue: Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen

Cranberry	2
Peppers, chili, dried	5
Potato	0.02
Strawberry	1
Tea, green, black	50

Agvet chemical: Spirotetramat

Permitted residue: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat

All other foods except animal food commodities	0.1
Almonds	0.25
Banana	0.3
Blueberries	3
Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)]	7
Brassica leafy vegetables	10
Broccoli, Chinese (Gai lan)	7
Brussels sprouts	1
Bulb vegetables [except chives]	0.5
Carrot	0.04
Celery	5
Chia	T1

Chinese cabbage (Pe-tsai)	5	Agvet chemical: Spiroxamine	
Chives	15	<i>Permitted residue—commodities of plant origin:</i>	
Citrus fruits [except kumquats]	1	<i>Spiroxamine</i>	
Cotton seed	0.7	<i>Permitted residue—commodities of animal origin:</i>	
Cranberry	0.3	<i>Spiroxamine carboxylic acid, expressed as</i>	
Dried grapes	4	<i>spiroxamine</i>	
Edible offal (mammalian)	0.5		
Eggs	*0.02	All other foods except animal food	0.05
Fennel, bulb	0.5	commodities	
Fig	T1	Banana	T5
Fruiting vegetables, cucurbits [except melons]	2	Barley	0.03
Fruiting vegetables, other than cucurbits	7	Dried grapes	3
Fungi, edible (except mushrooms)	7	Edible offal (mammalian)	0.5
Grapes	2	Eggs	*0.02
Herbs	15	Grapes	2
Hops, dry	10	Hops, dry	50
Kiwifruit	T0.1	Mammalian fats [except milk fats]	0.05
Leafy vegetables [except brassica leafy vegetables; broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory]	5	Meat (mammalian)	0.05
Legume vegetables	2	Milks	0.05
Lettuce, head	7	Podded pea (young pods) (snow and sugar snap)	T0.6
Lettuce, leaf	15	Poultry, edible offal of	*0.05
Maize	T*0.02	Poultry meat	*0.05
Mango	0.3		
Meat (mammalian)	0.02	Agvet chemical: Streptomycin and Dihydrostreptomycin	
Melons, except watermelon	0.5	<i>Permitted residue: Inhibitory substance, identified as streptomycin or dihydrostreptomycin</i>	
Milks	*0.005	Edible offal (mammalian)	*0.3
Mushrooms	7	Meat (mammalian)	*0.3
Passionfruit	0.5	Milks	*0.2
Peanut	*0.02		
Peppers, chili, dried	15	Agvet chemical: Sulfosulfuron	
Pineapple	0.3	<i>Permitted residue: Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron</i>	
Pome fruits [except Persimmon, Japanese]	0.5	Edible offal (mammalian)	*0.005
Potato	5	Eggs	*0.005
Poultry, edible offal of	*0.02	Meat (mammalian)	*0.005
Poultry meat	*0.02	Milks	*0.005
Rhubarb	5	Poultry, edible offal of	*0.005
Sorghum, grain	T*0.02	Poultry meat	*0.005
Soya bean (dry)	T5	Triticale	*0.01
Stone fruits [except jujube, Chinese]	4.5	Wheat	*0.01
Strawberry	0.3		
Sugar beet	0.06	Agvet chemical: Sulfoxaflor	
Sugar beet, molasses	0.3	<i>Permitted residue: Sulfoxaflor</i>	
Sweet corn (corn-on-the-cob)	1	All other foods except animal food	0.01
Sweet potato	5	commodities	
Tree nuts [except almonds]	0.5	Assorted tropical and sub-tropical fruits – inedible peel [except banana and pineapple]	0.5
Watermelon	0.5	Barley, similar grains, and pseudocereals with husks [except oats]	0.2
		Blueberries	T2

Blueberries	2	Agvet chemical: Sulfuryl fluoride	
Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; Chinese cabbage (Pe-tsai)]	3	<i>Permitted residue: Sulfuryl fluoride</i>	
Broccoli, Chinese (Gai lan)	3	All other foods except animal food commodities	0.02
Cane berries	1.5	Cereal grains [except sweet corns]	0.05
Carob	5	Dried fruits	0.07
Cauliflower	0.1	Peanut	15
Celery	1.5	Tree nuts	7
Cherries	3		
Chinese cabbage (Pe-tsai)	5	Agvet chemical: Sulphadiazine	
Citrus fruits	0.7	<i>Permitted residue: Sulphadiazine</i>	
Cotton seed	0.3	Cattle milk	0.1
Cranberry	0.7	Edible offal (mammalian)	0.1
Dry beans	0.7	Eggs	T*0.02
Edible offal (mammalian)	2	Meat (mammalian)	0.1
Eggs	*0.01	Poultry, edible offal of	0.1
Fats (mammalian)	0.2	Poultry meat	0.1
Fruiting vegetables, cucurbits	0.5		
Fruiting vegetables, other than cucurbits	1	Agvet chemical: Sulphadimidine	
Fungi, edible (except mushrooms)	1	<i>Permitted residue: Sulphadimidine</i>	
Herbs	20	Meat (mammalian)	0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	5	Edible offal (mammalian)	0.1
Lettuce, head	1	Eggs	*0.005
Meat (mammalian)	0.7	Poultry, edible offal of [except turkey]	0.1
Milks	0.3	Poultry meat	0.1
Mushrooms	1	Turkey, edible offal of	0.2
Mustard seeds	T0.15		
Oats	*0.01	Agvet chemical: Sulphadoxine	
Peppers, chili, dried	15	<i>Permitted residue: Sulphadoxine</i>	
Pineapple	0.2	Cattle milk	*0.1
Pome fruits	0.5	Edible offal (mammalian)	*0.1
Potato	0.01	Meat (mammalian)	*0.1
Poultry, edible offal of	0.02		
Poultry meat	0.7	Agvet chemical: Sulphaquinoxaline	
Rape seed (canola)	0.15	<i>Permitted residue: Sulphaquinoxaline</i>	
Rice	7	Eggs	T*0.01
Rice, husked	1.5	Poultry, edible offal of	0.1
Rice, polished	1	Poultry meat	0.1
Root and tuber vegetables [except potato]	0.05		
Sorghum, grain	0.2	Agvet chemical: Sulphatroxazole	
Sorghum grain and millet	0.15	<i>Permitted residue: Sulphatroxazole</i>	
Soya bean (dry)	0.3	Cattle milk	0.1
Stone fruits [except cherries]	1	Edible offal (mammalian)	0.1
Strawberry	0.7	Meat (mammalian)	0.1
Table grapes	2		
Tree nuts	0.03	Agvet chemical: Sulphur dioxide	
Wheat, similar grains, and pseudocereals without husks	0.05	<i>Permitted residue: Sulphur dioxide</i>	
Wine grapes	*0.01	Blueberries	10
		Longan, edible aril	10
		Strawberry	T30
		Table grapes	10

Agvet chemical: Tebuconazole		Pome fruits [except pear; Persimmon, Japanese]	*0.01
<i>Permitted residue: Tebuconazole</i>		Pomegranate	T*0.01
All other foods except animal food commodities	0.05	Poultry, edible offal of	0.5
Anise myrtle leaves (dried)	T5	Poultry meat	0.1
Avocado	0.2	Pulses [except soya bean (dry)]	1
Banana	0.2	Radish	T0.3
Barley	1	Radish leaves	T2
Beetroot	T0.3	Rape seed (canola)	0.3
Beetroot leaves	T2	Rice	1.5
Blackberries	1	Soya bean (dry)	0.1
Bulb onions [except garlic]	0.07	Spices [except peppers, chili, dried]	1
Carrot	T0.5	Spinach	T2
Cereal grains [except barley, oats; rice; sweet corns]	0.2	Stone fruits [except cherries; jujube, Chinese]	1
Chard (silver beet)	T2	Strawberry	2
Cherries	5	Sugar cane	0.1
Chicory leaves	T2	Sunflower seed	0.1
Citrus fruits [except mandarins; oranges, sweet, sour]	0.2	Sunflower seed oil, edible	0.2
Coffee bean	T0.1	Sweet corn (corn-on-the-cob)	T0.7
Cotton seed	2	Table olives	2
Custard apple	2	Tomato	0.5
Dried grapes (currants, raisins and sultanas)	7	Tree nuts	0.05
Edible offal (mammalian)	0.5	<hr/>	
Eggs	0.1	Agvet chemical: Tebufenozide	
Endive	T2	<i>Permitted residue: Tebufenozide</i>	
Fennel, bulb	*0.01	All other foods except animal food commodities	0.05
Fruiting vegetables, cucurbits	0.5	Avocado	0.5
Garlic	T0.2	Blueberries	3
Grapes	6	Citrus fruits [except kumquats]	1
Green onions	2	Cranberry	0.5
Hops, dry	40	Custard apple	0.3
Legume vegetables	0.5	Dried grapes	4
Lemon myrtle leaves (dried)	T5	Edible offal (mammalian)	*0.02
Lettuce, head	0.1	Grapes	2
Lettuce, leaf	0.1	Kiwifruit	2
Mandarins	0.7	Litchi	2
Meat (mammalian)	0.1	Longan	2
Melons, except watermelon	0.4	Macadamia nuts	0.05
Milks	0.05	Meat (mammalian) (in the fat)	*0.02
Mustard seeds	0.3	Milks	*0.01
Oats	1	Peppers, chili, dried	10
Olives for oil production	2	Pome fruits [except Persimmon, Japanese]	1
Olive oil, crude	5	<hr/>	
Orange oil, edible	10	Agvet chemical: Tebufenpyrad	
Oranges, Sweet, Sour	0.4	<i>Permitted residue: Tebufenpyrad</i>	
Papaya (pawpaw)	0.2	All other foods except animal food commodities	0.02
Passionfruit	0.5	Cucumber	*0.02
Peanut	0.1	Peach	1
Pear	1	Pome fruits [except Persimmon, Japanese]	1
Persimmon, American	2	Strawberry	1
Peppers, chili, dried	10	Tea, green, black	0.1
Peppers, sweet	1	<hr/>	

Agvet chemical: Tebuthiuron	
<i>Permitted residue: Sum of tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron</i>	
Edible offal (mammalian)	2
Meat (mammalian)	0.5
Milks	0.2

Agvet chemical: Teflubenzuron	
<i>Permitted residue: Teflubenzuron</i>	
Citrus fruits [except kumquats]	0.5
Coffee beans	0.3
Maize	0.1
Soya bean (dry)	0.05
Sugar cane	0.01

Agvet chemical: Temephos	
<i>Permitted residue: Sum of temephos and temephos sulfoxide, expressed as temephos</i>	
Cattle, edible offal of	T2
Cattle meat (in the fat)	T5
Sheep, edible offal of	0.5
Sheep meat (in the fat)	3

Agvet chemical: Terbacil	
<i>Permitted residue: Terbacil</i>	
Apple	*0.04
Blueberries	0.2
Peach	*0.04
Peppermint oil	*0.1

Agvet chemical: Terbufos	
<i>Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos</i>	
Banana	0.05
Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Cereal grains [except sweet corns]	*0.01
Eggs	*0.01
Peanut	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sunflower seed	*0.05
Sweet corn (corn-on-the-cob)	*0.05

Agvet chemical: Terbutylazine	
<i>Permitted residue: Terbutylazine</i>	
Cereal grains [except sweet corns]	*0.01
Cotton seed	0.01
Edible offal (mammalian)	*0.01

Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seeds	T*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.02
Rape seed (canola)	*0.02
Sugar cane	*0.01
Sweet corn (corn-on-the-cob)	*0.01

Agvet chemical: Terbutryn	
<i>Permitted residue: Terbutryn</i>	
Cereal grains [except sweet corns]	*0.1
Edible offal (mammalian)	3
Eggs	*0.05
Meat (mammalian)	0.1
Milks	0.1
Peas	*0.1
Poultry, edible offal of	*0.05
Poultry meat	0.1
Sugar cane	*0.05

Agvet chemical: Tetraconazole	
<i>Permitted residue: Tetraconazole</i>	
All other foods except animal food commodities	0.02
Berries and other small fruits [except grapes]	0.2
Edible offal (mammalian)	0.2
Grapes	0.5
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Peanut	0.03

Agvet chemical: Tetracycline	
<i>Permitted residue: Inhibitory substance, identified as tetracycline</i>	
Milks	*0.1

Agvet chemical: Tetraniliprole	
<i>Permitted residue: Tetraniliprole</i>	
All other foods except animal food commodities	0.02
Almonds	0.05
Apricots, dried	3
Banana	*0.01
Cane berries	T0.5
Cherries	1
Edible offal (mammalian)	0.7
Eggs	*0.01
Fig	T0.5
Grapes	0.5
Litchi	T0.5

Macadamia nuts	*0.01
Maize	0.02
Mango	0.1
Meat (mammalian) [in the fat]	0.1
Milks	0.1
Milk fats	0.2
Pineapple	T*0.01
Pome fruits	0.5
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Prunes	3
Stone fruits [except cherries]	0.7
Sweet corn (corn-on-the-cob)	*0.01

Agvet chemical: Thiabendazole

Permitted residue—commodities of plant origin: Thiabendazole

Permitted residue—commodities of animal origin: Sum of thiabendazole and 5-hydroxythiabendazole, expressed as thiabendazole

All other foods except animal food commodities	0.03
Apple	10
Banana	3
Citrus fruits [except kumquats]	10
Edible offal (mammalian)	0.2
Mango	7
Meat (mammalian)	0.2
Milks	0.05
Mushrooms	0.5
Onion, bulb	0.05
Pear	10
Potato	5
Sweet potato	9
Taro	T50

Agvet chemical: Thiacloprid

Permitted residue: Thiacloprid

All other foods except animal food commodities	0.1
Chives	5
Coriander (leaves)	5
Cotton seed	0.1
Currants, black, red, white	1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Herbs	5
Meat (mammalian)	*0.02
Milks	*0.01
Mustard seed	0.5
Peppers, chili	1
Peppers, sweet	1
Pome fruits [except Persimmon, Japanese]	1
Poultry, edible offal of	*0.02

Poultry meat	*0.02
Raspberries, red, black	6
Spices	0.1
Stone fruits [except jujube, Chinese]	2
Strawberry	1
Tea, green, black	10

Agvet chemical: Thiamethoxam

See also *Clothianidin*

Permitted residue—commodities of plant origin: Thiamethoxam

Commodities of animal origin: Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as Thiamethoxam

(Note: the metabolite clothianidin has separate MRLs)

All other foods except animal food commodities	T0.5
Beans [except broad bean; soya bean]	T0.2
Berries and other small fruits [except grapes]	0.5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	3
Broccoli, Chinese (Gai lan)	3
Celery	1
Cereal grains [except maize; sorghum, grain; sweet corns]	*0.01
Chinese cabbage (Pe-tsai)	2
Citrus fruits [except kumquats]	1
Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	T1
Fruiting vegetables, other than cucurbits	0.7
Fungi, edible (except mushrooms)	0.7
Grapes	0.2
Hops, dry	0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	2
Maize	*0.02
Mango	0.07
Meat (mammalian)	*0.02
Milks	*0.005
Mushrooms	0.7
Mustard seeds	T*0.01
Peppers, chili, dried	7
Podded pea (young pods) (snow and sugar snap)	0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rape seed (canola)	*0.01
Root and tuber vegetables	T0.7

Sorghum, grain	*0.02
Stone fruits [except jujube, Chinese]	0.5
Sunflower seed	*0.02
Sweet corn (corn-on-the-cob)	*0.02
Tea, green, black	20

Agvet chemical: Thidiazuron

Permitted residue: Thidiazuron

Cotton seed	*0.5
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Thiobencarb

Permitted residue: Thiobencarb

Rice	*0.05
------	-------

Agvet chemical: Thiodicarb

Permitted residue: Sum of thiodicarb and methomyl, expressed as thiodicarb

All other foods except animal food commodities	0.1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Chia	T1
Cotton seed	*0.1
Cotton seed oil, crude	*0.1
Edible offal (mammalian)	*0.05
Maize	*0.1
Meat (mammalian)	*0.05
Milks	*0.05
Potato	0.1
Pulses	*0.1
Sweet corn (corn-on-the-cob)	*0.1
Tomato	2

Agvet chemical: Thiophanate

see *Carbendazim*

Agvet chemical: Thiophanate-methyl

Permitted residue: Sum of thiophanate-methyl and 2-aminobenzimidazole, expressed as thiophanate-methyl

All other foods except animal food commodities	0.1
Almonds	0.1
Apricot	15
Cherries	20
Currants, black, red, white	*0.1
Grapes	5
Mango	2
Nectarine	3

Peach	3
Peanut	0.1
Plums	0.5
Raspberries, red, black	*0.1
Rhubarb	*0.1
Strawberry	*0.1

Agvet chemical: Thiram

see *Dithiocarbamates*

Agvet chemical: Tiafenacil

Permitted residue—commodities of plant origin: Tiafenacil

Permitted residue—Sum of tiafenacil and 3-(2-(2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)phenylthio)propanamido)propanoic acid (M-01), expressed as tiafenacil

Cereal grains [except sweet corns]	*0.01
Cotton seed	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Mustard seeds	*0.01
Poultry meat	*0.02
Poultry, edible offal of	*0.02
Pulses	*0.01
Rape seed (canola)	*0.01

Agvet chemical: Tiamulin

Permitted residue: Tiamulin

Pig, edible offal of	*0.1
Pig meat	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Tilmicosin

Permitted residue: Tilmicosin

Cattle, edible offal of	1
Cattle meat	*0.05
Pig, edible offal of	1
Pig meat	0.05

Agvet chemical: Tioxazafen

Permitted residue: Sum of tioxazafen and benzamidine (benzenecarboximidamide), expressed as tioxazafen

Cotton seed	*0.01
Edible offal (mammalian)	0.03
Eggs	*0.02
Fats (mammalian)	0.03
Maize	*0.01

Meat (mammalian)	0.02
Milks	0.02
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Soya bean (dry)	0.04

Agvet chemical: Tolclofos-methyl

Permitted residue: Tolclofos-methyl

All other foods except animal food commodities	0.02
Beetroot	*0.01
Cotton seed	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Leafy greens [except chard; purslane; spinach]	0.7
Mammalian fats [except meat fats]	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Potato	0.3
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01

Agvet chemical: Tolfenamic acid

Permitted residue: Tolfenamic acid

Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	0.05
Cattle milk	0.05
Pig kidney	*0.01
Pig liver	0.1
Pig meat	*0.01

Agvet chemical: Tolfenpyrad

Permitted residue—commodities of plant origin: Tolfenpyrad

Permitted residue—commodities of animal origin: Sum of tolfenpyrad, and free and conjugated PT-CA (4-[4-[(4-chloro-3-ethyl-1-methylpyrazol-5-yl) carbonylamino]methyl] phenoxy) benzoic acid and OH-PT-CA (4-[4-[[4-chloro-3(1-hydroxyethyl)-1-methylpyrazol-5-yl] carbonylamino]methyl] phenoxy) benzoic acid) (released with alkaline hydrolysis), expressed as tolfenpyrad

Bulb onions	0.09
Citrus oil, edible	80
Edible offal (mammalian)	0.4
Eggs	*0.01
Lemons and Limes	0.9
Mammalian fats [except milk fats]	*0.01
Mandarins	0.9
Meat (mammalian)	*0.01
Milks	*0.01

Oranges, Sweet, Sour	0.6
Peppers [except martynia; okra; roselle]	0.5
Peppers, chili, dried	5
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Pummelos	0.6

Agvet chemical: Toltrazuril

Permitted residue: Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril

Cattle fat	1
Cattle kidney	1
Cattle liver	2
Cattle muscle	0.25
Chicken, edible offal of	5
Chicken meat	2
Eggs	*0.03
Pig, edible offal of	2
Pig meat (in the fat)	1

Agvet chemical: Topramezone

Permitted residue: Topramezone

Barley	*0.01
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.001
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.01

Agvet chemical: Tralkoxydim

Permitted residue: Tralkoxydim

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

Agvet chemical: Trenbolone acetate

Permitted residue: Sum of trenbolone acetate and 17 Alpha- and 17 Beta-trenbolone, both free and conjugated, expressed as trenbolone

Cattle, edible offal of	0.01
Cattle meat	0.002

Agvet chemical: Triadimefon

Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon

see also *Triadimenol*

All other foods except animal food commodities	0.05
Apple	1
Cereal grains [except sweet corns]	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.1

Field pea (dry)	0.1	Parsnip	0.2
Fruiting vegetables, cucurbits	0.2	Peppers, chili, dried	5
Fruiting vegetables, other than cucurbits	0.2	Poultry, edible offal of	*0.01
Fungi, edible (except mushrooms)	0.2	Poultry meat	*0.01
Garden pea, shelled (succulent seeds)	0.1	Radish	0.2
Garden pea (young pods, succulent seeds)	0.1	Riberry	0.3
Grapes	1	Shallot	T3
Fats (mammalian)	*0.25	Sorghum, grain	0.5
Meat (mammalian)	*0.05	Spring onion	T3
Milks	*0.1	Strawberry	0.5
Mushrooms	0.2	Sugar cane	*0.05
Peppers, chili, dried	5	Swede	0.2
Poultry, edible offal of	*0.05	Sweet corns	1
Poultry meat	*0.05	Tea, green, black	0.2
Strawberry	0.5	Turnip, garden	0.2
Sugar cane	*0.05		
Sweet corns	0.2		
Tea, green, black	0.2		
<hr/>			
Agvet chemical: Triadimenol			
<i>Permitted residue: Triadimenol</i>			
see also <i>Triadimefon</i>			
All other foods except animal food commodities	0.05		
Anise myrtle leaves (dried)	0.05		
Berries and other small fruits [except grapes; riberry; strawberry]	T0.5		
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1		
Broccoli, Chinese (Gai lan)	1		
Cereal grains [except sorghum, grain; sweet corns]	*0.01		
Cherries	0.1		
Chives	T3		
Cotton seed	T0.01		
Cotton seed oil, crude	T0.05		
Edible offal (mammalian)	*0.01		
Eggs	*0.01		
Fruiting vegetables, cucurbits	0.5		
Fruiting vegetables, other than cucurbits	1		
Fungi, edible (except mushrooms)	1		
Grapes	0.5		
Leek	T3		
Lemon grass	T*0.05		
Lemon myrtle leaves (dried)	0.05		
Meat (mammalian)	*0.01		
Milks	*0.01		
Mushrooms	1		
Onion, bulb	0.05		
Onion, Chinese	T3		
Onion, Welsh	T3		
Papaya (pawpaw)	0.2		
<hr/>			
		Agvet chemical: Triallate	
		<i>Permitted residue: Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate</i>	
Cereal grains [except sweet corns]	*0.05		
Edible offal (mammalian) [except kidney]	*0.1		
Eggs	*0.01		
Fats (mammalian)	0.2		
Kidney of cattle, goats, pigs and sheep	0.2		
Legume vegetables	*0.05		
Meat (mammalian)	*0.1		
Milks	*0.1		
Oilseed	0.1		
Palm nuts	0.1		
Peanut	0.1		
Poultry, edible offal of	0.2		
Poultry fats	0.2		
Poultry meat	*0.1		
Pulses	0.1		
<hr/>			
		Agvet chemical: Triasulfuron	
		<i>Permitted residue: Triasulfuron</i>	
Cereal grains [except sweet corns]	*0.02		
Edible offal (mammalian)	*0.05		
Eggs	*0.05		
Meat (mammalian)	*0.05		
Milks	*0.01		
<hr/>			
		Agvet chemical: Triazophos	
		<i>Permitted residue: Triazophos</i>	
Coriander, seed	0.1		
<hr/>			
		Agvet chemical: Tribenuron-methyl	
		<i>Permitted residue: Tribenuron-methyl</i>	
Barley	*0.01		
Chick-pea (dry)	*0.01		

Cotton seed	*0.05	Peanut	0.1
Edible offal (mammalian)	*0.01	Pepino	T5
Maize	*0.05	Peppers	0.2
Meat (mammalian)	*0.01	Perisimmon, Japanese	T3
Milks	*0.01	Pig, edible offal of	0.1
Mung bean (dry)	*0.01	Pig fat	0.1
Oats	*0.01	Pig meat	0.1
Rape seed (canola)	*0.01	Poultry, edible offal of	*0.05
Sorghum, grain	*0.01	Poultry meat	*0.05
Soya bean (dry)	*0.01	Pulses [except soya bean (dry)]	0.2
Sunflower seed	*0.01	Quince	T3
Wheat	*0.01	Rollinia	T3
<hr/>			
Agvet chemical: Trichlorfon			
<i>Permitted residue: Trichlorfon</i>			
<hr/>			
Achachairu	T3	Shaddock (pomelo)	T3
All other foods except animal food commodities	0.05	Soya bean (dry)	0.1
Assorted tropical and sub-tropical fruits – edible peel	T3	Stone fruits	T3
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	T3	Sugar beet	0.05
Babaco	T3	Sugar cane	*0.05
Beetroot	0.2	Sweet corn (corn-on-the-cob)	0.2
Berries and other small fruits	T2	Tamarillo (tree tomato)	T3
Brussels sprouts	0.2	Thai egg plant	T0.5
Cape gooseberry (ground cherry)	T0.5	Vegetables [except beetroot; Brussels sprouts; cape gooseberry (ground cherry); cauliflower; celery; eggplant; kale; pepino; peppers; pulses (dry); sugar beet; Thai eggplant]	0.1
Cattle, edible offal of	0.1	<hr/>	
Cattle fat	0.1	Agvet chemical: Triclabendazole	
Cattle meat	0.1	<i>Permitted residue: Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents</i>	
Cauliflower	0.2	Fats (mammalian)	1
Celery	0.2	Kidney (mammalian)	1
Cereal grains [except sweet corn, corn-on-the-cob]	0.1	Liver (mammalian)	2
Dried fruits	2	Meat (mammalian)	0.5
Egg plant	T0.5	Milks	0.01
Eggs	*0.05	<hr/>	
Fish muscle	T*0.01	Agvet chemical: Triclopyr	
Fruit [except achachairu; assorted tropical and sub-tropical fruits – edible peel; assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]; babaco; berries and other small fruits; dried fruits; loquat; medlar; miracle fruit; quince; rollinia; pomelo; stone fruits [except jujube, Chinese]	T0.1	<i>Permitted residue: Triclopyr</i>	
Goat, edible offal of	0.1	Cattle, edible offal of	5
Goat meat	0.1	Cattle meat (in the fat)	0.2
Kale	0.2	Citrus fruits [except kumquats]	0.2
Kumquats	T3	Goat, edible offal of	5
Loquat	T3	Goat meat (in the fat)	0.2
Macadamia nuts	0.1	Litchi	0.1
Medlar	T3	Milks (in the fat)	0.1
Milks	*0.05	Poppy seed	*0.01
Miracle fruit	T3	Sheep, edible offal of	5
Oilseed [except peanut]	0.1	Sheep meat (in the fat)	0.2
<hr/>			
Agvet chemical: Tridemorph			
<i>Permitted residue: Tridemorph</i>			
<hr/>			
Tea, green, black			0.05

Agvet chemical: Trifloxystrobin

Permitted residue: Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminooxymethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents

All other foods except animal food commodities	0.05
Almonds	0.05
Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)]	2
Banana	0.5
Barley	0.5
Beans [except broad bean; common bean (pods and/or immature seeds); soya bean]	0.06
Beetroot	T0.5
Beetroot leaves	T10
Broccoli	2
Cane berries	3
Carrot	0.1
Cauliflower	2
Celery	T5
Chard (silver beet)	T10
Chick-pea (dry)	T*0.02
Chicory leaves	T10
Common bean (pods and/or immature seeds)	0.4
Cotton seed	*0.04
Cucumber	0.5
Currants, black, red, white	3
Dried grapes	2
Edible offal (mammalian)	*0.05
Endive	T10
Grapefruit	0.6
Grapes	3
Hops, dry	11
Lemon	0.6
Lentil (dry)	T*0.02
Lettuce, head	15
Lettuce, leaf	15
Macadamia nuts	T*0.05
Maize	0.05
Meat (mammalian)	*0.05
Melons, except watermelon	0.5
Milks	*0.02
Mustard seeds	T*0.02
Oranges	0.6
Peanut	0.05
Peanut oil, crude	0.05
Peppers, sweet, chili	0.5
Persimmon, Japanese	1.5
Pistachio nut	0.04
Podded pea (young pods) (snow and sugar snap)	0.06

Pome fruits [except Persimmon, Japanese]	0.7
Popcorn	0.05
Rape seed (canola)	*0.02
Rice	5
Spinach	T10
Stone fruits	5
Strawberry	2
Sugar beet	0.1
Sweet corn (corn-on-the-cob)	0.04
Tomato	0.7
Walnuts	0.04
Wheat	0.2

Agvet chemical: Trifloxysulfuron sodium

Permitted residue: Trifloxysulfuron

Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sugar cane	*0.01

Agvet chemical: Trifludimoxazin

Permitted residue: Trifludimoxazin

Barley	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.001
Oats	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Triflumezopyrim

Permitted residue—commodities of plant origin: Triflumezopyrim

Permitted residue—commodities of animal origin: Triflumezopyrim

Rice	0.2
------	-----

Agvet chemical: Triflumizole

Permitted residue: Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro- N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole

Cherries	1.5
----------	-----

Grapes	2.5
Hops, dry	50

Agvet chemical: Triflumuron

Permitted residue: Triflumuron

Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian) [except sheep, edible offal of]	*0.05
Eggs	0.01
Hops, dry	50
Meat (mammalian) [except sheep meat (in the fat)]	*0.05
Milks	*0.05
Mushrooms	0.1
Palm nuts	*0.05
Peanut	*0.05
Poultry, edible offal of	0.01
Poultry meat (in the fat)	0.1
Sheep, edible offal of	0.1
Sheep meat (in the fat)	2

Agvet chemical: Trifluralin

Permitted residue: Trifluralin

Adzuki bean (dry)	*0.05
All other foods except animal food commodities	0.01
Almonds	0.05
Bergamot	T*0.05
Broad bean (dry)	*0.05
Burnet, salad	T*0.05
Carrot	0.5
Cereal grains [except sweet corns]	*0.05
Chia	T*0.01
Chick-pea (dry)	*0.05
Chives	T*0.05
Coriander (leaves, roots, stems)	T*0.05
Coriander, seed	T*0.05
Cowpea (dry)	*0.05
Dill, seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fennel, bulb	T0.5
Fennel, seed	T*0.05
Fruit	*0.05
Galangal, Greater	T0.5
Herbs	T*0.05
Hyacinth bean (dry)	*0.05
Kaffir lime leaves	T*0.05
Lemon grass	T*0.05
Lemon verbena (fresh weight)	T*0.05
Lupin (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T*0.05
Mung bean (dry)	*0.05

Oilseed	*0.05
Parsnip	T0.5
Poultry meat	*0.05
Poultry, edible offal of	*0.05
Rose and dianthus (edible flowers)	T*0.05
Sugar cane	*0.05
Sweet corns	0.05
Tea, green, black	*0.05
Turmeric, root (fresh)	T0.5
Vegetables [except as otherwise listed under this chemical]	0.05

Agvet chemical: Triforine

Permitted residue: Triforine

Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except jujube, Chinese]	10

Agvet chemical: Trimethoprim

Permitted residue: Trimethoprim

Cattle milk	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	0.05
Poultry, edible offal of	0.05
Poultry meat	0.05

Agvet chemical: Trinexapac-ethyl

Permitted residue: Trinexapac acid

Bran, unprocessed of cereal grains	0.5
Cereal grains [except sweet corns]	0.2
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.02
Milks	*0.005
Poppy seed	20
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sugar cane	0.1

Agvet chemical: Triticonazole

Permitted residue: Triticonazole

Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Tulathromycin

Permitted residue: Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents

Cattle fat	0.1
Cattle kidney	1
Cattle liver	3
Cattle muscle	0.1
Pig fat/skin	0.3
Pig kidney	3
Pig liver	2
Pig muscle	0.5
Sheep fat	*0.05
Sheep kidney	0.3
Sheep liver	1
Sheep muscle	0.15

Agvet chemical: Tylosin

Permitted residue: Tylosin A

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.2
Milks	*0.05
Pig, edible offal of	*0.2
Pig fat	*0.1
Pig meat	*0.2
Poultry, edible offal of	*0.2
Poultry fats	*0.1
Poultry meat	*0.2

Agvet chemical: Uniconazole-p

Permitted residue: Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p

Avocado	0.5
Carrot	T*0.01
Custard apple	T*0.01
Poppy seed	*0.01
Walnuts	T*0.01

Agvet chemical: Valifenalate

Permitted residue: Valifenalate

Edible offal (mammalian)	*0.01
Eggplant	0.4
Eggs	*0.01
Table grapes	0.3
Mammalian fats [except milk fats]	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	0.5

Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Shallot	0.5
Tomato	0.4

Agvet chemical: Virginiamycin

Permitted residue: Inhibitory substance, identified as virginiamycin

Cattle, edible offal of	0.2
Cattle fat	0.2
Cattle milk	0.1
Cattle meat	*0.1
Poultry, edible offal of	0.2
Poultry fats	0.2
Poultry meat	0.1
Sheep, edible offal of	0.2
Sheep meat	0.1

Agvet chemical: Warfarin

Permitted residue: Warfarin

Pig, edible offal [except liver]	T0.007
Pig fat	T0.007
Pig liver	T0.04
Pig meat	T0.007

Agvet chemical: Zeranol

Permitted residue: Zeranol

Cattle, edible offal of	0.02
Cattle meat	0.005

Agvet chemical: Zeta-cypermethrin

see Cypermethrin

Agvet chemical: Zetacypermethrin

see Cypermethrin

Agvet chemical: Zinc phosphide

See Phosphine

Agvet chemical: Zineb

See Dithiocarbamates

Agvet chemical: Ziram

See Dithiocarbamates

Agvet chemical: Zoxamide

Grapes

5

Permitted residue: Zoxamide

Amendment History

The Amendment History provides information about each amendment to the Schedule. The information includes commencement or cessation information for relevant amendments.

These amendments are made under section 92 of the *Food Standards Australia New Zealand Act 1991* unless otherwise indicated. Amendments do not have a specific date for cessation unless indicated as such.

About this compilation

This is compilation No. 75 of Schedule 20 as in force on **25 July 2023** (up to Amendment No. 220 /APVMA 3, 2023). It includes any commenced amendment affecting the compilation to that date.

Prepared by Food Standards Australia New Zealand on **25 July 2023**.

Uncommenced amendments or provisions ceasing to have effect.

To assist stakeholders, the effect of any uncommenced amendments or provisions which will cease to have effect, may be reflected in the Schedule as shaded boxed text with the relevant commencement or cessation date. These amendments will be reflected in a compilation registered on the Federal Register of Legislation including or omitting those amendments and provided in the Amendment History once the date is passed.

The following abbreviations may be used in the table below:

ad = added or inserted

exp = expired or ceased to have effect

rep = repealed

am = amended

(md not Incorp) = misdescribed amendment cannot be given effect.

rs = repealed and substituted

Schedule 20 was published in the Food Standards Gazette No. FSC96 on 10 April 2015 as part of Amendment 154 (F2015L00468 — 1 April 2015) and has since been amended as follows:

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Std heading	161	F2016L00118 17 Feb 2016 FSC103 22 Feb 2016	1 March 2016	am	Remove number from Note.
2(b), (c)	166	F2017L00026 5 Jan 2017 FSC108 12 Jan 2017	12 Jan 2017	am, ad	Insert new paragraph (c) with consequential formatting amendment to paragraph (b).
table to S20—3	161	F2016L00118 17 Feb 2016 FSC103 22 Feb 2016	1 March 2016	rs	Table.
table to S20—3	APVMA 1, 2016	F2016L00141 24 Feb 2016 APVMA Special 1 March 2016	1 March 2016	am	Abamectin, Azoxystrobin, Chlorothalonil, Clothianidin, Cyazofamid, Dithiocarbamates, Flumioxazin, Imidacloprid, Methabenzthiazuron, Propachlor, Pymetrozine, Spinetoram, Tebuconazole and Trichlorfon.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
table to S20—3	APVMA 2, 2016	F2016L00247 8 March 2016 APVMA 5 8 March 2016	8 March 2016	ad	Oxathiapiprolin.
table to S20—3	APVMA 2, 2016	F2016L00247 8 March 2016 APVMA 5 8 March 2016	8 March 2016	am	Aminoethoxyvinyl-glycine, Chlorantraniliprole, Difenconazole, Etoazole, Flumioxazin, Glyphosate, Prochloraz, Propiconazole, Sethoxydim, Spirotetramat and Triclabendazole.
table to S20—3	APVMA 3, 2016	F2016L00489 5 April 2016 APVMA 7 5 April 2016	5 April 2016	am	Permitted residue for Abamectin.
table to S20—3	APVMA 3, 2016	F2016L00489 5 April 2016 APVMA 7 5 April 2016	5 April 2016	am	Abamectin and Sethoxydim.
table to S20—3	APVMA 4, 2016	F2016L00616 2 May 2016 APVMA 9 3 May 2016	3 May 2016	ad	Decoquinate.
table to S20—3	APVMA 4, 2016	F2016L00616 2 May 2016 APVMA 9 3 May 2016	3 May 2016	am	Azoxystrobin, Bifenthrin, Cyproconazole, Difenconazole, Ethephon, Etoazole, Maldison and Spinetoram.
table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	am	Permitted residue for Clethodim.
table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	ad	Cycloxydim, Famoxadone, Flupyradifurone, Folpet, Fosetyl-aluminium and Mesotrione.
table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	am	Acetamiprid, Boscalid, Buprofezin, Carbaryl, Carbendazim, Clopyralid, Clothianidin, Cyantraniliprole, Cyprodinil, Dichlobenil, Difenconazole, Dimethenamid-P, Dodine, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fludioxonil, Fluopyram, Flutriafol, Fluxapyroxad, Fosetyl, Glyphosate, Imazamox, Imazapic, Imazapyr, Imazethapyr, Indoxacarb, Maldison, Metaflumizone, Metalaxyl, Metrafenone, Norflurazon, Penconazole, Pyraclostrobin, Spinetoram, Spinosad, Tebuconazole, Thiamethoxam, Thiophanate-methyl and Triadimefon.
table to S20—3	APVMA 5, 2016	F2016L00863 31 May 2016 APVMA 11 31 May 2016	31 May 2016	am	Residue definition for Glyphosate.
table to S20—3	APVMA 5, 2016	F2016L00863 31 May 2016 APVMA 11 31 May 2016	31 May 2016	am	Acetamiprid, Acibenzolar-S-methyl, Boscalid, Clothianidin, Flonicamid, Metalaxyl, Metsulfuron-methyl, Pymetrozine and Sulfoxaflor.
table to S20—3	APVMA 6, 2016	F2016L01088 28 June 2016 APVMA 13 28 June 2016	28 June 2016	am	Bixafen, Difenconazole, Fenvalerate, Imazapic, Imazapyr, Milbemectin and Quinoxifen.
table to S20—3	APVMA 7, 2016	F2016L01238 26 July 2016 APVMA 15 26 July 2016	26 July 2016	am	Azoxystrobin, Chloridazon, Flamprop-methyl, Fluensulfone, Mandipropamid, Meloxicam.
table to S20—3	APVMA 8, 2016	F2016L01316 23 Aug 2016 APVMA 17 23 Aug 2016	23 Aug 2016	am	Azoxystrobin, Buprofezin, Cyproconazole, Prothioconazole and Spirotetramat.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
table to S20—3	APVMA 9, 2016	F2016L01579 4 Oct 2016 APVMA 20 4 Oct 2016	4 Oct 2016	am	Bromoxynil, Carbendazim, Clothianidin, Ethephon, Iprodione, Linuron, Methabenzthiazuron and Pirimicarb.
table to S20—3	APVMA 10, 2016	F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016	15 Nov 2016	ad	Amisulbrom and Mandestrobin.
table to S20—3	APVMA 10, 2016	F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016	15 Nov 2016	am	Abamectin, Acibenzolar-S-methyl, Boscalid, Buprofezin, Chlorantraniliprole, Chlorothalonil, Difenconazole, Dithiocarbamates, Etoazole, Flubendiamide, Iprodione and Saflufenacil.
table to S20—3	APVMA 11, 2016	F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016	29 Nov 2016	ad	Pyriofenone.
table to S20—3	APVMA 11, 2016	F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016	29 Nov 2016	am	Azoxystrobin, Boscalid and Propachlor.
table to S20—3	APVMA 1, 2017	F2017L00033 6 Jan 2017 APVMA1 10 Jan 2017	10 Jan 2017	ad	Nicosamide.
table to S20—3	APVMA 1, 2017	F2017L00033 6 Jan 2017 APVMA 1 10 Jan 2017	10 Jan 2017	am	Azoxystrobin, Captan, Cyproconazole, Cypermethrin, Dimethomorph, Emamectin, Metribuzin, Prothioconazole and Tebuconazole.
table to S20—3	166	F2017L00026 5 Jan 2017 FSC108 12 Jan 2017	12 Jan 2017	am	Ametoctradin, Azoxystrobin, Bifenthrin, Captan, Cyfluthrin, Deltamethrin, Fenhexamid, Fludioxonil, Glyphosate, Iprodione, Methomyl, Penthopyrad, 2-Phenylphenol, Pyrimethanil, Spinosad, Thiabendazole, Thiodicarb, Triadimefon and Triadimenol.
table to S20—3	APVMA 2, 2017	F2017L00096 6 Feb 2017 APVMA 3 7 Feb 2017	7 Feb 2017	am	Azoxystrobin, Clothianidin, Fluopicolide, Propamocarb, Propiconazole, Sulfoxaflor and Tebuconazole.
table to S20—3	APVMA 3, 2017	F2017L00264 20 March 2017 APVMA 6 21 March 2017	21 March 2017	am	Abamectin, Acetamidiprid, Boscalid, Chlorantraniliprole, Cypermethrin, Cyprodinil, Dithianon, Dithiocarbamates, Fludioxonil, Novaluron, Spirotetramat, Sulfoxaflor and Trifloxystrobin.
table to S20—3	APVMA 4, 2017	F2017L00449 18 April 2017 APVMA 8 18 April 2017	18 April 2017	ad	Metazachlor.
table to S20—3	APVMA 4, 2017	F2017L00449 18 April 2017 APVMA 8 18 April 2017	18 April 2017	am	Boscalid, Flonicamid, Fluopyram, Imazamox, Propiconazole and Pyrimethanil.
table to S20—3	APVMA 5, 2017	F2017L00522 12 May 2017 APVMA 10 16 May 2017	16 May 2017	am	Flonicamid, Imazamox, Monepantel, Pirimicarb, Propiconazole, Pyriproxyfen and Spirotetramat.
table to S20—3	170	F2017L00591 23 May 2017 FSC112 25 May 2017	25 May 2017	am	Avilamycin.
table to S20—3	APVMA 6, 2017	F2017L00649 8 June 2017 APVMA 12 13 June 2017	13 June 2017	ad	Cloquintocet acid.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
table to S20—3	APVMA 6, 2017	F2017L00649 8 June 2017 APVMA 12 8 June 2017	13 June 2017	am	Fluopicolide, Metolachlor, Propamocarb and Propyzamide.
table to S20—3	APVMA 7 2017	F2017L00897 7 July 2017 APVMA 14 11 July 2017	11 July 2017	ad	Bicyclopyrone.
table to S20—3	APVMA 7 2017	F2017L00897 7 July 2017 APVMA 14 11 July 2017	11 July 2017	am	Iprodione, Metalaxyl and Propyzamide.
Table to S20—3	APVMA 8 2017	F2017L00995 8 August 2017 APVMA 16 8 August 2017	8 August 2017	am	Bixafen, Buprofezin, Clopyralid, Clothianidin, Flumioxazin, Imazamox and Imazapyr.
Table to S20—3	APVMA 9 2017	F2017L01129 5 Sept 2017 APVMA 18 5 Sept 2017	5 September 2017	am	Fluazinam, Pyraflufen-ethyl and Spirotetramat
Table to S20—3	APVMA 10 2017	F2017L01317 3 October 2017 APVMA 20 3 October 2017	3 October 2017	am	Abamectin, Azoxystrobin, Cyproconazole, Fludioxonil, Fluxapyroxad, Penflufen, Sulfoxaflor, Trifloxystrobin,
Table to S20—3	APVMA 11 2017	F2017L01404 31 Oct 2017 APVMA 22 31 October 2017	31 October 2017	am	Cloquintocet-mexyl, Diquat, Fludioxonil, Tebuconazole
Table to S20—3	APVMA 12 2017	F2017L01522 28 Nov 2017 APVMA 24 28 November 2017	28 Nov 2017	ad	Clothianidin, Cyclaniliprole, Chlorantraniliprole, Clomazone, Cyanamide, Cyantraniliprole, Cyprodinil, Dimethomorph, Fludioxonil, Haloxypop Mandipropamid, Methomyl, Methoxyfenozide, Napropamide, Phosphorous acid

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	175	F2017L01594 7 December 2017 FSC116 7 December 2017	7 December 2017	ad	Acequinocyl, Acephate, Acetamidrid, Aminocyclopyrachlor, Azoxystrobin, Benzovindiflupyr, Bifenthrin, Brodifacoum, Buprofezin, Carbaryl, Carbendazim, Chlorantraniliprole, Chlorfenvinphos, Clopyralid, Chlorpyrifos-methyl, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, Deltamethrin, Dichlorvos, Dicloran, Difenoconazole, Disulfoton, Endothal, Ethoprophos, Etofenprox, Fenamiphos, Fenarimol, Fenpropathrin, Fenpropimorph, Fenthion, Fenpyroximate, Fenvalerate, Flonicamid, Flubendiamide, Fludioxonil, Flumioxazin, Fluopyram, Flusilazole, Flutriafol, Fosetyl-aluminium, Glyphosate, Hexythiazox, Imazamox, Inorganic bromide, Iprodione, Imidacloprid, Metalaxyl, Methamidophos, Myclobutanil, Maldison, Mesotrione, Metaflumizone, Metalaxyl, Metconazole, Methomyl, Myclobutanil, Naled, Nicarbazine, Norflurazon, Novaluron, Oxathiapiprolin, Paraquat, Phenothrin, 2-Phenylphenol, Phosphine, Propyzamide, Prothioconazole, Pyraflufen-ethyl, Pyridaben, Pyrimethanil, Phosphine, Quintozene, Rimsulfuron, Saflufenacil, Sedaxane, Sethoxydim, Spinetoram, Spirotetramat, Tebuconazole, Tetradifon, Thiachloprid, Thiamethoxam, Thifensulfuron, Thifensulfuron-methyl, Triadimenol, Trifloxystrobin, Virginiamycin
Table to S20—3	APVMA 1, 2018	F2018L00038 9 Jan 2018 APVMA 1, 16 January 2018	16 Jan 2018	am	Azoxystrobin, Butafenacil, Chlorantraniliprole, Dicamba, Etoazole, Fludioxonil, Paraquat, Penflufen, Pyraclostrobin, Saflufenacil, Sulfoxaflor, Tebuconazole, Trifloxystrobin
Table to S20—3	APVMA 2, 2018	F2018L00240 7 March 2018 APVMA 2, 13 March 2018	13 March 2018	ad	Florpyrauxifen-benzyl,
Table to S20—3	APVMA 2, 2018	F2018L00240 7 March 2018 APVMA 2, 13 March 2018	13 March 2018	am	Flutriafol, Pirimicarb, Sedaxane
Table to S20—3	APVMA 3, 2018	F2018L00512 18 April 2018 APVMA 8, 24 April 2018	24 April 2018	ad	Afidopyropen, Isopyrazam, Pydiflumetofen
Table to S20—3	APVMA 3, 2018	F2018L00512 18 April 2018 APVMA 8, 24 April 2018	24 April 2018	am	Abamectin, Azoxystrobin, Bifenthrin, Buprofezin, Cyantraniliprole, Cyazofamid, Cyhalothrin, Dithiocarbamates, Endothal, Florpyrauxifen-benzyl, Fludioxonil, Fluopicolide, Fluroxypyr, Imazalil, Metribuzin, Myclobutanil, Oxathiapiprolin, Propamocarb, Prosulfocarb

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 4, 2018	F2018L00990 28 June 2018 APVMA 13, 3 July 2018	3 July 2018	ad	Acetamiprid, Emamectin, Metalaxyl, Novaluron, Pendimethalin, Penflufen, Prochloraz
Table to S20—3	APVMA 4, 2018	F2018L00990 28 June 2018 APVMA 13, 3 July 2018	3 July 2018	am	Pendimethalin, Prochloraz,
Table to S20—3	APVMA 5, 2018	F2018L01103 9 August APVMA 16 14 August 2018	14 August 2018	ad	Amicarbazone
Table to S20—3	APVMA 5, 2018	F2018L01103 9 August APVMA 16 14 August 2018	14 August 2018	am	Abamectin, Bixafen, Clothianidin, Cypermethrin, Cyromazine, Endothal, Halosulfuron-methyl, Sulfoxaflor
Table to S20—3	180	F2018L01151 22 August 2018 FSC121 23 August 2018	23 August 2018	ad	Acetochlor, Isofetamid, Teflubenzuron

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	180	F2018L01151 22 August 2018 FSC121 23 August 2018	23 August 2018	am	2,4-DB, Acetamiprid, Aldicarb, Ametoctradin, Amitraz, Amitrole, Azoxystrobin, Benzovindiflupyr, Bitertanol, Buprofezin, Carbendazim, Carbofuran, Chlorpyrifos, Clofentezine, Chlorfluazuron, Clothianidin, Cyhalothrin, Cyprodinil, Dicamba, Difenconazole, Diflubenzuron, Diflufenican, Dithiocarbamates, Dimethenamid-P, Dithiocarbamates, Dodine, Emamectin, Etoxazole, Endothal, Fenarimol, Fenbuconazole, Fenbuconazole oxide, Fenitrothion, Fenpropathrin, Fenpyrazamine, Fenpyroximate, Fipronil, Florfenicol, Fluazinam, Flumioxazin, Fluopyram, Fluxapyroxad, Fosetyl-aluminium, Imazamox, Ipconazole, Iprodione, Ivermectin, Levamisole, Maldison, MCPA, Mesotrione, Metalaxyl, Metconazole, Methidathion, Methomyl, Metrafenone, Mevinphos, Naled, Oxadixyl, Oxathiapiprolin, Pebulate, Penconazole, Permethrin, Phorate, Phosmet, Phosphorous acid, Piperonyl butoxide, Pyriofenone, Profenofos, Propachlor, Propamocarb, Prothioconazole, Prothiofos, Prothiofos, Pyraflufen-ethyl, Pyriproxyfen, Pyroxasulfone, Quinoxifen, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Tetraconazole, Thiodicarb, Thiophanate-methyl, Trichlorfon, Tridemorph, Trifloxystrobin, Trifluralin, Tylosin
Table to S20—3	APVMA 6, 2018	F2018L01205 22 August 2018 APVMZ 17 28 August 2018	28 August 2018	am	Aminoethoxyvinylglycine, Pendimethalin, Pyridate
Table to S20—3	APVMA 7, 2018	F2018L01346 20 September 2018 APVMA 19 25 September 2018	25 September 2018	ad	Metamitron
Table to S20—3	APVMA 7, 2018	F2018L01346 20 September 2018 APVMA 19 25 September 2018	25 September 2018	am	Acetamiprid, Emamectin, Etoxazole, Flumioxazin, Propiconazole (md not incorp), Sedaxane (md not incorp)
Table to S20—3	APVMA 8 2018	F2018L01446 16 October 2018 APVMA 22 6 November 2018	6 November 2018	ad	Cypermethrin, Flamprop-methyl, Maldison, Methomyl (md not incorp), Pymetrozine, Quintozene
Table to S20—3	APVMA 8 2018	F2018L01446 16 October 2018 APVMA 22 6 November 2018	6 November 2018	am	Chlorantraniliprole, Maldison, Propiconazole, Sedaxane
Table to S20—3	APVMA 9 2018	F2018L01641 28 Nov 2018 APVMA 24 4 Dec 2018	4 Dec 2018	am	Fluopicolide, Fluvalinate, Methomyl, Propamocarb, Terbutylazine,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 1 2019	F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019	29 January 2019	ad	Abamectin, 2,4-D, Fipronil, Fluensulfone, Fluvalinate, Hexythiazox, Indoxacarb, Linuron, Paclobutrazol, Pyraclostrobin, Spiroxamine, Sulfoxaflor, Tebuconazole
Table to S20—3	APVMA 1 2019	F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019	29 January 2019	am	Linuron, Fluensulfone, Paclobutrazol, Spiroxamine
Table to S20—3	APVMA 2 2019	F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019	26 February 2019	ad	Amisulbrom, Azoxystrobin, Bixafen, Cyprodinil, Diafenthiuron, Dinotefuran, Ethephon, Fludioxonil, Indoxacarb, Phosphine, Phosphorous acid, Praziquantel, Spinetoram, Tebuconazole
Table to S20—3	APVMA 2 2019	F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019	26 February 2019	am	Azoxystrobin, Bifenthrin, Bixafen, Clothianidin, Fluensulfone, Fluopyram, Imidacloprid, Phosphorous acid, Sulfoxaflor, Tebuconazole
Table to S20—3	APVMA 3 2019	F2019L00670 1 May 2019 APVMA 9 7 May 2019	7 May 2019	ad	Azoxystrobin, Cyproconazole, Fenoxycarb, Fenvalerate, Fipronil, Florpiauxifenbenzyl, Thiabendazole,
Table to S20—3	APVMA 3 2019	F2019L00670 1 May 2019 APVMA 9 7 May 2019	7 May 2019	am	Azoxystrobin, Bifenthrin, Fenoxycarb, Phosphorous acid
Table to S20—3	APVMA 4 2019	F2019L00974 8 July 2019 APVMA 14 16 July 2019	16 July 2019	ad	Bromoxynil, Chlorantraniliprole, Diflubenzuron, Fluopyram, Glyphosate (md not Incorp) Haloxyfop, Indoxacarb, Mandestrobin (md not Incorp) Praziquantel, Pyrethrins, Sethoxydim, Trichlorfon
Table to S20—3	APVMA 4 2019	F2019L00974 8 July 2019 APVMA 14 16 July 2019	16 July 2019	am	Glyphosate (md not Incorp), Praziquantel, Fluopyram
Table to S20—3	186	F2019L00994 17 July 2019 FSC127 25 July 2019	25 July 2019	am	Aldoxycarb, Azaconazole, Boscalid, Carbaryl, Chinomethionat, Chlorpropham, Chlorantraniliprole, Clodinafop acid, Clodinafop-propargyl, Clofentezine, Clothianidin, Cyhalothrin, Cypermethrin, Deltamethrin, Diafenthiuron, Diuron,, Dimethipin, Dimethirimol, Fenvalerate, Flamprop-methyl, Flucythrinate, Flusilazole, Fluxapyroxad, Metaflumizone, Olaquinox, Oxydemeton-methyl, Oxythioquinox, Permethrin, Phosmet, Pyrimethanil, Sethoxydim, Sulfoxaflor, Sulprofos, Tebufenozide, Tetrachlorvinphos, Tetradifon, Thiamethoxam, Thiometon, Tolyfluanid, Trichloroethylene, Triflumizole,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	186	F2019L00994 17 July 2019 FSC127 25 July 2019	25 July 2019	ad	2,4D, Abamectin, Acetamiprid, Benzovindiflupyr, Boscalid, Bupirimate, Fenazaquin, Carbaryl, Chlorpyrifos-methyl, Clofentezine, Clothianidin, Cyflufenamid, Cyhalothrin, Cyprodinil, Cypermethrin, Difenoconazole, Diflubenzuron, Diflufenican, Diuron, Emamectin, Famoxadone, Fenbuconazole, Fenpyrazamine, Fluazifop-p-butyl, Fluazinam, Fluopyram, Flupyradifurone, Fluxapyroxad, Folpet, Halosulfuron-methyl, Mandestrobin, Mesotrione, Metaflumizone, Metalaxyl, Methamidophos, Methidathion, Penthiopyrad, Phenmedipham, Phosmet, Phosphine, Pirimicarb, Prochloraz, Profenofos, Propaquizafop, Pyraclostrobin, Quinoxifen, Quizalofop-ethyl, Quizalofop-p-tefuryl, Rimsulfuron, Saflufenacil, Sethoxydim, Sulfoxaflor, Tebufenozide, Tebufenpyrad, Teflubenzuron, Terbacil, Thiophanate-methyl, Trifluralin
Table to S20—3	APVMA 5 2019	F2019I01059 7 August 2019 APVMA 16 13 August 2019	13 August 2019	ad	Acetamiprid, Aminopyralid, Bromoxynil, Cyprodinil, Fludioxonil, Fluralaner, Fluxapyroxad, Glyphosate, Halauxifen-methyl, Haloxyfop, Imazapyr, Mandestrobin, Mefentrifluconazole, Metolachlor, Penthiopyrad, Phosphorous acid, Pirimicarb, Pyriproxyfen (md not Incorp, Topramezone
Table to S20—3	APVMA 5 2019	F2019I01059 7 August 2019 APVMA 16 13 August 2019	13 August 2019	am	Clofentezine, Cyfluthrin, Cyprodinil, Fludioxonil, Glyphosate, Haloxyfop, Phosphorous acid, Pyraclostrobin
Table to S20—3	APVMA 6 2019	F2019L01150 4 September 2019 APVMA 18 10 September 2019	10 September 2019	am	Chlorantraniliprole, Clothianidin, Thiamethoxam
Table to S20—3	APVMA 7 2019	F2019L01515 28 November 2019 APVMA 24 3 December 2019	3 December 2019	ad	Afidopyropen, Aminopyralid, Azoxystrobin, Benzovindiflupyr, Cypermethrin, Flumioxazin, Halauxifen-methyl, Imazapyr, Metalaxyl, Napropamide, Pyraclostrobin, Pyrethrins, Pyriproxyfen, Quizalofop-ethyl, Sethoxydim, Sulfoxaflor, Terbutylazine,
Table to S20—3	APVMA 7 2019	F2019L01515 28 November 2019 APVMA 24 3 December 2019	3 December 2019	am	Abamectin , Azoxystrobin, Cyflufenamid, Difenoconazole, Fludioxonil , Imidacloprid , Pyraclostrobin,
Table to S20—3	APVMA 1 2020	F2020L00022 9 January 2020 APVMA 1 14 January 2020	14 January 2020	ad	Afidopyropen, Bixafen, Cinmethylin, Dithiocarbamates, Etofenprox, Etoxazole, Indoxacarb, Iprodione, Prothioconazole

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 1 2020	F2020L0022 9 January 2020 APVMA 1 14 January 2020	14 January 2020	am	Amoxicillin, Bixafen, Dithiocarbamates, Emamectin, Imidacloprid, Indoxacarb
Table to S20—3	191	F2020L00152 20 February 2020 FSC 131 26 February 2020	26 February 2020	am	Imazapyr
Table to S20—3	APVMA 2 2020	F2020L00219 2 March 2020 APVMA 5 10 March 2020	10 March 2020	ad	2,4-D, Bifenthrin, Glufosinate and Glufosinate ammonium, Glyphosate, Mesotrione, Methiocarb
Table to S20—3	APVMA 3 2020	F2020L00380 31 March 2020 APVMA 7 7 April 2020	7 April 2020	ad	Bixlozone, Carbetamide, , Diafenthiuron, Difenconazole, Etoxazole, Flubendazole, Fluopyram, Fluralaner, Halosulfuron-methyl, Imazamox, Napropamide, Prosulfocarb, Tebuconazole, Trifloxystrobin
Table to S20—3	APVMA 3 2020	F2020L00380 31 March 2020 APVMA 7 7 April 2020	7 April 2020	am	Bifenthrin, Glufosinate and Glufosinate-ammonium, Lasalocid, Oxamyl, Trinexapac-ethyl
Table to S20—3	APVMA 4 2020	F2020L00619 27 May 2020 APVMA 11 2 June 2020	2 June 2020	ad	Bupirimate, Cyanamide, Cyazofamid, Diafenthiuron, Fludioxonil, Fluopicolide, Indoxacarb, Metolachlor, Paracetamol Propamocarb
Table to S20—3	APVMA 4 2020	F2020L00619 27 May 2020 APVMA 11 2 June 2020	2 June 2020	am	Cyanamide, Fluopicolide, Linuron, Metolachlor, Propamocarb
Table to S20—3	APVMA 5 2020	F2020L00903 10 July 2020 APVMA 14 14 July 2020	14 July 2020	ad	Chlorantraniliprole, Tetrilaniliprole, Trifludimoxazin, Methomyl, Spinetoram
Table to S20—3	APVMA 5 2020	F2020L00903 10 July 2020 APVMA 14 14 July 2020	14 July 2020	am	Chlorantraniliprole, Fluopyram, Trifloxystrobin

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	193	F2020L00939 23 July 2020 FSC 134 28 July 2020	28 July 2020	ad	Acephate, Benzovindiflupyr, Boscalid, Carbendazim, Clofentezine, Cypermethrin, Deltamethrin, Dimethomorph, Dithiocarbamates, Endosulfan, Fenazaquin, Flazasulfuron, Fluazifop-p-butyl, Fluopicolide, Fluopyram, Folpet, Halosulfuron-methyl, Imidacloprid, Metalaxyl, Oxathiapiprolin, Pendimethalin Phosmet, Phosphorous acid, Propiconazole, Sethoxydim, Tetraconazole, Triadimenol
Table to S20—3	193	F2020L00939 23 July 2020 FSC 134 28 July 2020	28 July 2020	am	Abamectin, Acequinocyl, Boscalid, Buprofezin, Chlorothalonil, Clofentezine, Clothianidin, Cypermethrin, Cyproconazole, Difenconazole, Dithiocarbamates, Emamectin, Etridiazole, Fentin, Fenazaquin, Fenhexamid, Fenoxycarb, Flonicamid, Fluazifop-p-butyl, Fluopyram, Hexythiazox, Imidacloprid, Indoxacarb, Metalaxyl, Iprodione, Metalaxyl, Methoxyfenozide, Myclobutanil, Pendimethalin, Phosphorous acid, Propiconazole, Quinoxifen, Tebuconazole, Tebuthiuron, Tetraconazole, Thiamethoxam, Trifloxystrobin
Table to S20—3	APVMA 6	F2020L00989 5 August 2020 APVMA 16 11 August 2020	11 August 2020	ad	Azoxystrobin, Chlorantraniliprole, Cyproconazole, Emamectin, Etoxazole Flonicamid, Fludioxonil, Glufosinate and Glufosinate-ammonium, Glyphosate, Indoxacarb (md not Incorp), Linuron, Napropamide, Novaluron, Permethrin, Prothioconazole, Pyridate.
Table to S20—3	APVMA 6	F2020L00989 5 August 2020 APVMA 16 11 August 2020	11 August 2020	am	Aclonifen, Metcamifen
Table to S20--3	AMPVA 7	F2020L01316 16 October 2020 AMPVA 17 20 October 2020	20 October 2020	ad	Ametoctradin, Buprofezin, Cyazofamid, Glyphosate, Propyzamide, Proquinazid, Spinosad, Uniconazole-p
Table to S20--3	APVMA 7	F2020L01316 16 October 2020 AMPVA 17 20 October 2020	20 October 2020	am	Amisulbrom, Azoxystrobin, Buprofezin, Chlorantraniliprole, Cyazofamid, Glyphosate, Indoxacarb, Methomyl, Spinosad
Table to S20—3	APVMA 8	F2020L01424 12 November 2020 APVMA 23 17 November 2020	17 November 2020	ad	Bifenazate, Bifenthrin, Isofetamid, Metalaxyl
Table to S20—3	APVMA 8	F2020L01424 12 November 2020 APVMA 23 17 November 2020	17 November 2020	am	Abamectin, Bifenthrin, Bupirimate, Carfentrazone-ethyl, Clofentezine, Cyprodinil, Fludioxonil, Isofetamid Metsulfuron-methyl, Phosphorous acid Tolclofos-methyl, Triadimenol

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 9	F2020L01503 27 November 2020 APVMA 24 1 December 2020	1 December 2020	ad	Imidacloprid, Pyraflufen-ethyl, Saflufenacil
Table to S20—3	APVMA 9	F2020L01503 27 November 2020 APVMA 24 1 December 2020	1 December 2020	am	Metribuzin, Pyraflufen-ethyl (md not incorp), Saflufenacil, Clothianidin, Fluralaner, Metribuzin
Table to S20—3	APVMA 1	F2021L00067 22 January 2021 APVMA 2 27 January 2021	27 January 2021	ad	2,4-D, Acetamiprid, Carbaryl, Uniconazole-p
Table to S20—3	APVMA 1	F2021L00067 22 January 2021 APVMA 2 27 January 2021	27 January 2021	am	2,4-D, Pyraclostrobin
Table to S20—3	APVMA 2	F2021L00125 18 February 2021 APVMA 4 23 February 2021	23 February 2021	ad	Acequinocyl, Acetamiprid, Cyproconazole, Fludioxonil, Pyriproxyfen, Acequinocyl, Acetamiprid, Afidopyropen, Azoxystrobin, Cyproconazole, Fludioxonil, Flumioxazin, Forchlorfenuron, Propachlor, Pydiflumetofen, Pyriproxyfen, Ractopamine, Tiafenacil, Tetrailiprole
Table to S20—3	APVMA 2	F2021L00125 18 February 2021 APVMA 4 23 February 2021	23 February 2021	am	Afidopyropen, Azoxystrobin, Captan, Cyproconazole, Fludioxonil, Pydiflumetofen
Table to S20—3	APVMA 3	F2021L00491 27 April 2021 APVMA 9 4 May 2021	4 May 2021	ad	Fomesafen, Azoxystrobin, Bromoxynil, Diflufenican, Fluopyram, Trifloxystrobin
Table to S20—3	APVMA 3	F2021L00491 27 April 2021 APVMA 9 4 May 2021	4 May 2021	am	Fluopyram, Pyraflufen-ethyl, Spinetoram, Metalaxyl, Methomyl
Table to S20—3	200	F2021L00684 2 June 2021 FSC141 3 June 2021	3 June 2021	am	Aminocyclopyrachlor, <i>Clodinafop-propargyl</i> , <i>Clodinafop acid</i> , Difenoconazole, Flumioxazin, Kresoxim-methyl, Phosphine, Pirimicarb

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 4	F2021L00976 9 July 2021 APVMA 13 13 July 2021	13 July 2021	am	Afidopyropen, Ametoctradin, Chlorantraniliprole, Cyantraniliprole, Cypermethrin, Cyprodinil, Dimethoate (md not incorp), Dimethomorph, Fipronil, Fludioxonil, Flumioxazin, Fluopyram, Propiconazole, Sulfoxaflor, Haloxypop, Metalaxyl, Metrafenone, Omethoate (md not incorp), Propiconazole.
Table to S20—3	202	F2021L01174 23 August 2021 FSC143 26 August 2021	26 August 2021	am	Ethiprole, Fencicoxamid, Flusilazole, Picoxystrobin, Tioxazafen, Triflumezopyrim, Zinc phosphide, Zineb, Ziram, Zoxamide, Abamectin, Acetamiprid Acibenzolar-S-methyl, Ametoctradin, Azoxystrobin, Bentazone, Carbendazim, Carfentrazone-ethyl, Chlorantraniliprole, Chlorpyrifos, Cyclaniliprole, Cypermethrin, Fluazifop-p-butyl, Fludioxonil, Flutriafol, Imazalil, Imidacloprid, Kresoxim-methyl, Mefentrifluconazole, Metalaxyl, Oxathiapiprolin, Paraquat, Permethrin, Phosphine, Pyraclostrobin, Pyriofenone, Pyriproxyfen, Sethoxydim, Sulfoxaflor, Tebuconazole, 2,4-D, Acephate, Acifluorfen, Afidopyropen, Benzovindiflupyr, Bifenthrin, Boscalid, Carboxin, Chlorfenapyr, Chlorpyrifos-methyl, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cyhalothrin, Deltamethrin, Difenoconazole, Dithianon, Diuron, Fenbuconazole, Fenoxaprop-ethyl, Fenpyroximate, Flubendiamide, Fluopyram, Fluoxastrobin, Flupyradifurone, Flutolanil, Fluxapyroxad, Folpet, Glyphosate, Halosulfuron-methyl, Hexythiazox, Isofetamid, Lufenuron, Maldison, Mandipropamid, MCPA, MCPB, Metconazole, Methamidophos, Milbemectin, Myclobutanil, Norflurazon, Oxamyl, Pendimethalin, Phorate, Pirimiphos-methyl, Profenofos, Prohexadione-calcium, Propamocarb, Propiconazole, Pyraflufen-ethyl, Pyrethrins, Pyroxasulfone, Sethoxydim, Simazine, Spinosad, Sulfuryl fluoride, Tebufenozide, Thiocloprid, Thiamethoxam, Thiophanate-methyl, Iprodione, Methomyl, Metolachlor,
Table to S20—3	APVMA 5	F2021L01235 3 Sept 2021 APVMA 18 7 Sept 2021	7 September 2021	am	Flonicamid, Fluxapyroxad, Isopyrazam, Isoxaflutole, Mefentrifluconazole (md not incorp), Mesotrione Pyriproxyfen, Saflufenacil, Cyantraniliprole, Dimethoate, Methomyl, Metribuzin, Omethoate, Azoxystrobin, Bromoxynil, Carbendazim, Dimethoate, Imazapyr, Spiroxamine
Table to S20—3	APVMA 6	F2021L01426 13 Oct 2021 APVMA 21 19 Oct 2021	19 October 2021	am	Fluazaindolizine, Benzyladenine, Metamitron, Pydiflumetofen, Pyroxasulfone.
Table to S20—3	APVMA 1	F2022L00142 17 Feb 2022 APVMA 4 22 Feb 2022	22 Feb 2022	am	Abamectin, Aclonifen, Afidopyropen, Bifenazate, Bixlozone, Chlorantraniliprole, Cyantraniliprole, Cyflumetofen, Cyprodinil, Dicamba, Dithiocarbamates, Etoxazole, Florylpicoxamid, Fludioxonil, Fluopyram, Flupyradifurone, Glyphosate, Imazapic, Imazapyr, Imidacloprid, Mefentrifluconazole, Moxidectin, Pendimethalin, Propiconazole, Proquinazid, Spirotetramat, Trifloxystrobin,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 2	F2022L00696 12 May 2022 APVMA 10 17 May 2022	17 May 2022	am	Acequinocyl , Acetamiprid, Difenconazole, Mesotrione, Methoxyfenozide, Pydiflumetofen, Pyriproxyfen, Sulfoxaflor, Tulathromycin
Table to S20—3	APVMA 3	F2022L00970 12 July 2022 APVMA 14 12 July 2022	12 July 2022	ad	Fluoxapiprolin, Isotianil, Metobromuron
Table to S20—3	APVMA 3	F2022L00970 12 July 2022 APVMA 14 12 July 2022	12 July 2022	am	Florpyrauxifen-benzyl, Fluroxypyr Glyphosate (safflower seed md not incorp), Haloxypop Imidacloprid, Isofetamid, Maldison, Mandestrobin, Permethrin, Sethoxydim
Table to S20—3	APVMA 4	F2022L01102 22 Aug 2022 APVMA 17 23 Aug 2022	23 August 2022	am	Bifenthrin, Diflufenican, Fluopyram, Fluroxypyr, Indoxacarb, Prothioconazole, Tebuconazole, Tetraniliprole Thiabendazole, Trifludimoxazin
Table to S20—3	211	F2022L01118 26 Aug 2022 FSC151 1 Sept 2022	1 September 2022	am	Abamectin, Acephate, Acequinocyl, Acetamiprid, Afidopyropen, Ametoctradin, Ametryn, Aminoethoxyvinylglycine, Aminopyralid, Amisulbrom, Amitrole, Atrazine, Azamethiphos, Azoxystrobin, Benzovindiflupyr, Bifenazate, Bifenthrin, Bixafen, Boscalid, Bromacil, Bromoxynil, Buprofezin, Butafenacil, Butoxydim, Cadusafos, Captan, Carbaryl, Carbendazim, Carbon disulphide, Carbonyl sulphide, Carboxin, Carfentrazone-ethyl, Chlorantraniliprole, Chlorfenapyr, Chloropicrin, Chlorothalonil, Chlorpyrifos, Chlorpyrifos-methyl, Chlorsulfuron, Chlorthal-dimethyl, Clofentezine, Clopyralid, Cloquintocet-mexyl, Clothianidin, Cyanazine, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cycloxydim, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, 2,4-D, 2,4-DB, Deltamethrin, Diafenthiuron, Diazinon, Dicamba, Dichlobenil, Dichlorprop-P, Dichlorvos, Diclofop-methyl, Dicofol, Didecyldimethylammonium chloride, Difenconazole, Diflubenzuron, Dimethoate, Dimethomorph, Diquat, Dithiocarbamates, Diuron, Dodine, 2,2-DPA, Emamectin, Epoxiconazole, EPTC, Ethion, Ethofumesate, Ethoprophos, Ethylene dichloride (EDC), Etofenprox, Etoxazole, Fenazaquin, Fenbutatin oxide, Fenhexamid, Fenitrothion, Fenoxycarb, Fenpropathrin, Fenpyroximate, Fenvalerate, Fipronil, Flonicamid, Florasulam, Florpyrauxifen-benzyl, Fluazaindolizine, Fluazifop-p-butyl, Fluazinam, Flubendiamide, Fludioxonil, Fluensulfone, Flumioxazin, Fluometuron, Fluopicolide, Fluopyram, Flupyradifurone, Fluquinconazole, Fluroxypyr (md), Flutriafol, Fluvalinate, Fluxapyroxad, Fosetyl, Fosetyl-aluminium, Glufosinate and Glufosinate-ammonium, Glyphosate,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Guazatine, Halauxifen-methyl, Halosulfuron-methyl, Haloxyfop, Hexythiazox, Imazalil, Imazamox, Imazapyr, Imidacloprid, Indoxacarb, Inorganic bromide, Ipconazole, Iprodione, Isofetamid, Isoxaflutole, Lufenuron, Maldison, Mandestrobin, Mandipropamid, MCPA, MCPB, Mefenpyr-diethyl, Mefentrifluconazole, Metaflumizone, Metalaxyl, Metaldehyde, Metamitron, Metazachlor, Metcamifen, Methamidophos, Methiocarb, Methomyl, Methoprene, Methoxyfenozide, Methyl bromide, Metolachlor, Metosulam, Metrafenone, Metribuzin, Metsulfuron-methyl, Mevinphos, Milbemectin, Myclobutanil, Napropamide, Norflurazon, Novaluron, Omethoate, Oryzalin, Oxadixyl, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paclobutrazol, Paraquat, Penconazole, Pendimethalin, Penflufen, Penthiopyrad, Permethrin, Phenmedipham, 2-Phenylphenol, Phorate, Phosmet, Phosphine, Phosphorous acid, Picloram, Picolinafen, Piperonyl butoxide, Pirimicarb, Pirimiphos-methyl, Procymidone, Profenofos, Propachlor, Propamocarb, Propaquizafop, Propargite, Propazine, Propiconazole, , Prothioconazole, Prothiofos, Pydiflumetofen, Pymetrozine, Pyraclostrobin, Pyraflufen-ethylv, Pyrasulfotole, Pyrethrins, Pyridaben, Pyrimethanil, Pyriofenone, Pyriproxyfen, Pyroxasulfone, Quinoxifen, , Saflufenacil, Sedaxane, Sethoxydim, Simazine, Spinetoram, Spinosad, Spirodiclofen, Spirotetramat, Sulfoxaflor, Sulfuryl fluoride, Tebuconazole, Tebufenozide, Tebufenpyrad, Teflubenzuron, Terbufos, Terbutylazine, Terbutryn, Tetraniliprole, Thiabendazole, Thiacloprid, Thiamethoxam, Thiocarb, Tiafenacil, Tralkoxydim, Triadimefon, Triadimenol, Triallate, Triasulfuron, Tribenuron-methyl, Trichlorfon, Triclopyr, Trifloxystrobin, Triflumuron, Trifluralin, Triforine, Trinexapac-ethyl, Triticonazole
Table to S20—3	212	F2022L01172 6 Sept 2022 FSC152 8 Sept 2022	7 September 2022	am	1,4-Dimethyl naphthalene, Abamectin, Acephate, Acequinocyl, Acetamiprid, Acetochlor, Acifluorfen, Afidopyropen, Ametryn, Amitrole, Azinphos-methyl, Azoxystrobin, Bentazone, Benzovindiflupyr, Bifenazate, Boscalid, Bupirimate, Buprofezin, Carbaryl, Carbenfendazim, Carbofuran, Chlorantraniliprole, Chlorothalonil, Chlorothalonil, Chlorpyrifos, Clofentezine, Clothianidin, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cycloxydim, Cyfluthrin (beta-cyfluthrin), Cyhalothrin, Cyhexatin, Cypermethrin, Cyprodinil, Cyromazine, Dichlobenil, Dichlorvos, Difenconazole, Diflubenzuron, Dimethoate, Dimethomorph, Dinocap, Dinotefuran, Diphenylamine, Diquat, Diuron, Emamectin (Emamectin benzoate), EPTC, Ethiprole, Ethofumesate, Ethoprophos, Ethylene, Etofenprox, Fenamidone, Fenarimol, Fenazaquin, Fenbuconazole, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fenpyroximate,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Fenvalerate (esfenvalerate), Fipronil, Flonicamid, Fluazifop-p-butyl, Fludioxonil, Fluensulfone, Fluopicolide, Fluopyram, Flupyradifurone, Flutianil, Flutolanil, Flutriafol, Fluxapyroxad, Forchlorfenuron, Fosetyl-aluminium, Glufosinate (see Glufosinate-ammonium), Glufosinate-ammonium, Glyphosate, Hexazinone, Imazapic, Imazapyr, Imazethapyr, Imidacloprid, Inpyrfluxam, Iprodione, Isofetamid, Isoxaflutole, Kasugamycin, Kresoxim-Methyl, Mancozeb (Dithiocarbamates), Mandestrobin, Mandipropamid, Maneb (Dithiocarbamates), Mefentrifluconazole, Mepanipyrim, Metaflumizone, Metalaxyl (Metalaxyl-M), Metconazole, Methamidophos, Methidathion, Methomyl, Methoprene, Methoxyfenozide, Metribuzin, Novaluron, Omethoate, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paraquat, Pendimethalin, Penthiopyrad, Phorate, Picoxystrobin, Piperonyl Butoxide, Pirimicarb, Prochloraz, Procymidone, Profenofos, Propamocarb, Propiconazole, Propoxur, Prothiofos, Pydiflumetofen, Pyraclostrobin, Pyrethrins, Pyrimethanil, Pyriofenone, Pyriproxyfen, Quinclorac, Quinoxifen, Quintozene, Quizalofop-ethyl, Rimsulfuron, Saflufenacil, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Sulfoxaflor, Tebuconazole, Tebufenozide, Tepraloxydim, Terbacil, Thiabendazole, Thiacloprid, Thiamethoxam, Thifensulfuron-methyl, Tolclofos-Methyl, Tolfenpyrad, Triadimefon, Triadimenol, Triazophos, Trifloxystrobin, Valifenalate
Table to S20—3	APVMA 5	F2022L01442 10 November 2022 APVMA 23 15 November 2022	15 November 2022	am	Aminocyclopyrachlor, Amitraz, Bupirimate, Buprofezin, Captan, Emamectin, Fluopyram, Flupyradifurone, Fluxapyroxad, Glyphosate, Imazapic, Imazapyr, Myclobutanil, Tebuconazole, Tetraniliprole, Pyraclostrobin, Quizalofop-ethyl
Table to S20—3	APVMA 1	F2023L00107 15 February 2023 APVMA 4 21 February 2023	21 February 2023	am	Afidopyropen, Aminopyralid, Atrazine, Azoxystrobin Bifenthrin, Bixlozone, Butafenacil, Clomazone, Clopyralid, Clothianidin, Cyhalothrin, Cypermethrin, Diafenthiuron, Dimpropridaz, Emamectin, Flonicamid, Fluquinconazole, Florylpicoxamid, Fludioxonil, Flutriafol, Glufosinate and Glufosinate-ammonium, Glyphosate, Halauxifen-methyl, Haloxyfop, Imazamox, Imazapic, Imazapyr, Imidacloprid, Iprodione, Isocycloseram, Maldison, Methomyl, Metribuzin Metolachlor, Napropamide, Oryzalin, Penflufen, Permethrin, Pirimicarb, Procymidone, Prothioconazole Propyzamide, Pydiflumetofen, Quizalofop-ethyl, Quizalofop-p-tefuryl, Sedaxane, Sethoxydim, Simazine, Spinetoram, Sulfoxaflor, Tebuconazole, Terbutylazine, Tetraniliprole,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 2	F2023L00445 17 April 2023 APVMA 8 18 April 2023	18 April 2023	am	Acetamiprid, Bifenthrin, Cyfluthrin, Dithiocarbamates, Flazasulfuron, Fluopyram, Methoxyfenozide, Procymidone, Spinetoram, Sulfoxaflor, Trifloxystrobin
Table to S20—3	220	F2023L01004 11 July 2023 FSC160 19 July 2023	19 July 2023	am	Amisulbrom, Bifenazate, Buprofezin, Cyflumetofen, Cyproconazole, Cyprodinil, Diafenthiuron, Didecyldimethylammonium chloride, Dinotefuran, Ethepon, Fenazaquin, Fludioxonil, Fluoxapiprolin, Fluxapyroxad, Imazamox, Kresoxim-methyl, Maldison, Metalaxyl, Niclosamide, Phosphorous acid, Propyzamide, Prosulfocarb, Prothioconazole, Pydiflumetofen, Pyraflufen-ethyl , Pyroxasulfone, Sethoxydim, Tetraniliprole, Trichlorfon, Triticonazole
Table to S20—3	APVMA 3	F2023L01013 18 July 2023 APVMA 15 25 July 2023	25 July 2023	am	Dodine, Fipronil, Fluopicolide, Fluralaner, Indaziflam, Inpyrfluxam, Ipflufenquin, Mandestrobin, Mesotrione, Metrafenone, Propamocarb, Proquinazid, Prosulfocarb, Pyraclostrobin, Sethoxydim, Tetraniliprole