Schedule 20 Maximum residue limits

This instrument is a standard under the Food Standards Australia New Zealand Act 1991 (Cth). The standards Note together make up the Australia New Zealand Food Standards Code. See also section 1.1.1-3.

Maximum residue limits are regulated by subsection 1.1.1-10(6) and Standard 1.4.2. This Standard identifies agvet chemicals, and their permitted residues, for the purpose of section 1.4.2-4.

S20-1 Name

This Standard is Australia New Zealand Food Standards Code - Schedule 20 -Maximum residue limits.

- Note Commencement: This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the Gazette under section 92 of the Food Standards Australia New Zealand Act 1991 (Cth). See also section 93 of that Act.
- Note 2 This Standard applies in Australia only. In New Zealand, maximum residue limits for agricultural compounds are set out in a Maximum Residue Limits Standard.

S20-2 Interpretation

In this Schedule:

- an asterisk (*) indicates that the maximum residue limit is set at the limit (a) of determination; and
- (b) the symbol 'T' indicates that the maximum residue limit is a temporary maximum residue limit: and
- animal food commodities means an animal food commodity listed in (c) Schedule 22, including a secondary commodity of animal origin listed in that Schedule.

S20-3 Maximum residue limits

For section 1.4.2-4, the *agvet chemicals, permitted residues, and amounts are as follows, expressed in mg per kg:

| Agvet chemical: Abamectin | | Common bean (dry) (navy bean) | *0.002 |
|---|--------|--|--------|
| Permitted residue: Avermectin B1a | | Cotton seed | *0.01 |
| | *0.002 | Cranberry | 0.05 |
| Adzuki bean (dry) | | Cucumber | 0.05 |
| All other foods except animal food commodities | 0.01 | Currant, black | 0.02 |
| | *0.04 | Custard apple | *0.01 |
| Almonds | *0.01 | Dried grapes (currants, raisins and | 0.1 |
| Avocado | 0.05 | sultanas) | |
| Beetroot leaves | 0.5 | Fennel, bulb | 0.05 |
| Blueberries | T0.1 | Fruiting vegetables, cucurbits [except | 0.02 |
| Bulb vegetables [except chives] | 0.05 | cucumber; squash, summer] | |
| Cabbages, head | T0.05 | Fruiting vegetables, other than | 0.1 |
| Cacao beans | T0.07 | cucurbits | |
| Cane berries | 0.2 | Fungi, edible (except mushrooms) | 0.1 |
| Cattle, edible offal of | 0.1 | Goat fat | 0.1 |
| Cattle fat | 0.1 | Goat kidney | 0.01 |
| Cattle meat | 0.005 | Goat liver | 0.05 |
| Cattle milk | 0.02 | Goat milk | 0.005 |
| Celery | T0.05 | Goat muscle | 0.01 |
| Chinese cabbage (Pe-tsai) | T0.5 | Grapes | 0.03 |
| Chive, dry | 0.08 | Grape juice | 0.05 |
| Citrus fruits | 0.02 | Hops, dry | 0.2 |

Maximum residue limits

Schedule 20

| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, leaf; whitloof chicory] | T0.5 |
|--|---------|
| Legume vegetables [except peas (pods and succulent, immature seeds)] | T0.1 |
| Lettuce, leaf | T1 |
| Litchi | 0.05 |
| Macadamia nuts | T*0.01 |
| Maize | T*0.01 |
| Mung bean (dry) | *0.002 |
| Mushrooms | 0.05 |
| Orange oil, edible | 0.1 |
| Papaya (pawpaw) | 0.1 |
| Passionfruit | 0.2 |
| Peanut | T*0.01 |
| Peas | 0.5 |
| Peppers, chili, dried | 0.5 |
| Persimmon, Japanese | 0.01 |
| Pig kidney | 0.01 |
| Pig liver | 0.02 |
| Pig meat (in the fat) | 0.02 |
| Pineapple | T*0.002 |
| Pome fruits [except Persimmon, Japanese] | 0.02 |
| Popcorn | T*0.01 |
| Rhubarb | T0.05 |
| Root and tuber vegetables | *0.01 |
| Sheep, edible offal of | 0.05 |
| Sheep meat (in the fat) | 0.05 |
| Soya bean (dry) | *0.002 |
| Squash, summer | 0.05 |
| Stone fruits | 0.09 |
| Strawberry | 0.1 |
| Sweet corn (corn-on-the-cob) | 0.05 |
| | |

Agvet chemical: Acephate

Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)

| , | |
|--------------------------------------|-------|
| Banana | 1 |
| Bean, seed (dry) | 3 |
| Brassica vegetables (except Brassica | 5 |
| leafy vegetables) [except Chinese | |
| cabbage (Pe-tsai)] | |
| Broccoli, Chinese (Gai lan) | 5 |
| Cranberry | 0.5 |
| Edible offal (mammalian) | 0.2 |
| Eggs | 0.2 |
| Lime | 1 |
| Macadamia nuts | *0.1 |
| Mango | *0.01 |
| Meat (mammalian) [except sheep meat] | 0.2 |
| Peanut | 0.2 |
| Peppers, chili, dried | 50 |
| Peppers, sweet | 5 |
| Potato | 0.5 |
| Sheep meat | *0.01 |
| Tomato | 5 |

Agvet chemical: Acequinocyl

| Permitted residue: Sum of acequinocyl a metabolite 2-dodecyl-3-hydroxy-1,4- naphthoguinone, expressed as acequinoc | |
|--|-------|
| | |
| All other foods except animal food commodities | 0.02 |
| Apricots, dried | 1 |
| Blueberries | 3 |
| Citrus fruits [except kumquats] | 0.2 |
| Grapes | 1.6 |
| Edible offal (mammalian) | *0.02 |
| Hops, dry | 15 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Peach, dried | 1 |
| Peppers, sweet | 1 |
| Pome fruits [except Persimmon, Japanese] | 0.7 |
| Prunes | 1 |
| Raspberries, red, black | 4 |
| Stone fruits | 0.7 |
| Tomato | 2 |
| | |

Agvet chemical: Acetamiprid

Permitted residue—commodities of plant origin: Acetamiprid

Permitted residue—commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N¹-[(6-chloro-3-pyridyl)methyl]-N²cyanoacetamidine), expressed as acetamiprid

| , , , , , , , , , , , , , , , , , , , | |
|--|-------|
| All other foods except animal food | 0.1 |
| commodities | |
| Almonds | 0.1 |
| Apple | 0.2 |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | 0.2 |
| Blueberries | 1.6 |
| Cane berries [except raspberries, red, black] | 1 |
| Celery | 1.5 |
| Cherries (subgroup) | 2 |
| Chives | 3 |
| Citrus fruits | 1 |
| Cotton seed | 0.2 |
| Cranberry | 0.6 |
| Currants, black, red, white | 2 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Fruiting vegetables other than cucurbits [except tomato] | 0.2 |
| Fungi, edible (except mushrooms) | 0.2 |
| Goji berries | 2 |
| Grapes | 0.35 |
| Herbs | 3 |
| | |

| Macadamia nuts | *0.01 |
|---|-------|
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Olives for oil production | T0.5 |
| Peaches (subgroup) | 1 |
| Pear | 0.3 |
| Peppers, chili, dried | 2 |
| Persimmon, Japanese | T0.3 |
| Pistachio nuts | 1 |
| Plums (subgroup) | 0.5 |
| Potato | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.01 |
| Pulses [except field pea (dry); lupin (dry)] | 0.1 |
| Raspberries, red, black | 2 |
| Sentul | 0.2 |
| Spices [except peppers, chili, dried; | 0.1 |
| spices, seeds] | |
| Spices, seeds | 2 |
| Strawberry | 0.5 |
| Table olives | T0.5 |
| | |

Agvet chemical: Acetochlor

Permitted residue: Sum of compounds hydrolysable with base to 2-ethyl-6-methylaniline (EMA) and 2-(1hydroxyethyl)-6-methylaniline (HEMA), expressed in terms of Acetochlor Edible offal (mammalian) 0.05 Peaput 0.2

| Peanut | 0.2 |
|-----------------|-----|
| Soya bean (dry) | 1.5 |
| | |

Agvet chemical: Acibenzolar-S-methyl

Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed

| as acibenzolar-S-methyl | |
|--------------------------|--------|
| Cotton seed | *0.02 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Kiwifruit | T0.03 |
| Meat (mammalian) | *0.02 |
| Milks | *0.005 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Tomato | 1 |

Agvet chemical: Acifluorfen

| Permitted residue: Acifluorfen | |
|--|-------|
| All other foods except animal food commodities | 0.01 |
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.01 |
| Legume vegetables | 0.1 |

| Meat (mammalian) | *0.01 |
|--------------------------|-------|
| Milks | *0.01 |
| Peanut | 0.1 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | *0.01 |
| Pulses | 0.1 |

Agvet chemical: Aclonifen

Permitted residue: Aclonifen

| Barley | *0.01 |
|-------------------------------|--------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) [in the fat] | *0.01 |
| Milks [in the fat] | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat [in the fat] | *0.01 |
| Triticale | T*0.01 |
| Wheat | *0.01 |
| | |

Agvet chemical: Afidopyropen

Permitted residue: commodities of plant origin: Afidopyropen

Permitted residue: commodities of animal origin: Afidopyropen and the carnitine conjugate of cyclopropanecarboxylic acid (M440I060), expressed as afidopyropen

| us undopyropen | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Apples, dried (peeled) | 0.02 |
| Artichoke, globe | 0.1 |
| Banana | 0.1 |
| Barley | *0.01 |
| Brassica vegetables (except Brassica | 0.5 |
| leafy vegetables), [except Chinese | |
| cabbage (Pe-tsai)] | |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Bulb vegetables | *0.01 |
| Cane berries | 0.3 |
| Carrot | *0.01 |
| Chinese cabbage (Pe-tsai) | 5 |
| Citrus fruits [except kumquats] | 0.15 |
| Cotton seed | 0.1 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.1 |
| Fruiting vegetables, cucurbits | 0.7 |
| Fruiting vegetables, other than | 0.2 |
| cucurbits | |
| Fungi, edible (except mushrooms) | 0.2 |
| Ginger, root | *0.01 |
| Grapes | *0.01 |
| Herbs | T5 |
| Leafy vegetables [except broccoli, | 5 |
| Chinese (Gai lan); witloof chicory] | |
| Litchi | 0.1 |
| Mammalian fats [except milk fats] | *0.01 |

| Meat (mammalian) | *0.1 |
|---|--------|
| Milks | *0.01 |
| Mushrooms | 0.2 |
| Mustard seeds | T*0.01 |
| Orange oil, edible | 0.7 |
| Passionfruit | 0.1 |
| Peppers, chili, dried | 1 |
| Pome fruits [except persimmon, | 0.03 |
| Japanese] | |
| Potato | *0.01 |
| Poultry, edible offal of | *0.1 |
| Poultry fats | *0.01 |
| Poultry meat | *0.1 |
| Rape seed [canola] | *0.01 |
| Stalk and Stem Vegetables - Stems and Petioles | 3 |
| Strawberry | 0.2 |
| Stone fruits [except jujube, Chinese] | 0.03 |
| Sweet corn (corn-on-the-cob) | *0.01 |
| Sweet Potato | *0.01 |
| Tomato, dried | 0.7 |
| Wheat | *0.01 |
| | |

Agvet chemical: Albendazole

Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole

| Cattle, edible offal of | *0.1 |
|-------------------------|------|
| Cattle meat | *0.1 |
| Goat, edible offal of | *0.1 |
| Goat meat | *0.1 |
| Sheep, edible offal of | 3 |
| Sheep meat | 0.2 |
| | |

Agvet chemical: Albendazole sulphoxide

see Albendazole

Agvet chemical: Aldicarb

Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb

| Peanut | 0.05 |
|--------|------|
| | |

Agvet chemical: Aliphatic alcohol ethoxylates

Permitted residue: Aliphatic alcohol ethoxylates

| Cattle, edible offal of | *0.1 |
|-------------------------|------|
| Cattle meat | *0.1 |
| Cattle milk | 1 |
| | |

Agvet chemical: Alpha-cypermethrin

see Cypermethrin

Agvet chemical: Altrenogest

Permitted residue: Altrenogest

| *0.005 |
|--------|
| |

Agvet chemical: Aluminium phosphide

see Phosphine

Agvet chemical: Ametoctradin

Permitted residue—commodities of plant origin: Ametoctradin

Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid

| All other foods except animal food | 0.2 |
|--|----------------|
| commodities Basil | T20 |
| Beetroot | 0.3 |
| Brassica vegetables (except Brassica | 0.3 |
| leafy vegetables) [except Chinese | 9 |
| cabbage (Pe-tsai)] | |
| Broccoli, Chinese (Gai lan) | 9 |
| Bulb onions [except garlic; onion, bulb; | 0.7 |
| Shallot] | |
| Celery | 20 |
| Chinese cabbage (Pe-tsai) | 50 |
| Cucumber | 2 |
| Dried grapes (currants, raisins and | 20 |
| sultanas) Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Eggs Fruiting vegetables, cucurbits [except | 0.02 |
| cucumber] | 5 |
| Fruiting vegetables, other than | 1.5 |
| cucurbits [except tomato] | |
| Fungi, edible (except mushrooms) | 1.5 |
| Garlic | 1.5 |
| Grapes [except dried grapes] | 6 |
| Green onions [except leek;spring onion] | 3 |
| Hops, dry | 100 |
| Leafy vegetables [except broccoli, | 50 |
| Chinese (Gai lan); witloof chicory] | - |
| Leek | 5 *0.02 |
| Meat (mammalian) Milks | *0.02 *0.02 |
| | 1.5 |
| Onion, bulb Peppers, chili, dried | 1.5 |
| Poppy seed | 0.7 |
| Potato | 0.7 |
| Poultry, edible offal of | *0.03 |
| Poultry meat | *0.02 |
| Shallot | 1.5 |
| Spring onion | 20 |
| Tomato | 20 2 |
| Tomato | 2 |

Agvet chemical: Ametryn

Pineapple

Sugar cane

| Permitted residue: Ametryn | |
|--|--|
| All other foods except animal food commodities | |
| Edible offal (mammalian) | |
| Meat (mammalian) | |
| Milks | |

Agvet chemical: Amicarbazone

Permitted residue— Sum of amicarbazone, N-(1,1dimethylethyl)-4,5-dihydro-3-(1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide and N-(1,1dimethylethyl)-4,5-dihydro-3-(1-hydroxy-1methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide, expressed as amicarbazone

| Edible offal (Mammalian) | 0.7 |
|--------------------------|-------|
| Meat [mammalian] | 0.01 |
| Milks | *0.01 |
| Sugarcane | 0.1 |

Agvet chemical: Aminocyclopyrachlor

Permitted residue: Aminocyclopyrachlor

| Edible offal (mammalian) | 0.5 |
|-------------------------------|------|
| Meat (mammalian) [in the fat] | 0.05 |
| Milks | 0.02 |
| | |

Agvet chemical: Aminoethoxyvinylglycine

Permitted residue: Aminoethoxyvinylglycine

| Almonds | *0.05 |
|-------------------------------|-------|
| Apple | 0.1 |
| Cherries | *0.05 |
| Stone fruits [except cherries | 0.2 |
| (subgroup)] | |
| Walnuts | *0.05 |
| | |

Agvet chemical: Aminopyralid

Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid

| Permitted residue—commodities of animal origin. | |
|---|--|
| Aminopyralid | |

| All other foods except animal food commodities | 0.02 |
|---|--------|
| Cereal grains [except sweet corns] | 0.1 |
| Edible offal (mammalian) [except kidney] | 0.02 |
| Eggs | *0.01 |
| Kidney (mammalian) | 0.3 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mustard seeds | T*0.01 |
| Poultry, edible offal of | *0.01 |

| Poultry meat | *0.01 |
|-------------------------|-------|
| Rape seed (canola) | *0.01 |
| Wheat bran, unprocessed | 0.3 |

Agvet chemical: Amisulbrom

0.05

*0.05 *0.05 *0.05

*0.05

0.05

| Permitted residue: Amisulbrom | |
|---|-------|
| All other foods except animal food commodities | 0.02 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 |
| Broccoli, Chinese (Gai lan) | 2 |
| Dried grapes (currants, raisins and sultanas) | 1 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | 0.5 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Potato | 0.3 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |

Agvet chemical: Amitraz

Permitted residue: Sum of amitraz and N-(2,4dimethylphenyl)-n'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine

| Cotton seed | *0.1 |
|--------------------------|------|
| Cotton seed oil, crude | 1 |
| Edible offal (mammalian) | 0.5 |
| Honey | 0.2 |
| Meat (mammalian) | 0.1 |
| Milks | 0.1 |
| | |

Agvet chemical: Amitrole

Permitted residue: Amitrole

| Avocado | *0.01 |
|------------------------------------|-------|
| Banana | *0.01 |
| Cereal grains [except sweet corns] | *0.01 |
| Citrus fruits | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Grapes | *0.01 |
| Hops, dry | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Oilseed | *0.01 |
| Palm nuts | *0.01 |
| Papaya (pawpaw) | *0.01 |
| Passionfruit | *0.01 |
| Peanut | *0.01 |
| Pecan | *0.01 |
| Pineapple | *0.01 |
| Pome fruits | *0.01 |
| Potato | *0.05 |
| Pulses | *0.01 |
| | |

Stone fruits

Agvet chemical: Amoxycillin

Permitted residue: Inhibitory substance, identified as amoxycillin

| Cattle milk | *0.01 |
|--------------------------|-------|
| Edible offal (mammalian) | *0.01 |
| Eggs | 0.05 |
| Meat (mammalian) | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Sheep milk | *0.01 |

Agvet chemical: Ampicillin

Permitted residue: Inhibitory substance, identified
as ampicillinCattle milk*0.01Horse, edible offal of*0.01Horse meat*0.01

Agvet chemical: Amprolium

| Permitted residue: Amprolium | |
|------------------------------|-----|
| Eggs | 4 |
| Poultry, edible offal of | 1 |
| Poultry meat | 0.5 |
| | |

Agvet chemical: Apramycin

| Permitted residue: Apramycin | |
|------------------------------|-------|
| Edible offal (mammalian) | 2 |
| Meat (mammalian) | *0.05 |
| Poultry, edible offal of | 1 |
| Poultry meat | *0.05 |

Agvet chemical: Asulam

Permitted residue: Asulam

| Apple | *0.1 |
|--------------------------|------|
| Apple | •••• |
| Edible offal (mammalian) | *0.1 |
| Hops, dry | *0.1 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Poppy seed | *0.1 |
| Potato | 0.4 |
| Sugar cane | *0.1 |

Agvet chemical: Atrazine

| T*0.1 |
|--------|
| *0.02 |
| *0.1 |
| T*0.01 |
| T*0.01 |
| T*0.02 |
| |

| Potato | *0.01 |
|------------------------------|-------|
| Rape seed (canola) | *0.02 |
| Sorghum, grain | *0.1 |
| Sugar cane | *0.1 |
| Sweet corn (corn-on-the-cob) | *0.1 |
| | |

Agvet chemical: Avermectin B1

see Abamectin

Agvet chemical: Avilamycin

Permitted residue: Inhibitory substance, identified as avilamycin

| 0.2 |
|-------|
| 0.2 |
| 0.3 |
| 0.2 |
| *0.05 |
| *0.05 |
| |

Agvet chemical: Azamethiphos

Permitted residue: Azamethiphos

| Cereal grains [except sweet corns] | 0.1 |
|------------------------------------|-------|
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Wheat bran, unprocessed | 0.5 |
| | |

Agvet chemical: Azaperone

| Permitted residue: | Azaperone | |
|----------------------|-----------|-----|
| Pig, edible offal of | | 0.2 |
| Pig meat | | 0.2 |

Agvet chemical: Azimsulfuron

Permitted residue: Azimsulfuron

| Edible offal (mammalian) | *0.02 |
|--------------------------|-------|
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Rice | *0.02 |

Agvet chemical: Azinphos-methyl

Permitted residue: Azinphos-methyl

| Blueberries | *0.01 |
|-----------------------------|-------|
| Grapes | *0.01 |
| Pome fruits [except apples] | 2 |
| Stone fruits | 0.01 |
| Strawberry | *0.01 |

Agvet chemical: Azoxystrobin

| Permitted residue: Azoxystrobin | |
|---|------------|
| All other foods except animal food | 0.1 |
| commodities | |
| Almonds | *0.01 |
| Anise myrtle leaves (dried) | Т3 |
| Avocado | 3 |
| Banana | 2 |
| Barley | 0.2 |
| Bayberries | Т5 |
| Bayberry, red | Т5 |
| Beetroot | T*0.005 |
| Blackberries | 5 |
| Blueberries | 5 |
| Boysenberry | 5 |
| Brassica vegetables (except Brassica | 1 |
| leafy vegetables) [except Chinese | |
| cabbage (Pe-tsai)] | |
| Broccoli, Chinese (Gai lan) | 1 |
| Bulb vegetables [except chives; onion, bulb] | 5 |
| Carrot | 0.2 |
| Celery | 5 |
| 5 | 5 15 |
| Chinese cabbage (Pe-tsai) Chives | 70 |
| Citrus fruits | |
| | 10 T5 |
| Cloudberry | _ |
| Cotton seed | T0.05 |
| Cranberry | 0.5 |
| Currants, black, red, white | 5 |
| Dewberries (including boysenberry and loganberry) | Т5 |
| Dried grapes | 5 |
| Edible offal (mammalian) | 0.03 |
| Egg plant | 0.03 T2 |
| Eggs | *0.01 |
| Fennel, bulb | |
| , | 5 2 |
| Fruiting vegetables, cucurbits | _ |
| Grapes | 2 |
| Guava | 0.2 |
| Herbs | 70 |
| Horseradish | 0.5 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 15 |
| Legume vegetables | 3 |
| Lemon myrtle leaves (dried) | Т3 |
| Macadamia nuts | *0.01 |
| Maize cereals | 0.05 |
| Mango | 0.05 |
| Meat (mammalian) (in the fat) | 0.02 |
| Milks | 0.02 |
| Mustard seeds | T0.01 |
| Oats | 0.1 |
| Okra | 0.1 T2 |
| Olives | T2 |
| | 0.2 |
| Onion, bulb | 0.2 |
| | |

| Passionfruit | 0.5 |
|--|-------|
| Peanut | 0.2 |
| Peanut oil, crude | 0.1 |
| Peppers | 3 |
| Peppers, chili, dried | 30 |
| Poppy seed | *0.02 |
| Potato | 7 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | 0.3 |
| Radish | 0.5 |
| Rape seed (canola) | 0.01 |
| Raspberries, red, black | 5 |
| Rhubarb | 0.6 |
| Riberry | T1 |
| Rice | Т7 |
| Rye | 0.1 |
| Spices [except peppers, chili, dried] | *0.1 |
| Stone fruits [except jujube, Chinese] | 1.5 |
| Strawberry | 10 |
| Sweet corns (subgroup) | 0.05 |
| Tomato | T1 |
| Tree nuts [except almonds and macadamia nuts] | 2 |
| Triticale | 0.1 |
| Wheat | 0.1 |
| - WIIGAL | 0.1 |

Agvet chemical: Bacitracin

| Permitted residue: Inhibitory substance, identified as bacitracin | |
|---|------|
| Chicken, edible offal of | *0.5 |
| Chicken fat | *0.5 |
| Chicken meat | *0.5 |
| Eggs | *0.5 |
| Milks | *0.5 |
| | |

Agvet chemical: Benalaxyl

Permitted residue: Benalaxyl

| Grapes | T0.5 |
|--------|------|
| | |

Agvet chemical: Bendiocarb

Permitted residue—commodities of plant origin: Unconjugated bendiocarb

Permitted residue—commodities of animal origin: Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and Nhydroxymethylbendiocarb, expressed as Bendiocarb

| Cattle, edible offal of | 0.2 |
|--------------------------|------|
| Cattle meat | 0.1 |
| Eggs | 0.05 |
| Milks | 0.1 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.05 |
| | |

| Agvet chemical: Benfluralin | |
|--------------------------------|--------|
| Permitted residue: Benfluralin | |
| Lettuce, head | T*0.05 |
| Lettuce, leaf | T*0.05 |
| | |

Agvet chemical: Benomyl

see Carbendazim

Agvet chemical: Bensulfuron-methyl

| *0.02 |
|-------|
| *0.05 |
| |

Agvet chemical: Bentazone

Permitted residue: Bentazone

| All other foods except animal food commodities | 0.1 |
|--|-------|
| Beans [except soya bean] | 0.5 |
| Dry beans | 0.5 |
| Dry peas | 0.5 |
| Dry underground pulses | *0.01 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Fats (mammalian) | *0.01 |
| Herbs | 0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Onion, bulb | T0.1 |
| Peanut | *0.1 |
| Peas | 3 |
| Potato | 0.15 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Rice | 0.05 |

Agvet chemical: Benzocaine

| Permitted residue: | Benzocaine |
|--------------------|------------|
| | Donzoounio |

| Abalone | *0.05 |
|---------|-------|
| Finfish | *0.05 |
| | |

Agvet chemical: Benzofenap

| Permitted residue: Sum of benzofenap, | |
|--|--|
| benzofenap-OH and Benzofenap-red, expressed as | |
| benzofenap | |

| Rice | *0.01 |
|------|-------|
| | |

Agvet chemical: Benzovindiflupyr

| Permitted residue: Benzovindifiupyr | |
|-------------------------------------|------|
| All other foods except animal food | 0.02 |
| commodities | |
| Barley | 0.2 |
| Beans, dry [except soya bean (dry)] | 0.15 |
| | |

| Blueberries | 2 |
|--|-------|
| Bulb onions | 0.02 |
| Coffee beans | 0.15 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Ginseng | 0.3 |
| Grapes | 1 |
| Green onions | 0.4 |
| Meat (mammalian) [in the fat] | *0.01 |
| Milks | *0.01 |
| Oats | 0.2 |
| Peanut | 0.4 |
| Peas, dry | 0.2 |
| Peppers, chili, dried | 9 |
| Pome fruits [except Persimmon, Japanese] | 0.2 |
| Potato | 0.02 |
| Poultry, edible offal of | *0.01 |
| Poultry meat [in the fat] | *0.01 |
| Soya bean (dry) | 0.08 |
| Sugar beet | 0.08 |
| Sugar cane | 0.4 |
| Tomato | 1.5 |
| Wheat (subgroup) | 0.01 |

Agvet chemical: Benzyladenine

| Permitted residue: Benzyladenine | |
|--|---------|
| All other foods except animal food commodities | 0.01 |
| Apple | 0.2 |
| Pear | *0.005 |
| Walnut | T*0.005 |

Agvet chemical: Benzyl G penicillin

Permitted residue: Inhibitory substance, identified as benzyl G penicillin

| Edible offal (mammalian) | *0.06 |
|--------------------------|---------|
| Meat (mammalian) | *0.06 |
| Milks | *0.0015 |
| | |

Agvet chemical: Betacyfluthrin

see Cyfluthrin

Agvet chemical: Bicyclopyrone

Permitted residue: Bicyclopyrone and its structurally
related metabolites determined as the common
moieties SYN503780 and CSCD686480 and
expressed as bicyclopyroneAll other foods except animal food
commodities0.02

| commodities | |
|--------------------------|-------|
| Barley | 0.02 |
| Bulb onions (subgroup) | 0.02 |
| Edible offal (mammalian) | 2 |
| Eggs | *0.02 |

| Green onions | 0.05 |
|------------------------------|-------|
| Hops, dry | 0.04 |
| Maize | 0.02 |
| Meat (mammalian) | *0.02 |
| Milk | *0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Sweet corn (corn on the cob) | 0.03 |
| Wheat | 0.02 |
| Wheat bran, unprocessed | 0.05 |
| | |

Agvet chemical: Bifenazate

Permitted residue: Sum of bifenazate and bifenazate diazene (diazenecarboxylic acid, 2-(4methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate

| expressed as birchazate | |
|---|---------|
| All other foods except animal food commodities | 0.2 |
| Almonds | 0.2 |
| Apricot | 0.5 |
| Avocado | T2 |
| Blackberries | T7 |
| Cherries | 2.5 |
| Cloudberry | T7 |
| Cos lettuce | T20 |
| Cranberry | 1.5 |
| Dewberries (including boysenberry and loganberry) | T7 |
| Dried grapes | T2 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 1 |
| Fruiting vegetables, other than | 1 |
| cucurbits [except peppers, chili] | |
| Fungi, edible (except mushrooms) | 1 |
| Grapes [except wine grapes] | T1 |
| Hops, dry | 15 |
| Lettuce, head | T20 |
| Lettuce, leaf | T20 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Nectarine | 0.5 |
| Papaya (pawpaw) | 2 |
| Peach | 2 |
| Peppers, chili | 3 |
| Plums (including prunes) | 0.5 |
| Podded pea (young pods) (snow and | T1 |
| sugar snap) | |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pome fruits [except Persimmon, | 2 |
| Japanese] Reapharrian rad black | Т7 |
| Raspberries, red, black | |
| Strawberry | 2 T1 |
| Yard-long bean (pods) | 11 |
| | |

Agvet chemical: Bifenthrin Permitted residue: Bifenthrin All other foods except animal food 0.03 commodities Almonds T0.1 Apple *0.05 Avocado T0.1 Banana 0.1 Blackberries Т3 Т3 Blueberries Brassica vegetables (except Brassica 0.5 leafy vegetables), [except cabbages, head; Chinese cabbage (Pe-tsai)] 0.5 Broccoli, Chinese (Gai lan) Bulb vegetables [except chives; onion, T5 bulb] Cabbages, head T0.5 Celery T*0.01 Cereal grains [except sweet corns] *0.02 Cherries Т3 Chervil T0.5 Chia T0.2 Chinese cabbage (Pe-tsai) *0.01 Chives T0.5 Citrus fruits *0.05 Cloudberry Т3 Common bean (dry) (navy bean) 0.2 Common bean (pods and/or immature 0.7 seeds) Cotton seed 0.5 Cranberry 3 0.5 Cucumber Currants, black, red, white Т3 Dewberries (including boysenberry and Т3 loganberry) Edible offal (mammalian) 0.5 Eggs *0.05 Fennel, bulb Τ5 Fig T1 Fruiting vegetables, cucurbits [except 0.1 cucumber] Fruiting vegetables, other than 0.5 cucurbits 0.5 Fungi, edible (except mushrooms) Galangal, rhizomes T10 Ginger, root T*0.01 Gooseberry Т3 Grapes 0.2 Herbs T0.5 Hops, dry 10 Kaffir lime leaves T10 Leafy vegetables [except broccoli, *0.01 Chinese (Gai lan); chervil; mizuna; rucola (rocket); witloof chicory] T10 Lemon balm Lemon grass T10 Lemon verbena T10

| Meat (mammalian) (in the fat) | 2 |
|------------------------------------|--------|
| Milks | 0.5 |
| Mizuna | T0.5 |
| Mung bean (dry) | T0.2 |
| Mushrooms | 0.5 |
| Mustard seeds | *0.02 |
| Olives | T0.5 |
| Pear | 0.5 |
| Peanut | 0.05 |
| Peas (pods and succulent, immature | *0.01 |
| seeds) | |
| Peppers, chili, dried | 5 |
| Pineapple | *0.01 |
| Poppy seed | *0.02 |
| Poultry, edible offal of | *0.05 |
| Poultry meat (in the fat) | *0.05 |
| Pulses [except common bean (dry) | 0.3 |
| (navy bean); mung bean (dry)] | |
| Rape seed (canola) | *0.02 |
| Raspberries, red, black | Т3 |
| Rucola (rocket) | T0.5 |
| Stone fruits [except cherries | 1 |
| (subgroup)] | |
| Strawberry | 1 |
| Sugar cane | T0.7 |
| Sweet corns | 0.5 |
| Sweet potato | *0.05 |
| Taro | T*0.05 |
| Tea, green, black | 5 |
| Truffle | T*0.01 |
| Turmeric, root | T10 |
| | |

Agvet chemical: Bitertanol

Permitted residue: Bitertanol

| Beans [except broad bean; soya bean] | 0.5 |
|--------------------------------------|-------|
| Edible offal (mammalian) | 3 |
| Eggs | *0.01 |
| Meat (mammalian) (in the fat) | 0.3 |
| Milks | 0.2 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| | |

Agvet chemical: Bixafen

Permitted residue—commodities of plant origin: Bixafen

Permitted residue—commodities of animal origin: Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen

| All other foods | 0.03 |
|--|-------|
| Barley | 1.5 |
| Cereal grains [except barley; sorghum grain; sweet corns (subgroup); wheat; wheat bran, processed] | *0.01 |
| Cotton seed | 0.3 |
| Cotton seed oil, crude | T0.5 |

| Edible offal (mammalian) | 0.7 |
|--|-------|
| Eggs | *0.02 |
| Lupin (dry) | T0.1 |
| Meat (mammalian) (in the fat) | 0.2 |
| Milk fats | 0.5 |
| Milks | 0.05 |
| Oilseeds [except cotton seed; sunflower seed] | *0.01 |
| Palm nuts | *0.01 |
| Peanut | *0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat (in the fat) | *0.02 |
| Pulses [except lupin (dry); soya bean (dry)] | 0.04 |
| Root and tuber vegetables | 0.06 |
| Sorghum grain | 2 |
| Soya bean (dry) | 0.08 |
| Soya bean oil, refined | 0.15 |
| Sunflower seed | 3 |
| Wheat | 0.3 |
| Wheat bran, processed | 0.8 |
| | |

Agvet chemical: Bixlozone

| Permitted residue: Bixlozone | |
|------------------------------------|--------|
| All other foods except animal food | 0.01 |
| commodities | |
| Barley | *0.01 |
| Broad bean (dry) | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Field pea (dry) | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mustard seeds | T*0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Rape seed (canola) | *0.01 |
| Wheat | *0.01 |
| | |

Agvet chemical: Boscalid

Permitted residue—commodities of plant origin: Boscalid

Permitted residue—commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents

| Adzuki bean | Т3 |
|--------------------------------------|-----|
| All other foods | 0.5 |
| Almonds | 0.7 |
| Barley, grain | 4 |
| Blackberries | T10 |
| Blueberries | T15 |
| Brassica vegetables (except Brassica | 2 |
| leafy vegetables) [except Chinese | |
| cabbage (Pe-tsai)] | |

| Broccoli, Chinese (Gai lan) Bulb vegetables [except chives; onion, bulb] | 2 5 |
|--|-----------|
| Cassava | 2 |
| Celery | T15 |
| Cherries | 5 |
| | 2 |
| Citrus fruits [except kumquats] | Z T3 |
| Chick-pea (dry) | 40 |
| Chinese cabbage (Pe-tsai) | 40 T10 |
| Cloudberry | 110 |
| Currants, black, red, white | - |
| Dewberries (including boysenberry and loganberry and youngberry) | T10 |
| Dried grapes | 15 |
| Edible Fungi | 13 |
| Edible offal (mammalian) | 0.3 |
| Fennel. bulb | 0.3 |
| 1 | 3 |
| Fruiting vegetables, cucurbits | 3 |
| Fruiting vegetables, other than cucurbits | 3 |
| Grapes | 5 |
| Hops, dry | 60 |
| Kiwifruit | 5 |
| Leafy vegetables [except broccoli, | 40 |
| Chinese (Gai Ian); witloof chicory] | -0 |
| Legume vegetables | 3 |
| Lentil (dry) | Т3 |
| Lupin (dry) | T0.1 |
| Mango | 2 |
| Meat (mammalian) (in the fat) | 0.3 |
| Milk fats | 0.7 |
| Milks | 0.1 |
| Oilseed | 3.5 |
| Onion. bulb | 0.5 |
| Palm nuts | 3.5 |
| Рарауа | 1.5 |
| Peaches (subgroup) | 4 |
| Peanut | T0.1 |
| Peanut oil, edible | T0.7 |
| Peppers, chili, dried | 10.7 |
| Pistachio nut | T2 |
| Plums (including fresh prunes) | 3.5 |
| Pome fruits [except Persimmon, | 2 |
| Japanese] | L |
| Potato | 2 |
| Prunes, dried | 5 |
| Pulses [except chick-pea (dry); lentil | 2.5 |
| (dry); lupin (dry); soya bean (dry)] | - |
| Raspberries, red, black | T10 |
| Root and tuber vegetables [except | 1 |
| cassava; potato] | |
| Silvanberries | T10 |
| Strawberry | 10 |
| Sweet corn (corn-on-the cob) | 1 |
| Tea, green, black | 40 |
| | |

Agvet chemical: Broflanilide

| gin: |
|-----------------------------|
| rigin: omo-4- ıyl]-2- |
| 0.5 |
| *0.02 |
| *0.02 |
| 4 |
| *0.02 |
| *0.02 |
| *0.002 |
| *0.02 |
| |

Agvet chemical: Bromacil

Poultry meat (in the fat)

Permitted residue: Bromacil

| Asparagus | *0.04 |
|---------------------------------|-------|
| Citrus fruits [except kumquats] | *0.04 |
| Edible offal (mammalian) | *0.04 |
| Meat (mammalian) | *0.04 |
| Milks | *0.04 |
| Pineapple | *0.04 |

*0.02

Agvet chemical: Bromoxynil

Permitted residue: Bromoxynil

| - | |
|--|--------|
| All other foods except animal food commodities | 0.1 |
| Cereal grains [except sweet corns] | *0.2 |
| Edible offal (mammalian) | Т3 |
| Eggs | *0.02 |
| Garlic | T*0.05 |
| Hempseed | T*0.02 |
| Linseed | *0.02 |
| Meat (mammalian) (in the fat) | T1 |
| Milks | T0.1 |
| Onion, bulb | *0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Walnuts | T*0.01 |

Agvet chemical: Bupirimate

Permitted residue: Bupirimate

| All other foods except animal food commodities | 0.02 |
|--|------|
| Apple | 1 |
| Currants, black, red, white | 5 |
| Egg plant | 1 |
| Fruiting vegetables, cucurbits | 1 |
| Peppers | 0.7 |
| Strawberry | 1.5 |
| Tomato | T0.3 |

Agvet chemical: Buprofezin

| Permitted residue: | Buprofezin |
|--------------------|------------|
|--------------------|------------|

| All other foods except animal food commodities | 0.1 |
|--|-------|
| Almonds | 0.05 |
| Apple | 3 |
| Apricot | 9 |
| Basil | 5 |
| Celery | Т5 |
| Cereal grains [except sweet corns] | *0.01 |
| Chives, Chinese | 2 |
| Citrus fruits | 2 |
| Citrus oil. edible | 6 |
| Cotton seed | 0.3 |
| Custard apple | 0.1 |
| Dried grapes (currants, raisins and | 1 |
| sultanas) | |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | T2 |
| Fruiting vegetables, other than | T2 |
| cucurbits [except peppers, chili; | |
| tomato] | |
| Fungi, edible (except mushrooms) | T2 |
| Garlic chives | 2 |
| Grapes | 2.5 |
| Lettuce, leaf | T10 |
| Litchi | T0.5 |
| Mango | 0.2 |
| Marjoram (oregano) | 5 |
| Meat (mammalian) (in the fat) | *0.05 |
| Milks | *0.01 |
| Mints | 5 |
| Mushrooms | T2 |
| Nectarine | 9 |
| Oilseeds [except cotton seed] | *0.01 |
| Olive oil, virgin | 20 |
| Palm nuts | *0.01 |
| Passionfruit | 2 |
| Peach | 9 |
| Peanut | *0.01 |
| Pear | 0.2 |
| Peppers, chili | 10 |
| Persimmon, Japanese | 1 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Pulses | *0.01 |
| Stone fruits [except apricot; jujube, | 1.9 |
| Chinese; nectarine; peach] | |
| Sweet corns | T2 |
| Tomato | 1 |
| Thyme | 5 |
| Tree tomato | T1 |
| Walnut | T0.05 |
| | |

Agvet chemical: Butafenacil

| Permitted residue: Butafenacil | |
|--|--------|
| Cereal grains [except rice; sweet corns] | *0.02 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mustard seeds | T*0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.01 |
| Pulses | *0.01 |
| Rape seed (canola) | *0.01 |

Agvet chemical: Butroxydim

Permitted residue: Butroxydim

| Edible offal (mammalian) | *0.01 |
|--------------------------|-------|
| Eggs | *0.01 |
| Legume vegetables | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Oilseed | *0.01 |
| Palm nuts | *0.01 |
| Peanut | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | *0.01 |
| | |

Agvet chemical: Cadusafos

Permitted residue: Cadusafos

| Banana | *0.01 |
|---------------|-------|
| Citrus fruits | *0.01 |
| Ginger, root | 0.1 |
| Sugar cane | *0.01 |
| Tomato | *0.01 |
| | |

Agvet chemical: Captan

| Permitted residue: Captan | |
|--|-------|
| All other foods except animal food | 0.1 |
| commodities | |
| Almonds | 0.3 |
| Berries and other small fruits [except | T30 |
| blueberries; grapes; strawberry] | |
| Blueberries | 20 |
| Chick-pea (dry) | T0.1 |
| Cucumber | Т5 |
| Dried grapes | 15 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.02 |
| Grapes | 10 |
| Lentil (dry) | T0.1 |
| Lettuce, leaf | T15 |
| Mandarins | Т3 |
| Meat (mammalian) | *0.05 |

| Milks | *0.01 |
|--------------------------------|-------|
| Peppers, chili | T7 |
| Peppers, sweet | T7 |
| Pitaya (dragon fruit) | T20 |
| Pome fruits [except Persimmon, | 10 |
| Japanese] | |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Stone fruits | 15 |
| Strawberry | 10 |
| Tangelo, large-sized cultivars | Т3 |
| Tree nuts [except almonds] | 3 |

Agvet chemical: Carbaryl

Permitted residue: Carbaryl

| All other foods except animal food commodities | 0.02 |
|---|-------|
| Avocado | 2 |
| Barley | 15 |
| Beetroot | 0.5 |
| Cacao bean | 0.02 |
| Cereal grains [except barley; rice; | 5 |
| sorghum, grain; sweet corns | |
| (subgroup)] | |
| Coconut | *0.01 |
| Cotton seed | 3 |
| Cranberry | 3 |
| Edible offal (mammalian) | 3 |
| Eggs | *0.02 |
| Feijoa | *0.01 |
| Fruiting vegetables, cucurbits | *0.01 |
| Grapes | *0.01 |
| Guava | *0.01 |
| Hazelnuts | 0.01 |
| Jaboticaba | *0.01 |
| Jackfruit | *0.01 |
| Lemon | 3 |
| Litchi | *0.01 |
| Longan | *0.01 |
| Macadamia nuts | 2 |
| Mango | 2 |
| Meat (mammalian) | 0.07 |
| Milks | 0.1 |
| Oilseed [except cotton seed] | 0.1 |
| Oranges, sweet, sour | 3 |
| Palm nuts | 0.1 |
| Peanut | 0.1 |
| Pecan | 2 |
| Peppers, chili, dried | 2 |
| Pome fruits [except Persimmon, | 0.2 |
| Japanese] | |
| Potato | 0.1 |
| Poultry, edible offal of | 0.2 |
| Poultry meat | *0.02 |
| Pulses | 0.1 |
| Rambutan | *0.01 |

| Raspberries, red, black | 15 |
|--|-------|
| Rice | 7 |
| Sorghum, grain | 10 |
| Strawberry | *0.01 |
| Stone fruits [except cherries (subgroup)] | 0.5 |
| (subgroup)] Swede | 2 |
| Sweet potato | 0.1 |
| Turnip, garden | 2 |
| Wheat bran, unprocessed | 10 |
| | |

Agvet chemical: Carbendazim

Permitted residue: Sum of carbendazim and 2aminobenzimidazole, expressed as carbendazim

| Apple | 0.2 |
|---|-------|
| Apricot | 2 |
| Blackberry | *0. |
| Cherries | 20 |
| Chives | *0. |
| Citron | 0. |
| Currants, black, red, white | 0. |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0. |
| Garlic | T*0.0 |
| Grapefruit | 0.2 |
| Grapes | 0.3 |
| Lemon | 0. |
| Lime | 0. |
| Macadamia nuts | 0.1 |
| Mandarins | 0. |
| Mango | |
| Meat (mammalian) | 0.2 |
| Milks | *0. |
| Mineola | 0. |
| Mushrooms | T |
| Nectarine | 0.2 |
| Oranges | 0.2 |
| Peach | 0.2 |
| Pear | 0.2 |
| Peppers, chili | |
| Peppers, chili, dried | 20 |
| Peppers [except peppers, chili] | *0.1 |
| Podded pea (young pods) (snow and sugar snap) | 0.02 |
| Poultry, edible offal of | *0. |
| Poultry meat | *0.1 |
| Pulses | 0. |
| Raspberries, red, black | 0.1 |
| Rhubarb | 0.1 |
| Rice, husked | |
| Shaddock (pomelo) | 0.2 |
| Spices [except peppers, chili, dried; spices, seeds] | *0. |
| Spices, seeds | ! |
| Strawberry | |
| Tangelo [except mineola] | 0.2 |

| Tangors | 0.7 |
|---------|-----|
| Tomato | 0.5 |
| | |

Agvet chemical: Carbetamide

Permitted residue: Carbetamide

| Edible offal (mammalian) | *0.05 |
|--------------------------|-------|
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | *0.01 |

Agvet chemical: Carbofuran

Permitted residue: Sum of carbofuran and 3hydroxycarbofuran, expressed as carbofuran

| Cotton seed | 0.1 |
|----------------|-----|
| Sunflower seed | 0.1 |

Agvet chemical: Carbon disulphide

| Permitted residue: Carbon disulfide | |
|-------------------------------------|-----|
| Cereal grains [except sweet corns] | 10 |
| Pulses | T10 |

Agvet chemical: Carbonyl sulphide

| Permitted residue: Carbonyl sulphide | |
|--------------------------------------|------|
| Cereal grains [except sweet corns] | T0.2 |
| Pulses | T0.2 |
| Rape seed (canola) | T0.2 |
| | |

Agvet chemical: Carbosulfan

see Carbofuran

Agvet chemical: Carboxin

| Permitted residue: Carboxin | |
|------------------------------------|-----|
| Cereal grains [except sweet corns] | 0.1 |
| Peanut | 0.2 |

| Agvet chemical: Carfentrazone-ethyl | |
|---|--------|
| Permitted residue: Carfentrazone-ethyl | |
| All other foods except animal food commodities | 0.05 |
| Assorted tropical and sub-tropical fruits – edible peel | *0.05 |
| Assorted tropical and sub-tropical fruits – inedible peel | *0.05 |
| Berries and other small fruits [except blueberries; grapes] | *0.05 |
| Blueberries | 0.1 |
| Cereal grains [except sweet corns] | *0.05 |
| Citrus fruits | *0.05 |
| Cotton seed | T*0.05 |
| | |

| Edible offal (mammalian) | *0.05 |
|--------------------------|--------|
| Eggs | *0.05 |
| Grapes | *0.05 |
| Hops, dry | 0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.025 |
| Peanut | 0.1 |
| Pome fruits | *0.05 |
| Potato | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Stone fruits | *0.05 |
| Tree nuts | *0.05 |

Agvet chemical: Ceftiofur

Permitted residue: Desfuroylceftiofur

| Cattle, edible offal of | 2 |
|-------------------------|-----|
| Cattle fat | 0.5 |
| Cattle meat | 0.1 |
| Cattle milk | 0.1 |
| | |

Agvet chemical: Cefuroxime

Permitted residue: Inhibitory substance, identified as cefuroxime

| Cattle, edible offal of | *0.1 |
|-------------------------|------|
| Cattle meat | *0.1 |
| Cattle milk | *0.1 |
| | |

Agvet chemical: Cephalonium

Permitted residue: Inhibitory substance, identified as cephalonium

| Cattle, edible offal of | *0.1 |
|-------------------------|-------|
| Cattle meat | *0.1 |
| Cattle milk | *0.02 |
| | |

Agvet chemical: Cephapirin

Permitted residue: Cephapirin and desacetylcephapirin, expressed as cephapirin

| Cattle, edible offal of | *0.02 |
|-------------------------|-------|
| Cattle meat | *0.02 |
| Cattle milk | *0.01 |
| | |

Agvet chemical: Chlorantraniliprole

Permitted residue—plant commodities and animal commodities other than milk: Chlorantraniliprole

Permitted residue—milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[((hydroxymethyl)amino)carbonyl]phenyl]-1-(3chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole

All other foods

| Asparagus | 13 |
|---|-------------|
| Avocado | 4 |
| Berries and other small fruits [except blueberries] | 2.5 |
| Blueberries | Т3 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Cacao beans | T0.2 |
| Celery | 7 |
| Cherries | 2.5 |
| Chinese cabbage (Pe-tsai) | 15 |
| Chives | T20 |
| Citrus fruits | 1.4 |
| Coffee beans | 0.4 |
| Cotton seed | 0.3 |
| Coriander (leaves, roots, stems) | T20 |
| Dried fruits | 2 |
| Dry beans [except mung beans (dry); soya bean (dry)] | 0.3 |
| Dry peas | 0.3 |
| Dry underground pulses | 0.07 |
| Edible Fungi | 0.6 |
| Edible offal (mammalian) | 0.02 |
| Eggs | 0.03 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than | 0.6 |
| cucurbits [except peppers, chili] | TO 4 |
| Ginger, root | T0.1 T1 |
| Hempseed | |
| Herbs | T20 |
| Hops, dry | 40 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; rucola; | 15 |
| witloof chicory] | |
| Legume vegetables | 2 |
| Lettuce, head | 3 |
| Linseed | T0.5 |
| Maize cereals | T*0.01 |
| Meat (mammalian) (in the fat) | 0.02 |
| Mexican tarragon | T20 |
| Milk fats | 0.1 |
| Milks | 0.02 |
| Mung bean (dry) | 0.7 |
| Mushrooms | 0.6 |
| Palm fruit (African oil palm) | 0.8 |
| Palm kernel oil, crude | 2 |
| Peanuts | 0.06 |
| Peppers, chili | 1 |
| Peppers, chili, dried | 5 |
| Persimmon, Japanese | 0.3 |
| Plums | |
| | 1 |
| Pome fruits [except Persimmon, | |
| Japanese] | 1 1.2 |
| | 1 |

| | *0.04 |
|--|-------|
| Poultry meat (in the fat) | *0.01 |
| Rape seed (canola) | 2 |
| Rhubarb | 5 |
| Rice | 0.4 |
| Root and tuber vegetables [except potato] | T0.5 |
| Rucola (rocket) | T20 |
| Safflower seed | T0.1 |
| Sesame seed | T0.5 |
| Sorghum grain and millet | T1 |
| Soya bean (dry) | 0.07 |
| Stone fruits [except cherries | 4 |
| (subgroup); plums (subgroup)] | |
| Sugar cane | T0.5 |
| Sunflower seed | 2 |
| Sweet corn (corn-on-the-cob) | *0.01 |
| Tree nuts | 0.1 |

Agvet chemical: Chlorfenapyr

Permitted residue: Chlorfenapyr

| Permilied residue. Chiomenapyr | |
|---|-------|
| All other foods except animal food commodities | 0.02 |
| Brassica leafy vegetables [except Chinese cabbage (Pak-choi)] | Т3 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Chinese cabbage (Pak-choi) | 3 |
| Citron | 0.8 |
| Cotton seed | 0.5 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Fats (mammalian) | 0.6 |
| Garlic | *0.01 |
| Lemon | 0.8 |
| Lime | 0.8 |
| Meat (mammalian) | 0.6 |
| Meat (mammalian) (in the fat) | 0.05 |
| Melons [except watermelon] | 0.4 |
| Vilks | 0.03 |
| Mizuna | Т3 |
| Onion, bulb | *0.01 |
| Onion, Welsh | T1 |
| Oranges, sweet, sour | 1.5 |
| Papaya | 0.3 |
| Peach | 1 |
| Peppers | 0.3 |
| Peppers, chili | 0.01 |
| Peppers, chili, dried | 3 |
| Persimmon, Japanese | 1 |
| Pome fruits [except Persimmon, Japanese] | 0.5 |
| Potato | *0.01 |
| Poultry, edible offal of | 0.01 |
| Poultry fats | 0.02 |
| Poultry meat | 0.02 |
| | |

| Poultry meat (in the fat) | *0.01 |
|---------------------------------------|-------|
| Rucola (rocket) | T5 |
| Shallot | T1 |
| Soya bean (dry) | 0.08 |
| Soya bean oil, crude | 0.4 |
| Spices [except peppers, chili, dried] | 0.05 |
| Spring onion | T1 |
| Tea, green, black | 60 |
| Tomato | 0.4 |
| | |

Agvet chemical: Chlorfenvinphos

Permitted residue: Chlorfenvinphos, sum of E and Z isomers

| Cattle, edible offal of | T*0.1 |
|--------------------------|-------|
| Cattle meat (in the fat) | T0.2 |
| Cattle milk (in the fat) | T0.2 |
| Deer meat (in the fat) | 0.2 |
| Goat, edible offal of | T*0.1 |
| Goat meat (in the fat) | T0.2 |
| Sheep, edible offal of | T*0.1 |
| Sheep meat (in the fat) | T0.2 |
| | |

Agvet chemical: Chlorhexidine

| Permitted residue: Chlorhexidine | |
|----------------------------------|------|
| Milks | 0.05 |
| Sheep, edible offal of | *0.5 |
| Sheep fat | *0.5 |
| Sheep meat | *0.5 |
| | |

Agvet chemical: Chloridazon

| Permitted residue: Chloridazon | |
|--------------------------------|-------|
| Beetroot | *0.05 |
| Beetroot leaves | 1 |
| Chard (silver beet) | 1 |
| Spinach | 1 |
| | |

Agvet chemical: Chlormequat

| Permitted residue: Chlormequat cation | |
|---------------------------------------|-------|
| Barley | T2 |
| Dried grapes | 0.75 |
| Edible offal (mammalian) | 0.5 |
| Eggs | 0.1 |
| Grapes | 0.75 |
| Meat (mammalian) | 0.2 |
| Milks | 0.5 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | *0.05 |
| Wheat | 5 |
| | |

Agvet chemical: Chloropicrin

| Permitted residue: Chloropicrin | |
|------------------------------------|------|
| Cereal grains [except sweet corns] | *0.1 |

Agvet chemical: Chlorothalonil

Permitted residue—commodities of plant origin: Chlorothalonil

Permitted residue—commodities of animal origin: 4hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil

| expressed as chlorothalonii | |
|--|-------|
| Almonds | T0.1 |
| Apricot | 7 |
| Asparagus | T*0.1 |
| Banana | 3 |
| Berries and other small fruits [except | T10 |
| cranberry; currant, black; grapes] | |
| Brussels sprouts | 7 |
| Carrot | 7 |
| Celery | 20 |
| Cherries | 10 |
| Chinese cabbage (Pe-tsai) | T100 |
| Coriander (leaves, roots, stems) | T20 |
| Cranberry | 15 |
| Currant, black | 10 |
| Edible offal (mammalian) | 7 |
| Eggplant | T10 |
| Fennel, bulb | 5 |
| Fennel, leaf | 5 |
| Fennel, seed | 5 |
| Fruiting vegetables, cucurbits | 5 |
| Galangal, Greater | T7 |
| Galangal, Lesser | Т7 |
| Garlic | 10 |
| Grapes | 10 |
| Leafy vegetables [except broccoli, | T100 |
| Chinese (Gai lan); lettuce, head; | |
| lettuce, leaves; witloof chicory] | |
| Leek | T10 |
| Lettuce, head | T10 |
| Lettuce, leaf | T10 |
| Mango | T1 |
| Meat (mammalian) (in the fat) | 2 |
| Milks | 0.05 |
| Nectarine | 7 |
| Onion, bulb | 10 |
| Onion, Welsh | T10 |
| Papaya (pawpaw) | 10 |
| Parsley | T20 |
| Peach | 30 |
| Peanut | 0.3 |
| Peas (pods and succulent, immature | 10 |
| seeds) | |
| Peppers, chili, dried | 70 |
| Persimmon, American | T5 |
| Persimmon, Japanese | T5 |
| Pistachio nut | T0.1 |
| Plums (including prunes) | 10 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| , | |

| Pulses | 3 |
|---------------------------------------|--------|
| Rice | T*0.1 |
| Shallot | T10 |
| Spring onion | T10 |
| Sunflower seed | T*0.01 |
| Sweet corns | T7 |
| Tomato | 10 |
| Tree tomato | T10 |
| Turmeric, root | T7 |
| Vegetables [except asparagus; | T7 |
| Brussels sprouts; carrot; celery; | |
| eggplant; fennel bulb; fruiting | |
| vegetables, cucurbits; garlic; leafy | |
| vegetables; leek; onion, bulb; peas | |
| (pods and succulent, immature seeds); | |
| potato; pulses; spring onion; tomato] | |
| Wasabi | T7 |

Agvet chemical: Chlorpropham

Permitted residue: Chlorpropham

Potato

Agvet chemical: Chlorpyrifos

Permitted residue: Chlorpyrifos

| r chinaca residue. Oniorpynios | |
|---|--------|
| Asparagus | T0.5 |
| Avocado | 0.5 |
| Banana | T0.5 |
| Bean, dry seed | 0.05 |
| Blackberries | 0.5 |
| Blueberries | *0.01 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | T0.5 |
| Broccoli, Chinese (Gai lan) | T0.5 |
| Cacao beans | *0.01 |
| Cassava | T*0.02 |
| Celery | T5 |
| Cereal grains [except rice; sorghum, grain; sweet corns] | T0.1 |
| Cherries | 1 |
| Chives | *0.01 |
| Citrus fruits | 1 |
| Coffee beans | T0.5 |
| Cotton seed | 0.05 |
| Cotton seed oil, crude | 0.2 |
| Cranberry | 1 |
| Dried fruits | T2 |
| Edible offal (mammalian) | T0.1 |
| Eggs | T*0.01 |
| Ginger, root | *0.02 |
| Grapes | T1 |
| Herbs [except parsley] | *0.01 |
| Kiwifruit | 2 |
| Leek | Т5 |
| Mango | *0.05 |
| Meat (mammalian) (in the fat) | T0.5 |
| | |

| Milks (in the fat) | T0.2 |
|--|--------|
| Oilseed [except cotton seed; peanut] | T*0.05 |
| Olives | T*0.05 |
| Onion, bulb | *0.01 |
| Parsley | 0.05 |
| Passionfruit | *0.05 |
| Peanut | 0.2 |
| Peppers, sweet | T1 |
| Persimmon, American | T1 |
| Persimmon, Japanese | T1 |
| Pineapple | T0.5 |
| Pitaya (dragon fruit) | T*0.05 |
| Pome fruits [except Persimmon, | T0.5 |
| Japanese] | |
| Potato | 0.05 |
| Poultry, edible offal of | T0.1 |
| Poultry meat (in the fat) | T0.1 |
| Raspberries, red, black | 0.01 |
| Rice | 0.5 |
| Sorghum, grain | Т3 |
| Spices | *0.01 |
| Star apple | T*0.05 |
| Stone fruits [except cherries | T1 |
| (subgroup)] | |
| Strawberry | 0.05 |
| Sugar cane | T0.1 |
| Swede | T0.3 |
| Sweet corns | T*0.01 |
| Sweet potato | T0.05 |
| Taro | 0.05 |
| Tomato | T0.5 |
| Tree nuts | T0.05 |
| Vegetables [except asparagus; bean, | T*0.01 |
| dry, seed; brassica vegetables; | |
| cassava; celery; leek; peppers, sweet; potato; swede; sweet potato; taro; | |
| tomato] | |
| | |

Agvet chemical: Chlorpyrifos-methyl

Permitted residue: Chlorpyrifos-methyl

| Cereal grains [except rice; sweet corns] | 10 |
|--|-------|
| Chives | *0.01 |
| Cotton seed | *0.01 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Herbs | *0.01 |
| Lupin (dry) | 10 |
| Meat (mammalian) (in the fat) | *0.05 |
| Milks (in the fat) | *0.05 |
| Oilseed [except cotton seed] | 0.15 |
| Palm nuts | 0.15 |
| Peanut | 0.15 |
| Peppers | 1 |
| Peppers, chili, dried | 10 |
| Poultry, edible offal of | *0.05 |
| Poultry meat (in the fat) | *0.05 |
| | |

30

| Pulses [except lupin (dry)] | 0.15 |
|-----------------------------|------|
| Strawberry | 0.5 |
| Tea, green, black | 0.1 |
| Wheat bran, unprocessed | 20 |
| Wheat germ | 30 |

Agvet chemical: Chlorsulfuron

Permitted residue: Chlorsulfuron

| Cereal grains [except sweet corns] | *0.05 |
|------------------------------------|-------|
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| | |

Agvet chemical: Chlortetracycline

Permitted residue: Inhibitory substance, identified as chlortetracycline

| Cattle liver 0.3 |
|------------------------------|
| |
| Cattle meat 0.1 |
| Eggs 0.2 |
| Pig kidney 0.6 |
| Pig liver 0.3 |
| Pig meat 0.1 |
| Poultry, edible offal of 0.6 |
| Poultry meat 0.1 |

Agvet chemical: Chlorthal-dimethyl

Permitted residue: Chlorthal-dimethyl

| Eggs | *0.05 |
|--|-------|
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Lettuce, head | 2 |
| Lettuce, leaf | 2 |
| Milks | *0.05 |
| Parsley | T2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Sweet corns | 5 |
| Vegetables [except as otherwise listed | 5 |
| under this chemical] | |
| | |

Agvet chemical: Cinmethylin

| Permitted residue: Ci | inmethylin |
|-----------------------|------------|
|-----------------------|------------|

| , | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Wheat | *0.01 |

Agvet chemical: Clavulanic acid

| Permitted residue: Clavulanic acid | |
|------------------------------------|-------|
| Cattle, edible offal of | *0.01 |
| Cattle meat | *0.01 |
| Cattle milk | *0.01 |
| | |

Agvet chemical: Clethodim

see Sethoxydim

Residues arising from the use of clethodim are covered by MRLs for sethoxydim

Agvet chemical: Clodinafop acid

Permitted residue: (R)-2-[4-(5-chloro-3-fluoro-2pyridinyloxy) phenoxy] propanoic acid

| Edible offal (mammalian) | *0.1 |
|--------------------------|------|
| Eggs | *0.1 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |
| Wheat | *0.1 |

Agvet chemical: Clodinafop-propargyl

Permitted residue: Clodinafop-propargyl

| Edible offal (mammalian) | *0.05 |
|--------------------------|-------|
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Wheat | *0.05 |

Agvet chemical: Clofentezine

Permitted residue: Clofentezine

| All other foods except animal food | 0.02 |
|---------------------------------------|--------|
| commodities | |
| Almonds | 0.5 |
| Banana | *0.01 |
| Edible offal (mammalian) | T*0.05 |
| Grapes | 1 |
| Hops, dry | 7 |
| Jujube, Chinese | 0.1 |
| Meat (mammalian) | T*0.05 |
| Milks | T*0.05 |
| Plums (including prunes) | 0.1 |
| Pome fruits | 0.1 |
| Stone fruits [except jujube, Chinese; | 1 |
| plums (including prunes)] | |
| Strawberry | 2 |
| Tea, green, black | *0.05 |
| Tomato | 0.5 |
| | |

Agvet chemical: Clomazone

Permitted residue: Clomazone

| Beans [except broad bean; soya bean] | *0.05 |
|--------------------------------------|--------|
| Common bean (pod and/or immature | T*0.05 |
| seeds) | |
| Edible offal (mammalian) | *0.03 |
| Eggs | *0.03 |
| Fruiting vegetables, cucurbits | *0.05 |
| Meat (mammalian) | *0.03 |
| Milks | 0.03 |
| Mustard seeds | T*0.01 |
| Potato | *0.05 |
| Poultry, edible offal of | 0.03 |
| Poultry meat | 0.03 |
| Rape seed (canola) | 0.01 |
| Rice | *0.01 |

Agvet chemical: Clopyralid

Permitted residue: Clopyralid

| All other foods except animal food commodities | 0.1 |
|---|------|
| commodities | |
| Blueberries | 0.5 |
| Cauliflower | T0.2 |
| Cereal grains [except sweet corns] | 2 |
| Cherries | 0.5 |
| Cranberry | 4 |
| Currants, black, red, white | 0.5 |
| Edible offal (mammalian) [except kidney] | 0.5 |
| Hops, dry | 5 |
| Kidney of cattle, goats, pigs and sheep | 5 |
| Meat (mammalian) | 0.1 |
| Milks | 0.05 |
| Mustard seeds | T0.5 |
| Poppy seed | T1 |
| Rape seed (canola) | 0.5 |
| Raspberries, red, black | 0.5 |
| Strawberry | 4 |
| | |

Agvet chemical: Cloquintocet acid

see Cloquintocet mexyl

Residues arising from the use of cloquintocet acid are covered by the MRLs for cloquintocet mexyl

Agvet chemical: Cloquintocet-mexyl

Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxyacetic acid, expressed as cloquintocet mexyl

| Cereal grains [except sweet corns] | *0.1 |
|------------------------------------|--------|
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.1 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Poppy seed | T*0.02 |

| Poultry, edible offal of | *0.1 |
|--------------------------|------|
| Poultry meat | *0.1 |
| | |

Agvet chemical: Clorsulon

| Permitted residue: | Clorsulon |
|---------------------|-----------|
| Cattle adible affel | of |

| Cattle, edible offal of | *0.1 |
|-------------------------|------|
| Cattle meat | *0.1 |
| Cattle milk | 1.5 |
| | |

Agvet chemical: Closantel

| Permitted residue: Closantel | |
|------------------------------|---|
| Sheep, edible offal of | 5 |
| Sheep meat | 2 |

Agvet chemical: Clothianidin

Permitted residue: Clothianidin

see also Thiamethoxam

| All other foods except animal food commodities | T0.1 |
|---|--------|
| Almonds | 0.05 |
| Banana | *0.02 |
| Barley | 0.02 |
| Barley bran, processed | 0.07 |
| Blueberries | T*0.01 |
| Brassica vegetables (except Brassica | 0.5 |
| leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.0 |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Cereal grains [except as otherwise listed under this chemical] | *0.02 |
| Cherimoya | T0.1 |
| Chinese cabbage (Pe-tsai) | 0.7 |
| Citrus fruits | 0.5 |
| Common bean (dry) (navy bean) | T0.1 |
| Cotton seed | *0.02 |
| Cranberry | 0.07 |
| Custard apple | T0.1 |
| Dried grapes | 10 |
| Edible offal (mammalian) [except liver of cattle, goats, pigs and sheep] | *0.02 |
| Eggs | *0.02 |
| Fruiting vegetables, cucurbits | T0.5 |
| Fruiting vegetables, other than cucurbits | T0.7 |
| Fungi, edible (except mushrooms) | T0.7 |
| Grapes [except wine grapes] | 3 |
| llama | T0.1 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 0.7 |
| Liver of cattle, goats, pigs and sheep | 0.4 |
| Maize | *0.01 |
| Mango | T2 |
| Meat (mammalian) | *0.02 |
| Milks | 0.05 |
| Mung bean (dry) | T0.1 |
| | |

| Mustard seeds | T*0.01 |
|------------------------------------|--------|
| Oats | 0.07 |
| Olives | T0.3 |
| Persimmon. American | 2 |
| Pome fruits | 2 |
| Popcorn | *0.01 |
| Poultry, edible offal of | 0.4 |
| Poultry fats | *0.01 |
| Poultry meat | *0.02 |
| Pulses [except common bean (navy | *0.02 |
| bean) (dry); mung bean (dry); soya | |
| bean (dry)] | |
| Rape seed (canola) | *0.01 |
| Rice | 0.9 |
| Rice bran, unprocessed | 1 |
| Rice, husked | 0.5 |
| Rice, polished | 0.5 |
| Sorghum, grain | 0.15 |
| Sorghum, sweet (sorgo) | 0.4 |
| Soursop | T0.1 |
| Soya bean (dry) | T0.02 |
| Spices | 0.05 |
| Stone fruits | 3 |
| Sugar apple | T0.1 |
| Sugar cane | 0.1 |
| Sunflower seed | *0.01 |
| Sweet corns (subgroup) | 0.02 |
| Tea, green, black | T0.7 |
| Triticale | 0.15 |
| Wheat | 0.15 |
| Wheat bran, processed | 6 |
| Wheat germ | 6 |
| Wine grapes | 0.07 |

Agvet chemical: Cloxacillin

Permitted residue: Inhibitory substance, identified as Cloxacillin

Agvet chemical: Coumaphos

Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos

| Cattle fat | *0.02 |
|-----------------|-------|
| Cattle kidney | *0.02 |
| Cattle liver | *0.02 |
| Cattle milk | *0.01 |
| Cattle milk fat | 0.1 |
| Cattle muscle | *0.02 |
| | |

Agvet chemical: Coumatetralyl

| Permitted residue: Coumatetralyl | |
|-------------------------------------|---------|
| Pig, edible offal of [except liver] | T0.003 |
| Pig fat | T*0.001 |
| Pig liver | T0.004 |

| Pig meat | T*0.001 |
|------------------------------|---------|
| | 1 0.001 |
| Agvet chemical: Cyanamide | |
| Permitted residue: Cyanamide | |
| Almonds | *0.01 |
| Apple | *0.02 |
| Blueberries | *0.05 |
| Cherries (subgroup) | T*0.02 |
| Grapes | *0.05 |
| Kiwifruit | *0.1 |
| Pear, Oriental (nashi) | *0.1 |
| Plums (including prunes) | *0.02 |
| Walnuts | *0.02 |

Agvet chemical: Cyanazine

Permitted residue: Cyanazine *0.02 Bulb vegetables [except chives] Cereal grains [except sweet corns] *0.01 Fennel, bulb *0.02 Leek 0.05 Peas 0.02 Podded pea (young pods) (snow and 0.05 sugar snap) Potato 0.02 *0.01 Pulses Sweet corn (corn-on-the-cob) *0.02

Agvet chemical: Cyantraniliprole

Permitted residue: Cyantraniliprole

| All other foods | 0.05 |
|--|--------|
| Apple | 1.5 |
| Apricot | 0.5 |
| Avocado | T1 |
| Beans (dry) | 0.3 |
| Blueberries | 4 |
| Bulb vegetables [except chives; onion, bulb] | 7 |
| Celery | 15 |
| Cherries | 6 |
| Citrus fruits | 0.7 |
| Common beans (pods and/or immature seeds) | T1 |
| Cranberry | 4 |
| Currants, black, red | 4 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Fennel, bulb | 7 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than cucurbits | 2 |
| Fungi, edible (except mushrooms) | 2 |
| Gooseberry | 4 |
| Macadamia nuts | T*0.01 |
| Maize | *0.01 |

| Mango | 0.7 |
|------------------------------------|-------|
| Meat (mammalian) (in the fat) | *0.01 |
| Milk fats | 0.07 |
| Milks | *0.01 |
| Mushrooms | 2 |
| Nectarine | 1.5 |
| Oilseed | 1.5 |
| Onion, bulb | 0.05 |
| Palm nuts | 1.5 |
| Peach | 1.5 |
| Peanut | 1.5 |
| Pear | 1.5 |
| Peas with pods (subgroup) | 2 |
| Peppers, chili, dried | 5 |
| Plums (including prunes) | 0.5 |
| Potato | 0.05 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Raspberries, red, black | 4 |
| Sorghum | *0.01 |
| Strawberry | 1.5 |
| Succulent seeds of Beans with pods | 0.3 |
| Succulent seeds of Peas with pods | 0.3 |
| Sweet corn (corn-on-the-cob) | *0.01 |
| Sweet potato | T0.05 |
| Wine grapes | 1 |

Agvet chemical: Cyazofamid

Permitted residue: Cyazofamid

| All other foods except animal food commodities0.04BasilT30Basil, dryT90Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]2Brassica leafy vegetables15Broccoli, Chinese (Gai lan)2Chard (silver beet)T10Edible offal (mammalian)*0.01Eggs*0.01Garlic2Green onions6Hops, dry10Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Poultry, edible offal of*0.01Poultry meat*0.01SpinachT10 | | |
|---|-----------------------------------|--------|
| Basil, dryT90Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]2Brassica leafy vegetables15Broccoli, Chinese (Gai lan)2Chard (silver beet)T10Edible offal (mammalian)*0.01Eggs*0.01Garlic2Green onions6Hops, dry10Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | • | 0.04 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]2Brassica leafy vegetables15Broccoli, Chinese (Gai Ian)2Chard (silver beet)T10Edible offal (mammalian)*0.01Eggs*0.01Garlic2Green onions6Hops, dry10Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Basil | Т30 |
| leafy vegetables) [except Chinese cabbage (Pe-tsai)]Brassica leafy vegetables15Broccoli, Chinese (Gai Ian)2Chard (silver beet)T10Edible offal (mammalian)*0.01Eggs*0.01Garlic2Green onions6Hops, dry10Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Basil, dry | Т90 |
| Broccoli, Chinese (Gai Ian)2Chard (silver beet)T10Edible offal (mammalian)*0.01Eggs*0.01Garlic2Green onions6Hops, dry10Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | leafy vegetables) [except Chinese | 2 |
| Chard (silver beet)T10Edible offal (mammalian)*0.01Eggs*0.01Garlic2Green onions6Hops, dry10Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Brassica leafy vegetables | 15 |
| Edible offal (mammalian)*0.01Eggs*0.01Garlic2Green onions6Hops, dry10Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Broccoli, Chinese (Gai lan) | 2 |
| Eggs*0.01Garlic2Green onions6Hops, dry10Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Chard (silver beet) | T10 |
| Garlic2Green onions6Hops, dry10Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Edible offal (mammalian) | *0.01 |
| Green onions6Hops, dry10Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Eggs | *0.01 |
| Hops, dry10Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Garlic | 2 |
| Meat (mammalian)*0.01Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Green onions | 6 |
| Milks*0.01Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Hops, dry | 10 |
| Onions, bulb2ParsleyT10Peppers, chili0.8Poppy seedT*0.01Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Meat (mammalian) | *0.01 |
| ParsleyT10Peppers, chili0.8Poppy seedT*0.01Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Milks | *0.01 |
| Peppers, chili0.8Poppy seedT*0.01Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Onions, bulb | 2 |
| Poppy seedT*0.01Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Parsley | T10 |
| Potato*0.01Poultry, edible offal of*0.01Poultry meat*0.01 | Peppers, chili | 0.8 |
| Poultry, edible offal of*0.01Poultry meat*0.01 | Poppy seed | T*0.01 |
| Poultry meat *0.01 | Potato | *0.01 |
| - | Poultry, edible offal of | *0.01 |
| Spinach T10 | Poultry meat | *0.01 |
| | Spinach | T10 |

Agvet chemical: Cyclanilide

| Permitted residue: Sum of cyclanilide a ester, expressed as cyclanilide | and its methyl |
|--|----------------|
| Cotton seed | 0.2 |
| Cotton seed oil, crude | *0.01 |
| Edible offal (mammalian) | 2 |
| Eggs | *0.01 |
| Meat (mammalian) | 0.05 |
| Milks | 0.05 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |

Agvet chemical: Cyclaniliprole

Permitted residue: Cyclaniliprole

| All other foods except animal food commodities | 0.02 |
|--|-------|
| Brassica leafy vegetables | 10 |
| Brassica vegetables (except Brassica | 1 |
| leafy vegetables) [except Chinese | |
| cabbage (Pe-tsai)] | |
| Broccoli, Chinese (Gai lan) | 1 |
| Bush berries | 1.5 |
| Cane berries | 0.8 |
| Citrus fruits | 0.4 |
| Citrus oil, edible | 50 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.01 |
| Elderberries | 1.5 |
| Fruiting vegetables, Cucurbits – | 0.05 |
| Cucumbers and Summer squashes | |
| Fruiting vegetables, Cucurbits – Melons | , 0.1 |
| Pumpkins and Winter squashes | 0.0 |
| Fruiting vegetables other than curcubits | |
| Fungi, edible (except mushrooms) | 0.2 |
| Grapes | 0.8 |
| Guelder rose | 1.5 |
| Leafy greens | 7 |
| Leafy vegetables [except brassica leafy vegetables; leafy greens] | 3 |
| Low growing berries | 0.4 |
| Mammalian fats [except milk fats] | 0.25 |
| Meat (mammalian) (in the fat) | 0.25 |
| Milks | *0.01 |
| Milk fats | 0.2 |
| Mushrooms | 0.2 |
| Peppers, chili, dried | 1.5 |
| Pome fruit [except persimmon, Japanese] | 0.3 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Stone fruits [except jujube, Chinese] | 0.01 |
| Sweet corns | 0.2 |
| Tea, green, black | 50 |
| Tomato, dried | 0.35 |
| Tree nuts | 0.35 |
| TICE HUIS | 0.03 |

Agvet chemical: Cycloxydim

Permitted residue: Cycloxydim, metabolites and degradation products which can be oxidized to 3-(3thianyl) glutaric acid S-dioxide and 3-hydroxy-3-(3thianyl) glutaric acid S-dioxide, expressed as cycloxydim

| Beans (dry) | 30 |
|---------------------------------------|------|
| Beans (green pods and immature | 15 |
| seeds) [except broad bean; soya bean] | |
| Carrot | 5 |
| Grapes | 0.3 |
| Leek | 4 |
| Linseed | 7 |
| Maize | 0.2 |
| Onion, bulb | 3 |
| Peas (dry) | 30 |
| Peas, shelled (succulent seeds) | 15 |
| Peppers, chili, dried | 90 |
| Potato | 15 |
| Rape seed (canola) | 3 |
| Rice | 0.09 |
| Soya bean (dry) | 80 |
| Stone fruits [except jujube, Chinese] | 0.09 |
| Strawberry | 3 |
| Sugar beet | 0.2 |
| Sunflower seed | 6 |
| Tomato | 1.5 |
| | |

Agvet chemical: Cyflufenamid

Permitted residue: Cyflufenamid

| Dried grapes (currants, raisins and sultanas) | 0.5 |
|---|-------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.1 |
| Grapes | 0.15 |
| Hops, dry | 5 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Strawberry | 0.3 |
| | |

Agvet chemical: Cyflumetofen

Permitted residue—commodities of plant origin: Cyflumetofen

Permitted residue—commodities of animal origin: Sum of cyflumetofen and 2trifluoromethylbenzoic acid, expressed as cyflumetofen

| All other foods except animal food | 0.02 |
|------------------------------------|------|
| commodities | |
| Citrus fruits | 0.3 |

| Dried grapes (currants, raisins and sultanas) | 3 |
|---|--------|
| Edible offal (mammalian) | *0.03 |
| Fruiting vegetables, other than cucurbits | 2 |
| Grapes [except dried] | 0.7 |
| Hops, dry | 30 |
| Meat (mammalian) | *0.03 |
| Milks | *0.003 |
| Pome fruits [except persimmon, Japanese] | 0.5 |
| Strawberry | 0.8 |
| Tree nuts | 0.01 |

Agvet chemical: Cyfluthrin

| Permitted residue: Cyfluthrin, sum of isor | mers |
|--|--------|
| All other foods except animal food | 0.05 |
| commodities | |
| Avocado | 0.1 |
| Chia | T*0.05 |
| Citrus fruits [except kumquats] | 0.2 |
| Custard apple | T0.1 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | 1 |
| Hops, dry | 20 |
| Litchi | T0.3 |
| Macadamia nuts | 0.05 |
| Mango | T0.1 |
| Mammalian fats [except milk fats] | 0.5 |
| Meat (mammalian) | 0.02 |
| Milks | 0.1 |
| Papaya (pawpaw) | T0.2 |
| Peppers, chili, dried | 1 |
| Persimmon, American | T0.1 |
| Persimmon, Japanese | T0.1 |
| Pomegranate | T0.1 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Stone fruits [except jujube, Chinese] | 0.3 |
| Tomato | 0.2 |
| | |

Agvet chemical: Cyhalofop-butyl

Permitted residue: Sum of cyhalofop-butyl, cyhalofop and metabolites expressed as cyhalofopbutyl

| <i>~~</i> | |
|-------------------------------|-------|
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Meat (mammalian) (in the fat) | *0.05 |
| Milks | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Rice | *0.01 |

Agvet chemical: Cyhalothrin

| Permitted residue: Cyhalothrin, sum of is | omers |
|---|--------|
| Almonds | 0.05 |
| Asparagus | 0.02 |
| Barley | 0.2 |
| Basil | 0.7 |
| Beetroot | *0.01 |
| Berries and other small fruits [except Strawberry] | 0.2 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.1 |
| Broccoli, Chinese (Gai lan) | 0.1 |
| Cereal grains [except barley; maize cereals; sorghum, grain; sweet corns (subgroup); wheat] | *0.01 |
| Chard | T0.5 |
| Citrus fruits [except lemon and limes (subgroup)] | *0.01 |
| Coffee beans | 0.05 |
| Coriander (leaves, roots, stems) | T1 |
| Cotton seed | *0.02 |
| Cucumber | T0.05 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Fruiting vegetables, other than cucurbits | 0.3 |
| Fungi, edible (except mushrooms) | 0.3 |
| Garlic | *0.05 |
| Hazelnuts | T*0.01 |
| Hops, dry | 10 |
| Legume vegetables | 0.1 |
| Lemons and limes (subgroup) | 0.2 |
| Maize cereals | 0.05 |
| Meat (mammalian) (in the fat) | 0.5 |
| Milks (in the fat) | 0.5 |
| Mustard seeds | T0.02 |
| Onion, bulb | *0.05 |
| Onion, Welsh | T0.05 |
| Parsley | T1 |
| Peanut | 0.05 |
| Pecan | 0.05 |
| Peppers, chili, dried | 3 |
| Podded pea (young pods) (snow and sugar snap) | 0.2 |
| Potato | *0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pulses [except soya bean (dry)] | 0.2 |
| Radish | *0.01 |
| Rape seed (canola) | 0.02 |
| Shallot | T0.05 |
| Sorghum, grain | 0.5 |
| Soya bean (dry) | 0.05 |
| Spring onion | T0.05 |
| Stone fruits [except jujube, Chinese] | 0.5 |
| Strawberry | 0.5 |
| | |

| *0.01 |
|-------|
| 0.3 |
| 1 |
| 0.1 |
| 0.05 |
| *0.05 |
| |

Agvet chemical: Cyhexatin

| Permitted residue: Sum of azocyclotin and |
|---|
| cyhexatin, expressed as cyhexatin |
| Peppers, chili, dried |

5

Agvet chemical: Cypermethrin

| Adzuki bean (dry) | T0.05 |
|---|-------|
| All other foods | *0.0 |
| Asparagus | 0.5 |
| Avocado | T0.2 |
| Beetroot | T0.1 |
| Berries and other small fruits [except blueberries; grapes; raspberries, red, black] | 0.8 |
| Blueberries | 0.8 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | |
| Broad bean (dry) (fava bean) | 0.0 |
| Broccoli, Chinese (Gai lan) | |
| Cattle, edible offal of | 0.0 |
| Cattle meat (in the fat) | 0.5 |
| Celery | T |
| Cereal grains [except rice; sweet corns; wheat] | |
| Cherries | 2 |
| Chick-pea (dry) | 0.2 |
| Chinese cabbage (Pe-tsai) | T |
| Chives | T |
| Citrus fruits [except kumquats] | 0.3 |
| Common bean (dry) (navy bean) | 0.0 |
| Corriander (leaves, roots, stems) | T |
| Cotton seed | 0.: |
| Cotton seed oil, crude | *0.0 |
| Cumin seed | 0. |
| Deer meat (in the fat) | Т0. |
| Durian | |
| Eggs | 0.0 |
| Field pea (dry) | 0.0 |
| Fruiting vegetables, cucurbits | Т0.: |
| Fruiting vegetables, other than cucurbits [except; tomato] | Т |
| Fungi, edible (except mushrooms) | Т |
| Ginseng | *0.0 |
| Ginseng, dried | 0.1 |
| Ginseng, extract | *0.0 |
| Goat, edible offal of | 0.0 |
| Goat meat (in the fat) | 0. |

| Grapes | 2 |
|---|--------|
| Hempseed | T0.1 |
| Herbs | T5 |
| Horse, edible offal of | *0.05 |
| Horse meat (in the fat) | *0.05 |
| Leafy vegetables [except broccoli, | Т5 |
| Chinese (Gai lan); lettuce, head; witloof | |
| chicory] | |
| Leek | T0.5 |
| Lentil (dry) | T0.05 |
| Lettuce, head | 2 |
| Linola oil, edible | 0.1 |
| Linola seed | 0.1 |
| Linseed | 0.5 |
| Longan | 1 |
| Lupin (dry) | *0.01 |
| Mango | 0.01 |
| - | 0.7 |
| Milks (in the fat) | - |
| Mung bean (dry) | 0.05 |
| Mustard seeds | T0.2 |
| Mustard seeds oil, edible | T0.2 |
| Mushrooms | T1 |
| Olives | T*0.05 |
| Onion, bulb | *0.01 |
| Onion, Welsh | T0.5 |
| Peanut | T*0.05 |
| Peas | 1 |
| Peppers, chili | 2 |
| Peppers, chili, dried | 10 |
| Persimmon, American | T0.2 |
| Persimmon, Japanese | T0.2 |
| Pig, edible offal of | *0.05 |
| Pig meat (in the fat) | *0.05 |
| Pome fruits [except Persimmon, | 1 |
| Japanese] | |
| Poppy seed | T*0.05 |
| Potato | *0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat (in the fat) | *0.05 |
| Radish | T0.05 |
| Rape seed (canola) | 0.2 |
| Rape seed oil, edible | 0.2 |
| Raspberries, red, black | 0.8 |
| Rice | 2 |
| Shallot | T0.5 |
| Sheep, edible offal of | 0.05 |
| Sheep meat (in the fat) | 0.5 |
| Soya bean (dry) | 0.05 |
| Soya bean oil, crude | 0.1 |
| Spring onion | T0.5 |
| Stone fruits [except cherries] | 1 |
| Sunflower seed | 0.1 |
| Sunflower seed oil, crude | 0.1 |
| Sweet corn (corn-on-the-cob) | 0.05 |
| Tea, green, black | 0.5 |
| Tomato | 0.5 |
| Wheat | 0.2 |
| mout | 0.2 |

Agvet chemical: Cyproconazole

| • • | |
|--|------------|
| Permitted residue: Cyproconazole, sum | of isomers |
| All other foods except animal food commodities | 0.01 |
| Barley | *0.02 |
| Coffee bean | 0.07 |
| Coffee bean, roasted | 0.1 |
| Edible offal (mammalian) | 1 |
| Eggs | *0.01 |
| Maize | *0.01 |
| Meat (mammalian) | 0.03 |
| Milks | *0.01 |
| Oats | 0.05 |
| Peanut | 0.02 |
| Potato | *0.02 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | 0.05 |
| Rape seed (canola) | T0.02 |
| Rye | *0.02 |
| Soya bean oil, refined | 0.1 |
| Sweet corn (corn-on-the-cob) | *0.01 |
| Triticale | *0.02 |
| Wheat | *0.02 |

Agvet chemical: Cyprodinil

| Permitted residue: Cyprodinil | |
|---|--------|
| All other foods except animal food | 0.05 |
| commodities | |
| Almonds | 0.02 |
| Avocado | T2 |
| Basil | 40 |
| Bayberries | Т3 |
| Bayberry, red | Т3 |
| Blackberries | 10 |
| Blueberries | 3 |
| Boysenberry | 10 |
| Bulb vegetables [except onion, bulb] | 3 |
| Celery | 30 |
| Chinese cabbage (Pe-tsai) | 10 |
| Cloudberry | Т3 |
| Common bean (pods and/or immature seeds) | 0.7 |
| Cucumber | 0.5 |
| Currants, black, red, white | 5 |
| Dewberries (including boysenberry and loganberry) [except boysenberry] | Т3 |
| Dried herbs | T200 |
| Dried stone fruits | 0.05 |
| Dry beans [except soya bean (dry)] | 0.2 |
| Dry peas | 0.2 |
| Edible offal (mammalian) | *0.01 |
| Egg plant | T0.2 |
| Eggs | T*0.01 |

| Ginseng | 0.3 |
|-------------------------------------|--------|
| Ginseng (including red), dried | 3 |
| Grapes | 3 |
| Herbs [except basil] | T50 |
| Leafy vegetables [except broccoli, | 10 |
| Chinese (Gai lan); witloof chicory] | 10 |
| Litchi | T2 |
| Meat (mammalian) | *0.01 |
| Melons, except watermelon | T0.2 |
| Milks | *0.01 |
| Onion, bulb | 0.2 |
| Peas with pods (subgroup) | 2 |
| Peppers, chili [except dried] | T0.7 |
| Peppers, chili, dried | 9 |
| Peppers, sweet | 0.7 |
| Pistachio nut | T0.1 |
| Pome fruits [except Persimmon, | 2 |
| Japanese] | |
| Pomegranate | 10 |
| Poultry, edible offal of | T*0.01 |
| Poultry meat | T*0.01 |
| Raspberries, red, black | 10 |
| Soya bean (dry) | 0.3 |
| Stone fruits | 2 |
| Strawberry | 5 |
| Succulent peas without pods | 0.5 |
| Tomato | T1 |

Agvet chemical: Cyromazine

_

| Permitted residue: Cyromazine | |
|---|-------|
| All other foods except animal food | 0.05 |
| commodities | |
| Broccoli | T1 |
| Cattle, edible offal of | 0.05 |
| Cattle meat | 0.05 |
| Eggs | 0.2 |
| Fruiting vegetables, cucurbits | T0.7 |
| Fruiting vegetables, other than cucurbits | T1 |
| Fungi, edible (except mushrooms) | T1 |
| Goat, edible offal of | 0.2 |
| Goat meat | 0.2 |
| Legume vegetables | T1 |
| Lettuce, head | Т8 |
| Milks | *0.01 |
| Mushrooms | 10 |
| Peppers, chili, dried | 10 |
| Pig, edible offal of | 0.05 |
| Pig meat | 0.05 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.05 |
| Root and tuber vegetables | T1 |
| Sheep, edible offal of | 0.2 |
| Sheep meat | 0.2 |
| Stalk and stem vegetables [except fennel, bulb] | Τ7 |

| Witloof chicory | T7 |
|------------------------------------|--------|
| | |
| Agvet chemical: 2,4-D | |
| Permitted residue: 2,4-D | |
| All other foods except animal food | 0.05 |
| commodities | |
| Blueberries | 0.2 |
| Cereal grains [except sweet corns] | 0.2 |
| Cherries | 0.05 |
| Citrus fruits | 5 |
| Cranberry | 0.5 |
| Edible offal (mammalian) | 7 |
| Eggs | *0.05 |
| Grapes | T*0.05 |
| Hops, dry | 0.2 |
| Legume vegetables | *0.05 |
| Meat (mammalian) (in the fat) | 0.7 |
| Milks | 0.1 |
| Oilseed | *0.05 |
| Palm nuts | *0.05 |
| Peanut | *0.05 |
| Pear | *0.05 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | *0.05 |
| Raspberries, red, black | 0.2 |
| Sugar cane | 5 |
| Walnuts | *0.05 |
| | |

Agvet chemical: 2,4-DB

| Permitted residue: 2,4-DB | |
|--|-------|
| All other foods except animal food commodities | 0.05 |
| Cereal grains [except sweet corns] | *0.02 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.05 |
| Meat (mammalian) | 0.2 |
| Milks | *0.05 |
| Peanut | 0.2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| | |

Agvet chemical: Decoquinate

| Permitted residue: | Decoquinate |
|--------------------|-------------|
|--------------------|-------------|

| Chicken kidney | 0.8 |
|------------------|-----|
| Chicken liver | 1 |
| Chicken meat | 0.5 |
| Chicken fat/skin | 1 |
| | |

Agvet chemical: Deltamethrin

Permitted residue: Deltamethrin

| All other foods except animal food | 0.05 |
|------------------------------------|------|
| commodities | |

| Brassica vegetables (except Brassica leafy vegetables [except Chinese cabbage (Pe-tsai)] | *0.05 |
|--|-------|
| Broccoli, Chinese (Gai lan) | *0.05 |
| Cattle, edible offal of | 0.1 |
| Cattle meat (in the fat) | 0.5 |
| Cereal grains [except sweet corns] | 2 |
| Cherries | 0.1 |
| Currants, black, red, white | 0.6 |
| Eggs | *0.01 |
| Fruiting vegetables, other than cucurbits | 0.1 |
| Fungi, edible (except mushrooms) | 0.1 |
| Goat, edible offal of | 0.1 |
| Goat meat (in the fat) | 0.2 |
| Legume vegetables | 0.1 |
| Milks | 0.05 |
| Mushrooms | 0.1 |
| Oilseed | 0.1 |
| Palm nuts | 0.1 |
| Peanut | 0.1 |
| Pig, edible offal of | *0.01 |
| Pig meat (in the fat) | 0.1 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Pulses | 0.1 |
| Raspberries, red, black | 0.5 |
| Sheep, edible offal of | 0.1 |
| Sheep meat (in the fat) | 0.2 |
| Strawberry | 0.2 |
| Sweet corn (kernels) | 0.1 |
| Tea, green, black | 5 |
| Wheat bran, unprocessed | 5 |
| Wheat germ | 3 |

Agvet chemical: Derquantel

Permitted residue: Derquantel

| Sheep fat | 0.0002 |
|--------------|--------|
| Sheep kidney | 0.0002 |
| Sheep liver | 0.0002 |
| Sheep muscle | 0.0002 |
| | |

Agvet chemical: Dexamethasone and Dexamethasone trimethylacetate

Permitted residue: Dexamethasone

| Cattle, edible offal of | 0.1 |
|-------------------------|-------|
| Cattle meat | 0.1 |
| Cattle milk | *0.05 |
| Horse, edible offal of | 0.1 |
| Horse meat | 0.1 |
| Pig, edible offal of | 0.1 |
| Pig meat | 0.1 |

Agvet chemical: Diafenthiuron

Permitted residue: Sum of diafenthiuron; N-[2,6bis(1-methylethyl)- 4-phenoxyphenyl]-N'-(1,1dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4phenoxyphenyl]- N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron

| expressed as dialentinulon | |
|--|--------|
| All other foods except animal food commodities | 0.01 |
| | |
| Cotton seed | 0.2 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than | 0.5 |
| cucurbits | |
| Fungi, edible (except mushrooms) | 0.5 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Mushrooms | 0.5 |
| Mustard seeds | T*0.01 |
| Peanut | T0.3 |
| Poultry, edible offal of | *0.02 |
| Poultry meat (in the fat) | *0.02 |
| Rape seed (canola) | *0.01 |
| Soya bean (dry) | T0.3 |

Agvet chemical: Diazinon

| Permitted | residue: | Diazinon |
|-----------|----------|----------|
|-----------|----------|----------|

| Cereal grains [except sweet corns] | 0.1 |
|--|-------|
| Citrus fruits | 0.7 |
| Coriander (leaves, roots, stems) | *0.05 |
| Coriander, seed | *0.05 |
| Edible offal (mammalian) | 0.7 |
| Eggs | *0.05 |
| Fruit [except as otherwise listed under this chemical] | 0.5 |
| Kiwifruit | 0.5 |
| Meat (mammalian) (in the fat) | 0.7 |
| Milks (in the fat) | 0.5 |
| Olive oil, crude | 2 |
| Parsley | *0.05 |
| Peach | 0.7 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Shallot | T0.5 |
| Spring onion | T0.5 |
| Sugar cane | 0.5 |
| Sweet corn (corn-on-the-cob) | 0.7 |
| Tree nuts | 0.1 |
| Vegetable oils, crude [except olive oil, crude] | 0.1 |
| Vegetables | 0.7 |
| | |

Agvet chemical: Dicamba

Permitted residue: Dicamba

| All other foods except animal food commodities | 0.05 |
|--|-------|
| Cereal grains [except maize; sweet corns] | *0.05 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.05 |
| Maize | 0.1 |
| Meat (mammalian) | 0.05 |
| Milks | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Sugar cane | 0.1 |
| Sugar cane molasses | 2 |
| | |

Agvet chemical: Dicamba

Permitted residue: Sum of dicamba, 3,6-dichloro-5hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2hydroxybenzoic acid, expressed as dicamba

| Cotton seed | 3 |
|-------------|----|
| Soya bean | 10 |
| | |

Agvet chemical: Dichlobenil

Permitted residue: Dichlobenil

| All other foods except animal food | 0.05 |
|--|-------|
| commodities | |
| Blueberries | T1 |
| Celery | 0.07 |
| Cereal grains [except maize and sweet corns] | *0.05 |
| Citrus fruits | 0.1 |
| Cranberry | 0.1 |
| Currants, black, red, white | T1 |
| Gooseberry | T1 |
| Grapes | 0.1 |
| Maize | 0.1 |
| Peppers, chili, dried | *0.01 |
| Pome fruits | 0.1 |
| Raspberries, red, black | T1 |
| Stone fruits | 0.1 |
| Tomato | 0.1 |
| | |

Agvet chemical: Dichlofluanid

Permitted residue: Dichlofluanid

| Berries and other small fruits [except grapes; strawberry] | T50 |
|--|-------|
| Grapes | 0.5 |
| Peanut | *0.02 |
| Strawberry | 10 |
| Tomato | 1 |

Agvet chemical: 1,3-dichloropropene

Permitted residue: 1,3-dichloropropene

| 18 |
|----|
| |

Agvet chemical: Dichlorprop-P

Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid

| Edible offal (mammalian) *0.05 | 5 |
|--------------------------------|---|
| | |
| Eggs *0.02 | 2 |
| Meat (mammalian) *0.02 | 2 |
| Milks *0.01 | |
| Poultry, edible offal of *0.05 | ; |
| Poultry meat *0.02 | 2 |

Agvet chemical: Dichlorvos

Permitted residue: Dichlorvos All other foods except animal food 0.01 commodities Almonds 2 *0.01 Cereal grains [except rice; sweet corns] Coffee beans 2 Edible offal (mammalian) *0.01 Eggs *0.01 Meat (mammalian) *0.01 Milks *0.01 *0.01 Oilseed [except peanut] Poultry, edible offal of *0.01 Poultry meat *0.01 *0.01 Pulses Rice 7

Agvet chemical: Diclofop-methyl

Permitted residue: Diclofop-methyl

| Cereal grains [except sweet corns] | 0.1 |
|------------------------------------|-------|
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Lupin (dry) | 0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Oilseed | 0.1 |
| Palm nuts | 0.1 |
| Peanut | 0.1 |
| Peas | 0.1 |
| Poppy seed | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| | |

Agvet chemical: Dicofol

| Permitted residue: | Sum of dicofol and 2,2,2- |
|-----------------------|---------------------------|
| trichloro-1-(4-chloro | pphenyl)-1-(2- |
| chlorophenyl)ethan | ol, expressed as dicofol |

| Almonds | 5 |
|--|-----|
| Cotton seed | 0.1 |
| Cucumber | 2 |
| Fruit [except strawberry] | 5 |
| Gherkin | 2 |
| Hops, dry | 5 |
| Strawberry | 1 |
| Sweet corns | 5 |
| Tea, green, black | 5 |
| Tomato | 1 |
| Vegetables [except as otherwise listed under this chemical] | 5 |

Agvet chemical: Dicyclanil

Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil

| Sheep fat | 0.3 |
|--------------|-----|
| Sheep kidney | 0.3 |
| Sheep liver | 0.3 |
| Sheep meat | 0.3 |
| | |

Agvet chemical: Didecyldimethylammonium chloride

Permitted residue: Didecyldimethylammonium chloride

| Assorted tropical and sub-tropical fruits | 20 |
|---|----|
| inedible peel [except tamarillo (tree | |
| tomato)] | |
| Sentul | 20 |
| | |

Agvet chemical: Dieldrin

see Aldrin and Dieldrin

Agvet chemical: Difenoconazole

Permitted residue: Difenoconazole

| All other foods except animal food | 0.02 |
|--|--------|
| commodities | |
| Almonds | 0.03 |
| Asparagus | *0.05 |
| Avocado | T2 |
| Banana | *0.02 |
| Blueberries | 4 |
| Brassica leafy vegetables | T5 |
| Celeriac | T1 |
| Celery | 10 |
| Cereal grains [except rice; sweet corns] | *0.01 |
| Chard (silver beet) | T5 |
| Chicory leaves (green and red cultivars) | T5 |
| Chives | T10 |
| Coffee beans | T*0.01 |

| Cotton seed | 0.4 |
|---|--------|
| Cranberry | 0.6 |
| Currants, black, red, white | 0.2 |
| Dried grapes | 6 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Endive | Т5 |
| Fruiting vegetables, cucurbits | 0.3 |
| Fruiting vegetables, other than | 1 |
| cucurbits | |
| Grapefruit | 0.6 |
| Grapes | 4 |
| Guava | 0.15 |
| Herbs | T40 |
| Lemon | 0.6 |
| Macadamia nuts | *0.01 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Onion, bulb | T0.1 |
| Orange | 0.6 |
| Papaya (pawpaw) | 1 |
| Peanut | *0.01 |
| Pecan | 0.03 |
| Peppers, chili | 0.9 |
| Peppers, chili, dried | 5 |
| Pome fruits [except Persimmon, Japanese] | 0.3 |
| Poppy seed | T*0.01 |
| Potato | 4 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Riberry | T1 |
| Rice | 8 |
| Root and tuber vegetables [except celeriac; potato] | 0.5 |
| Spinach | T5 |
| , Stone fruits [except jujube, Chinese] | 2.5 |
| Strawberry | 2 |
| Tea, green, black | 20 |
| - | |

Agvet chemical: Diflubenzuron

Permitted residue: Diflubenzuron

| Almonds | 0.2 |
|---------------------------------|---------|
| Cattle, edible offal of | *0.02 |
| Cattle milk | 0.05 |
| Citrus fruits [except kumquats] | 3 |
| Fish muscle | T*0.002 |
| Mushrooms | 0.1 |
| Peanut | 0.1 |
| Peppers, chili, dried | 20 |
| Rice | *0.01 |
| Sheep kidney | 0.05 |
| Sheep liver | 0.05 |
| Sheep meat (in the fat) | 0.05 |
| Sheep milk | 0.05 |
| | |

| Stone fruits [except cherries; jujube, Chinese] | 0.07 |
|--|------|
| Tea, green, black | 0.1 |

Agvet chemical: Diflufenican

Permitted residue: Diflufenican

| All other foods except animal food | 0.01 |
|------------------------------------|--------|
| commodities | |
| Barley | 0.05 |
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.02 |
| Grapes | *0.002 |
| Meat (mammalian) (in the fat) | 0.05 |
| Milks | 0.01 |
| Oats | 0.05 |
| Peas | 0.05 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pulses | 0.05 |
| Rye | 0.05 |
| Safflower seed | T*0.05 |
| Tea, green, black | *0.05 |
| Triticale | 0.05 |
| Wheat | 0.02 |
| Walnuts | T*0.01 |

Agvet chemical: Dimethenamid-P

Permitted residue: Sum of dimethenamid-P and its (R)-isomer

| *0.02 |
|--------|
| *0.01 |
| *0.01 |
| 0.05 |
| *0.02 |
| *0.01 |
| *0.01 |
| T*0.01 |
| 0.01 |
| *0.02 |
| *0.01 |
| *0.01 |
| *0.01 |
| *0.02 |
| *0.02 |
| T*0.01 |
| *0.02 |
| |

Agvet chemical: Dimethoate

Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate

| see also Omethoate | |
|--------------------|------|
| Asparagus | 0.02 |
| Avocado | 0.7 |

| Bearberry | Т5 |
|--------------------------------------|-------|
| Beetroot | *0.1 |
| Bilberry | Т5 |
| Bilberry, bog | Т5 |
| Bilberry, red | Т5 |
| Blackberries | Т5 |
| Blueberries | Т5 |
| Boysenberry | 0.02 |
| Cereal grains [except sweet corns] | 0.5 |
| Cherries | T0.2 |
| Citrus fruits [except kumquats] | 5 |
| Cotton seed | *0.1 |
| Cranberry | Т5 |
| Currant, black, red, white | *0.01 |
| Edible offal (mammalian) | 0.1 |
| Egg plant | T0.2 |
| Eggs | *0.05 |
| Elderberries | 0.02 |
| Legume vegetables | 2 |
| Litchi | 5 |
| Mango | 0.5 |
| Meat (mammalian) | *0.05 |
| Melons [except watermelon] | 5 |
| Milks | *0.05 |
| Oilseed [except cotton seed; peanut] | 0.2 |
| Olive oil, refined | T0.3 |
| Olives for oil production | Т3 |
| Onion, bulb | 0.7 |
| Peanut | 0.02 |
| Peppers, sweet | 0.7 |
| Pineapple | 0.07 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 0.7 |
| Raspberries, red, black | Т5 |
| Rhubarb | 0.7 |
| Squash, summer (including zucchini) | 0.7 |
| Strawberry | *0.02 |
| Sweet potato | 0.1 |
| Tomato | 0.02 |
| Turnip, garden | *0.2 |
| Watermelon | 5 |
| Wheat bran, processed | 1 |
| | |

Agvet chemical: Dimethomorph

| Permitted residue: Sum of E and Z isomers of dimethomorph | |
|---|-----|
| All other foods except animal food commodities | 0.2 |
| Beetroot | 0.3 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 6 |
| Bulb onions [except garlic; onion, bulb; shallot] | 0.5 |

| Celery Chinese cabbage (Pe-tsai) Chives Corn salad (lamb's lettuce) Edible offal (mammalian) Fruiting vegetables, cucurbits Fruiting vegetables, other than cucurbits | 15 30 10 *0.01 0.5 1.5 |
|--|---------------------------------------|
| Fungi, edible (except mushrooms) | 1.5 |
| Garlic | 0.6 |
| Grapes | 3 |
| Green onions [except chives; spring onion] | 2 |
| Herbs [except parsley] | 10 |
| Hops, dry | 80 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 30 |
| Lima bean (young pods and/or immature seeds) | 0.6 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mizuna | T10 |
| Mushrooms | 1.5 |
| Onion, bulb | 0.6 |
| Parsley | T20 |
| Peas | 1 |
| Peppers, chili, dried | 5 |
| Poppy seed | *0.02 |
| Potato | 0.05 |
| Radish | T0.3 |
| Shallot | 0.6 |
| Spices [except peppers, chili, dried] | 0.05 |
| Spring onion | 15 |
| Strawberry | 0.7 |
| Sweet corns | 1.5 |

Agvet chemical: Dimpropyridaz

Permitted residue—commodities of plant origin: Dimpropyridaz

Permitted residue—commodities of animal origin: sum of dimpropyridaz and 1-(3-hydroxy-3methylbutan-2-yl)-5-methyl-N-(pyridazin-4-yl)-1Hpyrazole-4-carboxamide, expressed as dimpropyridaz

| Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas | 0.7 |
|--|-------|
| Cotton seed | 0.02 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Fruiting vegetables, cucurbits | 0.3 |
| Fruiting vegetables, other than cucurbits | 1 |
| Leafy vegetables | 15 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |

| Poultry meat | *0.02 |
|---|-------|
| Poultry, edible offal of | *0.02 |
| Agvet chemical: Dinitolmide | |
| Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expres as dinitolmide equivalents | ssed |
| Poultry, edible offal of | 6 |
| Poultry fats | 2 |
| Poultry meat | 3 |
| | |

Agvet chemical: Dinitro-o-toluamide

see Dinitolmide

Agvet chemical: Dinocap

Permitted residue: Sum of dinocap isomers and dinocap phenols, expressed as dinocap

2

Peppers, chili, dried

Agvet chemical: Dinotefuran

Permitted residue—commodities of plant origin: Dinotefuran

Permitted residue—commodities of animal origin: Sum of Dinotefuran and 1-methyl-3-(tetrahydro-3furylmethyl) urea (UF) expressed as dinotefuran

| All other foods except animal food | 0.02 |
|------------------------------------|-------|
| commodities | |
| Celery | 0.6 |
| Cotton seed | 0.1 |
| Cranberry | 0.2 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Grapes | 0.9 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Mung bean (dry) | 0.3 |
| Peppers, chili, dried | 5 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Rice | 8 |
| | |

Agvet chemical: Diphenylamine

| Permitted residue: Diphenylamine | |
|--|-------|
| All other foods except animal food commodities | 0.05 |
| Apple | 10 |
| Edible offal (mammalian) [except liver] | *0.01 |
| Eggs | 0.05 |
| Fruits [except apple; pear] | 0.5 |
| Liver of cattle, goats, pigs and sheep | 0.05 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks (in the fat) | *0.01 |
| Pear | 7 |
| Poultry, edible offal of | *0.01 |

Poultry meat (in the fat)

Agvet chemical: Diquat

Permitted residue: Diquat cation

| Permitted residue: Diquat cation | |
|--|-------|
| Barley | 5 |
| Beans [except broad bean; soya bean] | 1 |
| Broad bean (green pods and/or | 1 |
| immature seeds) | |
| Coffee bean | *0.02 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Fruit | *0.05 |
| Hops, dry | T0.2 |
| Linseed | *0.01 |
| Maize | 0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Oats | 5 |
| Oilseed [except linseed; poppy seed] | 5 |
| Onion, bulb | 0.1 |
| Palm nuts | 5 |
| Peanut | 5 |
| Peas | 0.1 |
| Poppy seed | *0.01 |
| Potato | 0.2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 1 |
| Quinoa | T5 |
| Rice | 5 |
| Rice, polished | 1 |
| Rye | 2 |
| Sorghum, grain | 2 |
| Sugar beet | 0.1 |
| Sugar cane | *0.05 |
| Sweet corns | *0.05 |
| Tea, green, black | 0.1 |
| Tree nuts | *0.05 |
| Triticale | 2 |
| Vegetable oils, crude | 1 |
| Vegetables [except beans; broad bean; | *0.05 |
| onion, bulb; peas; potato; pulses; sugar | |
| beet] | |
| Wheat | 2 |
| | |
| | |

Agvet chemical: Dithianon

| Permitted residue: Dithianon | |
|------------------------------------|------|
| All other foods except animal food | 0.02 |
| commodities | |
| Blueberries | T7 |
| Fruits [except blueberries] | 2 |
| Hops, dry | 100 |

Agvet chemical: Dithiocarbamates

Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food

| disulphide per kilogram of food | |
|---|------|
| Almonds | 3 |
| Asparagus | T1 |
| Avocado | 7 |
| Banana | T15 |
| Basil | T5 |
| Beans [except broad bean; soya bean] | 2 |
| Beetroot | 1 |
| Berries and other small fruits [except strawberry] | T15 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 |
| Broad bean (green pods and immature seeds) | 2 |
| Broccoli, Chinese (Gai lan) | 2 |
| Bulb vegetables [except chives; garlic; | T10 |
| onion, bulb] | |
| Carrot | 1 |
| Celery | 5 |
| Cereal grains [except sweet corns] | 0.5 |
| Chinese cabbage (Pe-tsai) | 5 |
| Citrus fruits | T7 |
| Common bean (pods and/or immature seeds) | 2 |
| Coriander, seed | 0.1 |
| Cotton seed | 10 |
| Custard apple | 5 |
| Edible offal (mammalian) | 2 |
| Eggs | *0.5 |
| Fennel, bulb | T10 |
| Fig | 3 |
| Fruiting vegetables, cucurbits | 2 |
| Fruiting vegetables, other than cucurbits [except roselle; tomato] | 3 |
| Fungi, edible (except mushrooms) | 3 |
| Garlic | 4 |
| Ginger, root | Т3 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 5 |
| Litchi | 5 |
| Mango | 7 |
| Meat (mammalian) | *0.5 |
| Milks | *0.2 |
| Mushrooms | 3 |
| Olives for oil production | T30 |
| Onion, bulb | 4 |
| Papaya (pawpaw) | 5 |
| Parsley | 5 |
| Parsnip | T1 |
| Passionfruit (including granadilla) | 3 |
| Peanut | 0.2 |

_

| Peas (pods and succulent, immature seeds) | 2 |
|---|--------|
| Pepper, black, white | 0.1 |
| Peppers, chili, dried | 20 |
| Pistachio nut | Т3 |
| Pome fruits | 3 |
| Pomegranate | T5 |
| Poppy seed | *0.2 |
| Potato | 1 |
| Poultry, edible offal of | *0.5 |
| Poultry meat | *0.5 |
| Pulses | 0.5 |
| Radish | T1 |
| Rhubarb | 2 |
| Roselle (rosella) | 5 |
| Stone fruits [except jujube, Chinese] | 3 |
| Strawberry | 10 |
| Sunflower seed | T*0.05 |
| Sweet corns | 3 |
| Table olives | Т30 |
| Tomato | Т5 |
| Tree tomato | Т5 |
| Walnuts | T*0.2 |
| | |

Agvet chemical: Diuron

Permitted residue: Sum of diuron and 3,4dichloroaniline, expressed as diuron

| | 0.05 |
|------------------------------------|-------|
| All other foods except animal food | 0.05 |
| commodities | |
| Asparagus | 2 |
| Banana | 0.5 |
| Blueberries | 0.1 |
| Cereal grains [except sweet corns] | 0.1 |
| Cotton seed oil, crude | 0.5 |
| Date | T0.5 |
| Edible offal (mammalian) | 3 |
| Lime | 1 |
| Meat (mammalian) | 0.1 |
| Milks | 0.1 |
| Oilseed | 0.5 |
| Palm nuts | 0.5 |
| Peanut | 0.5 |
| Pineapple | 0.5 |
| Pulses | *0.05 |
| Sugar cane | 0.2 |

Agvet chemical: Dodine

| Permitted residue: Dodine | |
|--|-------|
| All other foods, except animal food commodities | 0.1 |
| Almonds | 0.3 |
| Cherries | 3 |
| Peanut | 0.013 |
| Pome fruits [except Persimmon, Japanese] | 5 |

| Stone fruits [except cherries; jujube, Chinese] | *0.05 |
|--|-------|
| Walnuts | T0.3 |
| | |

Agvet chemical: Doramectin

Permitted residue: Doramectin

| Cattle, edible offal of | 0.1 |
|-------------------------|------|
| Cattle fat | 0.1 |
| Cattle meat | 0.01 |
| Cattle milk | 0.05 |
| Pig kidney | 0.03 |
| Pig liver | 0.05 |
| Pig meat (in the fat) | 0.1 |
| Sheep, edible offal of | 0.05 |
| Sheep fat | 0.1 |
| Sheep meat | 0.02 |
| | |

Agvet chemical: 2,2-DPA

Permitted residue: 2,2-dichloropropionic acid

| Avocado | *0.1 |
|---------------------------------------|------|
| Banana | *0.1 |
| Cereal grains [except sweet corns] | *0.1 |
| Citrus fruits | *0.1 |
| Cotton seed | *0.1 |
| Currants, black, red, white | 15 |
| Edible offal (mammalian) | 0.2 |
| Grapes | 3 |
| Meat (mammalian) | 0.2 |
| Milks | *0.1 |
| Papaya (pawpaw) | *0.1 |
| Pecan | *0.1 |
| Pineapple | *0.1 |
| Pome fruits | *0.1 |
| Stone fruits [except jujube, Chinese] | 1 |
| Sugar cane | *0.1 |
| Sunflower seed | *0.1 |
| Vegetables | *0.1 |
| | |

Agvet chemical: EDC

see Ethylene dichloride

Agvet chemical: Emamectin

Permitted residue: Sum of emamectin B1a and emamectin B1b

| All other foods except animal food commodities | 0.005 |
|---|-------|
| Almonds | 0.02 |
| Blueberries | T0.07 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.02 |
| Broccoli, Chinese (Gai lan) | 0.02 |
| Celery | T0.2 |
| Chia | T0.05 |

| Fruiting vegetables, other than 0.1 cucurbits |
|--|
| Fungi, edible (except mushrooms) 0.1 |
| Grapes *0.002 |
| Leafy vegetables [except broccoli, T0.5 Chinese (Gai Ian); lettuce, head and lettuce, leaf; witloof chicory] |
| Legume vegetables 0.1 |
| Lettuce, head 0.2 |
| Lettuce, leaf 0.2 |
| Maize cereals T*0.01 |
| Meat (mammalian) (in the fat) 0.01 |
| Milks *0.001 |
| Milk fats 0.01 |
| Mustard seeds T*0.01 |
| Pecan 0.02 |
| Peppers, chili, dried 0.2 |
| Pulses *0.01 |
| Rape seed (canola) *0.01 |
| Root and tuber vegetables [except *0.01 potato] |
| Sorghum, grain *0.002 |
| Strawberry 0.05 |
| Sweet corn (corn-on-the-cob) *0.002 |
| Tea, green, black *0.02 |
| Wheat, similar grains, and T*0.01 |
| pseudocereals without husks |

Agvet chemical: Endosulfan

| Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate | |
|---|-----|
| Cacao beans | 0.2 |
| Tea, green, black | 10 |
| | |

Aqvet chemical: Endothal

| Permitted residue: Endothal | |
|-----------------------------|--------|
| Edible offal (mammalian) | T*0.05 |
| Eggs | T*0.05 |
| Hops, dry | 0.1 |
| Meat (mammalian) | T*0.05 |
| Milks | T*0.01 |
| Poultry, edible offal of | T*0.05 |
| Poultry meat | T*0.05 |

Agvet chemical: Enilconazole

see Imazalil

Agvet chemical: Epoxiconazole

Permitted residue: Epoxiconazole

Avocado

Banana 1 Cereal grains [except sweet corns] 0.05 Edible offal (mammalian) 0.05 Eggs *0.01 Meat (mammalian) *0.01 Milks *0.005 Poultry, edible offal of *0.01 Poultry meat (in the fat) *0.01 Wheat bran, unprocessed 0.3 Wheat germ 0.2

Agvet chemical: Eprinomectin

| Permitted residue: Eprinomectin B1a | |
|-------------------------------------|------|
| Cattle, edible offal of | 2 |
| Cattle fat | 0.5 |
| Cattle meat | 0.1 |
| Cattle milk | 0.03 |
| Deer, edible offal of | 2 |
| Deer meat | 0.1 |

Agvet chemical: EPTC

Permitted residue: EPTC

| 0.04 |
|-------|
| *0.04 |
| *0.1 |
| *0.01 |
| *0.1 |
| *0.1 |
| 0.1 |
| 0.1 |
| 0.1 |
| 0.1 |
| *0.05 |
| *0.05 |
| *0.04 |
| |

Agvet chemical: Erythromycin

Permitted residue: Inhibitory substance, identified as erythromycin Edible offal (mammalian) *0.3 Meat (mammalian) *0.3 Milks *0.04 Poultry, edible offal of *0.3 Poultry meat

*0.3

Agvet chemical: Esfenvalerate

see Fenvalerate

Agvet chemical: Ethephon

Permitted residue: Ethephon

| All other foods except animal food | 0.1 |
|------------------------------------|-----|
| commodities | |

0.5

| A | |
|--------------------------|--------------|
| Apple | 1 |
| Banana | T*0.05 |
| Barley | 1 |
| Blueberries | T10 |
| Cherries | 15 |
| Cotton seed | 2 |
| Cotton seed oil, crude | *0.1 |
| Currant, black | 1 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.2 |
| Grapes | 10 |
| Kiwifruit | 0.1 |
| Lychee | T*0.05 |
| Macadamia nuts | *0.1 |
| Mandarins | 2 |
| Mango | T*0.02 |
| Meat (mammalian) | 0.1 |
| Milks | 0.1 |
| Nectarine | 0.01 |
| Olives | T20 |
| Oranges, sweet, sour | 2 |
| Papaya | T1 |
| Peach | 0.5 |
| Pineapple | 2 |
| Poultry, edible offal of | *0.2 |
| Poultry meat | *0.1 |
| Sugar cane | 0.5 |
| Sugar cane molasses | 7 |
| Tomato | 2 |
| Walnuts | T5 |
| Wheat | T1 |
| | <u>· · ·</u> |

Agvet chemical: Ethion

Permitted residue: Ethion

| 2.5 |
|------|
| 2.5 |
| 1 |
| 0.1 |
| 0.05 |
| 2 |
| 0.5 |
| 1 |
| |
| 1 |
| 5 |
| |

Agvet chemical: Ethiprole

Permitted residue—commodities of plant origin: Ethiprole

Permitted residue—commodities of animal origin:

Sum of ethiprole and 5-amino-1-(2,6-dichloro-4trifluoromethylphenyl)-4-ethylsulfonylpyrazole-3carbonitrile (ethiprole-sulfone), expressed as parent equivalents.

| Coffee beans | 0.07 |
|--------------------------|------|
| Coffee beans, roasted | 0.2 |
| Edible offal (mammalian) | 0.1 |
| Eggs | 0.05 |
| Fats (mammalian) | 0.15 |
| Meat (mammalian) | 0.15 |
| Milk fats | 0.5 |
| Milks | 0.01 |
| Poultry, Edible offal of | 0.05 |
| Poultry fats | 0.05 |
| Poultry meat | 0.05 |
| Rice | 3 |
| Rice, husked | 1.5 |
| Rice, polished | 0.4 |
| Soya bean (dry) | 0.05 |
| | |

Agvet chemical: Ethofumesate

Permitted residue: Ethofumesate

| Destract | 0.1 |
|---------------------------------|-------|
| Beetroot | 0.1 |
| Bulb vegetables [except chives] | *0.1 |
| Chard (silver beet) | 1 |
| Edible offal (mammalian) | 0.5 |
| Fennel, bulb | *0.1 |
| Meat (mammalian) (in the fat) | 0.5 |
| Milks (in the fat) | 0.2 |
| Poppy seed | *0.02 |
| Spinach | T1 |
| Strawberry | *0.03 |
| Sugar beet | 0.1 |

Agvet chemical: Ethopabate

Permitted residue: Ethopabate

| Poultry, edible offal of | 15 |
|--------------------------|----|
| Poultry meat | 5 |

Agvet chemical: Ethoprophos

Permitted residue: Ethoprophos

| Banana | *0.02 |
|-----------------------|-------|
| Hops, dry | 0.02 |
| Peppers, chili, dried | 0.2 |
| Tomato | *0.01 |

Agvet chemical: Ethoxyquin

Permitted residue: Ethoxyquin

| Crustaceans | 1 |
|---------------------------|-----|
| Diadromous fish | 1 |
| Edible offal (mammalian) | 1 |
| Eggs | 0.1 |
| Freshwater fish | 1 |
| Marine fish | 1 |
| Meat (mammalian) | 0.5 |
| Poultry, edible offal of | 0.1 |
| Poultry meat (in the fat) | 0.5 |
| | |

Agvet chemical: Ethoxysulfuron

Permitted residue—commodities of plant origin: Ethoxysulfuron

Permitted residue—commodities of animal origin: 2amino-4, 6-dimethoxypyrimidine, expressed as ethoxysulfuron

| Edible offal (mammalian) | *0.05 |
|--------------------------|-------|
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Sugar cane | *0.01 |
| | |

Agvet chemical: Ethyl formate

Permitted residue: Ethyl formate

| Dried fruits |
|--------------|
|--------------|

Agvet chemical: Ethylene dichloride (EDC)

| Permitted residue: 1,2-dichloroethane | |
|---------------------------------------|------|
| Cereal grains [except sweet corns] | *0.1 |

Agvet chemical: Etofenprox

| Permitted residue: Etofenprox | |
|--|-------|
| All other foods except animal food commodities | 0.05 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Hops, dry | 5 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Rice | *0.01 |
| Stone fruits [except cherries (subgroup)] | 5 |

Agvet chemical: Etoxazole

| Permitted residue: Etoxazole | |
|------------------------------------|-------|
| All other foods except animal food | 0.05 |
| commodities | |
| Almonds | *0.01 |
| Avocado | T0. 1 |
| Banana | 0.2 |
| | |

| Cane berries | T0.5 |
|---|---------------|
| Cherries | 1 |
| Chervil | T1 |
| Chives | T1 |
| Citrus fruits | 0.5 |
| Coriander (leaves, roots, stems) | T1 |
| Cotton seed | 0.2 |
| Custard apple | T0.1 |
| Dried grapes | 1.5 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, other than cucurbits | 0.05 |
| Fruiting vegetables, cucurbits | T0.1 |
| Fungi, edible (except mushrooms) | 0.05 |
| Grapes | 0.5 |
| Herbs | T1 |
| Hops, dry | 7 |
| lvy gourd | T0.1 |
| Maize | T*0.01 |
| Mango | T0.1 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.01 |
| Mizuna | T1 |
| Mushrooms | 0.05 |
| Papaya | T0.1 |
| Passionfruit | T0.1 |
| Podded pea (young pods) (snow and sugar snap) | T*0.02 |
| Pointed gourd | T0.1 |
| Pome fruits | 0.2 |
| Popcorn | 0.2 T*0.01 |
| Popultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.02 |
| Rucola (Rocket) | 0.02 T1 |
| Strawberry | 0.2 |
| Stone fruits [except cherries | 0.2 |
| (subgroup)] | 0.5 |
| Sweet corn (kernels) | T*0.01 |
| Tea, green, black | 15 |
| | |

Agvet chemical: Famoxadone

| Permitted residue: Famoxadone | |
|---|----|
| Dried grapes (currants, raisins and sultanas) | 5 |
| Hops, dry | 80 |
| Raspberries, red, black | 10 |

Agvet chemical: Fenamidone

Permitted residue: Fenamidone

| Celery | 40 |
|-----------------------|----|
| Peppers, chili, dried | 30 |

1

Agvet chemical: Fenamiphos

Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos

| Aloe vera | *0.05 |
|------------|-------|
| Banana | *0.05 |
| Strawberry | *0.05 |

Agvet chemical: Fenazaquin

| • | |
|-------------------------------------|-------|
| Permitted residue: Fenazaquin | |
| Citrus fruits [except kumquats] | 0.4 |
| Dried grapes (currants, raisins and | 0.8 |
| sultanas) | |
| Edible offal (mammalian) | *0.02 |
| Grapes [except dried] | 0.7 |
| Hops, dry | 30 |
| Meat (mammalian) | *0.02 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Milks (in the fat) | *0.02 |
| Podded pea (young pods) (snow and | 0.4 |
| sugar snap) | |
| Raspberries, red, black | 0.7 |
| Stone fruits [except jujube, | 2 |
| Chinese] | |
| Tree nuts | 0.02 |
| | |

Agvet chemical: Fenbendazole

| Cattle, edible offal of *0.1 Cattle meat *0.1 |
|--|
| Cattle meat *0.1 |
| Calle meat 0.1 |
| Goat, edible offal of 0.5 |
| Goat meat 0.5 |
| Milks 0.1 |
| Sheep, edible offal of 0.5 |
| Sheep meat 0.5 |

Agvet chemical: Fenbuconazole

Permitted residue: Fenbuconazole

| All other foods except animal food | 0.02 |
|------------------------------------|-------|
| commodities | |
| Almonds | 0.05 |
| Banana | 0.5 |
| Blueberries | 0.3 |
| Cherries (subgroup) | 1 |
| Cranberry | 0.5 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Nectarine | 0.5 |
| Peanut | 0.1 |
| Peppers, chili, dried | 2 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| | |

| *0.01 |
|-------|
| 30 |
| |

Agvet chemical: Fenbutatin oxide

Permitted residue: Bis[tris(2-methyl-2phenylpropyl)tin]-oxide

| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | 5 |
|--|-----|
| Berries and other small fruits [except table grapes] | 1 |
| Cherries | 6 |
| Citrus fruits | 5 |
| Citrus peel | 30 |
| Dried grapes | T10 |
| Grapes [except wine grapes] | 5 |
| Hops, dry | 20 |
| Nectarine | 3 |
| Peach | 3 |
| Pome fruits [except Persimmon, Japanese] | 3 |
| Tomato | T2 |
| Sentul | 5 |
| | |

Agvet chemical: Fenhexamid

Permitted residue: Fenhexamid

| All other foods except animal food commodities | 0.1 |
|--|----------|
| Blueberries | 5 |
| Bulb onions (subgroup) | 3 |
| Cane berries | 20 |
| Cloudberry | 20 |
| Cucumber | 10 |
| Currant, black, red, white | 20 |
| Dried grapes | 20 |
| Edible offal (mammalian) | 2 |
| Grapes | 10 |
| Kiwifruit | 15 |
| Lettuce, head | 50 |
| Lettuce, leaf | 50 |
| Meat (mammalian) (in the fat) | *0.05 |
| Milks | *0.01 |
| Pear | 6 |
| Peas with pods (subgroup) | 5 |
| Peppers (subgroup) | 30 |
| Plums (including prunes) | 1.5 |
| Stone fruits [except jujube, Chinese; | 10 |
| plums] Strawberry | 10 |
| Tomato | 10 T2 |
| | 12 |

Agvet chemical: Fenitrothion

Permitted residue: Fenitrothion

| Apple | 1 |
|----------------|-----|
| Cabbages, head | 0.5 |

| Cacao beans | 0.1 |
|------------------------------------|--------|
| Cereal grains [except sweet corns] | 10 |
| Cherries | 1 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Grapes | 1 |
| Lettuce, head | 0.5 |
| Lettuce, leaf | 0.5 |
| Meat (mammalian) | T*0.05 |
| Milks (in the fat) | T*0.05 |
| Oilseed | 0.1 |
| Palm nuts | 0.1 |
| Peanut | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses [except soya bean (dry)] | 0.1 |
| Rice, polished | 0.1 |
| Soya bean (dry) | 0.3 |
| Sugar cane | 0.02 |
| Tea, green, black | 0.5 |
| Tomato | 0.5 |
| Tree nuts | 0.1 |
| Wheat bran, unprocessed | 20 |
| Wheat germ | 20 |
| | |

Agvet chemical: Fenoxaprop-ethyl

Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2benzoxazolyloxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl

| lonoxapiop outji | |
|--------------------------|--------|
| Barley | *0.01 |
| Chick-pea (dry) | *0.01 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.02 |
| Meat (mammalian) | 0.05 |
| Milks | 0.02 |
| Peanut | 0.05 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.01 |
| Rice | T*0.02 |
| Rye | *0.01 |
| Triticale | *0.01 |
| Wheat | *0.01 |
| | |

Agvet chemical: Fenoxycarb

| Permitted residue: Fenoxycarb | |
|------------------------------------|-----|
| All other foods except animal food | 0.1 |
| commodities | |
| Olive oil, virgin | 7 |
| Olives for oil production | 2 |
| Pome fruits [except Persimmon, | 2 |
| Japanese] | |
| Table Olives | 2 |

Agvet chemical: Fenpicoxamid

Permitted residue—commodities of plant origin: Fenpicoxamid

| Banana | 0.15 |
|-----------------------------------|--------|
| Edible offal (mammalian) | 0.02 |
| Mammalian fats (except milk fats) | *0.015 |
| Meat (mammalian) | *0.015 |
| Milks | *0.015 |
| Rye | 0.15 |
| Triticale | 0.15 |
| Wheat | 0.15 |
| | |

Agvet chemical: Fenpropathrin

| Permitted residue: Fenpropathrin | |
|--|------|
| Blueberries | 3 |
| Cherries | 5 |
| Citrus fruits [except kumquats] | 2 |
| Cranberry | 2 |
| Grapes | 5 |
| Peanut | 0.01 |
| Peppers, chili, dried | 10 |
| Stone fruits [except cherries; jujube, | 1.4 |
| Chinese] | |
| Tea, green, black | 2 |

Agvet chemical: Fenpropidin

Permitted residue—Commodities of plant origin: Fenpropidin

Permitted residue—Commodities of animal origin: Sum of fenpropidin and 2-methyl-2- [4-(2-methyl-3piperidin-1-ylpropyl)-phenyl]-propanoic acid (CGA 289267), expressed as fenpropidin

| Edible offal (mammalian) | *0.02 |
|--------------------------|-------|
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Wine grapes | 0.03 |
| | |

Agvet chemical: Fenpropimorph

Permitted residue: Fenpropimorph

| Banana | 2 |
|--------|-----|
| Barley | 0.5 |
| Oats | 0.5 |
| Wheat | 0.5 |

Agvet chemical: Fenpyrazamine

Permitted residue: Fenpyrazamine

| All other foods except animal food | 0.02 |
|------------------------------------|------|
| commodities | |
| Blueberries | 5 |

| Dried grapes (currants, raisins and sultanas) | 10 |
|---|--------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.005 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Raspberries, red, black | 5 |
| Strawberry | 3 |
| Table grapes | 3 |
| Wine grapes | 0.05 |

Agvet chemical: Fenpyroximate

Permitted residue: Fenpyroximate

| All other foods except animal food commodities | 0.1 |
|---|-------|
| Almonds | 0.1 |
| Apple | 0.3 |
| Cherries | 2 |
| Cranberry | 1 |
| Currants, black, red, white | 1 |
| Edible offal (mammalian) | 0.8 |
| Fats (mammalian) | 0.1 |
| Grapes | 1 |
| Hops, dry | 10 |
| Lemons and limes (subgroup) | 1 |
| Meat (mammalian) (in the fat) | 0.2 |
| Milks | *0.01 |
| Pear | 0.3 |
| Pomelo | 0.5 |
| Raspberries, red, black | 3 |
| Stone fruits [except cherries] | 0.4 |
| Strawberry | 1 |
| Tangelo | 0.5 |
| Tea, green, black | 0.1 |
| Tomatoes (includes goji berry) | 0.3 |

Agvet chemical: Fenvalerate

_

| Permitted residue: Fenvalerate, sum of isomers | | |
|--|------|--|
| All other foods except animal food | 0.05 | |
| commodities | | |
| Almonds | 0.2 | |
| Berries and other small fruits | 1 | |
| Brassica vegetables (except Brassica | 1 | |
| leafy vegetables) [except Chinese | | |
| cabbage (Pe-tsai)] | | |
| Brassica leafy vegetables | 1 | |
| Cereal grains [except sweet corns] | 2 | |
| Celery | 2 | |
| Cherries | 3 | |
| Dried grapes | 0.5 | |
| Edible offal (mammalian) | 0.05 | |
| Eggs | 0.02 | |
| Grapes | 0.1 | |
| Legume vegetables | 0.5 | |

| Meat (mammalian) (in the fat) | 1 |
|-------------------------------|-------|
| Milks | 0.2 |
| Oilseed [except peanut] | 0.5 |
| Olives for oil production | T1 |
| Olive oil, crude | Т5 |
| Poultry, edible offal of | *0.02 |
| Poultry meat (in the fat) | 0.05 |
| Pulses | 0.5 |
| Sweet corn (corn-on-the-cob) | 0.05 |
| Table olives | T1 |
| Tea, green, black | 0.05 |
| Tomato | 0.2 |
| Wheat bran, unprocessed | 5 |
| | |

Agvet chemical: Fipronil

| Permitted residue: Sum of fipronil, the sulp metabolite (5-amino-1-[2,6-dichloro-4- (trifluoromethyl)phenyl]-4-[(trifluoromethyl) sulphenyl]-1H-pyrazole-3-carbonitrile), the metabolite (5-amino-1-[2,6-dichloro-4- (trifluoromethyl)phenyl]-4- [(trifluoromethyl)sulphonyl]-1H-pyrazole-3- carbonitrile), and the trifluoromethyl metabo amino-4-trifluoromethyl-1-[2,6-dichloro-4- (trifluoromethyl)phenyl]-1H-pyrazole-3-carb | sulphonyl olite (5- |
|--|------------------------|
| Asparagus | 0.2 |
| Assorted tropical and sub-tropical fruit – inedible peel [except banana; custard apple; tamarillo (tree tomato)] | T*0.01 |
| Banana | 0.01 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | T0.05 |
| Broccoli, Chinese (Gai lan) | T0.05 |
| Carob | T*0.01 |
| Carrot | T*0.01 |
| Celery | T0.3 |
| Citrus fruit | T*0.01 |
| Cotton seed oil, crude | *0.01 |
| Custard apple | T0.05 |
| Edible offal (mammalian) | 0.02 |
| Eggs | 0.02 |
| Ginger, root | *0.01 |
| Grapes [except wine grapes] | T*0.01 |
| Honey | 0.01 |
| Lettuce, head | T0.1 |
| Lettuce, leaf | T0.1 |
| Meat (mammalian) (in the fat) | 0.1 |
| Milks | 0.01 |
| Mushrooms | 0.02 |
| Oilseed | *0.01 |
| Palm nuts | *0.01 |
| Peanut | *0.01 |
| Peppers, chili | *0.005 |
| Potato | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | 0.02 |
| Rice | 0.01 |

| Sentul | T*0.01 |
|-----------------|--------|
| Sorghum, grain | 0.01 |
| Soya bean (dry) | T*0.01 |
| Stone fruits | 0.01 |
| Sugar cane | *0.01 |
| Swede | 0.1 |
| Sweet potato | *0.01 |
| Turnip, garden | 0.1 |
| Wine grapes | *0.01 |
| | |

Agvet chemical: Flamprop-methyl

Permitted residue: Flamprop-methyl

| Chick-pea (dry) | *0.01 |
|--------------------------|-------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Triticale | 0.05 |
| Wheat | 0.05 |

Agvet chemical: Flamprop-M-methyl

see Flamprop-methyl

Agvet chemical: Flavophospholipol

| Permitted residue: Flavophospholipol | |
|--------------------------------------|--------|
| Cattle fat | *0.01 |
| Cattle kidney | *0.01 |
| Cattle liver | *0.01 |
| Cattle meat | *0.01 |
| Cattle milk | T*0.01 |
| Eggs | *0.02 |

Agvet chemical: Flazasulfuron

Permitted residue: Flazasulfuron

| Almonds | 0.01 |
|---------------------------|-------|
| Citrus fruits | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Olives for oil production | *0.01 |
| Poultry meat | *0.01 |
| Poultry, edible offal of | *0.01 |
| Table olives | *0.01 |
| | |

Agvet chemical: Flonicamid

Permitted residue: Flonicamid [N -(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N -(4-trifluoromethylnicotinoyl)glycine]

| (4-trifluoromethylnicotinoyl)glycine] | |
|--|-------|
| All other foods except animal food commodities | 0.2 |
| Blackberries | T2 |
| Bulb vegetables [except chives] | T0.2 |
| Celery | 1.5 |
| Cotton seed | 1 |
| Cranberry | 1.5 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Fennel, bulb | T0.2 |
| Fruiting vegetables, cucurbits | 0.7 |
| Fruiting vegetables, other than cucurbits | T0.5 |
| Fungi, edible (except mushrooms) | T0.5 |
| Hops, dry | 20 |
| Lemons and Limes | 1.5 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Mushrooms | T0.5 |
| Mustard seeds | T0.5 |
| Oranges, Sweet, Sour | 0.4 |
| Pome fruits [except Persimmon, Japanese] | 0.7 |
| Potato | 0.2 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pummelos | 0.3 |
| Rape seed (canola) | 0.5 |
| Raspberries, red, black | T2 |
| Stone fruits | 0.6 |
| Strawberry | T2 |
| Sweet corns | T0.5 |
| | |

Agvet chemical: Florasulam

Permitted residue: Florasulam

| Cereal grains [except sweet corns] | *0.01 |
|------------------------------------|-------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| | |

Agvet chemical: Florfenicol

Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine

| Cattle kidney | 0.5 |
|---------------|-----|
| Cattle liver | 3 |

| Cattle meat | 0.3 |
|--------------|-----|
| Pig fat/skin | 1 |
| Pig kidney | 1 |
| Pig liver | 3 |
| Pig meat | 0.5 |

Agvet chemical: Florylpicoxamid

Permitted residue: commodities of plant origin: Sum of florylpicoxamid and (2S)-1,1-bis(4fluorophenyl)propan-2-yl N-{[3-(hydroxy)-4methoxypyridin-2-yl]carbonyl}-L-alaninate (X12485649), expressed as florylpicoxamid Permitted residue: commodities of animal origin: (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-{[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl}-Lalaninate (X12485649), expressed as florylpicoxamid

| All other foods except animal food commodities | 0.01 |
|--|-------|
| Dried grapes (currants, raisins and sultanas) | 15 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than cucurbits | 1 |
| Grapes | 3 |
| Leafy greens | 20 |
| Meat (mammalian) (in the fat) | 0.07 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Strawberry | 1 |
| Wheat | 0.02 |
| Wheat bran, unprocessed | 0.07 |

Agvet chemical: Florpyrauxifen-benzyl

Permitted residue: Sum of florpyrauxifen-benzyl and the XDE-848 acid metabolite [4-amino-3-chloro-6-(4chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2carboxylic acid] expressed as florpyrauxifen-benzyl

| Edible offal (mammalian) | T*0.02 |
|-------------------------------|--------|
| Eggs | T*0.02 |
| Meat (mammalian) [in the fat] | T*0.02 |
| Milks | T*0.02 |
| Poultry, edible offal of | T*0.02 |
| Poultry meat (in the fat) | T*0.02 |
| Rice | T*0.02 |
| Sorghum, grain | *0.02 |

Agvet chemical: Fluoxapiprolin

Permitted residue: Fluoxapiprolin

| Dried grapes (= currants, raisins and sultanas) | 0.5 |
|---|-------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | 0.15 |

| Meat (mammalian) [in the fat] | *0.01 |
|-------------------------------|-------|
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat [in the fat] | *0.01 |

Agvet chemical: Fluazaindolizine

Permitted residue: Fluazaindolizine

| All other foods except animal food commodities | 0.1 |
|--|-------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits | 0.2 |
| Fungi, edible (except mushrooms) | 0.2 |
| Galangal, rhizomes | 0.3 |
| Legume vegetables | 0.8 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mushrooms | 0.2 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Root and tuber vegetables | 0.3 |
| Sweet corns | 0.2 |
| | |

Agvet chemical: Fluazifop-p-butyl

Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop

| All other foods except animal food commodities | 0.02 |
|---|-------|
| Assorted tropical and sub-tropical fruits – inedible peel [except avocado; banana; tamarillo (tree tomato)] | 0.05 |
| Avocado | *0.02 |
| Banana | *0.02 |
| Berries and other small fruits [except bush berries; elderberries; guelder rose, strawberry] | 0.2 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 1 |
| Broccoli, Chinese (Gai Ian) | 1 |
| Bush berries | 0.3 |
| Celery | *0.02 |
| Chia | T2 |
| Chinese cabbage (Pe-tsai) | T2 |
| Citrus fruits | *0.02 |
| Coriander (leaves, roots, stems) | 2 |
| Date | T0.2 |
| Edible offal (mammalian) | *0.05 |
| Egg plant | T0.7 |
| Eggs | *0.05 |
| Elderberries | 0.3 |
| Fruiting vegetables, cucurbits | 0.1 |
| | |

| Galangal, rhizomes | 0.05 |
|---|-------|
| Garlic | 0.05 |
| Ginger, root | 0.05 |
| Guelder rose | 0.3 |
| Hops, dry | 0.05 |
| Leafy vegetables [except broccoli, | 2 |
| Chinese (Gai lan); lettuce, head; witloof | |
| chicory] | |
| Leek | T1 |
| Legume vegetables | 0.1 |
| Lettuce, head | 0.05 |
| Lotus root | Т3 |
| Lupin (dry) | 0.1 |
| Meat (mammalian) | *0.05 |
| Milks | 0.1 |
| Oilseed [except peanut] | 0.5 |
| Olives for oil production | 0.05 |
| Onion, bulb | 0.05 |
| Onion, Chinese | 0.05 |
| Onion, Welsh | 0.05 |
| Parsley | 2 |
| Peanut | 1.5 |
| Pecan | 0.05 |
| Peppers, sweet | *0.02 |
| Pome fruits | *0.01 |
| Potato | 0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses [lupin (dry); soya bean (dry)] | 0.5 |
| Root and tuber vegetables [except lotus | 1 |
| root; potato; sweet potato; taro; water | |
| chestnut; yam bean; yams] | |
| Sentul | 0.05 |
| Shallot | 0.05 |
| Soya bean (dry) | 15 |
| Spring Onion | 0.05 |
| Stone fruits | 0.05 |
| Strawberry | 3 |
| Sugar cane | T*0.1 |
| Sweet potato | T0.3 |
| Table olives | 0.05 |
| Taro | Т3 |
| Tea, green, black | T50 |
| Tomato | 0.1 |
| Turmeric, root | 0.05 |
| Water chestnut | Т3 |
| Yam bean | Т3 |
| Yams | T0.3 |
| | |

Agvet chemical: Fluazinam

Permitted residue: Fluazinam

| All other foods except animal food | 0.01 |
|--------------------------------------|-------|
| commodities | |
| Blueberries | 7 |
| Brassica vegetables (except Brassica | *0.01 |
| leafy vegetables) [except Chinese | |
| cabbage (Pe-tsai)] | |

| Broccoli, Chinese (Gai lan) | *0.01 |
|-----------------------------|--------|
| Peanut | 0.02 |
| Pome fruits | *0.01 |
| Potato | *0.01 |
| Strawberry | T*0.05 |
| Wine grapes | *0.05 |
| | |

Agvet chemical: Fluazuron

| Permitted residue: Fluazuron | |
|------------------------------|-----|
| Cattle, edible offal of | 0.5 |
| Cattle meat (in the fat) | 7 |
| | |

Agvet chemical: Flubendazole

Permitted residue—commodities other than eggs: Sum of flubendazole and 2-amino-1 Hbenzimidazole-5-yl)(4-fluorophenyl methanone, expressed as flubendazole

Permitted residue—eggs: Flubendazole

| Chicken fat/skin | 0.03 |
|------------------|-------|
| Chicken liver | 0.2 |
| Chicken kidney | 0.1 |
| Chicken muscle | *0.02 |
| Eggs | 0.6 |
| Pig fat/skin | *0.02 |
| Pig liver | 0.4 |
| Pig kidney | 0.3 |
| Pig muscle | *0.02 |
| | |

Agvet chemical: Flubendiamide

Permitted residue—commodities of plant origin: Flubendiamide

Permitted residue—commodities of animal origin: Sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl) phthalimide, expressed as flubendiamide

| All other foods except animal food commodities | 0.05 |
|---|-------|
| | 0.00 |
| Almonds | 0.06 |
| Brassica vegetables (except Brassica | 5 |
| leafy vegetables) [except Chinese | |
| cabbage (Pe-tsai)] | |
| Broccoli, Chinese (Gai Ian) | 5 |
| Chia | 1 |
| Chinese cabbage (Pe-tsai) | 10 |
| Chives | 20 |
| Common bean (pods and/or immature | T2 |
| seeds) | |
| Cotton seed | 0.5 |
| Edible offal (mammalian) | 0.03 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than | 2 |
| cucurbits | |
| Fungi, edible (except mushrooms) | 2 |
| Grapes | 1.4 |
| | |

| Herbs | 20 |
|---|--------|
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; | 10 |
| witloof, chicory] | |
| Lettuce, head | 5 |
| Meat (mammalian) (in the fat) | 0.05 |
| Milk fats | 0.05 |
| Milks | *0.01 |
| Mushrooms | 2 |
| Peppers, chili, dried | 7 |
| Potato | *0.02 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Root and tuber vegetables [except potato] | 0.2 |
| Spices [except peppers, chili, dried] | 0.02 |
| Stalk and stem vegetables [except fennel, bulb | 5 |
| Stone fruits [except jujube, Chinese] | 1.6 |
| Strawberry | 0.3 |
| Sweet corn (corn-on-the-cob) | T*0.05 |
| Tea, green, black | 0.02 |
| Witloof, chicory | 5 |
| | |

Agvet chemical: Fludioxonil

Permitted residue—commodities of animal origin: Sum of fludioxonil and oxidisable metabolites, expressed as fludioxonil

Permitted residue—commodities of plant origin: Fludioxonil

| All other foods except animal food | 0.02 |
|--|--------|
| commodities | |
| Almonds | 0.2 |
| Apricot | 10 |
| Avocado | 2 |
| Bayberry, red | T2 |
| Beetroot | *0.01 |
| Berries and other small fruits [except grapes] | 5 |
| Brassica leafy vegetables [except radish leaves] | 15 |
| Broccoli | T*0.01 |
| Bulb onions (subgroup) | 0.5 |
| Bulb vegetables [except chives; bulb onions (subgroup)] | 3 |
| Cabbages, head | 0.7 |
| Carrot | 1 |
| Celery | 15 |
| Chestnuts | 1 |
| Chick-pea (dry) | 0.3 |
| Chinese cabbage (Pe-tsai) | 15 |
| Chives | T10 |
| Citrus fruits | 10 |
| Common bean (pods and/or immature seeds) | 0.7 |
| Cotton seed | *0.05 |
| Cucumber | 0.5 |
| | |

| Dried grapes (currants, raisins and sultanas) | 5 |
|---|--------|
| Dried herbs | T70 |
| Edible offal (mammalian) | 0.1 |
| Egg plant | T0.2 |
| Eggs | 0.02 |
| Fats (mammalian) | 0.02 |
| Grapes | 2 |
| Guava | 0.5 |
| Herbs | T20 |
| Kiwifruit | 15 |
| Leafy vegetables [except broccoli, | 15 |
| Chinese (Gai lan); witloof chicory] | |
| Lentils (dry) | 0.3 |
| Litchi | T2 |
| Maize | *0.02 |
| Mango | 3 |
| Meat (mammalian) | 0.05 |
| Melons, except watermelon | T0.2 |
| Milks | 0.05 |
| Mustard seeds | *0.01 |
| Papaya | T5 |
| Peach | 10 |
| Peanut | T*0.01 |
| Peas (pods and succulent, immature seeds) | 0.5 |
| Peppers, chili, dried | 4 |
| Peppers, chili [except dried] | T2 |
| Peppers, sweet | 2 |
| Pineapple | 5 |
| Pistachio nut | T0.2 |
| Pome fruits | 5 |
| Pomegranate | 5 |
| Potato | 5 |
| Poultry, edible offal of | 0.1 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Pulses [except chick-pea (dry); lentil | T0.1 |
| (dry), soya bean (dry)] | *0.04 |
| Rape seed (canola) | *0.01 |
| Sorghum, grain | *0.01 |
| Soya bean (dry) | 0.2 |
| Stone fruits [except apricot; peach] | 5 |
| Strawberry | 5 |
| Sunflower seed | T*0.02 |
| Sweet corn (corn-on-the-cob) | *0.02 |
| Tomato | T1 |

Agvet chemical: Fluensulfone

Permitted residue—commodities of plant origin: Sum
of fluensulfone and 3,4,4-trifluorobut-3-ene-1-
sulfonic acid (M-3627), expressed as fluensulfonePermitted residue—commodities of animal origin:
FluensulfoneAll other foods1Barley, similar grains, and
pseudocereals with husks

| Celery Citrus oil, edible Dried grapes (equals currants; raisins; sultanas) | 2 1.5 2 |
|--|----------------------------|
| Edible offal (mammalian) Eggs Fruiting vegetables, cucurbits Fruiting vegetables, other than cucurbits | *0.01 *0.01 0.5 1 |
| Fungi, edible (except mushrooms) | 1 |
| Maize Cereals | 0.15 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mushrooms | 1 |
| Oilseeds | 0.05 |
| Palm nuts | 0.05 |
| Peanut | 0.05 |
| Peppers, chili, dried | 7 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | 0.05 |
| Rice Cereals | 0.05 |
| Root and tuber vegetables | 2 |
| Sorghum Grain and Millet | 0.05 |
| Sugar cane | 0.06 |
| Sweet corns | 1 |
| Wheat, similar grains, and pseudocereals without husks | 0.08 |

Agvet chemical: Flumethrin

| Permitted residue: Flumethrin, sum of i | somers |
|---|---------|
| Cattle, edible offal of | 0.05 |
| Cattle meat (in the fat) | 0.2 |
| Honey | T*0.005 |
| Horse, edible offal of | 0.1 |
| Horse meat | 0.1 |
| Milks | 0.05 |

Agvet chemical: Flumetsulam

| Barley | *0.05 |
|--------------------------|-------|
| Edible offal (mammalian) | 0.3 |
| Eggs | *0.1 |
| Garden pea | *0.1 |
| Maize | *0.05 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Oats | *0.05 |
| Peanut | *0.05 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |
| Pulses | *0.05 |
| Rye | *0.05 |
| Triticale | *0.05 |
| Wheat | *0.05 |
| | |

Agvet chemical: Flumiclorac pentyl

| Permitted residue: Flumiclorac pentyl | |
|---------------------------------------|-------|
| Cotton seed | 0.1 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |

Agvet chemical: Flumioxazin

| Permitted residue: | Flumioxazin |
|--------------------|-------------|
|--------------------|-------------|

| All other foods except animal food commodities | 0.02 |
|---|--------|
| Avocado | *0.02 |
| Banana | T*0.02 |
| Blueberries | 0.02 |
| Carrot | T*0.05 |
| Cereal grains [except sweet corns] | *0.05 |
| Citrus fruits | *0.05 |
| Cranberry | 0.07 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Garlic | T*0.02 |
| Grapes | *0.01 |
| Hops, dry | T*0.05 |
| Lavender | T*0.02 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mints | T*0.02 |
| Oilseed | *0.1 |
| Olives | *0.02 |
| Palm nuts | *0.1 |
| Peanut | *0.1 |
| Pome fruits | *0.02 |
| Pomegranate | *0.02 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | *0.1 |
| Stone fruits [except jujube, Chinese] | *0.02 |
| Sugar cane | *0.01 |
| Tree nuts | *0.02 |

Agvet chemical: Flunixin

Permitted residue: Flunixin

| Cattle kidney | 0.02 |
|--------------------------|------|
| Cattle liver | 0.02 |
| Cattle meat (in the fat) | 0.02 |
| | |

Agvet chemical: Fluometuron

Permitted residue: Sum of fluometuron and 3trifluoromethylaniline, expressed as fluometuron

Cereal grains [except sweet corns]

| Citrus fruits [except kumquats] | 0.5 |
|---------------------------------|------|
| Cotton seed | *0.1 |
| Pineapple | *0.1 |

Agvet chemical: Fluopicolide

Permitted residue: Fluopicolide

| All other foods | 0.01 |
|--|-------|
| Basil | Т30 |
| Brassica vegetables (except Brassica leaft vegetables) | 5 |
| Bulb vegetables [except chives; onion, bulb] | 3 |
| Cane berries | T1.5 |
| Celery | 20 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fennel, bulb | 3 |
| Fruiting vegetables, cucurbits | 0.5 |
| Grapes | 2 |
| Hops, dry | 15 |
| Leafy vegetables | 30 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Onion, bulb | 0.1 |
| Peppers, chili, dried | 7 |
| Poppy seed | 0.5 |
| Potato | 0.05 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| | |

Agvet chemical: Fluopyram

Permitted residue—commodities of plant origin: Fluopyram

Permitted residue—commodities of animal origin: Sum of fluopyram and 2-(trifluoromethyl)-benzamide, expressed as fluopyram

| All other foods except animal food | 0.2 |
|---|------|
| commodities | |
| Assorted tropical and sub-tropical fruits | 2 |
| inedible peel [except banana; | |
| pineapple; tamarillo (tree tomato)] | |
| Banana | 0.1 |
| Beans [except broad bean; snap bean | 1 |
| (immature seeds); soya bean] | |
| Blueberries | 7 |
| Brussels sprouts | 0.3 |
| Bulb onions | 0.07 |
| Cane berries [except raspberries, red, | 3 |
| black] | |
| Cereal grains [except rice; sweet corns] | 0.03 |
| Cherries | 3 |
| Chicory witloof | 0.3 |
| Citrus fruits | 1 |
| Cranberry | 2 |
| Currants, black, red, white | 7 |

| Dried grapes (= currants, raisins and sultanas) | 3 |
|---|-------|
| Edible offal (mammalian) | 0.7 |
| Eggs | *0.02 |
| Fruiting vegetables, cucurbits | 0.5 |
| Garden pea, shelled | 0.2 |
| Grapes | 2 |
| Green onions | 2 |
| Hops, dry | 100 |
| Lentil (dry) | 0.4 |
| Lettuce, head | 15 |
| Lettuce, leaf | 15 |
| Macadamia nuts | 0.2 |
| Meat (mammalian) | 0.1 |
| Milks | 0.1 |
| Oilseed | 0.03 |
| Olives for oil production | 3 |
| Olive oil, crude | 5 |
| Palm nuts | 0.03 |
| Peanut | 0.2 |
| Peas (dry) | 0.7 |
| Peppers, chili, dried | 30 |
| Peppers, sweet | 0.3 |
| Persimmon, Japanese | 1.5 |
| Pistachio nut | 0.2 |
| Podded pea (young pods) (snow and sugar snap) | 1 |
| Pome fruits [except Persimmon, | 1 |
| Japanese] | |
| Potato | 0.1 |
| Poultry, Edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pulses [except lentil (dry); peas (dry); | 0.09 |
| soya bean (dry)] Raspberries, red, black | 5 |
| Rice | 4 |
| Rice, husked | 1.5 |
| Rice, polished | 0.5 |
| Root and tuber vegetables | T0.2 |
| Sentul | 2 |
| Snap bean (immature seeds) | 0.2 |
| Soya bean (dry) | 0.04 |
| Stone fruits [except cherries (subgroup)] | 2 |
| Strawberry | 2 |
| Sugar beet | 0.04 |
| Table olives | 3 |
| Tomatoes (subgroup) | T1.5 |
| Tree nuts [except macadamia nuts; | 0.05 |
| pistachio nut; walnuts] | |
| Walnuts | T0.07 |
| | |

Agvet chemical: Fluoxastrobin

Permitted residue:Sum of fluoxastrobin and its Zisomer1.9Peanut0.02

Agvet chemical: Flupropanate

| Permitted residue: Flupropanate | |
|---------------------------------|------|
| Edible offal (mammalian) | *0.1 |
| Meat (mammalian) (in the fat) | *0.1 |
| Milks | 0.1 |

Agvet chemical: Flupyradifurone

| Permitted residue: Flupyradifurone | |
|---|-------|
| All other foods except animal food commodities | 0.2 |
| Apple | 0.7 |
| Assorted tropical and sub-tropical fruits – inedible peel [except banana; mango; papaya; pineapple] | 1.5 |
| Blueberry | 4 |
| Cacao beans | *0.01 |
| Cane berries | 6 |
| Citrus fruits [except kumquats] | 3 |
| Coffee beans | 0.9 |
| Common bean (pods and/or immature seeds) | 2 |
| Dried grapes (currants, raisins and sultanas) | 5 |
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than cucurbits | 1.5 |
| Fungi, edible (except mushrooms) | 1.5 |
| Grapes | 3 |
| Hops, dry | 10 |
| Mango | 0.7 |
| Meat (mammalian) | 0.1 |
| Milks | 0.07 |
| Olives for oil production | 1 |
| Papaya (pawpaw) | 0.5 |
| Peppers, chili, dried | 9 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Peanut | 0.04 |
| Potato | 0.07 |
| Soya bean (dry) | 1.5 |
| Stone fruits [except jujube, Chinese] | 1.5 |
| Strawberry | 1.5 |
| Sweet potato | 0.07 |
| Table olives | 1 |
| Tree nuts | 0.02 |

Agvet chemical: Fluquinconazole

| Permitted residue: Fluquinconazoie | |
|---|-------|
| All other foods except animal food commodities | 0.02 |
| Barley | *0.02 |
| Edible offal (mammalian) | 0.2 |
| | |

| Eggs Meat (mammalian) (in the fat) | *0.02 0.5 |
|---|--------------|
| Milks | *0.02 |
| Mustard seeds | T*0.01 |
| Pome fruits [except Persimmon, Japanese] | 0.3 |
| Poultry, edible offal of | *0.02 |
| Poultry meat (in the fat) | *0.02 |
| Rape seed (canola) | *0.01 |
| Wheat | *0.02 |

Agvet chemical: Fluralaner

| Permitted residue: Fluralaner | |
|-------------------------------|-------|
| Cattle fat | T0.7 |
| Cattle kidney | T0.25 |
| Cattle liver | T0.6 |
| Cattle muscle | T0.07 |
| Chicken eggs | 1.3 |
| Chicken fat/skin | 0.6 |
| Chicken kidney | 0.4 |
| Chicken liver | 0.6 |
| Chicken muscle | 0.06 |
| Sheep fat | 0.35 |
| Sheep kidney | 0.15 |
| Sheep liver | 0.4 |
| Sheep muscle | 0.1 |
| | |

Agvet chemical: Fluroxypyr

| Permitted residue: Fluroxypyr | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Cereal grains | 0.2 |
| Edible offal (mammalian) [except kidney] | 0.1 |
| Eggs | *0.01 |
| Kidney (mammalian) | 1 |
| Meat (mammalian) (in the fat) | 0.1 |
| Milks | 0.1 |
| Onion, bulb | 0.2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Rice bran, unprocessed | T0.3 |
| Sugar cane (in the juice) | 0.2 |
| | |

0.3

Agvet chemical: Flusilazole

Permitted residue: Flusilazole

| Apple |
|-------|
|-------|

Agvet chemical: Flutolanil

Permitted residue—commodities of plant origin: Flutolanil

Permitted residue—commodities of animal origin: Flutolanil and metabolites hydrolysed to 2trifluoromethyl-benzoic acid and expressed as flutolanil

| Edible offal (mammalian) | *0.05 |
|-------------------------------|-------|
| Eggs | *0.05 |
| Meat (mammalian) (in the fat) | *0.05 |
| Milks | *0.05 |
| Peanut | 0.5 |
| Potato | 0.2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat (in the fat) | *0.05 |
| | |

Agvet chemical: Flutriafol

Permitted residue: Flutriafol

| All other foods except animal food commodities | 0.5 |
|---|-------|
| Barley | 0.2 |
| Celery | 3 |
| Cereal grains [except barley and sweet corns] | 0.1 |
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.05 |
| Garden pea (young pods) | *0.01 |
| Hops, dry | 20 |
| Grapes | 1.5 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Mustard seeds | T0.07 |
| Oilseed [except mustard seeds; peanut; rape seed (canola)] | 0.05 |
| Peanut | 0.09 |
| Peppers, chili, dried | 10 |
| Pome fruits [except Persimmon, Japanese] | 0.4 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 0.05 |
| Rape seed (canola) | 0.07 |
| Stone fruits [except jujube, Chinese] | 1.5 |
| Strawberry | 1.5 |
| Sugar cane | *0.01 |
| | |

Agvet chemical: Fluvalinate

| Permitted residue: Fluvalinate, sum of iso | mers |
|--|--------|
| All other foods except animal food commodities | 0.02 |
| Apple | 0.1 |
| Asparagus | 0.2 |
| Carrot | T*0.01 |
| Cauliflower | 0.5 |
| Cotton seed | 0.1 |

| T*0.01 |
|--------|
| 0.05 |
| 0.05 |
| 0.5 |
| |

0.1

Agvet chemical: Fluxapyroxad

| Permitted residue: Fluxapyroxad | |
|---------------------------------|--|
| All other foods | |
| Banana | |
| | |

| All other loous | 0.1 |
|---------------------------------------|-----------|
| Banana | 3 |
| Barley | 3 |
| Barley bran, unprocessed | 0.5 |
| Beans, shelled | 0.5 |
| | 7 |
| Berries and other small fruit [except | 1 |
| grapes] | |
| Brassica leafy vegetables | 4 |
| Broccoli | 4 |
| Brussels sprouts | 4 |
| Bulb vegetables [except chives] | 1.5 |
| Cabbages, head | 4 |
| Cauliflower | 4 |
| | 10 |
| Celery | |
| Chicory | 30 |
| Citrus oil, edible | 90 |
| Coffee beans | 0.2 |
| Cotton seed | 0.5 |
| Dried grapes (currants, raisins and | 15 |
| sultanas) | |
| Edible offal (mammalian) | 0.03 |
| Eggs | 0.005 |
| Fennel, bulb | 1.5 |
| - | 0.5 |
| Fruiting vegetables, cucurbits | |
| Fruiting vegetables, other than | 0.6 |
| | |
| Fungi, edible (except mushrooms) | 0.6 |
| Grapes [except dried grapes] | 3 |
| Jujube, Chinese | T7 |
| Legume vegetables [except beans, | 2 |
| shelled; peas, shelled (succulent | |
| seeds)] | |
| Lemons and Limes | 1 |
| Lettuce, head | 30 |
| Lettuce, leaf | 30 |
| Mandarins | 1 |
| Mango | 0.8 |
| 6 | |
| Meat (mammalian) (in the fat) | 0.05 |
| Milk fats | 0.1 |
| Milks | 0.005 |
| Millet | 3 |
| Oats | T0.2 |
| Oilseed [except cotton; peanut] | 0.9 |
| Oranges, Sweet, Sour | 1.5 |
| Papaya (pawpaw) | 1 |
| Peas, shelled (succulent seeds) | 0.5 |
| | 0.0 |
| | 0.06 |
| Pecan Peppers, chili, dried | 0.06 6 |

| Pome fruits [except Persimmon, Japanese] | 0.8 |
|--|-------|
| Pomegranate | T0.3 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Prunes | 5 |
| Pulses [except soya bean (dry)] | 0.4 |
| Pummelos and grapefruit | 0.6 |
| Rice [except rice bran, unprocessed; rice hulls] | 5 |
| Rice bran, unprocessed | 8.5 |
| Rice hulls | 15 |
| Root and tuber vegetables [except | 0.9 |
| sugar beet] | |
| Rye | 3 |
| Sorghum, grain | 3 |
| Soya bean (dry) | 0.3 |
| Soya bean (immature seeds) | 0.15 |
| Stone fruits [except jujube, Chinese; prunes] | 3 |
| Sugar beet | 0.15 |
| Sugar cane | 3 |
| Sweet corn (corn-on-the-cob) | 0.15 |
| Tangelo, large-sized cultivars | 1.5 |
| Tangelo, small and medium sized cultivars | 1.5 |
| Tree nuts | 0.07 |
| Tumeric root | 0.3 |
| Valerian root | 2 |
| Wheat | 0.3 |

Agvet chemical: Folpet

| Permitted residue: Folpet | |
|-----------------------------|-------|
| Currants, black, red, white | 0.03 |
| Hops, dry | 120 |
| Peppers, sweet, chili | *0.03 |
| Strawberry | Т5 |
| | |

Agvet chemical: Fomesafen

| Permitted residue: Fomesafen | |
|------------------------------|-------|
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Potato | 0.025 |
| Poultry, Edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pulses | *0.01 |
| Tomato | 0.025 |

Agvet chemical: Forchlorfenuron

| Permitted residue: Forchlorfenuron | |
|------------------------------------|-------|
| Apple | *0.01 |
| Blueberries | *0.01 |
| Cherries | *0.01 |

| Grapes | 0.03 |
|-----------|-------|
| Kiwifruit | *0.01 |
| Mango | *0.01 |

Agvet chemical: Fosetyl

| Fermilled Testude. Foselyr | |
|--|-------|
| Apple | 1 |
| Avocado | 5 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | T0.1 |
| Broccoli, Chinese (Gai Ian) | T0.1 |
| Chinese cabbage (Pe-tsai) | T0.2 |
| Durian | T5 |
| Fruiting vegetables, other than cucurbits | T0.02 |
| Fungi, edible (except mushrooms) | T0.02 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); rucola (rocket); spinach; witloof chicory] | T0.2 |
| Mushrooms | T0.02 |
| Peach | 1 |
| Pineapple | 5 |
| Rucola (rocket) | T0.7 |
| Spinach | T0.7 |
| Stone fruits [except cherries; jujube, Chinese; peach] | T1 |
| Sweet corns | T0.02 |

Agvet chemical: Fosetyl-aluminium

Permitted residue: Fosetyl-aluminium

| - | |
|-----------------------------------|-------|
| Blackberries | 70 |
| Blueberries | 40 |
| Citrus fruits [except kumquats] | 5 |
| Coffee beans | 30 |
| Cranberry | 0.5 |
| Eggs | *0.05 |
| Flowerhead brassicas | *0.2 |
| Head brassicas | *0.2 |
| Hops, dry | 45 |
| Kale | *0.2 |
| Kiwifruit | 150 |
| Mammalian fats [except milk fats] | 0.3 |
| Pineapple | 15 |
| Poultry, edible offal of | *0.05 |
| Poultry fats | *0.05 |
| Poultry meat | *0.05 |
| Raspberries, red, black | 100 |
| Strawberry | 75 |
| | |

Agvet chemical: Furathiocarb

see Carbofuran

Residues arising from the use of furathiocarb are covered by MRLs for carbofuran

Agvet chemical: Glufosinate and Glufosinateammonium

Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)phosphinoyl] propionic acid, expressed as glufosinate (free acid)

| glufosinate (free acid) | |
|--|---------------|
| All other foods except animal food commodities | 0.1 |
| Assorted tropical and sub-tropical fruits | 0.2 |
| inedible peel [except tamarillo (tree tomato)] | |
| Berries and other small fruits [except | 0.1 |
| strawberry] | *0.4 |
| Cereal grains [except rice; sweet corns] Cherries | *0.1 *0.05 |
| Citrus fruits | 0.00 |
| Coffee beans | T*0.05 |
| Common bean (pods and immature seeds) | T*0.05 |
| Cotton seed | 3 |
| Date | *0.05 |
| Edible offal (mammalian) | 5 |
| Eggs | *0.05 |
| Hops, dry | T1 |
| Maize | 0.2 |
| Meat (mammalian) | 0.1 *0.05 |
| Milks Mustard seeds | *0.05 |
| Native foods | T0.5 *0.05 |
| Oilseed [except cotton seed; mustard | 0.03 T*0.1 |
| seeds; rape seed (canola)] | |
| Olives | *0.1 |
| Palm nuts | *0.1 |
| Peaches (including nectarines and apricots) | 0.3 |
| Peanut | *0.1 |
| Peppers, sweet | *0.05 |
| Plums | 0.3 Tto 05 |
| Podded pea (young pods) (snow and sugar snap) | T*0.05 |
| Pome fruits | *0.1 |
| Poultry, edible offal of | *0.1 *0.05 |
| Poultry meat | 0.05 *0.1 |
| Pulses [except soya bean (dry)] Rape seed (canola) | 0.1 |
| Rice | 0.9 |
| Saffron | T*0.05 |
| Sentul | 0.2 |
| Soya bean (dry) | 2 |
| Strawberry | 0.3 |
| Sugar cane | *0.2 |
| Tomato | *0.05 |
| Tea, green, black | *0.05 |
| Tree nuts | 0.1 |
| Truffle | T*0.2 |

Agvet chemical: Glyphosate

Permitted residue: Sum of glyphosate, N-acetylglyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate

| (AMPA) metabolite, expressed as glyphosate | |
|---|-------|
| All other foods except animal food | 0.2 |
| commodities | |
| Almonds | 1 |
| Avocado | *0.05 |
| Babaco | *0.05 |
| Banana | 0.2 |
| Barley | 20 |
| Berries and other small fruits [except cranberry; raspberries, red, black] | *0.05 |
| Bulb vegetables [except chives] | *0.1 |
| Cereal grains [except barley; maize; | T*0.1 |
| popcorn, sorghum, grain; sweet corns; wheat] | |
| Chinese cabbage (Pe-tsai) | *0.1 |
| Citrus fruits | 0.5 |
| Coffee beans | T0.2 |
| Cotton seed | 15 |
| Cotton seed oil, crude | *0.1 |
| Cranberry | 0.2 |
| Custard apple | *0.05 |
| Date | T2 |
| Dry beans [except soya bean (dry)] | 15 |
| Dry peas | 10 |
| Dry underground pulses | 5 |
| Edible offal (mammalian) | 2 |
| Eggs | *0.05 |
| Fennel, bulb | *0.1 |
| Fig | *0.05 |
| Fruiting vegetables, cucurbits | *0.1 |
| Fruiting vegetables, other than cucurbits | *0.1 |
| Fungi, edible (except mushrooms) | *0.1 |
| Guava | *0.05 |
| Honey | 0.2 |
| Hops, dry | 7 |
| Kiwifruit | *0.05 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | *0.1 |
| Legume vegetables | *0.1 |
| Linseed | 15 |
| Litchi | 0.2 |
| Maize | 5 |
| Mango | *0.05 |
| Meat (mammalian) | *0.1 |
| Millet | T15 |
| Milks | *0.1 |
| Monstero | *0.05 |
| Mushrooms | *0.1 |
| Mustard seeds | 20 |
| Native foods | T2 |
| | |

| Oilseed [except cotton seed; linseed; mustard seeds; peanut; poppy seed; rape seed (canola); safflower seed; sesame seed; sunflower seed] | T*0.1 |
|--|-------------|
| Olives | *0.1 |
| Papaya (pawpaw) | *0.05 |
| Passionfruit | 3 |
| Peanut | *0.1 |
| Persimmon, American | *0.05 |
| Pome fruits | *0.05 |
| Popcorn | T2 |
| Poppy seed | 20 |
| Potato | 0.2 |
| Poultry, edible offal of | 1 |
| Poultry meat | *0.1 |
| Rape seed (canola) | 20 |
| Raspberries, red, black | 0.2 |
| Rollinia | *0.05 |
| Root and tuber vegetables [except | *0.1 |
| potato] Safflower seed | 7 |
| Saffron | , T*0.05 |
| Sesame seed | 20 |
| | 20 15 |
| Sorghum, grain Soya bean (dry) | 15 20 |
| Stalk and stem vegetables [except | *0.01 |
| fennel, bulb] | 0.01 |
| Stone fruits | 0.2 |
| Sugar cane | T0.3 |
| Sugar cane molasses | Т5 |
| Sunflower seed | 20 |
| Sweet corns | *0.1 |
| Tea, green, black | T20 |
| Tree nuts [except almonds] | 0.2 |
| Truffle | T*0.05 |
| Wheat | 5 |
| Wheat bran, unprocessed | 20 |
| Witloof, chicory | *0.01 |

Agvet chemical: Guazatine

| Permitted residue: Guazatine | |
|---------------------------------|----|
| Citrus fruits [except kumquats] | 5 |
| Melons, except watermelon | 10 |
| Tomato | 5 |

Agvet chemical: Halauxifen-methyl

Permitted residue—commodities of plant origin: Halauxifen-methyl

Permitted residue—commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl

| All other foods except animal food | 0.01 |
|------------------------------------|-------|
| commodities | |
| Cereal grains [except sweet corns] | *0.01 |
| Edible offal (mammalian) | 0.03 |
| | |

| Eggs | *0.01 |
|--------------------------|--------|
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mustard seeds | T*0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Rape seed | *0.01 |

Agvet chemical: Halofuginone

Permitted residue: Halofuginone

| Cattle fat | 0.025 |
|---------------|-------|
| Cattle kidney | 0.03 |
| Cattle liver | 0.03 |
| Cattle muscle | 0.01 |

Agvet chemical: Halosulfuron-methyl

Permitted residue: Halosulfuron-methyl

| | • |
|--------------------------|--------|
| Almonds | 0.05 |
| Blueberries | 0.05 |
| Cotton seed | *0.05 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.01 |
| Maize | *0.05 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Raspberries, red, black | 0.05 |
| Rice | T*0.05 |
| Sorghum, grain | *0.05 |
| Soya bean (dry) | T*0.01 |
| Sugar cane | *0.05 |
| | |

Agvet chemical: Haloxyfop

Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop

| *0.05 |
|-------|
| *0.05 |
| Т3 |
| T0.5 |
| *0.05 |
| 0.1 |
| 0.2 |
| 0.5 |
| *0.01 |
| T0.1 |
| T0.5 |
| 0.1 |
| 0.1 |
| 0.02 |
| 0.02 |
| |

| N.C. | TO 5 |
|---------------------------|-------------|
| Mizuna | T0.5 |
| Mustard seeds | 0.1 |
| Onion, bulb | T0.2 |
| Peanut | 0.05 |
| Pome fruits | *0.05 |
| Poppy seed | T0.5 |
| Poultry, edible offal of | 0.05 |
| Poultry meat (in the fat) | *0.01 |
| Pulses | 0.1 |
| Rape seed (canola) | 0.1 |
| Sentul | *0.05 |
| Sesame seed | T0.1 |
| Stone fruits | *0.05 |
| Sunflower seed | *0.05 |
| Tree nuts | *0.05 |
| | |

Agvet chemical: Hexaconazole

Permitted residue: Hexaconazole

| Apple | 0.1 |
|--------|------|
| Grapes | 0.05 |
| Pear | 0.1 |

Agvet chemical: Hexazinone

Permitted residue: Hexazinone

| Blueberries | 0.6 |
|--------------------------|-------|
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.05 |
| Meat (mammalian) | *0.1 |
| Milks | *0.05 |
| Pineapple | 0.6 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Sugar cane | *0.1 |

Agvet chemical: Hexythiazox

Permitted residue: Hexythiazox

| All other foods except animal food | 0.05 |
|--|--------|
| commodities | |
| Almonds | 0.3 |
| Berries and other small fruits [except | 1 |
| raspberries, red, black; strawberry] | |
| Dates, dried | 3 |
| Edible offal (mammalian) | *0.01 |
| Fruiting vegetables, cucurbits | T0.05 |
| Fruiting vegetables, other than | T1 |
| cucurbits | |
| Fungi, edible (except mushrooms) | T1 |
| Hops, dry | 20 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Peas | T*0.05 |
| Pome fruits [except Persimmon, | 1 |
| Japanese] | |
| Potato | T*0.02 |
| Raspberries, red, black | 3 |

| Stone fruits [except jujube, Chinese] | 1 |
|---------------------------------------|---|
| Strawberry | 6 |
| Tea, green, black | 4 |

Agvet chemical: Hydrogen phosphide

see Phosphine

Agvet chemical: Imazalil

| Permitted residue: Imazalil | |
|--|-------|
| All other foods except animal food | 0.05 |
| commodities | |
| Banana | 3 |
| Chicken, edible offal of | *0.01 |
| Chicken meat | *0.01 |
| Citrus fruits [except mandarins (subgroup); pummelos and grapefruit] | 15 |
| Citrus oil, edible | 500 |
| Edible offal (mammalian) | 0.3 |
| Eggs | *0.01 |
| Fats (mammalian) | 0.02 |
| Mandarins (subgroup) | 10 |
| Meat (mammalian) | *0.02 |
| Melons, except watermelon | 10 |
| Milks | *0.02 |
| Mushrooms | 1 |
| Onion, bulb | 0.05 |
| Pome fruits [except Persimmon, Japanese] | 5 |
| Potato | 5 |
| Poultry, edible offal of [except chicken edible offal] | *0.02 |
| Poultry fats | *0.02 |
| Poultry meat [except chicken meat] | *0.02 |
| Pummelos and grapefruit | 10 |
| Tomato | 0.5 |
| | |

Agvet chemical: Imazamox

Permitted residue: Imazamox

| All other foods except animal food commodities | 0.05 |
|--|--------|
| Barley | *0.05 |
| Beans, shelled | 0.05 |
| Dry beans [except soya bean (dry)] | 0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Lentil (dry) | 0.25 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Mung bean (dry) | T*0.05 |
| Mustard seeds | T*0.05 |
| Peanut | *0.05 |
| Peas (dry) | 0.05 |
| Peas, shelled | 0.05 |
| Poppy seed | T*0.05 |
| Poultry, edible offal of | *0.01 |
| | |

| Poultry meat | *0.01 |
|--------------------|-------|
| Rape seed (canola) | *0.05 |
| Rice | 2.5 |
| Sorghum, grain | *0.02 |
| Soya bean (dry) | 0.3 |
| Sunflower seed | 0.3 |
| Wheat | 0.3 |
| | |

Agvet chemical: Imazapic

| Permitted residue: | Sum of imazapic and its |
|--------------------|-------------------------|
| hydroxymethyl deri | vative |

| Barley | 0.02 |
|-------------------------------|--------|
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Maize | 0.1 |
| Meat (mammalian) (in the fat) | *0.05 |
| Milks | *0.01 |
| Mustard seeds | T*0.05 |
| Oats | 0.05 |
| Peanut | *0.1 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Rape seed (canola) | *0.05 |
| Rice | 0.05 |
| Soya bean (dry) | 0.5 |
| Sugar cane | 0.1 |
| Wheat | *0.05 |

Agvet chemical: Imazapyr

Permitted residue: Imazapyr

| All other foods except animal food commodities | 0.05 |
|--|--------|
| Barley | 0.7 |
| Broad bean (dry) | 0.07 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Lentil (dry) | 0.2 |
| Meat (mammalian) (in the fat) | *0.05 |
| Maize | 0.1 |
| Milks | *0.01 |
| Mustard seeds | T*0.05 |
| Oats | 0.1 |
| Poppy seed | T*0.05 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Rape seed (canola) | *0.05 |
| Rice | 0.05 |
| Sorghum, grain | 0.02 |
| Soya bean (dry) | 5 |
| Sugar cane | 0.05 |
| Sunflower seed | 0.05 |
| Wheat | *0.05 |
| | |

Agvet chemical: Imazethapyr

| Permitted residue: Imazethapyr | |
|--------------------------------|-------|
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.1 |
| Legume vegetables | *0.1 |
| Maize | *0.05 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Peanut | *0.1 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |
| Pulses | *0.1 |
| Rape seed (canola) | 0.05 |
| Rice | 0.3 |
| | |

Agvet chemical: Imidacloprid

| • | |
|--|-------|
| Permitted residue: Sum of imidacloprid and metabolites containing the 6- | |
| chloropyridinylmethylene moiety, expressed imidacloprid | as |
| All other foods except animal food commodities | 0.05 |
| Apple | 0.3 |
| Avocado | 0.2 |
| Banana | 0.5 |
| Beetroot | T0.05 |
| Beetroot leaves | T1 |
| Berries and other small fruits [except blueberries; cranberry; grapes; strawberry] | 5 |
| Blueberries | 3.5 |
| Brassica vegetables (except Brassica | 0.5 |
| leafy vegetables) [except Chinese cabbage (Pe-tsai)] | |
| Broad bean (dry) | *0.05 |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Burdock, greater | T0.05 |
| Carrot | T0.05 |
| Celery | 6 |
| Cereal grains [except maize; popcorn; sorghum, grain; sweet corns] | *0.05 |
| Cherries | 3 |
| Chinese cabbage (Pe-tsai) | 20 |
| Citrus fruits | 2 |
| Common bean (dry) (navy bean) | T1 |
| Common bean (pods and/or immature seeds) | 2 |
| Cotton seed | *0.02 |
| Cranberry | 0.05 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.02 |
| Field pea (dry) | *0.05 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than | 0.5 |
| cucurbits [except peppers] | 05 |
| Fungi, edible (except mushrooms) | 0.5 |

| Galangal, Greater | T0.05 |
|---|--------|
| Galangal, Lesser | T0.05 |
| Garlic | T0.5 |
| Ginger, Japanese | T0.05 |
| | |
| Ginger, root | T0.3 |
| Grapes | 1 |
| Hazelnuts | T0.05 |
| Hops, dry | T10 |
| Kaffir lime leaves | T5 |
| Leafy vegetables [except broccoli, | 20 |
| Chinese (Gai lan); lettuce, head; witloof | |
| chicory] | |
| Lentil (dry) | 0.2 |
| Lettuce, head | 5 |
| Lupin (dry) | 0.2 |
| Maize | 0.05 |
| Mango | 0.2 |
| Meat (mammalian) | 0.05 |
| Milks | 0.05 |
| Mushrooms | 0.5 |
| Mustard seeds | T*0.05 |
| Papaya (pawpaw) | 0.2 |
| Peanut | 0.45 |
| Peppers | 0.40 |
| Peppers, chili, dried | 10 |
| | T1 |
| Persimmon, Japanese | T0.2 |
| Podded Pea (young pods) (snow and sugar snap) | 10.2 |
| Popcorn | 0.05 |
| Poppy seed | T*0.05 |
| Potato | 0.4 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Radish, Japanese | T0.05 |
| Rape seed (canola) | *0.05 |
| Rhubarb | T0.2 |
| Sorghum, grain | *0.02 |
| Spices [except galangal; ginger root; | 0.02 |
| peppers, chili, dried] | 0.05 |
| Stone fruits [except cherries | 0.5 |
| (subgroup)] | |
| Strawberry | 0.5 |
| Sugar cane | *0.05 |
| Sunflower seed | *0.02 |
| Sweet corn (corn-on-the-cob) | *0.05 |
| Sweet potato | 0.3 |
| Taro | T0.05 |
| Tea, green, black | 50 |
| Tree tomato | T2 |
| Yam bean | T0.05 |
| Yams | T0.05 |
| | |

Agvet chemical: Imidocarb (dipropionate salt)

Permitted residue: ImidocarbCattle, edible offal of5Cattle meat1

|--|

Agvet chemical: Indaziflam

Permitted residue—commodities of plant origin: Sum of indaziflam and 6-[(1R)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine, expressed as indaziflam

Permitted residue—commodities of animal origin: Indaziflam

| Almonds | *0.01 |
|-------------------------------|--------|
| Citrus fruits | *0.01 |
| Edible offal (mammalian) | 0.1 |
| Grapes | *0.01 |
| Meat (mammalian) (in the fat) | 0.03 |
| Milks | *0.005 |

Agvet chemical: Indoxacarb

Permitted residue: Sum of indoxacarb and its R-isomer

| All other foods except animal food commodities | 0.05 |
|---|--------|
| Asparagus | *0.01 |
| Bayberry, red | T1 |
| Beans [except broad bean; soya bean] | 0.9 |
| Berries and other small fruits | 2 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 |
| Broccoli, Chinese (Gai lan) | 2 |
| Celery | 3 |
| Cherries | 1 |
| Chinese cabbage (Pe-tsai) | 5 |
| Chia | T0.5 |
| Cotton seed | 1 |
| Cucumber | 0.5 |
| Dried grapes (currants, raisins, and sultanas) | 5 |
| Edible offal (mammalian) [except kidney] | 0.02 |
| Egg plant | 0.5 |
| Eggs | *0.01 |
| Fennel, leaf | 5 |
| Fruiting vegetables, cucurbits | 0.2 |
| Hempseed | T*0.05 |
| Kidney (mammalian) | 0.5 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory] | 5 |
| Lettuce, head | 3 |
| Linseed | T0.5 |
| Macadamia nuts | 0.03 |
| Maize cereals | T*0.01 |
| Meat (mammalian) (in the fat) | 3 |
| Milk fats | 2 |
| Milks | 0.1 |
| | |

| Olives Peanut Peppers Pome fruits [except Persimmon, Japanese] | T0.2 T0.02 0.5 2 |
|--|---------------------------|
| Poultry (edible offal of) | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Pulses | 0.2 |
| Pumpkin | 0.5 |
| Rape seed (canola) | T*0.05 |
| Safflower seed | T0.5 |
| Stone fruits [except cherries (subgroup)] | 2 |
| Sunflower seed | T1 |
| Sweet corn (corn-on-the-cob) | 0.02 |
| Tea, green, black | 5 |
| Tomato | 0.2 |
| Walnuts | T0.02 |
| | |

Agvet chemical: Inorganic bromide

Permitted residue: Bromide ion

| All other foods except animal food commodities | 15 |
|---|-----|
| Almonds | 200 |
| Avocado | 75 |
| Cereal grains [except sweet corns] | 50 |
| Citrus fruits [except kumquats] | 30 |
| Dates, dried | 100 |
| Dried fruits [except as otherwise listed under this chemical] | 30 |
| Dried grapes | 100 |
| Dried herbs | 400 |
| Dried peach | 50 |
| Figs, dried | 250 |
| Fruit [except as otherwise listed under this chemical] | 20 |
| Peppers, sweet | 50 |
| Prunes | 20 |
| Spices | 400 |
| Strawberry | 30 |
| Sweet corns | 20 |
| Vegetables [except as otherwise listed under this chemical] | 20 |
| | |

Agvet chemical: Inpyrfluxam

Permitted residue—commodities of plant origin: Inpyrfluxam

Permitted residue—commodities of animal origin: Sum of inpyrfluxam and 1'-CH2OH-S-2840 (free or conjugated), expressed as inpyrfluxam.

| Banana | 0.7 |
|--------------------------|-------|
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |

| Agvet chemical: Inpyrfluxam | |
|-----------------------------|-------|
| Milks | *0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Potato | 0.05 |

Agvet chemical: lodosulfuron methyl

Permitted residue: Iodosulfuron methyl

| - | |
|-------------------------------|-------|
| Barley | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Wheat | *0.01 |
| | |

Agvet chemical: loxynil

Permitted residue: loxynil

| Garlic | *0.02 |
|--------------|-------|
| Leek | 2 |
| Onion, bulb | *0.02 |
| Onion, Welsh | 10 |
| Shallot | 10 |
| Spring onion | 10 |
| Sugar cane | *0.02 |

Agvet chemical: Ipconazole

Permitted residue: Ipconazole

| · · · · · · · · · · · · · · · · · · · | |
|---------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Peanut | 0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |

Agvet chemical: Ipflufenoquin

Permitted residue: Ipflufenoquin

| Edible offal (mammalian) | *0.01 |
|-------------------------------|-------|
| Eggs | *0.01 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Strawberry | 0.3 |

Agvet chemical: Iprodione

| Agvet chemical. Iprovione | |
|--|---------------|
| Permitted residue: Iprodione | |
| All other foods except animal food commodities | 0.1 |
| Almonds | 0.3 |
| Beans [except broad bean; soya bean] | T2 |
| Beetroot | T0.1 |
| Beetroot leaves | T20 |
| Berries and other small fruits [except | 12 |
| blackberries; blueberries; grapes] | |
| Blackberries | 25 |
| Blueberries | 15 |
| Brassica leafy vegetables | 15 |
| Broad bean (green pods and immature | 0.2 |
| seeds) Broccoli | T*0.05 |
| Brussels sprouts | T*0.05 0.5 |
| Carrot | 0.5 T0.5 |
| Celeriac | T0.5 |
| Celery | 2 |
| Chard (silver beet) | T15 |
| Chestnuts | T10 |
| Chicory leaves | T20 |
| Cucumber | T0.5 |
| Edible offal (mammalian) | *0.1 |
| Egg plant | T1 |
| Endive | T20 |
| Garlic | T0.3 |
| Grapes | 60 |
| Kiwifruit | 10 |
| Lettuce, head | 5 |
| Lettuce, leaf | 5 |
| Lupin (dry) | *0.1 |
| Macadamia nuts | *0.01 |
| Mandarins | Т5 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Mustard seeds | T0.5 |
| Onion, bulb | T0.7 |
| Parsley | T20 |
| Passionfruit | 10 0, 5 |
| Peanut Peanut oil, crude | 0.5 |
| Peppers | 0.03 T3 |
| Pistachio nut | T0.2 |
| Podded pea (young pods) (snow and | T2 |
| sugar snap) | 12 |
| Pome fruits [except Persimmon, | 3 |
| Japanese] | |
| Potato | *0.05 |
| Rape seed (canola) | 0.5 |
| Soya bean (dry) | 0.05 |
| Spinach | T5 |
| Stone fruits [except jujube, Chinese] | 10 |
| Tangelo, large-sized cultivars | T5 |
| Tomato | 2 |

Agvet chemical: Isocycloseram

| Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas | 0.7 |
|--|-------|
| nowernead brassicas | |
| Brassica leafy vegetables | 4 |
| Bulb onions | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits | 0.2 |
| Green onions | 0.6 |
| Meat (mammalian)(in the fat) | *0.01 |
| Milks | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Poultry, edible offal of | *0.01 |
| Rape seed (canola) | *0.01 |

Agvet chemical: Isoeugenol

Permitted residue: Isoeugenol, sum of cis- and trans- isomers

| Marine fish (whole commodity) | 100 |
|-----------------------------------|-----|
| Freshwater fish (whole commodity) | 100 |
| Diadromous fish (whole commodity) | 100 |

Agvet chemical: Isofetamid

| Permitted residue: commodities of plant orig Isofetamid | nin: |
|---|----------|
| Permitted residue: commodities of animal origin: Sum of isofetamid and 2-[3-methyl-4-[2-methyl-2-(3- methylthiophene-2- carboxamido) propanoyl]phenoxy]propanoic acid (PPA), expressed | |
| as isofetamid | xpressed |
| All other foods except animal food commodities | 0.02 |
| Almonds | 0.01 |
| Beans with pods | 0.6 |
| Berries and other small fruits [except grapes] | 5 |
| Cherries | 4 |
| Dry beans [except soya bean (dry)] | 0.09 |
| Dry peas | 0.09 |
| Edible offal (mammalian) | *0.02 |
| Grapes | 3 |
| Lettuce, head | 30 |
| Lettuce, leaf | 30 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Milk fats | *0.02 |
| Peaches (including nectarines and apricots) | 3 |
| Plums (including fresh prunes) | 0.8 |

| Podded peas (young pods) (snow and sugar snap) | 0.6 |
|--|-------|
| Pome fruits [except Persimmon, Japanese] | 0.6 |
| Poultry, edible offal of | *0.02 |
| Poultry eggs | *0.02 |
| Poultry meat (in the fat) | *0.02 |
| Prunes, dried | 3 |

Agvet chemical: Isopyrazam

Permitted residue: Isopyrazam

| ., | |
|------------------------------------|--------|
| All other foods except animal food | 0.01 |
| commodities | |
| Almonds | *0.01 |
| Edible offal (mammalian) | *0.005 |
| Eggs | *0.005 |
| Meat (mammalian) (in the fat) | *0.005 |
| Milks | *0.005 |
| Plums | T0.7 |
| Pome fruit | 0.7 |
| Poultry, edible offal of | *0.005 |
| Poultry meat (in the fat) | *0.005 |
| Prunes | Т3 |

Agvet chemical: Isotianil

Permitted residue: Commodities of plant origin: Isotianil

Permitted residue: Commodities of animal origin: sum of isotianil and 3,4-dichloroisothiazole-5carboxylic acid, expressed as isotianil

| Banana | 0.03 |
|--------------------------|-------|
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| | |

Agvet chemical: Isoxaben

| Permitted residue: Isoxaben | |
|--|-------|
| Assorted tropical and sub-tropical fruits – edible peel | *0.01 |
| Assorted tropical and sub-tropical fruits – inedible peel | *0.01 |
| Barley | *0.01 |
| Blueberries | 0.05 |
| Citrus fruits | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | *0.01 |
| Hops, dry | *0.1 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |

| Pome fruits | *0.01 |
|--------------------------|-------|
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Stone fruits | *0.01 |
| Tree nuts | *0.01 |
| Triticale | *0.01 |
| Wheat | *0.01 |
| | |

Agvet chemical: Isoxaflutole

Permitted residue: Sum of isoxaflutole and 2cyclopropylcarbonyl-3-(2-methylsulfonyl-4trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole

| commodities | |
|---------------------------------------|-----|
| Cereal grains [except sweet corns] *0 | .02 |
| Chick-pea (dry) *0 | .02 |
| Edible offal (mammalian) | 0.1 |
| Eggs *0 | .05 |
| Meat (mammalian) *0 | .05 |
| Milks *0 | .05 |
| Pineapple *0 | .02 |
| Poppy seed *0 | .02 |
| Poultry, edible offal of *0 | .05 |
| Poultry meat *0 | .05 |
| Soya bean (dry) 0 | .05 |
| Sugar cane *0 | .01 |

Agvet chemical: Ivermectin

| Permitted residue: H ₂ B _{1a} | |
|---|-------|
| Cattle kidney | 0.06 |
| Cattle liver | 0.5 |
| Cattle meat (in the fat) | 0.2 |
| Cattle milk | 0.05 |
| Deer kidney | *0.01 |
| Deer liver | *0.01 |
| Deer meat (in the fat) | *0.01 |
| Horse, edible offal of | *0.01 |
| Horse meat | *0.01 |
| Pig kidney | *0.01 |
| Pig liver | *0.01 |
| Pig meat (in the fat) | 0.02 |
| Sheep kidney | *0.01 |
| Sheep liver | 0.015 |
| Sheep meat (in the fat) | 0.02 |

Agvet chemical: Ketoprofen

Permitted residue: Ketoprofen

| Cattle, edible offal of | *0.05 |
|-------------------------|-------|
| Cattle meat | *0.05 |
| Cattle milk | *0.05 |

Agvet chemical: Kitasamycin

| Permitted residue: | Inhibitory substance, | identified |
|--------------------|-----------------------|------------|
| as kitasamycin | | |

| Eggs | *0.2 |
|----------------------|------|
| Pig, edible offal of | *0.2 |
| Pig meat | *0.2 |

Agvet chemical: Kresoxim-methyl

Permitted residue—commodities of plant origin: Kresoxim-methyl

Permitted residue—commodities of animal origin: Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl

| All other foods except animal food commodities | 0.02 |
|--|-------------|
| Asparagus | 0.05 |
| Barley, similar grains, and | 0.15 |
| pseudocereals with husks (barley; | |
| buckwheat; oats) | 0.05 |
| Beetroot Berries and other small fruits | 0.05 1.5 |
| Chard (beet leaves) | 0.05 |
| Coffee beans | 0.05 |
| Cotton seed | 0.05 |
| Dried grapes (= currants, raisins and | 3 |
| sultanas) | Ũ |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.02 |
| Egg plant | 0.6 |
| Fruiting vegetables, cucurbits | 0.5 |
| Garlic | 0.3 |
| Ginseng (dried) | 1 |
| Grape leaves | 15 |
| Grapefruit | 0.5 |
| Leek | 10 |
| Mammalian fats [except milk fats] | 0.05 |
| Mango | 0.1 |
| Meat (mammalian) | 0.05 |
| Milks | 0.05 |
| Oats | 0.1 |
| Olive oil, virgin | 1 |
| Olives | 0.2 |
| Onion, bulb | 0.3 |
| Oranges, sweet, sour | 0.5 |
| Peach | 1.5 |
| Pear | 5 |
| Pecan | 0.15 |
| Peppers, sweet | 1 |
| Persimmon, Japanese | 5 |
| Pome fruits [except pear; persimmon, Japanese] | 0.2 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.02 |
| Poultry fats | *0.02 |
| | 0.02 |

| Poultry meat | 0.05 |
|-------------------|------|
| Rice | 0.02 |
| Rye | 0.1 |
| Shallot | 0.3 |
| Soya bean (dry) | 0.05 |
| Sugar beet | 0.05 |
| Sunflower seed | 0.1 |
| Tea, green, black | 15 |
| Tomato | 0.6 |
| Turnip, garden | 0.05 |
| Wheat | 0.1 |

Agvet chemical: Lambda-cyhalothrin

see Cyhalothrin

Agvet chemical: Lasalocid

Permitted residue: Lasalocid

| Cattle milk | *0.01 |
|--------------------------|-------|
| Edible offal (mammalian) | 0.7 |
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Poultry fat/skin | 0.6 |
| Poultry kidney | 0.7 |
| Poultry liver | 1.2 |
| Poultry muscle | 0.4 |

Agvet chemical: Levamisole

Permitted residue: Levamisole Edible offal (mammalian) Eggs

| Meat (mammalian) | 0.1 |
|--------------------------|-----|
| Milks [except goat milk] | 0.3 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |

1

1

0.5

Agvet chemical: Lincomycin

Permitted residue: Inhibitory substance, identified as lincomycin

| Cattle milk | *0.02 |
|---|-------|
| Edible offal (mammalian) [except sheep, edible offal of] | 0.2 |
| Eggs | 0.2 |
| Goat milk | *0.1 |
| Meat (mammalian) [except sheep meat] | 0.2 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |
| | |

Agvet chemical: Lindane

Permitted residue: Lindane

| Pineapple |
|-----------|
|-----------|

Agvet chemical: Linuron

Permitted residue: Sum of linuron plus 3,4dichloroaniline, expressed as linuron

| All other foods except animal food commodities | 0.05 |
|--|--------|
| | 2 |
| Celeriac | 3 |
| Celery | *0.05 |
| Cereal grains | *0.05 |
| Chia | T*0.05 |
| Coriander (leaves, roots, stems) | T2 |
| Coriander, seed | 0.2 |
| Edible offal (mammalian) | 1 |
| Eggs | *0.05 |
| Leek | *0.02 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Parsley | T1 |
| Parsnip | 0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Turmeric, root | T*0.05 |
| Vegetables [except celeriac; celery; leek; parsnip] | *0.05 |
| | |

Agvet chemical: Lufenuron

Permitted residue: Lufenuron

| All other foods except animal food | 0.02 |
|------------------------------------|--------|
| commodities | |
| Coffee beans | 0.07 |
| Cotton seed | T0.2 |
| Cotton seed oil, crude | T0.5 |
| Edible offal (mammalian) | 0.15 |
| Eggs | T0.05 |
| Fats (mammalian) | 2 |
| Lime | 0.4 |
| Maize | *0.01 |
| Meat (mammalian) | 2 |
| Meat (mammalian) (in the fat) | T1 |
| Milks | T0.2 |
| Milk fats | 5 |
| Orange oil, edible | 8 |
| Oranges, sweet, sour | 0.3 |
| Pome fruits [except Persimmon, | 1 |
| Japanese] | |
| Poultry, edible offal of | T*0.01 |
| Poultry meat (in the fat) | T1 |
| | |

Agvet chemical: Maduramicin

| Permitted residue: Maduramicin | |
|--------------------------------|-----|
| Poultry, edible offal of | 1 |
| Poultry meat | 0.1 |
| | |

Agvet chemical: Magnesium phosphide

see Phosphine

Agvet chemical: Malathion

see Maldison

Agvet chemical: Maldison

Permitted residue: Maldison

| Permitted residue: Maldison | |
|---|--------|
| All other foods except animal food commodities | 0.05 |
| Berries and other small fruits [except grapes; strawberry] | 10 |
| Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; | 2 |
| kohlrabi] | |
| Brassica leafy vegetables [except kale] | 2 |
| Carrot | 0.5 |
| Cauliflower | 0.5 |
| Celery | 2 |
| Cereal grains [except sweet corns] Cherries | 8 |
| Citrus fruits | 8 4 |
| Cucumber | 4 |
| Dried fruits | 8 |
| Dry beans (subgroup) | 8 |
| Edible offal (mammalian) | 1 |
| Eggs | 1 |
| Fruiting vegetables, cucurbits [except | 2 |
| cucumber] | - |
| Fruiting vegetables, other the cucurbits | 3 |
| [except peppers, sweet] | |
| Fruits [except berries and other small | 2 |
| fruits; citrus fruits; dried fruits; stone fruits | |
| [except jujube, Chinese] | |
| Garden pea | 0.5 |
| Grapes | 8 |
| Hops, dry | 1 |
| Kale | 3 |
| Kohlrabi | 0.5 |
| Leek | 2 |
| Legume vegetable [except garden pea] | 2 |
| Lettuce, head | 2 |
| Lettuce, leaf | 2 |
| Lentil (dry) | 8 |
| Linseed | 10 |
| Meat (mammalian) (in the fat) | 1 |
| Milks (in the fat) | 1 |
| Mustard seeds | T10 |
| Onion, bulb | 2 |
| Onion, Welsh | T0.1 |
| Peanut | 8 |
| Peppers, sweet | T5 |
| Poultry, edible offal of | 1 |
| Poultry meat (in the fat) | 1 |
| | |

| Pulses [except dry beans; lentils (dry)] | 2 |
|--|------|
| Rape seed | 10 |
| Safflower seed | 10 |
| Shallot | T0.1 |
| Spring onion | T0.1 |
| Stone fruits | 5 |
| Strawberry | 1 |
| Sunflower seed | 10 |
| Sweet corns | 3 |
| Tree nuts | 8 |
| Wheat bran, unprocessed | 20 |

Agvet chemical: Maleic hydrazide

Permitted residue: Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide

| Carrot | T40 |
|-------------|-----|
| Garlic | 15 |
| Onion, bulb | 15 |
| Potato | 50 |

Agvet chemical: Mancozeb

see Dithiocarbamates

Agvet chemical: Mandestrobin

Permitted residue: Mandestrobin

| All other foods except animal food commodities | 0.05 |
|---|-------|
| Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas | 2 |
| Beans (except broad bean and soya bean) | 0.7 |
| Dried grapes (equals currants; raisins; sultanas) | 10 |
| Edible offal (Mammalian) | 0.02 |
| Eggs | *0.01 |
| Fruiting vegetables, curcubits | 0.6 |
| Grapes | 5 |
| Leafy vegetables [except lettuce, head] | 20 |
| Lettuce, Head | 5 |
| Mammalian fats [except milk fats] | *0.01 |
| Meat (mammalian) (in the fat) | 0.02 |
| Milk | *0.02 |
| Onion, bulb | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Rape seed (canola) | 0.5 |
| Stone fruits | 3 |
| Strawberry | 3 |

Agvet chemical: Mandipropamid

Permitted residue: Mandipropamid

All other foods except animal food commodities

```
0.5
```

| Basil | Т30 |
|---|-------|
| Beans with pods | 1 |
| Celery | 20 |
| Chinese cabbage (Pe-tsai) | 30 |
| Citrus oil, edible | 30 |
| Dried grapes (currants, raisins and sultanas) | 10 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | 2 |
| Hops, dry | 50 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 30 |
| Mammalian fats (except milk fats) | 0.02 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Mizuna | 30 |
| Peppers, chili, dried | 10 |
| Poppy seed | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |

Agvet chemical: MCPA

Permitted residue: MCPA

| Cereal grains [except sweet corns] | *0.02 |
|------------------------------------|--------|
| Cherry | 0.05 |
| Chives | *0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Field pea (dry) | *0.05 |
| Herbs | *0.05 |
| Hops, dry | *0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Peas without pods (succulent) | T*0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Rhubarb | *0.02 |

Agvet chemical: MCPB

Permitted residue: MCPB

| Cereal grains [except sweet corns] | *0.02 |
|------------------------------------|-------|
| Chives | *0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Herbs | *0.05 |
| Legume vegetables | *0.02 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | *0.02 |
| | |

| Agvet chemical: Mebendazole | |
|--------------------------------|-------|
| Permitted residue: Mebendazole | |
| Edible offal (mammalian) | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | 0.02 |

Agvet chemical: Mefenpyr-diethyl

Permitted residue—commodities of plant origin: Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl

Permitted residue—commodities of animal origin: Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl

| Caraal grains [aveant awaat carna] | *0.01 |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | 0.01 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |

Agvet chemical: Mefentrifluconazole

| Permitted residue: Mefentrifluconazole | |
|--|-------|
| All other foods except animal food | 0.02 |
| commodities | |
| Baby leaves | 30 |
| Barley, similar grains, and | 4 |
| pseudocereals with husks | |
| Brassica leafy vegetables | 30 |
| Bulb onions | 0.2 |
| Bush berries | 5 |
| Cane berries | 3 |
| Cherries | 4 |
| Citrus fruit [except kumquat; lemon; lime] | 0.6 |
| Citrus oil | 15 |
| Cottonseed | 0.2 |
| Dried grapes (equals currants; sultanas) | 3 |
| Dried grapes (raisin) | 4 |
| Edible offal (mammalian) | T0.3 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits [except melons] | 0.3 |
| Fruiting vegetables, other than cucurbits | 1 |
| Grapes | 1.5 |
| Green onions | 4 |
| Kumquat | 1 |
| Leafy greens [except lettuce, head] | 30 |
| Leaves of root and tuber vegetables | 20 |
| Legume vegetables [except lentils; soya bean] | 0.15 |

| Lemon | 1 |
|---|-------|
| Lentils, dry | 2 |
| Lettuce, head | 5 |
| Lime | 1 |
| Low growing berries | 2 |
| Maize Cereals | 0.01 |
| Meat (mammalian) (in the fat) | T0.2 |
| Melons (including watermelon) | 0.5 |
| Milks | *0.01 |
| Peaches (including nectarines and apricots) | 1.5 |
| Peanut | 0.01 |
| Plums | 2 |
| Pome fruits [except Persimmon, | 1.5 |
| Japanese] | |
| Potato | 0.04 |
| Poultry, edible offal of | 0.02 |
| Poultry meat (in the fat) | *0.01 |
| Prunes, dried | 4 |
| Rape seed | 1 |
| Rice Cereals | 4 |
| Root vegetables [except sugar beet] | 0.7 |
| Sorghum Grain and Millet | 4 |
| Soya bean (dry) | 0.4 |
| Sugar beet | 0.6 |
| Sugar cane | 1.5 |
| Sunflower seeds | 0.15 |
| Sweet corn (corn-on-the-cob; kernels) | 0.03 |
| Tree nuts | 0.2 |
| Wheat, similar grains, and | 0.3 |
| pseudocereals without husks | |
| | |

Agvet chemical: Meloxicam

Permitted residue: Meloxicam

| Cattle kidney | 0.2 |
|---------------|-------|
| Cattle liver | 0.1 |
| Cattle meat | *0.01 |
| Cattle milk | 0.005 |
| Pig fat/skin | 0.1 |
| Pig kidney | *0.01 |
| Pig liver | *0.01 |
| Pig meat | 0.02 |
| Sheep fat | 0.01 |
| Sheep kidney | 0.01 |
| Sheep liver | 0.01 |
| Sheep meat | 0.01 |
| | |

Agvet chemical: Mepanipyrim

| Permitted residue: Mepanipyrim | |
|--------------------------------|---|
| Strawberry | 3 |
| Raspberries, red, black | 4 |

Agvet chemical: Mepiquat

Permitted residue: Mepiquat

| Cotton seed | 1 |
|--------------------------|------|
| Cotton seed oil, crude | 0.2 |
| Edible offal (mammalian) | 0.1 |
| Eggs | 0.05 |
| Meat (mammalian) | 0.1 |
| Milks | 0.05 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |
| | |

Agvet chemical: Mesosulfuron-methyl

| Permitted residue: Mesosulfuron-methyl | | |
|--|-------|--|
| Edible offal (mammalian) | *0.01 | |
| Eggs | *0.01 | |
| Meat (mammalian) | *0.01 | |
| Milks | *0.01 | |
| Poultry, edible offal of | *0.01 | |
| Poultry meat | *0.01 | |
| Wheat | *0.02 | |

Agvet chemical: Mesotrione

Permitted residue: Mesotrione

| All other foods except animal food | 0.01 |
|------------------------------------|--------|
| commodities | 0.04 |
| Almonds | 0.01 |
| Asparagus | 0.01 |
| Barley | *0.01 |
| Blueberries | 0.01 |
| Cherries | 0.01 |
| Cranberry | 0.02 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapefruit | 0.01 |
| Lemon | 0.01 |
| Linseed | T*0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Oats | *0.01 |
| Oranges, sweet, sour | 0.01 |
| Peach | 0.01 |
| Pecan | 0.01 |
| Plums (including prunes) | 0.01 |
| Poppy seed | T*0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Soya bean (dry) | 0.03 |
| Sweet corn (corn-on-the-cob) | T*0.01 |
| Triticale | *0.01 |
| Wheat | *0.01 |
| | |

Agvet chemical: Metaflumizone

Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl) phenyl]ethyl}-benzonitrile expressed as metaflumizone

| Apple | 0.9 |
|---|-------|
| Cherries | 0.04 |
| Citrus fruits [except kumquats; oranges, sweet, sour] | 2 |
| Coffee beans | 0.15 |
| Dried grapes (equals currants; raisins; sultanas) | 13 |
| Edible offal (mammalian) | *0.02 |
| Eggs | 0.02 |
| Grapes | 5 |
| Maize | 0.04 |
| Mammalian fats [except milk fats] | 0.6 |
| Meat (mammalian) (in the fat) | *0.02 |
| Melons [except watermelons] | 1 |
| Milk fats | 0.7 |
| Milks | 0.02 |
| Orange oil, edible | 100 |
| Oranges, Sweet, Sour | 3 |
| Peppers, chili, dried | 6 |
| Potato | 0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry fats | 0.08 |
| Poultry meat (fat) | *0.02 |
| Soya bean (including soya bean (dry)) | 0.2 |
| Sugar cane | 0.02 |
| Tomato | 0.6 |
| Tree nuts | 0.04 |
| | |

Agvet chemical: Metalaxyl

Permitted residue: Metalaxyl

| - | |
|--|--------|
| All other foods except animal food commodities | 0.05 |
| Almonds | 0.5 |
| Asparagus | 0.05 |
| Avocado | 0.5 |
| Basil | T5 |
| Basil, dry | Т30 |
| Beetroot | T*0.01 |
| Beetroot leaves | T0.1 |
| Berries and other small fruits [except | T0.5 |
| blueberries; cranberry; grapes; strawberry] | |
| Blueberries | 2 |
| Brussels sprouts | 0.15 |
| Bulb vegetables [except chives] | 0.1 |
| Cacao beans | 0.2 |
| Cereal grains [except sweet corns] | *0.01 |
| Chestnuts | T0.05 |
| Chinese cabbage (Pe-tsai) | 0.3 |
| Chives | 3 |
| Cranberry | 4 |
| | |

| Edible offal (mammalian) | *0.05 |
|---|--------------|
| Eggs | *0.05 |
| Fennel, bulb | 0.1 |
| Flowerhead brassicas | 0.2 |
| Fruiting vegetables, cucurbits | 0.2 |
| Ginger, root | 0.5 |
| Grapefruit | 1 |
| Grapes | 1.5 |
| Hazelnuts | T*0.05 |
| Herbs [except basil; basil, dry; parsley] | 3 |
| | 20 |
| Hops, dry | |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 0.3 |
| Lemon | 1 |
| Macadamia nuts | 1 |
| | *0.05 |
| Meat (mammalian) Milks | |
| | *0.01 |
| Oranges, sweet, sour | 1 |
| Papaya (pawpaw) | *0.01 |
| Parsley | T0.3 |
| Peanut | 0.2 |
| Pepper, black, white | 2 |
| Peppers | T0.1 |
| Peppers, chili, dried | 10 |
| Pineapple | 0.1 |
| Podded pea (young pods) (snow and | T0.1 |
| sugar snap) | |
| Pome fruits [except Persimmon, | 0.2 |
| Japanese] | *0.02 |
| Poppy seed | *0.02 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Spices [except ginger root; pepper, black, white; peppers, chili, dried] | *0.05 |
| Stone fruits [except jujube, Chinese] | 0.2 |
| Stone nuits [except jujube, Chinese] | 0.2 |
| Sweet corns | 0.0 T0.1 |
| | T0.1 T0.5 |
| Tomatoes (subgroup) | |
| Vegetables [except as otherwise listed under this chemical] | T0.1 |
| Walnuts | T*0.01 |
| | 1 0.01 |

Agvet chemical: Metalaxyl-M

see Metalaxyl

Agvet chemical: Metaldehyde

Permitted residue: Metaldehyde

| Cereal grains | 1 |
|---------------|---|
| Chives | 1 |
| Fruit | 1 |
| Herbs | 1 |
| Oilseed | 1 |
| Palm nuts | 1 |
| Peanut | 1 |
| Pulses | 1 |

| Spices | 1 |
|--------------------------|---|
| Teas (tea and herb teas) | 1 |
| Vegetables | 1 |
| | |

Agvet chemical: Metamitron

Permitted residue: Metamitron

| Edible offal (Mammalian) | *0.05 |
|--|-------|
| Meat [mammalian] | *0.05 |
| Milks | *0.05 |
| Pome fruits [except Persimmon, Japanese] | 0.01 |

Agvet chemical: Metazachlor

Permitted residue—commodities of plant origin: Sum of metabolites 479M04 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)oxalamide), 479M08 (N-(2,6dimethylphenyl)-N-(1H-pyrazol-1ylmethyl)aminocarbonylmethylsulfonic acid) and 479M16 (3-[N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1ylmethyl)aminocarbonylmethylsulfinyl]-2hydroxypropanoic acid), expressed as metazachlor Permitted residue—commodities of animal origin: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor All other foods 1 Cereal grains [except sweet corns] *0.03 *0.05 Eggs Edible offal (mammalian) *0.05 *0.05 Meat (mammalian) Milks *0.01 Oilseeds *0.03 Palm nuts *0.03 Peanut *0.03 Poultry, edible offal *0.05 Poultry meat *0.05 Pulses *0.03

Agvet chemical: Metcamifen

Permitted residue—commodities of plant origin: metcamifen

Permitted residue—commodities of animal origin: Sum of metcamifen and 4-(3-methyl-ureido)benzensulfonamide, expressed as metcamifen

| , i | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.03 |
| Eggs | *0.03 |
| Meat (mammalian) | *0.03 |
| Milks | *0.03 |
| Poultry, edible offal of | *0.03 |
| Poultry meat | *0.03 |
| Sorghum, grain | *0.01 |
| | |

Agvet chemical: Metconazole

Permitted residue: Metconazole

Banana

| Beans with pods | *0.05 |
|------------------------------------|-------|
| Blueberries | 0.5 |
| Cherries | 0.3 |
| Cotton seed | 0.3 |
| Dry beans [except soya bean (dry)] | *0.04 |
| Dry peas | 0.15 |
| Edible offal (mammalian) | *0.04 |
| Eggs | *0.04 |
| Garlic | *0.05 |
| Maize (not including sweet corn) | 0.015 |
| Mammalian fats [except milk fats] | *0.04 |
| Meat (mammalian) | *0.04 |
| Milks | *0.04 |
| Onion, bulb | *0.05 |
| Peaches (including apricots; | 0.2 |
| nectarines) | |
| Peanut | 0.04 |
| Peanut oil, edible | 0.06 |
| Plums | 0.1 |
| Poultry, edible offal of | *0.04 |
| Poultry fats | *0.04 |
| Poultry meat | *0.04 |
| Prunes, dried | 0.5 |
| Rape seed | 0.15 |
| Rape seed oil, edible | 0.5 |
| Soya bean (dry) | 0.04 |
| Sugar beet | 0.07 |
| Sugar cane | 0.06 |
| Sunflower seeds | 1.5 |
| Sweet corn (corn-on-the-cob) | 0.015 |
| Tree nuts | *0.04 |
| Triticale | 0.15 |
| Tuberous and corm vegetables | *0.04 |
| Wheat | 0.15 |
| Wheat bran, unprocessed | 0.3 |
| | |

Agvet chemical: Methabenzthiazuron

Permitted residue: Methabenzthiazuron

| Garlic | T*0.01 |
|--------------|--------|
| Leek | T*0.05 |
| Onion, bulb | *0.05 |
| Onion, Welsh | T0.5 |
| Shallot | T0.5 |
| Spring onion | T0.5 |
| | |

Agvet chemical: Metham

see Dithiocarbamates

Agvet chemical: Metham-sodium

see Metham

Agvet chemical: Methamidophos

Permitted residue: Methamidophos

see also Acephate

| Banana | 0.2 |
|---|-------|
| Bean, seed (dry) | 1 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 1 |
| Broccoli, Chinese (Gai Ian) | 1 |
| Edible offal (mammalian) | *0.01 |
| Lime | 0.01 |
| Mango | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Peppers, chili, dried | 0.1 |
| Peppers, sweet | 2 |
| Potato | 0.25 |
| Raspberry, black, red | *0.01 |
| Tomato | 2 |

Agvet chemical: Methidathion

Permitted residue: Methidathion

| Pear | 1 |
|------|---|
| | |

Agvet chemical: Methiocarb

Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb

| Citrus fruits | 0.1 |
|--|-------|
| Fruit [except as otherwise listed under this chemical] | T0.1 |
| Grapes | 0.5 |
| Sweet corns | 0.1 |
| Truffle | T0.05 |
| Vegetables | 0.1 |
| Wine | 0.1 |
| | |

Agvet chemical: Methomyl

Permitted residue: Methomyl

| All other foods except animal food | 0.05 |
|---|------|
| commodities | |
| Apple | 1 |
| Avocado | *0.1 |
| Blueberries | 2 |
| Brassica vegetables (except Brassica | 2 |
| leafy vegetables) [except Chinese | |
| cabbage (Pe-tsai)] | |
| Brassica leafy vegetables | T0.7 |
| Broccoli, Chinese (Gai lan) | 2 |
| Celery | 3 |
| Cereal grains [except sweet corn (corn- | *0.1 |
| on-the-cob)] | |
| Chard | 2 |
| Cherries | 2 |
| Chia | T1 |

| Citrus fruits | 1 |
|--|--------|
| Coriander (leaves, roots, stems) | T10 |
| Cotton seed | *0.1 |
| Cumin seed | 0.07 |
| Dried grapes | *0.05 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.02 |
| Fennel, bulb | T0.2 |
| Fennel, leaf | Т3 |
| Fruiting vegetables, cucurbits | 0.1 |
| Fruiting vegetables, other than | 1 |
| cucurbits [except peppers] | |
| Fungi, edible (except mushrooms) | 1 |
| Ginger, Japanese | T2 |
| Ginger, root | *0.1 |
| Grapes | 2 |
| Hops, dry | 0.5 |
| Leek | T0.5 |
| Legume vegetables | 1 |
| Lettuce, head | 2 |
| Lettuce, leaf | 2 |
| Linseed | *0.1 |
| Macadamia nuts | T1 |
| Mango | T*0.01 |
| Meat (mammalian) | 0.05 |
| Milks | 0.05 |
| Mints | 0.5 |
| Mushrooms | 1 |
| Mustard seeds | T0.5 |
| Onion, bulb | T0.1 |
| Onion, Chinese | T1 |
| Onion, Welsh | T2 |
| Parsley | T10 |
| Peanut | 0.1 |
| Pear | 3 |
| Peppers | T2 |
| Peppers, chili, dried | 10 |
| Persimmon, Japanese | T0.05 |
| Pitaya (dragon fruit) | T0.2 |
| Poppy seed | *0.05 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pulses | 1 |
| Rape seed (canola) | 0.5 |
| Root and tuber vegetables | 1 |
| Sesame seed | *0.1 |
| Shallot | T2 |
| Spinach | T0.7 |
| Spring onion | T2 |
| Stone fruits [except cherries; jujube, Chinese] | 1 |
| Strawberry | 3 |
| Surflower seed | *0.1 |
| Sweet corn (corn-on-the-cob) | 0.1 |
| | 0.1 |

Agvet chemical: Methoprene

| Permitted residue: Methoprene, sum of c trans-isomers | is- and |
|--|---------|
| All other foods except animal food commodities | 0.05 |
| Cattle milk | 0.1 |
| Cereal grains [except sweet corns] | 2 |
| Edible offal (mammalian) | *0.01 |
| Meat (mammalian) (in the fat) | 0.3 |
| Peanut | 5 |
| Soya bean (dry) | 3 |
| Wheat bran, unprocessed | 5 |
| Wheat germ | 10 |

Agvet chemical: Methoxyfenozide

Permitted residue: Methoxyfenozide All other foods except animal food 0.03 commodities Almonds 0.2 0.5 Avocado Basil, dry 400 Basil, leaves 80 Blueberries 2 Celery 15 Chick-pea (dry) 2 Citrus fruits 3 Coffee beans 0.2 Cotton seed 2 Cranberry 0.5 Cucumber T2 Custard apple 0.3 Dried grapes 6 0.05 Edible offal (mammalian) *0.01 Eggs Fruiting vegetables, other than 3 cucurbits 3 Fungi, edible (except mushrooms) Grapes 2 2 Kiwifruit Lettuce, head T30 Lettuce, leaf T30 2 Litchi Longan 2 Macadamia nuts 0.05 *0.02 Maize T0.5 Mango Meat (mammalian) (in the fat) 0.1 Milks *0.01 0.5 Mung bean (dry) Mushrooms 3 Peppers, chili, dried 20 Persimmon, American 1 Persimmon, Japanese 1 0.3 Plums (including prunes) Podded pea (young pods) (snow and Т3 sugar snap)

| Pome fruits [except Persimmon, Japanese] | 0.5 |
|---|-------|
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Raspberries, red, black | 6 |
| Soya bean (dry) | 0.9 |
| Stone fruits [except jujube, Chinese; plums (including prunes)] | 3 |
| Sugar cane, molasses | 0.1 |
| Sweet corn (corn-on-the-cob) | T0.05 |
| Tea, green, black | 80 |

Agvet chemical: Methyl benzoquate

Permitted residue: Methyl benzoquate

| Poultry, edible offal of | 0.1 |
|--------------------------|-----|
| Poultry meat | 0.1 |
| | |

Agvet chemical: Methyl bromide

Permitted residue: Methyl bromide

| 50 |
|--------|
| *0.05 |
| *0.05 |
| *0.05 |
| T*0.05 |
| |
| *0.05 |
| *0.05 |
| *0.05 |
| *0.05 |
| *0.05 |
| *0.05 |
| *0.05 |
| T*0.05 |
| T*0.05 |
| |

Agvet chemical: Methyl isothiocyanate

Permitted residue: Methyl isothiocyanate

| Barley | T0.1 |
|--------------------|------|
| Rape seed (canola) | T0.1 |
| Wheat | T0.1 |
| | |

Agvet chemical: Metiram

see Dithiocarbamates

Agvet chemical: Metobromuron

Permitted residue: Commodities of plant origin: Sum of metobromuron and 4-bromophenylurea (CGA18237), expressed as metobromuron

Permitted residue: Commodities of animal origin: Sum of 4-bromo-2-hydroxyphenylurea (CGA 72905) and 4-bromophenyl urea (CGA18237), expressed as metobromuron

| Agvet chemical: Metobromuron | |
|------------------------------|-------|
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Potato | *0.02 |

Agvet chemical: Metolachlor

Permitted residue: Metolachlor

| Adzuki bean (dry) | *0.05 |
|---------------------------------------|--------|
| All other foods except animal food | 0.02 |
| commodities | |
| Beetroot | T0.7 |
| Beetroot leaves | T15 |
| Bergamot | T*0.05 |
| Blueberries | 0.15 |
| Brassica vegetables (except Brassica | *0.02 |
| leafy vegetables) [except Chinese | |
| cabbage (Pe-tsai)] | |
| Brassica leafy vegetables | *0.01 |
| Broccoli, Chinese (Gai lan) | *0.02 |
| Bulb onions (subgroup) | 0.1 |
| Celeriac | T*0.2 |
| Celery | T0.05 |
| Cereal grains [except maize; sorghum, | *0.02 |
| grain; sweet corns] | |
| Chard (silver beet) | *0.01 |
| Chervil | *0.05 |
| Coriander (leaves, stems) | *0.05 |
| Coriander, roots | 0.5 |
| Coriander, seed | *0.05 |
| Cotton seed | *0.01 |
| Dill, seed | *0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Fennel, seed | *0.05 |
| Fruiting vegetables, cucurbits | *0.05 |
| Galangal, Greater | 0.5 |
| Green onions | 2 |
| Herbs | *0.05 |
| Lemon verbena (dry leaves) | *0.05 |
| Maize | 0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Mizuna | *0.05 |
| Mung bean (dry) | T*0.05 |
| Mustard seeds | *0.02 |
| Peanut | 0.2 |
| Potato | 0.2 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| - | |

| Pulses [except soya beans (dry); adzuki beans (dry)] | *0.01 |
|---|--------|
| Rape seed (canola) | *0.02 |
| Rhubarb | *0.05 |
| Rose and dianthus (edible flowers) | *0.05 |
| Rucola (rocket) | *0.05 |
| Safflower seed | *0.05 |
| Sesame seed | T*0.02 |
| Sorghum, grain | *0.05 |
| Soya bean (dry) | *0.05 |
| Spinach | *0.01 |
| Spring onion | *0.01 |
| Sugar cane | *0.05 |
| Sunflower seed | *0.05 |
| Sweet corn (kernels) | 0.1 |
| Sweet potato | *0.2 |
| Tomato | 0.1 |
| Turmeric, root | 0.5 |
| | |

Agvet chemical: Metosulam

Permitted residue: Metosulam

| Cereal grains [except sweet corns] | *0.02 |
|------------------------------------|-------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Lupin (dry) | *0.02 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poppy seed | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| | |

Agvet chemical: Metrafenone

Permitted residue: Metrafenone

| All other foods except animal food commodities | 0.05 |
|--|-------|
| Apple | 1.5 |
| Apricot | 0.7 |
| Barley | 0.5 |
| Cherries | 2 |
| Dried grapes (currants, raisins and sultanas) | 17 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Fruiting vegetables, cucurbits | 0.2 |
| Grapes | 7 |
| Hops, dry | 70 |
| Meat (mammalian) (in the fat) | *0.05 |
| Milks | *0.01 |
| Mushrooms | T0.5 |
| Nectarine | 0.7 |
| Oats | 0.6 |
| Peach | 0.7 |
| Peppers, chili | 2 |
| Peppers, chili, dried | 20 |

| Peppers, sweet (including pimento and pimiento) | 2 |
|---|-------|
| Poultry, edible offal of | *0.05 |
| Poultry meat (in the fat) | *0.05 |
| Strawberry | 0.6 |
| Tomato | 0.9 |
| Wheat | 0.06 |
| Wheat bran, processed | T0.3 |
| | |

Agvet chemical: Metribuzin

Permitted residue: Metribuzin

| All other foods except animal food | 0.05 |
|------------------------------------|--------|
| commodities | 0.05 |
| Asparagus | 0.2 |
| Carrot | T0.3 |
| Cereal grains [except sweet corns] | *0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Ginger root | T*0.01 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Mustard seeds | T*0.02 |
| Peas [except peas, shelled] | T*0.05 |
| Peas, shelled | *0.05 |
| Pineapple | *0.01 |
| Potato | 0.6 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses [except soya bean (dry)] | *0.01 |
| Rape seed (canola) | *0.02 |
| Soya bean (dry) | *0.05 |
| Sugar cane | *0.02 |
| Sugar cane molasses | 0.1 |
| Tomato | 0.1 |

Agvet chemical: Metsulfuron-methyl

Permitted residue: Metsulfuron-methyl

| Cereal grains [except sweet corns] | *0.02 |
|------------------------------------|--------|
| Chick-pea (dry) | T*0.05 |
| Edible offal (mammalian) | *0.1 |
| Linseed | *0.02 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Mung bean (dry) | 0.2 |
| Poppy seed | *0.01 |
| Safflower seed | *0.02 |

Agvet chemical: Mevinphos

Permitted residue: MevinphosBrassica vegetables (except Brassica
leafy vegetables) [except Chinese
cabbage (Pe-tsai)]0.05Broccoli, Chinese (Gai Ian)0.05Edible offal (mammalian)*0.05Meat (mammalian)*0.05

| Ν | Λ | i | I | L | , | ~ | |
|----|---|---|---|---|---|---|--|
| ١V | L | I | I | r | ۱ | 3 | |

Agvet chemical: Milbemectin

Permitted residue: Sum of milbemycin MA₃ and milbemycin MA4 and their photoisomers, milbemycin (Z) 8,9-MA₃ and (Z) 8,9Z-MA₄

| Edible offal (mammalian) | *0.002 |
|---|---------|
| Fruiting vegetables, other than cucurbits | 0.02 |
| Fungi, edible (except mushrooms) | 0.02 |
| Hops, dry | *0.2 |
| Meat (mammalian) (in the fat) | *0.002 |
| Milk fats | *0.0005 |
| Milks | *0.0005 |
| Mushrooms | 0.02 |
| Pome fruits | 0.03 |
| Stone fruits | 0.1 |
| Strawberry | 0.2 |
| Sweet corns | 0.02 |
| | |

Agvet chemical: Molinate

| Permitted residue: Molinate | |
|-----------------------------|-------|
| Rice | *0.05 |

Agvet chemical: Monensin

| Permitted residue: Monensin | |
|-----------------------------|-------|
| Cattle, edible offal of | *0.05 |
| Cattle meat | *0.05 |
| Cattle milk | *0.01 |
| Goat, edible offal of | *0.05 |
| Goat meat | *0.05 |
| Poultry, edible offal of | *0.5 |
| Poultry meat (in the fat) | *0.5 |
| Sheep fat | 0.07 |
| Sheep kidney | 0.015 |
| Sheep liver | 0.2 |
| Sheep muscle | 0.005 |

Agvet chemical: Monepantel

| Permitted residue: Monepantel | |
|-------------------------------|-------|
| Cattle fat | 7 |
| Cattle kidney | 1 |
| Cattle liver | 2 |
| Cattle meat | 0.3 |
| Milks | *0.05 |
| Sheep fat | 7 |
| Sheep kidney | 2 |
| Sheep muscle | 0.7 |
| Sheep liver | 5 |
| | |

Agvet chemical: Morantel

| Permitted residue: Morantel | |
|-----------------------------|---|
| Cattle, edible offal of | 2 |

| Goat, edible offal of | 2 |
|------------------------|------|
| Meat (mammalian) | 0.3 |
| Milks | *0.1 |
| Pig, edible offal of | 5 |
| Sheep, edible offal of | 2 |
| | |

Agvet chemical: Moxidectin

Permitted residue: Moxidectin

| Cattle, edible offal of | 0.5 |
|--------------------------|-------|
| Cattle meat (in the fat) | 1 |
| Cattle milk (in the fat) | 2 |
| Deer meat (in the fat) | 1 |
| Deer, edible offal of | 0.2 |
| Goat meat (in the fat) | T0.5 |
| Goat, edible offal of | T0.05 |
| Sheep, edible offal of | 0.05 |
| Sheep meat (in the fat) | 0.5 |
| | |

Agvet chemical: MSMA

Permitted residue: Total arsenic, expressed as MSMA

| Sugar cane | 0.3 |
|------------|-----|
| | |

Agvet chemical: Myclobutanil

Permitted residue: Myclobutanil

| All other foods except animal food | 0.05 |
|--|-------|
| commodities | |
| Asparagus | T0.02 |
| Cane berries | 2 |
| Cherries | 5 |
| Edible offal (mammalian) | *0.01 |
| Grapes | 1 |
| Hops, dry | 10 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Peppers | 3 |
| Peppers, chili, dried | 20 |
| Pome fruits [except Persimmon, Japanese] | 0.5 |
| Stone fruits [except cherries; jujube, Chinese] | 2 |
| Strawberry | 2 |

Agvet chemical: Naled

Permitted residue: Sum of naled and dichlorvos, expressed as naled Hops, dry 0.5

Agvet chemical: Naphthalene acetic acid

Permitted residue: 1-Naphthelene acetic acid

| Apple | 1 |
|-----------|---|
| Pear | 1 |
| Pineapple | 1 |

| Ran | nbi | Itan |
|-----|-----|------|

T*0.05

Agvet chemical: Naphthalophos

| Permitted residue: Naphthalophos | |
|----------------------------------|-------|
| Sheep, edible offal of | *0.01 |
| Sheep meat | *0.01 |
| | |

Agvet chemical: Napropamide

| Permitted residue: Napropamide | |
|--|--------|
| All other foods except animal food commodities | 0.02 |
| Almonds | *0.1 |
| Basil | T*0.1 |
| Berries and other small fruits | *0.1 |
| Brassica vegetables (except Brassica | T*0.1 |
| leafy vegetables) [except Chinese cabbage (Pe-tsai)] | |
| Broccoli, Chinese (Gai lan) | T*0.1 |
| Edible offal (mammalian) | *0.08 |
| Eggs | *0.08 |
| Meat (mammalian) | *0.08 |
| Milks | *0.08 |
| Mustard seeds | T*0.01 |
| Poultry, edible offal of | *0.08 |
| Poultry meat | *0.08 |
| Rape seed (canola) | *0.01 |
| Stone fruits | *0.1 |
| Tomato | *0.1 |
| | |

Agvet chemical: Narasin

Permitted residue: Narasin

| Cattle, edible offal of | 0.05 |
|--------------------------|------|
| Cattle meat | 0.05 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |
| | |

Agvet chemical: Neomycin

Permitted residue: Inhibitory substance, identified as neomycin

| Eggs | T0.5 |
|---|------|
| Fats (mammalian) [except milk fats] | T0.5 |
| Kidney of cattle, goats, pigs and sheep | T10 |
| Liver of cattle, goats, pigs and sheep | T0.5 |
| Meat (mammalian) | T0.5 |
| Milks | T1.5 |
| Poultry kidney | T10 |
| Poultry liver | T0.5 |
| Poultry meat | T0.5 |
| | |

Agvet chemical: Netobimin

see Albendazole

Agvet chemical: Nicarbazin

Permitted residue:4,4'-dinitrocarbanilide (DNC)Chicken fat/skin10Chicken kidney20Chicken liver35

| | 00 |
|----------------|-----|
| Chicken muscle | 5 |
| Eggs | 0.3 |
| | |

Agvet chemical: Niclosamide

Permitted residue: Niclosamide

| Edible offal (mammalian) | T*0.01 |
|--------------------------|--------|
| Eggs | T*0.01 |
| Meat (mammalian) | T*0.01 |
| Milks | T*0.01 |
| Poultry, edible offal of | T*0.01 |
| Poultry meat | T*0.01 |
| Rice | T*0.01 |
| | |

Agvet chemical: Nitrothal-isopropyl

Permitted residue: Nitrothal-isopropyl

| Apple | 1 |
|-------|---|
| | |

Agvet chemical: Nitroxynil

Permitted residue: Nitroxynil

| Cattle, edible offal of | 1 |
|-------------------------|------|
| Cattle meat | 1 |
| Cattle milk | T0.5 |
| Goat, edible offal of | 1 |
| Goat meat | 1 |
| Sheep, edible offal of | 1 |
| Sheep meat | 1 |
| | |

Agvet chemical: Norflurazon

Permitted residue: Norflurazon

| All other foods except animal food commodities0.05Asparagus0.05Citrus fruits [except kumquats]0.2Cotton seed0.1Cranberry0.1Edible offal (mammalian)0.3Eggs*0.02Fats (mammalian)*0.02Meat (mammalian)*0.02Milks*0.02Grapes0.1Hops, dry3Pome fruits*0.2Poultry, edible offal of*0.2Poultry fats*0.02Stone fruits*0.2Tree nuts*0.2 | | |
|--|---------------------------------|-------|
| Citrus fruits [except kumquats]0.2Cotton seed0.1Cranberry0.1Edible offal (mammalian)0.3Eggs*0.02Fats (mammalian)*0.02Meat (mammalian)*0.02Milks*0.02Grapes0.1Hops, dry3Pome fruits*0.2Poultry, edible offal of*0.2Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | | 0.05 |
| Cotton seed0.1Cranberry0.1Edible offal (mammalian)0.3Eggs*0.02Fats (mammalian)*0.02Meat (mammalian)*0.02Milks*0.02Grapes0.1Hops, dry3Pome fruits*0.2Poultry, edible offal of*0.2Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Asparagus | 0.05 |
| Cranberry0.1Edible offal (mammalian)0.3Eggs*0.02Fats (mammalian)*0.02Meat (mammalian)*0.02Milks*0.02Grapes0.1Hops, dry3Pome fruits*0.2Poultry, edible offal of*0.2Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Citrus fruits [except kumquats] | 0.2 |
| Edible offal (mammalian)0.3Eggs*0.02Fats (mammalian)*0.02Meat (mammalian)*0.02Milks*0.02Grapes0.1Hops, dry3Pome fruits*0.2Poultry, edible offal of*0.2Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Cotton seed | 0.1 |
| Eggs*0.02Fats (mammalian)*0.02Meat (mammalian)*0.02Milks*0.02Grapes0.1Hops, dry3Pome fruits*0.2Poultry, edible offal of*0.02Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Cranberry | 0.1 |
| Fats (mammalian)*0.02Meat (mammalian)*0.02Milks*0.02Grapes0.1Hops, dry3Pome fruits*0.2Poultry, edible offal of*0.2Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Edible offal (mammalian) | 0.3 |
| Meat (mammalian)*0.02Milks*0.02Grapes0.1Hops, dry3Pome fruits*0.2Poultry, edible offal of*0.2Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Eggs | *0.02 |
| Milks*0.02Grapes0.1Hops, dry3Pome fruits*0.2Poultry, edible offal of*0.02Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Fats (mammalian) | *0.02 |
| Grapes0.1Hops, dry3Pome fruits*0.2Poultry, edible offal of*0.02Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Meat (mammalian) | *0.02 |
| Hops, dry3Pome fruits*0.2Poultry, edible offal of*0.02Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Milks | *0.02 |
| Pome fruits*0.2Poultry, edible offal of*0.02Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Grapes | 0.1 |
| Poultry, edible offal of*0.02Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Hops, dry | 3 |
| Poultry fats*0.02Poultry meat*0.02Stone fruits*0.2 | Pome fruits | *0.2 |
| Poultry meat*0.02Stone fruits*0.2 | Poultry, edible offal of | *0.02 |
| Stone fruits *0.2 | Poultry fats | *0.02 |
| | Poultry meat | *0.02 |
| Tree nuts *0.2 | Stone fruits | *0.2 |
| | Tree nuts | *0.2 |

Agvet chemical: Norgestomet

Permitted residue: Norgestomet

| Edible offal (mammalian) | *0.0001 |
|--------------------------|---------|
| Meat (mammalian) | *0.0001 |
| | |

Agvet chemical: Novaluron

| Permitted residue: Novaluron | |
|---|-------|
| All other foods except animal food commodities | 0.1 |
| Apple | 0.3 |
| Blueberries | 7 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.3 |
| Broccoli, Chinese (Gai lan) | 0.3 |
| Cherries | 8 |
| Chinese cabbage (Pe-tsai) | 5 |
| Cotton seed | T1 |
| Cotton seed oil, crude | T2 |
| Cranberry | 0.45 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, other than cucurbits | 0.2 |
| Fungi, edible (except mushrooms) | 0.2 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 5 |
| Meat (mammalian) (in the fat) | 0.1 |
| Milk fats | 0.2 |
| Milks | *0.01 |
| Mushrooms | 0.2 |
| Pear | 0.3 |
| Peppers, chili, sweet | 0.7 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Stone fruits [except cherries] | 0.5 |
| Strawberry | 0.5 |
| Sweet corns | 0.2 |

Agvet chemical: Novobiocin

| Permitted residue: Novobiocin | |
|-------------------------------|------|
| Cattle, edible offal of | *0.1 |
| Cattle meat | *0.1 |
| Cattle milk | *0.1 |
| | |

Agvet chemical: ODB

Permitted residue: 1,2-dichlorobenzene

| Sheep, edible offal of | *0.01 |
|-------------------------|-------|
| Sheep meat (in the fat) | *0.01 |

Agvet chemical: Olaquindox

| Permitted residue: Sum of olaquindox and all metabolites which reduce to 2-(N-2- hydroxyethylcarbamoyl)-3-methyl quinoxaline , expressed as olaquindox | |
|---|-----|
| Pig, edible offal of | 0.3 |
| Pig meat | 0.3 |
| | |

Agvet chemical: Oleandomycin

| Permitted residue: Oleandomycin | |
|---------------------------------|------|
| Edible offal (mammalian) | *0.1 |
| Meat (mammalian) | *0.1 |
| | |

Agvet chemical: Omethoate

Permitted residue: Omethoate

see also Dimethoate

| Asparagus | *0.002 |
|---|--------|
| Avocado | 0.1 |
| Beetroot | *0.05 |
| Blackberries | Т3 |
| Cereal grains | *0.05 |
| Citrus fruits | 0.5 |
| Cottonseed | *0.05 |
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.05 |
| Eggplant | T0.07 |
| Legume vegetables | 1 |
| Litchi | 2 |
| Mango | 0.1 |
| Meat (mammalian) | *0.05 |
| Melons [except watermelon] | 0.2 |
| Milks | *0.05 |
| Oilseed [except cottonseed; peanut] | 0.05 |
| Olives for oil production | T2 |
| Olive oil, refined | T0.01 |
| Onion, bulb | 0.5 |
| Palm nuts | 0.05 |
| Peanut | *0.01 |
| Peppers, sweet | 0.3 |
| Pineapple | 0.03 |
| Potato | 0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 0.1 |
| Raspberries, red, black | Т3 |
| Rhubarb | 0.3 |
| Squash, summer (zucchini) | 0.2 |
| Strawberry | *0.01 |
| Sweet potato | 0.05 |
| Tomato | 0.02 |
| Turnip, garden | *0.1 |
| Vaccinium berries (including bearberry) | T2 |
| [except cranberry] | 0.0 |
| Watermelon | 0.2 |

Wheat bran, processed

0.05

Agvet chemical: OPP

see 2-phenylphenol

Agvet chemical: Oryzalin

Permitted residue: Oryzalin

| All other foods except animal food commodities | 0.02 |
|--|-------|
| Cereal grains [except sweet corns] | *0.01 |
| Coffee beans | T0.1 |
| Fruit | 0.1 |
| Ginger root | *0.05 |
| Mustard seeds | *0.05 |
| Rape seed (canola) | *0.05 |
| Tree nuts | 0.1 |
| | |

Agvet chemical: Oxabetrinil

Permitted residue: Oxabetrinil

| Edible offal (mammalian) | *0.1 |
|--------------------------|-------|
| Eggs | *0.1 |
| Meat (mammalian) | *0.1 |
| Milks | *0.05 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |
| | |

Agvet chemical: Oxadixyl

| Permitted residue: Oxadixyl | |
|---|-----|
| All other foods except animal food commodities | 0.1 |
| Chinese cabbage (Pe-tsai) | T5 |
| Fruiting vegetables, cucurbits | 0.5 |
| Grapes | 2 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | Т5 |
| Onion, bulb | 0.5 |

Agvet chemical: Oxamyl

Permitted residue: Sum of oxamyl and 2hydroxyimino-N,N-dimethyl-2-(methylthio)acetamide, expressed as oxamyl

| All other foods except animal food commodities | 0.05 |
|---|-------|
| commodities | |
| Banana | 0.2 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Peanut | 0.05 |
| Peppers, sweet | 1 |
| Peppers, chilli | *0.01 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.02 |
| | |

| Poultry fats | *0.02 |
|--------------|-------|
| Poultry meat | *0.02 |
| Sweet potato | 0.2 |
| Tomato | *0.05 |
| | |

Agvet chemical: Oxathiapiprolin

| Permitted residue: Oxathiapiprolin | |
|--|-------|
| All other foods except animal food | 0.02 |
| commodities | |
| Avocado | 0.1 |
| Basil | 10 |
| Basil, dry | Т90 |
| Blueberries | 0.5 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 |
| Broccoli, Chinese (Gai lan) | 2 |
| Bulb vegetables [except chives; onion, bulb] | 2 |
| Cane berries | 0.5 |
| Cardoon | 15 |
| Citrus fruits [except kumquats] | 0.06 |
| Citrus oil, edible | 3 |
| Dried grapes (currants, raisins and sultanas) | 1 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fennel, bulb | 2 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits | 0.5 |
| Fungi, edible (except mushrooms) | 0.5 |
| Grapes | 0.9 |
| Hops, dried cones | 5 |
| Leafy vegetables (including brassica leafy vegetables) [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory] | 15 |
| Lettuce, head | 2 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Mushrooms | 0.5 |
| Onion, bulb | 0.04 |
| Peas (pods and succulent, immature seeds) | 1 |
| Peas, shelled (succulent seeds) | 0.05 |
| Peppers, chili, dried | 4 |
| Pomegranate | 0.1 |
| Poppy seed | *0.01 |
| Potato | 0.04 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| , | |

| Root and tuber vegetables [except beetroot; carrot; celeriac; chicory, roots; horseradish; parsnip; radish, japanese; salsify; scorzonera; sugar beet; swede; turnip, garden | 0.04 |
|--|------|
| Strawberry | 0.4 |
| Sweet corns (subgroup) | 0.5 |
| Tree nuts | 0.01 |
| Young shoots | 2 |

Agvet chemical: Oxfendazole

| Permitted residue: Oxfendazole | |
|--------------------------------|------|
| Edible offal (mammalian) | 3 |
| Meat (mammalian) | *0.1 |
| Milks | 0.1 |

Agvet chemical: Oxycarboxin

| Permitted residue: Oxycarboxin | |
|--|-----|
| Beans [except broad bean; soya bean] | 5 |
| Blueberries | T10 |
| Broad bean (green pods and immature seeds) | 5 |

Agvet chemical: Oxyclozanide

| Permitted residue: Oxyclozanide | |
|---------------------------------|------|
| Cattle, edible offal of | 2 |
| Cattle meat | 0.5 |
| Goat, edible offal of | 2 |
| Goat meat | 0.5 |
| Milks | 0.05 |
| Sheep, edible offal of | 2 |
| Sheep meat | 0.5 |

Agvet chemical: Oxyfluorfen

Permitted residue: Oxyfluorfen

| - | |
|--|-------|
| All other foods except animal food commodities | 0.05 |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | *0.01 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | *0.05 |
| Broccoli, Chinese (Gai lan) | *0.05 |
| Bulb vegetables [except chives] | *0.05 |
| Cereal grains [except sweet corns] | *0.05 |
| Coffee beans | T0.05 |
| Cotton seed | *0.05 |
| Edible offal (mammalian) | *0.01 |
| Eggs | 0.05 |
| Fennel, bulb | *0.05 |
| Grapes | 0.05 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Olives | 1 |

| Pome fruits | 0.05 |
|---------------------------|-------|
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | 0.2 |
| Stone fruits | 0.05 |
| Tree nuts | 0.05 |

Agvet chemical: Oxytetracycline

Permitted residue: Inhibitory substance, identified as oxytetracycline

| Fish | T0.2 |
|---|------|
| Honey | 0.3 |
| Kidney of cattle, goats, pigs and sheep | 0.6 |
| Liver of cattle, goats, pigs and sheep | 0.3 |
| Meat (mammalian) | 0.1 |
| Milks | 0.1 |
| Poultry, edible offal of | 0.6 |
| Poultry meat | 0.1 |
| | |

Agvet chemical: Paclobutrazol

Permitted residue: Paclobutrazol All other foods except animal food 0.01 commodities Assorted tropical and sub-tropical fruits *0.01 - inedible peel [except avocado; mango; tamarillo (tree tomato)] Avocado 0.1 Fruiting vegetables, cucurbits T*0.01 Fruiting vegetables, other than T*0.01 cucurbits Mango T1 Pome fruits [except Persimmon, 1 Japanese] Potato T*0.01 Stone fruits *0.01

Agvet chemical: Paracetamol

Permitted residue: Paracetamol

| .1 |
|----|
| .1 |
| .1 |
| .1 |
| |

Agvet chemical: Paraquat

Permitted residue: Paraquat cation

| Cacao bean | 0.05 |
|------------------------------------|-------|
| Cereal grains [except as otherwise | *0.05 |
| listed under this chemical] | |
| Cotton seed | 0.2 |
| Cotton seed oil, edible | 0.05 |
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.01 |
| Fruit [except olives] | *0.05 |
| Hops, dry | 0.5 |

| Maize | 0.1 |
|------------------------------------|-------|
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Oilseed [except cotton seed] | *0.05 |
| Olives | 1 |
| Palm nuts | *0.05 |
| Peanut | *0.05 |
| Potato | 0.2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 1 |
| Rice | 10 |
| Rice, polished | 0.5 |
| Sugar cane | *0.05 |
| Tree nuts | *0.05 |
| Vegetables [except potato; pulses] | *0.05 |

Agvet chemical: Penconazole

Permitted residue: Penconazole

| All other foods except animal food commodities | 0.02 |
|---|------|
| Brussels sprouts | 0.05 |
| Chives | 0.05 |
| Grapes | 0.1 |
| Herbs | 0.05 |
| Pome fruits | 0.1 |
| Raspberries, red, black | 0.1 |
| Spices | 0.1 |
| Strawberries | 0.5 |
| Tea, green, black | 0.1 |
| | |

Agvet chemical: Pencycuron

| Permitted residue: Pencycuron | |
|-------------------------------|------|
| Potato | 0.05 |
| | |

Agvet chemical: Pendimethalin

| Permitted residue: Pendimethalin | |
|---|-------|
| All other foods except animal food | 0.02 |
| commodities | |
| Artichoke, globe | 0.05 |
| Asparagus | 0.15 |
| Assorted tropical and sub-tropical fruits | *0.05 |
| inedible peel [except tamarillo (tree | |
| tomato)] | |
| Barley | *0.05 |
| Berries and other small fruits [except | *0.05 |
| blueberries] | |
| Blueberries | 0.1 |
| Brassica leafy vegetables (except | 0.2 |
| Broccoli, Chinese (Gai lan) | |
| Brassica vegetables (except Brassica | *0.05 |
| leafy vegetables) [except Chinese | |
| cabbage (Pe-tsai)] | |
| Broccoli, Chinese (Gai lan) | *0.05 |
| Bulb vegetables [except chives; leek] | *0.05 |

| Carrot | T0.3 |
|---|--------|
| Celery | 0.09 |
| Cherries (subgroup) | 0.1 |
| Chinese cabbage (Pe-tsai) | *0.05 |
| Citrus fruits | *0.05 |
| Date | T*0.05 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fennel, bulb | *0.05 |
| Fruiting vegetables, other than cucurbits | *0.05 |
| Hops, dry | *0.1 |
| Leafy vegetables [except brassica leafy vegetables; lettuce, leaf; witloof chicory] | *0.05 |
| Leek | 0.3 |
| Legume vegetables | T0.2 |
| Lettuce, leaf | 4 |
| Maize | *0.05 |
| Meat (mammalian) | *0.01 |
| Melons, including watermelon | 0.1 |
| Mints | 0.2 |
| Milk | *0.01 |
| Oats | T*0.05 |
| Oilseed | *0.05 |
| Olives | *0.05 |
| Palm nuts | *0.05 |
| Parsley | T*0.05 |
| Parsley, leaves | 1.5 |
| Peanut | 0.1 |
| Peppermint oil, edible | 6 |
| Peppers, sweet | *0.05 |
| Pome fruits | *0.05 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | *0.05 |
| Rice | *0.05 |
| Root and tuber vegetables [except carrot] | *0.05 |
| Sorghum, grain | 0.1 |
| Stone fruits [except cherries | *0.05 |
| (subgroup)] | |
| Sugar cane | *0.05 |
| Sweet corn (corn-on-the-cob) | *0.05 |
| Tomato | *0.05 |
| Tree nuts | *0.05 |
| Wheat | *0.05 |

Agvet chemical: Penflufen

Permitted residue: Penflufen

| Cereal grains [except sweet corns] | *0.01 |
|------------------------------------|--------|
| Chick-pea (dry) | T*0.01 |
| Cotton seed | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Lentil (dry) | T*0.01 |
| Lupin (dry) | T*0.01 |
| | |

| Meat (mammalian) (in the fat) | |
|-------------------------------|--------|
| Milks | *0.01 |
| Milk fats | *0.01 |
| Mustard seeds | T*0.01 |
| Potato | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Rape seed (canola) | *0.01 |
| Soya bean (dry) | T*0.01 |

Agvet chemical: Penthiopyrad

Permitted residue—commodities of plant origin: Penthiopyrad

Permitted residue—commodities of animal origin: Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide, expressed as penthiopyrad

| All other foods except animal food | 0.05 |
|---|-------|
| commodities Bayberries | Т5 |
| Bayberry, red | T5 |
| Brassica leafy vegetables (except | 70 |
| broccoli, Chinese (Gai lan) | 70 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 7 |
| Broccoli, Chinese (Gai lan) | 7 |
| Bush berries | 7 |
| Cane berries | 10 |
| Celery | 15 |
| Chinese cabbage (Pe-tsai) | 50 |
| Cranberry | 3 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Elderberries | 7 |
| Fruiting vegetables, cucurbits | 1 |
| Fruiting vegetables, other than cucurbits | 5 |
| Fungi, edible (except mushrooms) | 5 |
| Guelder rose | 7 |
| Leafy vegetables [except brassica leafy vegetables; lettuce, head; witloof chicory] | 50 |
| Lettuce, head | 10 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mushrooms | 5 |
| Onion, bulb | 1 |
| Onion, Welsh | 5 |
| Peppers, chili, dried | 14 |
| Pome fruits | 0.5 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Root and tuber vegetables [except | 2 |
| potato] Shallot | 5 |

| Spring onion | 5 |
|--------------|-----|
| Stone fruits | 5 |
| Strawberry | 5 |
| Sweet corns | 5 |
| Tree nuts | 0.1 |

Agvet chemical: Permethrin

Permitted residue: Permethrin, sum of isomers

| All other foods except animal food0.05commodities0.05Almonds0.05Brassica vegetables (except Brassica1leafy vegetables) [except Brussels1sprouts; Chinese cabbage (Pe-tsai)]1Broccoli, Chinese (Gai Ian)1Brussels sprouts2 |
|---|
| Almonds0.05Brassica vegetables (except Brassica1leafy vegetables) [except Brussels1sprouts; Chinese cabbage (Pe-tsai)]1 |
| Brassica vegetables (except Brassica1leafy vegetables) [except Brusselssprouts; Chinese cabbage (Pe-tsai)]Broccoli, Chinese (Gai Ian)1 |
| leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)] Broccoli, Chinese (Gai Ian) 1 |
| sprouts; Chinese cabbage (Pe-tsai)] Broccoli, Chinese (Gai Ian) 1 |
| Broccoli, Chinese (Gai Ian) 1 |
| |
| Brussels sprouts 7 |
| 1 |
| Celery 5 |
| Cereal grains [except sweet corn (corn- 2 on-the-cob)] |
| Cherries 4 |
| Chervil T30 |
| Chives T30 |
| Common bean (dry) (navy bean) 0.1 |
| Common bean (pods and/or immature 0.5 seeds) |
| Coriander (leaves, roots, stems) T30 |
| Edible offal (mammalian) 0.5 |
| Eggs 0.1 |
| Herbs T30 |
| Lettuce, head 5 |
| Lettuce, leaf 5 |
| Linseed 0.1 |
| Meat (mammalian) (in the fat) 1 |
| Milks 0.05 |
| Mushrooms 2 |
| Mustard seeds T0.2 |
| Nectarine 2 |
| Peach 1 |
| Peas 1 |
| Peppers, chili, dried 10 |
| Poppy seed T0.2 |
| Potato 0.05 |
| Poultry meat (in the fat) 0.1 |
| Rape seed (canola)0.2 |
| Rhubarb 1 |
| Sugar cane *0.1 |
| Sweet corn (corn-on-the-cob) *0.05 |
| Tea, green, black 0.1 |
| Tomato 0.4 |
| Wheat bran, unprocessed 5 |
| Wheat germ2 |

Agvet chemical: Phenmedipham

Permitted residue—commodities of plant origin: Phenmedipham

Permitted residue—commodities of animal origin: 3methyl-N-(3-hydroxyphenyl)carbamate

| All other foods except animal food commodities | 0.02 |
|---|------|
| Beetroot | 0.5 |
| Chard (silver beet) | 2 |
| Chinese cabbage (Pe-tsai) | |
| Edible offal (mammalian) | *0.1 |
| Leafy vegetables [except broccoli, Chinese (Gai Ian); chard (silver beet); witloof chicory] | T1 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Radicchio | T1 |
| Strawberry | 0.3 |
| | |

Agvet chemical: 2-Phenylphenol

Permitted residue: Sum of 2-phenylphenol and 2phenylphenate, expressed as 2-phenylphenol

| All other foods except animal food | 0.1 |
|------------------------------------|-----|
| commodities | |
| Citrus fruits | 10 |
| | |

Agvet chemical: Phorate

| Permitted residue: Sum of phorate, its oxyge analogue, and their sulfoxides and sulfones, expressed as phorate | en |
|--|--------|
| Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; broccoli; cauliflower; Chinese cabbage (Pe-tsai); head cabbages] | T*0.01 |
| Broccoli | 0.5 |
| Cabbages, head | 0.5 |
| Carrot | 0.5 |
| Cauliflower | 0.5 |
| Celery | T*0.01 |
| Coriander (leaves, roots, stems) | T*0.01 |
| Coriander, seed | 0.1 |
| Cotton seed | 0.5 |
| Edible offal (mammalian) | *0.05 |
| Eggplant | 0.5 |
| Eggs | *0.05 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | T*0.01 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Onion, bulb | 0.5 |
| Onion, Welsh | 0.5 |
| Parsley | T*0.01 |
| Peanut | 0.1 |
| Peppers | 0.5 |
| Potato | 0.5 |
| Poultry, edible offal of | *0.05 |

| Poultry meat | *0.05 |
|--------------|-------|
| Shallot | 0.5 |
| Spring onion | 0.5 |
| Sweet potato | 0.5 |
| Tomato | 0.5 |

Agvet chemical: Phosmet

Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet

| 5 / 1 | |
|--|-------|
| All other foods except animal food commodities | 0.05 |
| Blueberries | 10 |
| Cattle, edible offal of | 1 |
| Cattle meat (in the fat) | 1 |
| Cereal grains [except sweet corns] | *0.05 |
| Cranberry | 10 |
| Currants, black, red, white | 2 |
| Goat, edible offal of | *0.05 |
| Goat meat | *0.05 |
| Grapes | 10 |
| Lemon | 5 |
| Mandarins | 5 |
| Milks (in the fat) | 0.2 |
| Oranges | 3 |
| Pig, edible offal of | 0.1 |
| Pig meat | 0.1 |
| Sheep, edible offal of | *0.05 |
| Sheep meat | *0.05 |
| Stone fruits [except cherries; jujube, Chinese] | 5 |
| | |

Agvet chemical: Phosphine

Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)

| All other foods except animal food commodities | *0.01 |
|---|--------|
| Cereal grains [except sweet corns] | *0.1 |
| Citrus fruits [except kumquats] | *0.01 |
| Dried foods [except as otherwise listed under this chemical] | *0.01 |
| Dried fruits | *0.01 |
| Dried vegetables | *0.01 |
| Garlic | T*0.01 |
| Honey | *0.01 |
| Oilseed [except peanut] | *0.01 |
| Peanut | 0.1 |
| Pulses | *0.01 |
| Seed for beverages | T*0.01 |
| Spices | *0.01 |
| Sugar cane | *0.01 |
| Tree nuts | *0.01 |
| | |

Agvet chemical: Phosphorous acid

Permitted residue: Phosphorous acid

Avocado

| Basil Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai); flowerhead brassicas] | T300 T1 |
|---|------------|
| Broccoli, Chinese (Gai lan) | T1 |
| Bulb vegetables [except chives] | T10 |
| Chinese cabbage (Pe-tsai) | T150 |
| Citrus fruits | 100 |
| Coriander (leaves, roots, stems) | T300 |
| Custard apple | 500 |
| Edible offal (mammalian) | 5 |
| Fennel, bulb | T10 |
| Fennel, leaf | T300 |
| Flowerhead brassicas | 50 |
| Fruiting vegetables, cucurbits | T100 |
| Fruiting vegetables, other than cucurbits | T100 |
| Fungi, edible (except mushrooms) | T100 |
| Galangal, rhizomes | T100 |
| Ginger, root | T100 |
| Grapes | 200 |
| Hops, dry | 2000 |
| Leafy vegetables [except broccoli, Chinese (Gai Ian); witloof chicory] | T150 |
| Meat (mammalian) | 1 |
| Mushrooms | T100 |
| Papaya [pawpaw] | T100 |
| Parsley | T300 |
| Passionfruit | T500 |
| Peach | 100 |
| Peas, shelled | T100 |
| Pineapple | T20 |
| Poppy seed | 1 |
| Potato | T700 |
| Rhubarb | T100 |
| Root and tuber vegetables [except potato] | T100 |
| Stone fruits [except cherries; jujube, | T100 |
| Chinese; peach] | |
| Strawberry | T500 |
| Sweet corns | T100 |
| Tree nuts | 3000 |
| | |

Agvet chemical: Picloram

| Cereal grains [except sweet corns] | 0.2 |
|------------------------------------|-------|
| Edible offal (mammalian) | 5 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Sugar cane | *0.01 |

Agvet chemical: Picolinafen Permitted residue—commodities of plant origin: Picolinafen Permitted residue—commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridine carboxylic acid Cereal grains [except sweet corns] *0.02 Edible offal (mammalian) 0.05 *0.01 Eggs *0.02 Field pea (dry) Lupin (dry) *0.02 Meat (mammalian) (in the fat) *0.02 Milks *0.01 Poultry, edible offal of *0.02

*0.02

Agvet chemical: Picoxystrobin

Poultry meat (in the fat)

Permitted residue: Picoxystrobin

| Coffee beans | 0.04 |
|-----------------------------------|-------|
| Cottonseed | 2 |
| Edible offal (mammalian) | 0.02 |
| Mammalian fats [except milk fats] | 0.02 |
| Meat mammalian (in the fat) | 0.02 |
| Milks | *0.01 |
| Peanut | 0.05 |
| Rice | 0.05 |
| Sorghum, grain | 0.02 |
| Soya bean (dry) | 0.06 |
| Tea, green, black | 15 |
| Wheat | 0.04 |

Agvet chemical: Pinoxaden

Permitted residue: Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)tetrahydro-pyrazolo [1,2-d][1,4,5] oxadiazepine-7,9dione, expressed as Pinoxaden

| All other foods except animal food commodities | 0.06 |
|---|-------|
| Barley | 0.1 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Wheat | 0.7 |
| Wheat bran, unprocessed | 0.5 |

Agvet chemical: Piperonyl butoxide

| Permitted residue: Piperonyl butoxide | |
|---|------|
| All other foods except animal food commodities | 0.5 |
| Cattle milk | 0.05 |

| Cereal bran, unprocessed | 40 |
|------------------------------------|------|
| Cereal grains [except sweet corns] | 20 |
| Chives | 8 |
| Dried fruits | 8 |
| Dried vegetables | 8 |
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.1 |
| Fruit | 8 |
| Herbs | 8 |
| Meat (mammalian) | 0.1 |
| Oilseed | 8 |
| Palm nuts | 8 |
| Peanut | 8 |
| Peppers, chili, dried | 20 |
| Poultry, edible offal of | *0.5 |
| Poultry meat (in the fat) | *0.5 |
| Sweet corns | 8 |
| Tree nuts | 8 |
| Vegetables | 8 |
| Wheat germ | 50 |
| | |

Agvet chemical: Pirimicarb

Permitted residue: Sum of pirimicarb, demethylpirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb

| All other foods except animal food | 0.05 |
|---|-------|
| commodities | |
| Almonds | 0.05 |
| Blackberries | 2 |
| Celeriac | 0.1 |
| Celery | 15 |
| Cereal grains [except sweet corns] | *0.02 |
| Cherries | 5 |
| Chinese cabbage (Pe-tsai) | 7 |
| Cotton seed | 0.05 |
| Cotton seed oil, crude | T0.1 |
| Currants, black, red, white | 1 |
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.1 |
| Fruit [except listed under this chemical] | 0.5 |
| Leafy vegetables [except broccoli, | 7 |
| Chinese (Gai lan); witloof chicory] | |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Mustard seeds | T0.2 |
| Onion, Welsh | 7 |
| Peppers, chili, dried | 20 |
| Peppers, chilli, other cultivars | 1 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |
| Pulses | *0.02 |
| Rape seed (canola) | 0.2 |
| Raspberries, red, black | 4 |
| Sesame seed | T0.05 |
| Shallot | 7 |

| Spices | *0.05 |
|--|--------|
| Spring onion | 7 |
| Strawberry | 3 |
| Sweet corn (corn-on-the-cob) | 0.1 |
| Tree nuts [except almonds] | T*0.05 |
| Vegetables [except celeriac; celery; leafy vegetables; onion, Welsh; shallot; spring onion;] | 1 |

Agvet chemical: Pirimiphos-methyl

Permitted residue: Pirimiphos-methyl

| commodities Barley Cacao beans *0. Cereal bran, unprocessed | .02 7 .05 20 .05 .05 7 |
|--|--|
| Cacao beans *0. Cereal bran, unprocessed | .05 20 .05 .05 7 |
| Cereal bran, unprocessed | 20 .05 .05 .7 |
| | .05 .05 7 |
| Edible offel (memmelien) *0 | .05 7 |
| Edible offal (mammalian) *0. | 7 |
| Eggs *0. | • |
| Maize | ~ - |
| Meat (mammalian) *0. | .05 |
| Milks *0. | 05 |
| Millet | 10 |
| Oats | 7 |
| Peanut | 5 |
| Peanut oil, edible | 15 |
| Poultry, edible offal of *0. | .05 |
| Poultry meat *0. | .05 |
| Rice | 10 |
| Rice, husked | 2 |
| Rice, polished | 1 |
| Rye | 10 |
| Sorghum, grain | 10 |
| Triticale | 10 |
| Wheat | 10 |
| Wheat germ | 30 |

Agvet chemical: Praziquantel

Permitted residue: Praziquantel

| Fish muscle | T*0.02 |
|------------------------|--------|
| Sheep, edible offal of | *0.05 |
| Sheep meat | *0.05 |

Agvet chemical: Procaine penicillin

Permitted residue: Inhibitory substance, identified as procaine penicillin

| Edible offal (mammalian) | *0.1 |
|--------------------------|---------|
| Meat (mammalian) | *0.1 |
| Milks | *0.0025 |

Agvet chemical: Prochloraz

Permitted residue: Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz

| All other foods except animal food | 0.1 |
|------------------------------------|-------|
| commodities | |
| Avocado | 5 |
| Banana | 5 |
| Cherimoya | T1 |
| Cherries | *0.05 |
| Custard apple | T1 |
| Lettuce, head | 2 |
| Lettuce, leaf | Т3 |
| Litchi | T1 |
| llama | T1 |
| Mandarins | T10 |
| Mango | 5 |
| Mushrooms | 3 |
| Papaya (pawpaw) | 5 |
| Pepper, black, white | 10 |
| Pineapple | 2 |
| Pistachio nut | T0.5 |
| Soursop | T1 |
| Sugar apple | T1 |
| Sugar cane | *0.05 |

Agvet chemical: Procymidone

Permitted residue: Procymidone

| All other foods except animal food commodities | 0.05 |
|---|-------|
| Cherries | 7 |
| | |
| Chick-pea (dry) | T0.5 |
| Chives | T3 |
| Common bean (dry) (navy bean) | T10 |
| Durian (in the pulp) | 0.05 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Garlic | 5 |
| Lentil (dry) | 0.5 |
| Lupin (dry) | *0.01 |
| Meat (mammalian) (in the fat) | 0.2 |
| Milks | 0.02 |
| Mustard seeds | T0.5 |
| Mustard seed oil, crude | T2 |
| Onion, bulb | 0.2 |
| Peppers | T2 |
| Potato | 0.2 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Rape seed (canola) | 0.5 |
| Rape seed (canola) oil, crude | 2 |
| Strawberry | *0.02 |
| Stone fruits [except cherries] | 2 |
| Wine grapes | 5 |
| | |

Agvet chemical: Profenofos

| Permitted residue: Profenofos | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Cattle milk | *0.01 |
| Coffee beans | 0.04 |
| Coriander, seed | 0.1 |
| Cotton seed | 1 |
| Cotton seed oil, edible | 0.3 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.02 |
| Mangosteen | 5 |
| Meat (mammalian) | *0.05 |
| Peppers, chili | 3 |
| Peppers, chili, dried | 20 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Tea, green, black | *0.05 |
| | |

Agvet chemical: Profoxydim

Permitted residue: Sum of profoxydim and all metabolites converted to dimethyl-3-(3thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim

| Edible offal (mammalian) | 0.5 |
|--------------------------|-------|
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Rice | 0.05 |
| | |

Agvet chemical: Prohexadione-calcium

Permitted residue: Sum of the free and conjugated forms of prohexadione expressed as prohexadione

| , , , | |
|--------------------------|-------|
| Apple | *0.02 |
| Cherries | 0.4 |
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Peanut | 1 |

Agvet chemical: Prometryn

Permitted residue: Prometryn

| 2 | |
|----------------------------------|-------|
| Cattle milk | *0.05 |
| Cereal grains | *0.1 |
| Coriander (leaves, roots, stems) | T1 |
| Coriander, seed | T1 |
| Cotton seed | *0.1 |
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Peanut | *0.1 |
| Sunflower seed | *0.1 |

Vegetables

Agvet chemical: Propachlor

Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor

| All other foods except animal food | 0.05 |
|---|-------|
| commodities | |
| Beetroot | *0.05 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.6 |
| Broccoli, Chinese (Gai lan) | 0.6 |
| Cereal grains [except sorghum, grain; sweet corns] | 0.05 |
| Chinese cabbage (Pe-tsai) | T1 |
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.02 |
| Garlic | 2.5 |
| Leafy vegetables [except broccoli, | T1 |
| Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory] | |
| Leek | *0.02 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Onion, bulb | 0.7 |
| Onion, Welsh | T1 |
| Poultry, edible offal of | *0.02 |
| Poultry meat (in the fat) | *0.02 |
| Radish | *0.02 |
| Shallot | T1 |
| Sorghum, grain | 0.2 |
| Spring onion | T1 |
| Swede | *0.02 |
| Sweet corn (corn-on-the-cob) | 0.05 |
| Turnip, garden | *0.02 |

Agvet chemical: Propamocarb

| Permitted residue: Propamocarb (base) | |
|---|-------|
| All other foods except animal food | 0.1 |
| commodities | |
| Basil | T150 |
| Brassica vegetables (except Brassica leafty vegetables) | 30 |
| Bulb vegetables [except chives; onion, bulb] | 30 |
| Cane berries | T15 |
| Chives | 30 |
| Edible offal (mammalian) | 1.5 |
| Eggs | *0.01 |
| Fats (mammalian) | 0.03 |
| Fennel, bulb | 30 |
| Fruiting vegetables, cucurbits | 5 |
| Fruiting vegetables, other than cucurbits | T0.3 |
| Fungi, edible (except mushrooms) | T0.3 |
| Herbs [except basil] | 30 |

| Leafy vegetables | 70 |
|--------------------------|-------|
| Meat (mammalian) | 0.03 |
| Milks | *0.01 |
| Mushrooms | T0.3 |
| Onion, bulb | 0.5 |
| Peppers, chili, dried | 10 |
| Poppy seed | 5 |
| Potato | 0.3 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Sweet corns | T0.3 |

Agvet chemical: Propanil

Permitted residue: Propanil Cattle, edible offal of

| Cattle meat | *0.1 |
|--------------------------|-------|
| Eggs | *0.1 |
| Milks | *0.01 |
| Poultry, edible offal of | 3 |
| Poultry meat | *0.1 |
| Rice | 2 |
| Sheep, edible offal of | *0.1 |
| Sheep meat | *0.1 |

*0.1

Agvet chemical: Propaquizafop

Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2methoxyquinoxaline, expressed as propaquizafop

| Currants, black, red, white | *0.05 |
|-----------------------------|-------|
| Edible offal (mammalian) | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.01 |
| Oilseed | *0.05 |
| Palm nuts | *0.05 |
| Peanut | *0.05 |
| Peas | *0.05 |
| Pulses | *0.05 |
| Raspberries, red, black | *0.05 |
| Strawberry | *0.05 |
| | |

Agvet chemical: Propargite

Permitted residue: Propargite

| r onnicea reelade. Tropalgice | |
|-------------------------------|------|
| Apple | 3 |
| Banana | 3 |
| Cotton seed | 0.2 |
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.1 |
| Hops, dry | 3 |
| Meat (mammalian) (in the fat) | *0.1 |
| Milks | *0.1 |
| Passionfruit | 3 |
| Pear | 3 |
| Poultry, edible offal of | *0.1 |
| Poultry meat (in the fat) | *0.1 |
| | |

| Stone fruits | 3 |
|--------------|---|
| Strawberry | 7 |
| Sweet corns | 3 |
| Vegetables | 3 |
| | |

Agvet chemical: Propazine

| Carrot *0.1 | Permitted residue: | Propazine | |
|-------------|--------------------|-----------|---|
| Callot 0.1 | Carrot | *0.1 | _ |

Agvet chemical: Propetamphos

| Permitted residue: Propetamphos | |
|---------------------------------|-------|
| Sheep, edible offal of | *0.01 |
| Sheep meat (in the fat) | *0.01 |
| | |

Agvet chemical: Propiconazole

| 5 | |
|------------------------------------|-------|
| Permitted residue: Propiconazole | |
| All other foods except animal food | 0.05 |
| commodities | |
| Almonds | 0.2 |
| Avocado | *0.02 |
| Banana | 0.2 |
| Beetroot | *0.02 |
| Blackberries | 1 |
| Blueberries | 2 |
| Boysenberry | 1 |
| Broccoli, Chinese | T1 |
| Celery | Т5 |
| Cereal grains [except sweet corns] | *0.05 |
| Chard (silver beet) | T0.5 |
| Chicory leaves | T1 |
| Citrus fruits | 10 |
| Cranberry | 0.3 |
| Edible offal (mammalian) | 1 |
| Eggs | *0.05 |
| Endive | T1 |
| Grapes | T1 |
| Meat (mammalian) | 0.1 |
| Milks | *0.01 |
| Mint oil | *0.02 |
| Mushrooms | *0.05 |
| Orange oil, edible | 1850 |
| Parsley | Т30 |
| Peanut | *0.05 |
| Pineapple | 2 |
| Plums (including prunes) | 2 |
| Poppy seed | *0.01 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |
| Pulses | T0.3 |
| Radicchio | T1 |
| Radish | T0.2 |
| Raspberries, red, black | 1 |
| Spices | *0.1 |
| Spinach | T0.7 |
| | |

| Stone fruits [except plum (including prunes)] | 4 |
|--|-------|
| Sugar cane | *0.02 |
| Sunflower seed | T0.5 |
| Sweet corn (corn-on-the-cob) | *0.02 |
| Tree nuts [except almonds] | T0.2 |

Agvet chemical: Propineb

see Dithiocarbamates

Agvet chemical: Propoxur

Permitted residue: Propoxur

Agvet chemical: Propylene oxide

Permitted residue: Propylene oxide

100

Almonds

Agvet chemical: Propyzamide

| Permitted residue: Propyzamide | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Cherries | 0.1 |
| Chicory leaves | *0.2 |
| Currants, black, red, white | 0.01 |
| Edible offal (mammalian) | *0.2 |
| Eggs | *0.05 |
| Endive | *0.2 |
| Lettuce, head | 1 |
| Lettuce, leaf | 1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Mustard seeds | 0.02 |
| Poppy seed | 0.02 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | *0.01 |
| Quinoa | T02 |
| Rape seed (canola) | 0.02 |
| Safflower Seed | T0.02 |

Agvet chemical: Proquinazid

Permitted residue—commodities of plant origin: Proquinazid

Permitted residue—commodities of animal origin: Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yloxy)propionic acid, expressed as proquinazid 0.1 All other foods except animal food

| commodities | |
|-------------------------------------|-------|
| Dried grapes (currants, raisins and | 2 |
| sultanas) | |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |

| Fruiting vegetables, cucurbits | 0.2 |
|-----------------------------------|--------|
| Fruiting vegetables, other than | 0.3 |
| cucurbits [except peppers, sweet] | |
| Grapes | 0.5 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Peppers, sweet | 0.2 |
| Pome fruits | 0.3 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Wheat | T*0.02 |

Agvet chemical: Prosulfocarb

Permitted residue: Prosulfocarb

| Barley | *0.01 |
|--------------------------|--------|
| Carrot | T*0.01 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Oats | *0.01 |
| Potato | *0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pulses | *0.01 |
| Safflower seed | T*0.1 |
| Triticale | *0.01 |
| Wheat | *0.01 |
| | |

Agvet chemical: Prothioconazole

Permitted residue—commodities of plant origin: Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

Permitted residue—commodities of animal origin: Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2ol) and prothioconazole-4-hydroxy-desthio (2-(1chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

| All other foods except animal food | 0.02 |
|------------------------------------|--------|
| commodities | |
| Blueberries | 2 |
| Cereal bran, unprocessed | 0.5 |
| Cereal grains [except sweet corns] | 0.3 |
| Cotton seed | T0.2 |
| Cranberry | 0.2 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.01 |
| Linseed | 0.03 |
| Meat (mammalian) (in the fat) | 0.02 |
| Milks | *0.004 |

| Mustard seeds | *0.02 |
|---------------------------------|-------|
| Peanut | *0.02 |
| Poultry, edible offal of | *0.05 |
| Poultry meat (in the fat) | *0.05 |
| Pulses [except soya bean (dry)] | T0.7 |
| Rape seed | 0.2 |
| Rape seed oil, edible | 0.15 |
| Soya bean (dry) | 0.2 |
| Sunflower seed oil, crude | 0.5 |
| Sunflower seeds (subgroup) | 0.5 |
| Watermelon | T0.2 |
| Wheat germ | 0.5 |

Agvet chemical: Prothiofos

Permitted residue: Prothiofos

| Banana | *0.01 |
|---|-------|
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.2 |
| Broccoli, Chinese (Gai lan) | 0.2 |
| Pear | 0.05 |

Agvet chemical: Pydiflumetofen

| 0.05 |
|------|
| 0.7 |
| 3 |
| |
| 15 |
| 0.5 |
| 0.3 |
| 5 |
| Т3 |
| 2 |
| Т30 |
| 1 |
| 40 |
| 0.02 |
| 5 |
| 0.1 |
| 0.02 |
| 5 |
| 3 |
| T0.5 |
| T0.7 |
| T0.7 |
| 2 |
| 2 |
| 2 |
| |

| Legume vegetables [except beans with pods; peas with pods (subgroup)]T0.5Maize0.04Maize flour0.07Maize oil, edible0.08Mammalian fats [except milk fats]0.1Meat (mammalian) (in the fat)0.1Milks*0.01Mustard seedsT0.05Peaches (subgroup)1Peanut0.05Peanut oil, edible0.15Peas with pods (subgroup)1.5Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.02PotatoT0.02PotatoT0.05Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petiolesStem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03Tomato, dried7 | Leafy vegetables [except brassica leafy vegetables; witloof chicory] | Т30 |
|---|--|-------|
| Maize flour0.07Maize oil, edible0.08Mammalian fats [except milk fats]0.1Meat (mammalian) (in the fat)0.1Milks*0.01Mustard seedsT0.05Peaches (subgroup)1Peanut0.05Peanut oil, edible0.15Peas with pods (subgroup)1.5Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry meat*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Legume vegetables [except beans with | T0.5 |
| Maize oil, edible0.08Mammalian fats [except milk fats]0.1Meat (mammalian) (in the fat)0.1Milks*0.01Mustard seedsT0.05Peaches (subgroup)1Peanut0.05Peanut oil, edible0.15Peas with pods (subgroup)1.5Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petioles15Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Maize | 0.04 |
| Mammalian fats [except milk fats]0.1Meat (mammalian) (in the fat)0.1Milks*0.01Mustard seedsT0.05Peaches (subgroup)1Peanut0.05Peanut oil, edible0.15Peas with pods (subgroup)1.5Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petiolesStem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Maize flour | 0.07 |
| Meat (mammalian) (in the fat)0.1Milks*0.01Mustard seedsT0.05Peaches (subgroup)1Peanut0.05Peanut oil, edible0.15Peas with pods (subgroup)1.5Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Maize oil, edible | 0.08 |
| Milks*0.01Mustard seedsT0.05Peaches (subgroup)1Peanut0.05Peanut oil, edible0.15Peas with pods (subgroup)1.5Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.02PopcornT0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of Poultry meat*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Mammalian fats [except milk fats] | 0.1 |
| Mustard seedsT0.05Peaches (subgroup)1Peanut0.05Peanut oil, edible0.15Peas with pods (subgroup)1.5Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.22PopcornT0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Meat (mammalian) (in the fat) | 0.1 |
| Peaches (subgroup)1Peanut0.05Peanut oil, edible0.15Peas with pods (subgroup)1.5Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.22PopcornT0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Milks | *0.01 |
| Peanut0.05Peanut oil, edible0.15Peas with pods (subgroup)1.5Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.2PopcornT0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petiolesStem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Mustard seeds | T0.05 |
| Peanut oil, edible0.15Peanut oil, edible0.15Peas with pods (subgroup)1.5Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.2PopcornT0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Small seed oilseeds0.9Stalk and stem vegetables - stems and petioles15Stem brassicas0.55Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Peaches (subgroup) | 1 |
| Peas with pods (subgroup)1.5Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.2PopcornT0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petiolesStem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Peanut | 0.05 |
| Peppers, chili, dried5Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.2PopcornT0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Peanut oil, edible | 0.15 |
| Plums (including fresh prunes)0.6Pome fruits [except Persimmon, Japanese]T0.2PopcornT0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Peas with pods (subgroup) | 1.5 |
| Pome fruits [except Persimmon, Japanese]T0.2PopcornT0.02PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Small seed oilseeds0.9Stalk and stem vegetables - stems and petioles15Stem brassicas0.55Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Peppers, chili, dried | 5 |
| Japanese]T0.02PopcornT0.05PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]0.9Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Plums (including fresh prunes) | 0.6 |
| PotatoT0.05Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Small seed oilseedsStalk and stem vegetables - stems and petioles15Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | | T0.2 |
| Potato, dried0.5Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Small seed oilseedsStalk and stem vegetables - stems and petioles15Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Popcorn | T0.02 |
| Poultry, edible offal of*0.01Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]Small seed oilseeds0.9Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Potato | T0.05 |
| Poultry fats*0.01Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]0.9Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Potato, dried | 0.5 |
| Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]3Small seed oilseeds0.9Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Poultry, edible offal of | *0.01 |
| Poultry meat*0.01Prunes, dried1.5Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]3Small seed oilseeds0.9Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Poultry fats | *0.01 |
| Pulses0.4Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]0.9Small seed oilseeds0.9Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Poultry meat | *0.01 |
| Rape seed (canola)T0.07Root and tuber vegetables [except0.3potato]0.9Small seed oilseeds0.9Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Prunes, dried | 1.5 |
| Root and tuber vegetables [except potato]0.3Small seed oilseeds0.9Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Pulses | 0.4 |
| potato]0.9Small seed oilseeds0.9Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Rape seed (canola) | T0.07 |
| Stalk and stem vegetables - stems and petioles15Stem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | | 0.3 |
| petiolesStem brassicas0.5Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Small seed oilseeds | 0.9 |
| Strawberry2Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | • | 15 |
| Sunflower seeds (subgroup)0.5Sweet corn (corn-on-the-cob)0.03 | Stem brassicas | 0.5 |
| Sweet corn (corn-on-the-cob) 0.03 | Strawberry | _ |
| | Sunflower seeds (subgroup) | 0.5 |
| Tomato, dried 7 | Sweet corn (corn-on-the-cob) | 0.03 |
| | Tomato, dried | 7 |

Agvet chemical: Pymetrozine

| Permitted residue: Pymetrozine |
|---|
| All other foods except animal food commodities |
| Almonds |
| Beetroot |

| Almonds | *0.01 |
|---|-------|
| Beetroot | *0.02 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Broad bean (dry) | T0.02 |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Celery | 0.2 |
| Chinese cabbage (Pe-tsai) | 5 |
| Cotton seed | *0.02 |
| Cotton seed oil, edible | *0.02 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 1 |
| Fruiting vegetables, cucurbits | |

| Fruiting vegetables, other than cucurbits | 0.5 |
|---|-------|
| Fungi, edible (except mushrooms) | 0.5 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 5 |
| Lupin (dry) | T0.02 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Pistachio nut | *0.01 |
| Podded pea (young pods) (snow and sugar snap) | 0.3 |
| Potato | *0.02 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Stone fruits | *0.05 |
| Strawberry | T0.3 |
| Sweet corn (corn-on-the-cob) | *0.01 |

Agvet chemical: Pyraclofos

Permitted residue: Pyraclofos

| Sheep fat | 0.5 |
|--------------|-------|
| Sheep kidney | *0.01 |
| Sheep liver | *0.01 |
| Sheep muscle | *0.01 |
| | |

Agvet chemical: Pyraclostrobin

Permitted residue—commodities of plant origin: Pyraclostrobin

Permitted residue—commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin

| All other foods except animal food commodities | 0.05 |
|---|-------|
| Artichoke, globe | 2 |
| Avocado | 0.2 |
| Banana | *0.02 |
| Barley | 1 |
| Beans, podded [except common bean] | 0.3 |
| Berries and other small fruits [except | 3 |
| blackberries; blueberries; boysenberry; | |
| grapes] | |
| Blackberries | 4 |
| Blueberries | T5 |
| Boysenberry | 4 |
| Brassica leafy vegetables | Т3 |
| Broccoli, Chinese (Gai lan) | T1 |
| Brussels sprouts | 0.3 |
| Cabbages, head | 0.2 |
| Cereal grains [except barley; oats; rice; | *0.01 |
| rye; sweet corns; triticale; wheat] | |
| Celery | Т8 |
| Cherries | 3 |
| Chick-pea (dry) | T0.5 |
| Chives | 2 |
| Coffee beans | 0.3 |
| | |

0.02

| Common bean (pods and/or immature | 0.6 |
|--|----------------|
| seeds) | 0.0 |
| Common beans (succulent seeds) | 0.3 |
| Corn salad (lamb's lettuce) | 10 |
| Cress, garden | 10 |
| Custard apple | Т3 |
| Endive | 0.4 |
| Dried grapes | 5 |
| Dry beans | 0.3 |
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.05 |
| Fats (mammalian) | 0.5 |
| Flowerhead brassicas (including | 0.1 |
| broccoli; broccoli, Chinese (Gai lan); cauliflower) | |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than | 0.5 |
| cucurbits | 0.0 |
| Fungi, edible (except mushrooms) | 0.3 |
| Garlic | 0.3 |
| Grapes | 2 |
| Herbs | 2 |
| Hops, dry | 23 |
| Jujube, Chinese | T7 |
| Leek | 0.7 |
| Lemon | 0.7 |
| Lentil (dry) | 0.5 |
| Lettuce, head | 2 |
| Lettuce, leaf | 2 |
| Litchi | T2 |
| Mango | 0.6 |
| Meat (mammalian) (in the fat) | 0.5 |
| Milks | 0.03 |
| Mung bean (dry) Mushrooms | T0.2 0.3 |
| Oats | 0.3 |
| Oilseed [except peanut] | 0.4 |
| Olives for oil production | T0.3 |
| Olive oil, crude | T1 |
| Olive oil, virgin | 0.07 |
| Onion, bulb | 1.5 |
| Onion, Welsh | 1.5 |
| Oranges | 2 |
| Papaya (pawpaw) | T0.5 |
| Passionfruit | T1 |
| Peanut | 0.05 |
| Peas (dry) | 0.3 |
| Peas with pods | 0.3 |
| Peas without pods (succulent) | 0.08 |
| Pineapple | 0.3 |
| Pistachio nut | T1 |
| Pome fruits [except Persimmon, | 1 |
| Japanese] | TO 0 |
| Pomegranate | T0.3 |
| Poppy seed Poultry, edible offal of | *0.05 *0.05 |
| Poultry meat (in the fat) | *0.05 |
| i ouru y meat (in the lat) | 0.05 |

| Raspberries, red, black | 4 |
|--|-------|
| Rice | 1.5 |
| Rice, husked | 0.09 |
| Rice, polished | 0.03 |
| Root and tuber vegetables | 0.5 |
| Rucola | 10 |
| Rye | 0.2 |
| Shallot | 0.3 |
| Silvanberries | Т3 |
| Sorghum, grain | 0.5 |
| Spices | 0.1 |
| Spinach | 0.6 |
| Spring onion | 1.5 |
| Stone fruits [except jujube, Chinese] | 2.5 |
| Sugar cane | 0.08 |
| Sunflower seed | T0.3 |
| Sweet corns | 0.3 |
| Table olives | T0.3 |
| Tangelo, large-sized cultivars | 1 |
| Tangelo, small and medium sized cultivars | 1 |
| Tea, green, black | 6 |
| Tree nuts [except pistachio nut and walnut] | 0.07 |
| Triticale | 0.2 |
| Walnut | T0.01 |
| Wheat | 0.2 |
| Witloof chicory (sprouts) | 0.09 |

Agvet chemical: Pyraflufen-ethyl

Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5difluoromethoxy-1-methylpyrazol-3-yl)-4fluorophenoxyacetic acid) Almonds 0.01 Cereal grains [except sweet corns] *0.02 Cherries 0.01 Cotton seed *0.05 Edible offal (mammalian) *0.02 Eggs *0.02 *0.1 Hops, dry Meat (mammalian) *0.02 Milks *0.02 Poultry, edible offal of *0.02 Poultry meat *0.02 Pulses *0.02

Agvet chemical: Pyrasulfotole

Permitted residue: Sum of pyrasulfotole and (5hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesyl-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole

| Barley | 0.03 |
|--------------------------|------|
| Cereal bran, unprocessed | 0.03 |

| Cereal grains [except barley; oats; sorghum, grain; sweet corns (subgroup)] | *0.02 |
|---|-------|
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.02 |
| Mammalian fats (except milk fats) | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.01 |
| Oats | 0.15 |
| Poultry, edible offal of | 0.05 |
| Poultry fats | *0.02 |
| Poultry meat | *0.02 |
| Sorghum, grain | 0.5 |

Agvet chemical: Pyrethrins

Permitted residue: Sum of pyrethrins i and ii, Cinerinsi i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard

| All other foods except animal food | 0.2 |
|--|-------|
| commodities | |
| Cereal grains [except sweet corns] | 3 |
| Chives | 1 |
| Cucumber | T2 |
| Dried fruits | 1 |
| Dried vegetables | 1 |
| Edible offal (Mammalian) | *0.05 |
| Eggs | *0.05 |
| Fennel, leaf | 1 |
| Fruit | 1 |
| Fruiting vegetables, cucurbits [except | 0.2 |
| cucumber] | |
| Herbs | 1 |
| Meat (mammalian) (in the fat) | *0.05 |
| Milks | *0.05 |
| Oilseed | 1 |
| Olive oil, crude | Т3 |
| Palm nuts | 1 |
| Peanut | 1 |
| Peppers, chili, dried | 0.5 |
| Poultry, Edible offal of | *0.05 |
| Poultry, Meat (in the fat) | *0.05 |
| Tree nuts | 1 |
| Vegetables | 1 |

Agvet chemical: Pyridaben

| Permitted residue: Pyridaben | |
|---|-----|
| Banana | 0.5 |
| Cranberry | 0.5 |
| Citrus fruits [except kumquats] | 0.5 |
| Grapes | 5 |
| Hops, dry | 10 |
| Pome fruits [except Persimmon, Japanese] | 0.5 |
| Stone fruits | 0.5 |
| Strawberry | 1 |

| ree | nuts | |
|-----|------|--|
| | | |

T

Agvet chemical: Pyridate

Permitted residue: sum of pyridate and metabolites containing 6 chloro-4-hydroxyl-3-phenyl pyridazine, expressed as pyridate

T*0.05

| Chick-pea (dry) | *0.05 |
|--------------------------|-------|
| Edible offal (mammalian) | *0.2 |
| Eggs | *0.2 |
| Meat (mammalian) | *0.2 |
| Milks | *0.2 |
| Poultry, edible offal of | *0.2 |
| Poultry meat | *0.2 |
| | |

Agvet chemical: Pyrimethanil

Permitted residue: Pyrimethanil

| All other foods except animal food | 0.1 |
|---|-------|
| commodities | |
| Almond | 0.2 |
| Banana | 2 |
| Berries and other small fruits [except blueberries; grapes; strawberry] | 15 |
| Blueberries | 8 |
| Chives | 3 |
| Citrus fruits [except lemon] | 10 |
| Coriander (leaves) | 3 |
| Cucumber | 5 |
| Edible offal (mammalian) | *0.05 |
| Grapes | 5 |
| Herbs | 3 |
| Leafy vegetables [except broccoli, | Т5 |
| Chinese (Gai lan); lettuce, head; | |
| lettuce, leaf; witloof chicory] | |
| Lemon | 11 |
| Lettuce, head | 20 |
| Lettuce, leaf | 20 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Onion, bulb | 0.2 |
| Peppers, sweet | 1 |
| Podded pea (young pods) (snow and sugar snap) | T10 |
| Pome fruits [except Persimmon, | 15 |
| Japanese] | |
| Potato | 0.05 |
| Spices | 0.1 |
| Stone fruits [except jujube, Chinese] | 10 |
| Strawberry | 5 |
| Sweet potato | 0.05 |
| Tomato | 1 |
| | |

Agvet chemical: Pyriofenone

Permitted residue: Pyriofenone

All other foods

| Berries and other small fruit [except Cane berries; cloudberry; cranberry; strawberry] | 1.5 |
|--|-------|
| Cane berries | 0.9 |
| Cloudberry | 0.5 |
| Cranberry | 0.5 |
| Dried grapes (currants, raisins and sultanas) | 2.5 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.7 |
| Mammalian fats [except milk fats] | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Strawberry | 0.5 |

Agvet chemical: Pyriproxyfen

Permitted residue: Pyriproxyfen

| · · · · · · · · · · · · · · · · · · · | |
|--|--------|
| All other foods except animal food commodities | 0.1 |
| Almonds | 0.02 |
| Assorted tropical and sub-tropical fruits | 0.3 |
| inedible peel [except tamarillo (tree tomato)] | |
| Beans with pods | T0.3 |
| Blueberries | 1 |
| Brassica vegetables (except Brassica | T0.7 |
| leafy vegetables) [except Chinese cabbage (Pe-tsai)] | |
| Broccoli, Chinese (Gai lan) | T0.7 |
| Cane berries | 1 |
| Chervil | T5 |
| Chives | T5 |
| Citrus fruits | 0.5 |
| Coriander (leaves, roots, stems) | T5 |
| Cotton seed | *0.01 |
| Cotton seed oil, crude | *0.02 |
| Cranberry | 1 |
| Edible offal (mammalian) – | *0.02 |
| Eggs | 0.05 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits | 1 |
| Fungi, edible (except mushrooms) | 1 |
| Galangal, Greater | T*0.05 |
| Galangal, Lesser | T*0.05 |
| Grapes | 2.5 |
| Herbs | T5 |
| Lettuce, leaf | 5 |
| Macadamia nuts | *0.01 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Mizuna | T5 |
| Mushrooms | 1 |

| Olives for oil production | 1 |
|---------------------------------------|--------|
| Olive oil, crude | 3 |
| Peanut | 0.2 |
| Peppers, chili, dried) | 6 |
| Persimmon, Japanese | T0.2 |
| Poultry, edible offal of | 0.1 |
| Poultry meat (in the fat) | 0.1 |
| Rose and dianthus (edible flowers) | Т5 |
| Rucola (rocket) | Т5 |
| Stone fruits [except jujube, Chinese] | 1 |
| Strawberry | T0.5 |
| Sweet corns | 1 |
| Sweet potato | *0.05 |
| Table olives | 1 |
| Turmeric, root | T*0.05 |
| | |

Agvet chemical: Pyrithiobac sodium

Permitted residue: Pyrithiobac sodium

| Cotton seed | *0.02 |
|--------------------------|-------|
| Cotton seed oil, crude | *0.01 |
| Cotton seed oil, edible | *0.01 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| | |

Agvet chemical: Pyroxasulfone

Permitted residue—commodities of plant origin: Sum of pyroxasulfone and (5-difluoromethoxy-1methyl-3-trifluoromethyl-1H-pyrazol-4yl)methanesulfonic acid, expressed as pyroxasulfone Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1Hpyrazole-4-carboxylic acid, expressed as pyroxasulfone All other foods except animal food 0.01 commodities Cereal grains [except maize; popcorn *0.01 and sweet corns] *0.02 Edible offal (mammalian) Eggs *0.02 Maize 0.02 Meat (mammalian) *0.02 Milks *0.002 Peanut 0.3 0.015 Popcorn Potato 0.08 Poultry, edible offal of *0.02 Poultry meat *0.02 Pulses [except soya bean (dry)] *0.01 T*0.01 Safflower seed Soya bean (dry) 0.06 Soya bean oil 0.06

| Sunflower oil | 0.3 |
|--|-------|
| Sunflower seed | 0.3 |
| Sweet corn (corn-on-the-cob and kernels) | 0.015 |

Agvet chemical: Pyroxsulam

| Permitted residue: Pyroxsulam | |
|-------------------------------|--------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poppy seed | T*0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Triticale | *0.01 |
| Wheat | *0.01 |

Agvet chemical: Quinclorac

Permitted residue: Quinclorac

| · ···· · ··· · · · · · · · · · · · · · | |
|--|------|
| Barley | 2 |
| Blueberries | 0.08 |
| Cranberry | 1.5 |
| Rape seed (canola) | 1.5 |
| Rice | 10 |
| Rice, husked | 10 |
| Rice, polished | 8 |
| Wheat | 0.5 |
| | |

Agvet chemical: Quinoxyfen

Permitted residue: Quinoxyfen

| - | |
|---|-------|
| All other foods except animal food commodities | 0.02 |
| Barley | *0.01 |
| Chard (silver beet) | 3 |
| Cherries | 0.7 |
| Dried grapes | 2 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | 2 |
| Hops, dry | 3 |
| Meat (mammalian) (in the fat) | 0.1 |
| Milk fats | 0.2 |
| Milks | 0.01 |
| Peppers, chili, dried | 10 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Stone fruits [except jujube, Chinese] | 0.7 |
| Strawberry | T0.3 |
| Tea, green, black | *0.05 |

Agvet chemical: Quintozene

Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentacholorophenyl sulfide, expressed as quintozene

| sunde, expressed as quintozene | |
|---|-------|
| Beans, except broad bean and soya bean | 0.01 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.2 |
| Broad bean (green pods and immature seeds) | 0.01 |
| Broccoli, Chinese (Gai lan) | 0.2 |
| Common bean (dry) (navy bean) | 0.2 |
| Cotton seed | 0.03 |
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.03 |
| Lettuce, head | 0.3 |
| Lettuce, leaf | 0.3 |
| Meat (mammalian)(in the fat) | *0.2 |
| Milks | *0.02 |
| Peanut | 0.3 |
| Peppers, chili, dried | 0.1 |
| Potato | 0.2 |
| Poultry, Edible offal of | *0.1 |
| Poultry meat (in the fat) | *0.1 |
| Tomato | 0.1 |
| | |

Agvet chemical: Quizalofop-ethyl

Permitted residue: Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl

| 0.01 |
|--------|
| *0.02 |
| 0.02 |
| *0.01 |
| *0.02 |
| *0.05 |
| *0.02 |
| *0.02 |
| *0.05 |
| 0.2 |
| *0.02 |
| *0.02 |
| T*0.02 |
| *0.02 |
| *0.02 |
| 0.1 |
| T*0.02 |
| *0.02 |
| *0.02 |
| *0.05 |
| *0.01 |
| *0.05 |
| |

| Poultry meat | *0.05 |
|--------------------|-------|
| Pulses | 0.2 |
| Pumpkins | *0.02 |
| Radish | *0.02 |
| Rape seed (canola) | *0.02 |
| Sunflower seed | *0.05 |
| Tomato | *0.02 |
| | |

Agvet chemical: Quizalofop-p-tefuryl

| Permitted residue: Sum of quizalofop-p-tefuryl and |
|--|
| quizalofop acid, expressed as quizalofop-p-tefuryl |

| $1 \cdots 1 \cdots$ | |
|---|--------|
| All other foods except animal food commodities | 0.01 |
| Beetroot | 0.02 |
| Cabbages, head | *0.01 |
| Carrot | *0.02 |
| Cauliflower | *0.05 |
| Common bean (pods and/or immature seeds) | *0.02 |
| Cucumber | *0.02 |
| Currents, black, red, white | *0.05 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.02 |
| Grapes | *0.02 |
| Meat (mammalian) | *0.02 |
| Melons, except watermelon | *0.02 |
| Milks | 0.1 |
| Mustard seeds | T*0.02 |
| Onion, bulb | *0.02 |
| Peanut | *0.02 |
| Pineapple | *0.05 |
| Potato | *0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 0.2 |
| Pumpkins | *0.02 |
| Radish | *0.02 |
| Rape seed (canola) | *0.02 |
| Sunflower seed | *0.05 |
| Tomato | *0.02 |
| | |

Agvet chemical: Ractopamine

| | Permitted residue: | Ractopamine |
|--|--------------------|-------------|
|--|--------------------|-------------|

| Cattle fat | 0.01 |
|-----------------|------|
| Cattle kidney | 0.09 |
| Cattle liver | 0.04 |
| Cattle muscle | 0.01 |
| Pig fat | 0.05 |
| Pig kidney | 0.2 |
| Pig liver | 0.2 |
| Pig meat | 0.05 |
| Turkey kidney | 0.3 |
| Turkey liver | 0.3 |
| Turkey meat | 0.02 |
| Turkey fat/skin | 0.05 |

Agvet chemical: Rimsulfuron

| Permitted residue: Rimsulfuron | |
|--------------------------------|-------|
| Almonds | 0.01 |
| Blueberries | 0.02 |
| Cherries | 0.01 |
| Cranberry | 0.02 |
| Tomato | *0.05 |
| | |

Agvet chemical: Robenidine

| Permitted residue: Robenidine | |
|-------------------------------|------|
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |

Agvet chemical: Saflufenacil

Permitted residue—commodities of plant origin: Sum of saflufenacil, N'-{2-chloro-4-fluoro-5-[1,2,3,6tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2fluoro-5-({[(isopropylamino)sulfonyl]amino} carbonyl)phenyl]urea, expressed as saflufenacil equivalents

Permitted residue—commodities of animal origin: Saflufenacil

| Ganarenaen | |
|---|-------|
| All other foods except animal food | 0.03 |
| commodities | |
| Barley (desiccant use) | 1 |
| Cereal grains [except rice and sweet corns] | 0.2 |
| Cereal bran, unprocessed | 0.5 |
| Citrus fruits | *0.03 |
| Cotton seed | 0.2 |
| Edible offal (mammalian) | 7 |
| Eggs | *0.01 |
| Legume vegetables | *0.03 |
| Linseed | T0.5 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mustard seed | 0.6 |
| Oilseed [except cotton seed; linseed; mustard seed; rapeseed; sunflower seed] | *0.03 |
| Palm nuts | *0.03 |
| Peanut | *0.03 |
| Pome fruits | *0.03 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | 0.2 |
| Rapeseed | 0.6 |
| Rice | *0.01 |
| Sunflower seed | 0.7 |
| Sugar cane molasses | 1 |
| Tree nuts | *0.03 |
| Wheat (desiccant use) | 0.6 |
| | |

Agvet chemical: Salinomycin

Permitted residue: Salinomycin

| Cattle, edible offal of | 0.5 |
|--------------------------|-------|
| Cattle meat | *0.05 |
| Eggs | *0.02 |
| Pig, edible offal of | *0.1 |
| Pig meat | *0.1 |
| Poultry, edible offal of | 0.5 |
| Poultry meat | 0.1 |
| | |

Agvet chemical: Sedaxane

Permitted residue: Sedaxane, sum of isomers

| All other foods except animal food | 0.01 |
|------------------------------------|--------|
| commodifies | 0.01 |
| Beetroot | *0.01 |
| Beetroot leaves | *0.01 |
| Deelloot leaves | 0.01 |
| Cereal grains [except sweet corns] | *0.01 |
| Cotton seed | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poppy seed | T*0.01 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| | |

Agvet chemical: Semduramicin

| Permitted residue: Semduramicin | |
|---------------------------------|-------|
| Chicken fat/skin | 0.5 |
| Chicken kidney | 0.2 |
| Chicken liver | 0.5 |
| Chicken meat | *0.05 |

Agvet chemical: Sethoxydim

Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2ethylthiopropyl)cyclohexene-3-one and 5-(2ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim

| All other foods except animal food commodities | 0.1 |
|---|------|
| Almonds | 0.2 |
| Asparagus | 1 |
| Barley | *0.1 |
| Beans [except broad bean; soya bean] | T0.5 |
| Blueberries | 4 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Broad bean (green pods and immature seeds) | *0.1 |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Celery | 0.1 |

| Chia | T0.7 |
|---|--------|
| Chinese cabbage (Pe-tsai) | T0.5 |
| Chives, Chinese | T1 |
| Citrus fruits [except kumquats] | 0.5 |
| Cotton seed | 0.2 |
| Cranberry | 2.5 |
| Dried herbs [except hops, dry]} | Т5 |
| Dry beans (subgroup) [except lupin | 25 |
| (dry); soya bean (dry)] | |
| Edible offal (mammalian) | *0.05 |
| Egg plant | T0.1 |
| Eggs | *0.05 |
| Fennel, bulb | T1 |
| Fruiting vegetables, cucurbits | *0.1 |
| Garlic | 0.3 |
| Garlic chives | T1 |
| Hazelnut | T*0.03 |
| Hempseed | T0.5 |
| Herbs | T1 |
| Hops, dry | 0.5 |
| Leaft vegetables [except lettuce, head; | T1 |
| lettuce, leaf] | |
| Leek | 0.7 |
| Lettuce, head | 0.2 |
| Lettuce, leaf | 0.2 |
| Linseed | 0.5 |
| Lupin (dry) | 0.2 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Mustard seeds | T0.5 |
| Onion, bulb | 0.3 |
| Onion, Welsh | 0.7 |
| Peanut | 25 |
| Peas (pods and succulent, immature | T0.7 |
| seeds) | |
| Peppers | T2 |
| Poppy seed | 0.2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses [except dry beans (subgroup)] | *0.1 |
| Quinoa | T0.5 |
| Radicchio | T0.5 |
| Rape seed (canola) | 0.5 |
| Rhubarb | 0.1 |
| Root and tuber vegetables | 1 |
| Safflower seed | T0.5 |
| Sesame seed | T0.5 |
| Shallot | 0.7 |
| Spices | T5 |
| Spring onion | 0.7 |
| Stone fruits [except jujube, Chinese; | 0.2 |
| plum] | |
| Strawberry | 10 |
| Sunflower seed | *0.1 |
| Tomato | 0.1 |
| Wheat | *0.1 |

Agvet chemical: Simazine

Permitted residue: Simazine

| Fermilleu Tesidue. Simazine | |
|--|--------|
| Asparagus | *0.1 |
| Basil | T1 |
| Basil, dry | T5 |
| Broad bean (dry) | *0.01 |
| Broad bean (green pods and immature seeds) | *0.01 |
| Chick-pea (dry) | *0.05 |
| Chick-pea (green pods) | *0.05 |
| Citrus fruits [except kumquats] | 0.25 |
| Cranberry | 0.25 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Fruit [except citrus fruits] | *0.1 |
| Ginger root | *0.05 |
| Hazelnut | T*0.03 |
| Kumquats | *0.1 |
| Leek | *0.01 |
| Lupin (dry) | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.02 |
| Mustard seeds | T*0.02 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Rape seed (canola) | *0.02 |
| Tree nuts | *0.1 |
| | |

Agvet chemical: Spectinomycin

Permitted residue: Inhibitory substance, identified as spectinomycin

| Edible offal (mammalian) [except | *1 |
|--------------------------------------|----|
| sheep, edible offal of] | |
| Eggs | 2 |
| Meat (mammalian) [except sheep meat] | *1 |
| Poultry, edible offal of | *1 |
| Poultry meat | *1 |

Agvet chemical: Spinetoram

_

| Permitted residue: | Sum of Ethyl-spinosyn-J and |
|--------------------|-----------------------------|
| Ethyl-spinosyn-L | |

| All other foods except animal food commodities | 0.01 |
|---|------|
| | |
| Almonds | 0.1 |
| Assorted tropical and sub-tropical fruits – inedible peel [except pitaya (dragon fruit); tamarillo (tree tomato)] | 0.3 |
| Bayberry, red | T0.5 |
| Berries and other small fruits [except raspberries, red, black] | 0.5 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.2 |
| Broccoli, Chinese (Gai Ian) | 0.2 |
| Bulb vegetables (alliums) [except | |
| chives] | 0.1 |

| Cacao beans | *0.01 |
|---|--------|
| Carob | 0.1 |
| Celery | 6 |
| Cherries | 0.2 |
| Chinese cabbage (Pe-tsai) | 0.7 |
| Chives | 1 |
| Citrus fruits | 3 |
| Coffee beans | *0.01 |
| Coriander (leaves, roots, stems) | 5 |
| Coriander, seed | 5 |
| Cotton seed | *0.01 |
| Dill, seed | 5 |
| Dried grapes (currants, raisins and | 1 |
| sultanas) | |
| Edible offal (mammalian) – | 0.2 |
| Eggs | *0.01 |
| Fennel, bulb | 0.1 |
| Fennel, seed | 5 |
| Fig | T0.1 |
| Fruiting vegetables, cucurbits | 0.05 |
| Fruiting vegetables, other than | 0.1 |
| cucurbits Fungi, edible (except mushrooms) | 0.1 |
| Ginger, root | T0.02 |
| Ginger, Japanese | T1 |
| Herbs | 1 |
| Hops, dry | 22 |
| Kaffir lime leaves | 5 |
| Leafy vegetables [except broccoli, | 0.7 |
| Chinese (Gai lan); witloof chicory] | 0.7 |
| Legume vegetables | 0.2 |
| Lemon grass | 5 |
| Lemon verbena (dry leaves) | 5 |
| Maize cereals | *0.01 |
| Meat (mammalian) (in the fat) | 2 |
| Milk fats | 0.2 |
| Milks | 0.01 |
| Mizuna | 0.7 |
| Mushrooms | 0.1 |
| Mustard seeds | T*0.01 |
| Olives for oil production | T0.07 |
| Peaches (including nectarines and | 0.3 |
| apricots) | |
| Peanut | 0.04 |
| Peppers, chili, dried | 4 |
| Pitaya (dragon fruit) | 0.5 |
| Plums | 0.3 |
| Pome fruits | 0.1 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Pulses | 0.01 |
| Rape seed (canola) | *0.01 |
| Raspberries, red, black | 0.8 |
| Root and tuber vegetables | 0.02 |
| Sorghum grains and millet | T*0.01 |
| Stalk and stem vegetables [except | 2 |
| fennel, bulb; celery] | |

| Sweet corn (corn-on-the-cob) | *0.01 |
|------------------------------|-------|
| Table olives | T0.07 |
| Tea, green, black | 70 |
| Tree nuts [except almonds] | 0.02 |
| Turmeric, root | 0.02 |
| Witloof, chicory | 2 |

Agvet chemical: Spinosad

_

| 5 | |
|--|----------|
| Permitted residue: Sum of spinosyn A and D | spinosyn |
| All other foods except animal food commodities | 0.01 |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | 0.3 |
| Beans [except broad bean; soya bean] | 0.5 |
| Berries and other small fruits [except currents, black, red, white; grapes; raspberries, red, black] | 0.7 |
| Bergamot | 5 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Celery | 2 |
| Cereal grains [except sweet corns] | 1 |
| Chervil | 5 |
| Chinese cabbage (Pe-tsai) | 5 |
| Chives | 5 |
| Citrus fruits | 0.3 |
| Coffee beans | *0.01 |
| Coriander, seed | 5 |
| Cotton seed | *0.01 |
| Currants, black, red, white | 1.5 |
| Dill, seed | 5 |
| Edible offal (mammalian) | 0.5 |
| Eggs | 0.05 |
| Fennel, seed | 5 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits | 0.2 |
| Fungi, edible (except mushrooms) | 0.2 |
| Galangal, Greater | 0.02 |
| Grapes | 0.5 |
| Herbs | 5 |
| Hops, dry | 22 |
| Leafy vegetables [except broccoli, Chinese (Gai Ian); witloof chicory] | 5 |
| Lemon verbena (dry leaves) | 5 |
| Meat (mammalian) (in the fat) | 2 |
| Milk fats | 0.7 |
| Milks | 0.1 |
| Mushrooms | 0.2 |
| Peanut | 0.02 |
| Peas (pods and succulent, immature seeds) | 0.5 |
| Peppers, chili, dried | 3 |

| Pome fruits | 0.5 |
|--|--------|
| Potato | 0.1 |
| Poultry, edible offal of | 0.05 |
| Poultry meat (in the fat) | 0.5 |
| Pulses | 0.01 |
| Raspberries, red, black | 1.5 |
| Rhubarb | 2 |
| Root and tuber vegetables [except potato] | 0.02 |
| Stone fruits | 1 |
| Sweet corn (corn-on-the-cob) | 0.02 |
| Tree nuts | T*0.01 |
| Turmeric, root | 0.02 |
| Wheat bran, unprocessed | 2 |
| | |

Agvet chemical: Spirodiclofen

| Permitted residue: Spirodiclofen | |
|---------------------------------------|-----|
| Almonds | 0.1 |
| Citrus fruits [except kumquats] | 0.5 |
| Currants, black, red, white | 1 |
| Grapes | 2 |
| Hops, dry | 30 |
| Stone fruits [except jujube, Chinese] | 1 |

Agvet chemical: Spiromesifen

| Permitted residue: Sum of spiromesifen and 4- hydroxy-3-(2,4,6-trimethylphenyl)-1- oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen | |
|--|------|
| Cranberry | 2 |
| Peppers, chili, dried | 5 |
| Potato | 0.02 |
| Strawberry | 1 |
| Tea, green, black | 50 |
| | |

Agvet chemical: Spirotetramat

| Permitted residue: Sum of spirotetramat, and cis-3- (2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1- azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat | | cis-3- |
|--|--|--------|
| | All other foods except animal food commodities | 0.1 |
| | Almonds | 0.25 |
| | Banana | 0.3 |
| | Blueberries | 3 |
| | Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)]] | 7 |
| | Brassica leafy vegetables [except broccoli, Chinese (Gai lan)] | 10 |
| | Broccoli, Chinese (Gai lan) | 7 |
| | Brussels sprouts | 1 |
| | Bulb vegetables [except chives] | 0.5 |
| | Carrot | 0.04 |
| | Celery | 5 |
| | Chinese cabbage (Pe-tsai) | 5 |
| | | |

| Chives | 15 |
|--|--------|
| Citrus fruits | 1 |
| Cotton seed | 0.7 |
| Cranberry | 0.3 |
| Currants, black, red, white | 1.5 |
| Dried grapes | 4 |
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.02 |
| Fennel, bulb | 0.5 |
| Fig | T1 |
| Fruiting vegetables, cucurbits [except melons] | 2 |
| Fruiting vegetables, other than | 7 |
| cucurbits | |
| Fungi, edible (except mushrooms) | 7 |
| Grapes | 2 |
| Herbs | 15 |
| Hops, dry | 15 |
| Leafy vegetables [except brassica leafy vegetables; lettuce, head; lettuce, leaf; witloof chicory] | 5 |
| Legume vegetables | 2 |
| Lentil (dry) | T1 |
| Lettuce, head | 7 |
| Lettuce, leaf | 15 |
| Maize | T*0.02 |
| Mango | 0.3 |
| Meat (mammalian) | 0.02 |
| Melons, except watermelon | 0.5 |
| Milks | *0.005 |
| Mushrooms | 7 |
| Passionfruit | 0.5 |
| Peanut | *0.02 |
| Peppers, chili, dried | 15 |
| Pineapple | 0.3 |
| Pome fruits | 0.5 |
| Potato | 5 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Rhubarb | 5 |
| Sorghum, grain | T*0.02 |
| Soya bean (dry) | T5 |
| Stone fruits | 4.5 |
| Strawberry | 0.3 |
| Sugar beet | 0.06 |
| Sugar beet, molasses | 0.3 |
| Sweet corn (corn-on-the-cob) | 1 |
| Sweet potato | 5 |
| Tree nuts [except almonds] | 0.5 |
| Watermelon | 0.5 |
| | |

| Agvet chemical: Spiroxamine | |
|--|---------|
| Permitted residue—commodities of plant on Spiroxamine | igin: |
| Permitted residue—commodities of animal of Spiroxamine carboxylic acid, expressed as spiroxamine | origin: |
| All other foods except animal food commodities | 0.05 |
| Banana | T5 |
| Barley | 0.03 |
| Dried grapes | 3 |
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.02 |
| Grapes | 2 |
| Hops, dry | 50 |
| Mammalian fats [except milk fats] | 0.05 |
| Meat (mammalian) | 0.05 |
| Milks | 0.05 |
| Podded pea (young pods) (snow and sugar snap) | T0.6 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |

Agvet chemical: Streptomycin and Dihydrostreptomycin

Permitted residue: Inhibitory substance, identified as streptomycin or dihydrostreptomycin

| Edible offal (mammalian) | *0.3 |
|--------------------------|------|
| Meat (mammalian) | *0.3 |
| Milks | *0.2 |

Agvet chemical: Sulfosulfuron

Permitted residue: Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron

| Edible offal (mammalian) | *0.005 |
|--------------------------|--------|
| Eggs | *0.005 |
| Meat (mammalian) | *0.005 |
| Milks | *0.005 |
| Poultry, edible offal of | *0.005 |
| Poultry meat | *0.005 |
| Triticale | *0.01 |
| Wheat | *0.01 |

Agvet chemical: Sulfoxaflor

Permitted residue: Sulfoxaflor

| All other foods except animal food commodities | 0.01 |
|---|-------|
| Asparagus | 0.015 |
| Assorted tropical and sub-tropical fruits – inedible peel [except banana and pineapple] | 0.5 |
| Barley, similar grains, and pseudocereals with husks [except oats] | 0.2 |

| Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; Chinese cabbage (Pe-tsai)] | 3 |
|--|-------|
| Broccoli, Chinese (Gai lan) | 3 |
| Bush berries | 2 |
| Cane berries | 1.5 |
| Carob | 5 |
| Cauliflower | 0.1 |
| Celery | 1.5 |
| Cherries | 3 |
| Chinese cabbage (Pe-tsai) | 5 |
| Citrus fruits | 0.7 |
| Coffee bean | 0.3 |
| Cotton seed | 0.3 |
| Cranberry | 0.7 |
| Dry beans | 0.7 |
| Edible offal (mammalian) | 2 |
| Eggs | *0.01 |
| Elderberries | 2 |
| Fats (mammalian) | 0.2 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than | 1 |
| cucurbits | |
| Fungi, edible (except mushrooms) | 1 |
| Herbs | 20 |
| Leafy vegetables [except broccoli, | 5 |
| Chinese (Gai lan); lettuce, head; witloof | |
| chicory] Lettuce, head | 1 |
| | 0.7 |
| Meat (mammalian) Milks | 0.7 |
| Mushrooms | 0.3 |
| Mustard seeds | T0.15 |
| Oats | *0.01 |
| Peppers, chili, dried | 15 |
| Pineapple | 0.2 |
| Pome fruits | 0.2 |
| Potato | 0.01 |
| Poultry, edible offal of | 0.01 |
| Poultry meat | 0.02 |
| Rape seed (canola) | 0.15 |
| Rice | 0.13 |
| Rice, husked | 1.5 |
| Rice, polished | 1.0 |
| Root and tuber vegetables [except | 0.05 |
| potato] | 0.00 |
| Sorghum, grain | 0.2 |
| Sorghum grain and millet | 0.15 |
| Soya bean (dry) | 0.3 |
| Stone fruits [except cherries | 1 |
| (subgroup)] | |
| Strawberry | 0.7 |
| Table grapes | 2 |
| Tree nuts | 0.03 |
| Wheat, similar grains, and | 0.05 |
| pseudocereals without husks | |
| Wine grapes | *0.01 |
| | |

Agvet chemical: Sulfuryl fluoride

| Permitted residue: Sulfuryl fluoride | |
|--|------|
| All other foods except animal food commodities | 0.02 |
| Cereal grains [except sweet corns] | 0.05 |
| Dried fruits | 0.07 |
| Peanut | 15 |
| Tree nuts | 7 |
| | |

Agvet chemical: Sulphadiazine

Permitted residue: Sulphadiazine

| Cattle milk | 0.1 |
|--------------------------|--------|
| Edible offal (mammalian) | 0.1 |
| Eggs | T*0.02 |
| Meat (mammalian) | 0.1 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |

Agvet chemical: Sulphadimidine

Permitted residue: Sulphadimidine

| Meat (mammalian) | 0.1 |
|--|--------|
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.005 |
| Poultry, edible offal of [except turkey] | 0.1 |
| Poultry meat | 0.1 |
| Turkey, edible offal of | 0.2 |

Agvet chemical: Sulphadoxine

| Permitted residue: Sulphadoxine | |
|---------------------------------|------|
| Cattle milk | *0.1 |
| Edible offal (mammalian) | *0.1 |
| Meat (mammalian) | *0.1 |
| | |

Agvet chemical: Sulphaquinoxaline

Permitted residue: Sulphaquinoxaline

| Eggs | T*0.01 |
|--------------------------|--------|
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |

Agvet chemical: Sulphatroxozole

Permitted residue: Sulphatroxozole

| Cattle milk | 0.1 |
|--------------------------|-----|
| Edible offal (mammalian) | 0.1 |
| Meat (mammalian) | 0.1 |

Agvet chemical: Sulphur dioxide

| Permitted residue: Sulphur dioxide | |
|------------------------------------|-----|
| Blueberries | 10 |
| Longan, edible aril | 10 |
| Strawberry | Т30 |
| Table grapes | 10 |

Agvet chemical: Tebuconazole

_

| Permitted residue: Tebuconazole | |
|--|-------|
| All other foods except animal food commodities | 0.05 |
| Anise myrtle leaves (dried) | Т5 |
| Avocado | 0.2 |
| Banana | 0.2 |
| Barley | 1 |
| Beetroot | то.3 |
| Beetroot leaves | T2 |
| Bulb onions [except garlic] | 0.07 |
| Cane berries | 0.07 |
| Carrot | T0.5 |
| Cereal grains [except barley, oats; rice; | 0.2 |
| sweet corns] | 0.2 |
| Chard (silver beet) | T2 |
| Cherries | 5 |
| Chicory leaves | T2 |
| Citrus fruits [except mandarins | 0.2 |
| (subgroup); oranges, sweet, sour] | |
| Coffee bean | 0.4 |
| Cotton seed | 2 |
| Custard apple | 2 |
| Dried grapes (currants, raisins and | 7 |
| sultanas) | |
| Edible offal (mammalian) – | 0.5 |
| Eggs | 0.1 |
| Endive | T2 |
| Fennel, bulb | *0.01 |
| Fruiting vegetables, cucurbits | 0.5 |
| Garlic | T0.2 |
| Grapes | 6 |
| Green onions | 2 |
| Hops, dry | 40 |
| Legume vegetables | 0.5 |
| Lemon myrtle leaves (dried) | Т5 |
| Lettuce, head | 0.1 |
| Lettuce, leaf | 0.1 |
| Mandarins | 0.7 |
| Meat (mammalian) | 0.1 |
| Melons, except watermelon | 0.4 |
| Milks | 0.05 |
| Mustard seeds | 0.3 |
| Oats | 1 |
| Olives for oil production | 2 |
| Olive oil, crude | 5 |
| Orange oil, edible | 10 |
| Oranges, Sweet, Sour | 0.4 |
| Papaya (pawpaw) | 0.2 |
| Passionfruit | 0.5 |
| Peanut | 0.1 |
| Pear | 1 |
| Persimmon, American | 2 |
| Peppers, chili, dried | 10 |
| Peppers, sweet | 1 |
| | |

| Pome fruits [except pear] | *0.01 |
|--|--------|
| Pomegranate | T*0.01 |
| Poultry, edible offal of | 0.5 |
| Poultry meat | 0.1 |
| Prunes | T2 |
| Pulses [except soya bean (dry)] | 1 |
| Radish | T0.3 |
| Radish leaves | T2 |
| Rape seed (canola) | 0.3 |
| Rice | 1.5 |
| Soya bean (dry) | 0.1 |
| Spices [except peppers, chili, dried] | 1 |
| Spinach | T2 |
| Stone fruits [except cherries (subgroup)] | 1 |
| Strawberry | 2 |
| Sugar cane | 0.1 |
| Sunflower seed | 0.1 |
| Sunflower seed oil, edible | 0.2 |
| Sweet corn (corn-on-the-cob) | T0.7 |
| Table olives | 2 |
| Tomato | 0.5 |
| Tree nuts | 0.05 |

Agvet chemical: Tebufenozide

| Permitted residue: Tebufenozide | |
|--|-------|
| All other foods except animal food | 0.05 |
| commodities | |
| Avocado | 0.5 |
| Blueberries | 3 |
| Citrus fruits | 1 |
| Cranberry | 0.5 |
| Custard apple | 0.3 |
| Dried grapes | 4 |
| Edible offal (mammalian) | *0.02 |
| Grapes | 2 |
| Kiwifruit | 2 |
| Litchi | 2 |
| Longan | 2 |
| Macadamia nuts | 0.05 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.01 |
| Peppers, chili, dried | 10 |
| Pome fruits [except Persimmon, Japanese] | 1 |
| Raspberries, red, black | 3 |

Agvet chemical: Tebufenpyrad

Permitted residue: Tebufenpyrad

| All other foods except animal food commodities | 0.02 |
|--|-------|
| commodules | |
| Cucumber | *0.02 |
| Peach | 1 |
| Pome fruits [except Persimmon, Japanese] | 1 |
| | |

| Strawberry | 1 |
|-------------------|-----|
| Tea, green, black | 0.1 |

Agvet chemical: Tebuthiuron

Permitted residue: Sum of tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron

| Edible offal (mammalian) | 2 |
|--------------------------|-----|
| Meat (mammalian) | 0.5 |
| Milks | 0.2 |

Agvet chemical: Teflubenzuron

Permitted residue: Teflubenzuron

| Citrus fruits [except kumquats] | 0.5 |
|---------------------------------|------|
| Coffee beans | 0.3 |
| Maize | 0.1 |
| Soya bean (dry) | 0.05 |
| Sugar cane | 0.01 |
| | - |

Agvet chemical: Temephos

Permitted residue: Sum of temephos and temephos sulfoxide, expressed as temephos

| Cattle, edible offal of | T2 |
|--------------------------|-----|
| Cattle meat (in the fat) | T5 |
| Sheep, edible offal of | 0.5 |
| Sheep meat (in the fat) | 3 |
| | |

Agvet chemical: Terbacil

Permitted residue: Terbacil

| Apple | *0.04 |
|----------------|-------|
| Blueberries | 0.2 |
| Peach | *0.04 |
| Peppermint oil | *0.1 |
| | |

Agvet chemical: Terbufos

Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos

| - | |
|------------------------------------|-------|
| Banana | 0.05 |
| Cattle, edible offal of | *0.05 |
| Cattle meat | *0.05 |
| Cattle milk | *0.01 |
| Cereal grains [except sweet corns] | *0.01 |
| Eggs | *0.01 |
| Peanut | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Sunflower seed | *0.05 |
| Sweet corn (corn-on-the-cob) | *0.05 |
| | |

Agvet chemical: Terbuthylazine

| Permitted residue: Terbuthylazine | |
|------------------------------------|--------|
| Cereal grains [except sweet corns] | *0.01 |
| Cotton seed | 0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mustard seeds | T*0.02 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | *0.02 |
| Rape seed (canola) | *0.02 |
| Sugar cane | *0.01 |
| Sweet corn (corn-on-the-cob) | *0.01 |

Agvet chemical: Terbutryn

Permitted residue: Terbutryn

| Cereal grains [except sweet corns] | *0.1 |
|------------------------------------|-------|
| Edible offal (mammalian) | 3 |
| Eggs | *0.05 |
| Meat (mammalian) | 0.1 |
| Milks | 0.1 |
| Peas | *0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | 0.1 |
| Sugar cane | *0.05 |
| | |

Agvet chemical: Tetraconazole

Permitted residue: Tetraconazole

| Termilleu Tesiuue. Tellaconazoie | |
|--|-------|
| All other foods except animal food | 0.02 |
| commodities | |
| Berries and other small fruits [except | 0.2 |
| grapes] | |
| Edible offal (mammalian) | 0.2 |
| Grapes | 0.5 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Peanut | 0.03 |

Agvet chemical: Tetracycline

Permitted residue: Inhibitory substance, identified as tetracycline

| Milks | *0.1 |
|-------|------|
| | |

Agvet chemical: Tetraniliprole

| Permitted residue: Tetraniliprole | |
|---|-------|
| All other foods except animal food commodities | 0.02 |
| | |
| Almonds | 0.05 |
| Apricots, dried | 3 |
| Avocado | T0.2 |
| Banana | *0.01 |

| Cane berries | T0.5 |
|--------------------------------|--------|
| Cherries | 1 |
| Edible offal (mammalian) | 0.7 |
| Eggs | *0.01 |
| Fig | T0.5 |
| Grapes | 0.5 |
| Litchi | T0.5 |
| Macadamia nuts | *0.01 |
| Maize cereals | 0.02 |
| Mango | 0.1 |
| Meat (mammalian) [in the fat] | 0.1 |
| Milks | 0.1 |
| Milk fats | 0.2 |
| Pineapple | T*0.01 |
| Pome fruits | 0.5 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Prunes | 3 |
| Sorghum grain and millet | *0.01 |
| Stone fruits [except cherries] | 0.7 |
| Sweet corns | *0.01 |
| | |

Agvet chemical: Thiabendazole

Permitted residue—commodities of plant origin: Thiabendazole

Permitted residue—commodities of animal origin: Sum of thiabendazole and 5-hydroxylthiabendazole, expressed as thiabendazole

| All other foods except animal food | 0.03 |
|------------------------------------|------|
| commodities | |
| Apple | 10 |
| Banana | 3 |
| Citrus fruits | 10 |
| Edible offal (mammalian) | 0.2 |
| Mango | 7 |
| Meat (mammalian) | 0.2 |
| Milks | 0.05 |
| Mushrooms | 0.5 |
| Onion, bulb | 0.05 |
| Pear | 10 |
| Potato | 5 |
| Sweet potato | 9 |
| Taro | T50 |
| | |

Agvet chemical: Thiacloprid

Permitted residue: Thiacloprid

| All other foods except animal food commodities | 0.1 |
|---|-------|
| Chives | 5 |
| Coriander (leaves) | 5 |
| Cotton seed | 0.1 |
| Currants, black, red, white | 1 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Herbs | 5 |

| Meat (mammalian) | *0.02 |
|--------------------------|-------|
| Milks | *0.01 |
| Mustard seed | 0.5 |
| Peppers, chili | 1 |
| Peppers, sweet | 1 |
| Pome fruits | 1 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Raspberries, red, black | 6 |
| Spices | 0.1 |
| Stone fruits | 2 |
| Strawberry | 1 |
| Tea, green, black | 10 |
| | |

Agvet chemical: Thiamethoxam

See also Clothianidin

Permitted residue—commodities of plant origin: Thiamethoxam

Commodities of animal origin: Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'nitro-guanidine, expressed as Thiamethoxam

(Note: the metabolite clothianidin has separate MRLs)

| All other foods except animal food | T0.5 |
|--|-------|
| commodities | |
| Barley | 0.5 |
| Barley bran, processed | 1.5 |
| Beans [except broad bean; soya bean] | T0.2 |
| Berries and other small fruits [except grapes] | 0.5 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 3 |
| Broccoli, Chinese (Gai lan) | 3 |
| Celery | 1 |
| Cereal grains [except barley; maize; oats; rice; sorghum, grain; sweet corn (corn-on-the-cob); triticale; wheat] | *0.01 |
| Chinese cabbage (Pe-tsai) | 2 |
| Citrus fruits | 1 |
| Cotton seed | *0.02 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.02 |
| Fruiting vegetables, cucurbits | T1 |
| Fruiting vegetables, other than cucurbits | 0.7 |
| Fungi, edible (except mushrooms) | 0.7 |
| Grapes | 0.2 |
| Hops, dry | 0.1 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 2 |
| Maize | *0.02 |
| Mango | 0.07 |
| Meat (mammalian) | 0.07 |
| | |

| N 4:11 | 0.45 |
|-----------------------------------|--------|
| Milks | 0.15 |
| Mushrooms | 0.7 |
| Mustard seeds | T*0.01 |
| Oats | 0.5 |
| Peppers, chili, dried | 7 |
| Persimmon, Japanese | 0.6 |
| Podded pea (young pods) (snow and | 0.01 |
| sugar snap) | |
| Poultry, edible offal of | *0.02 |
| Poultry fats | *0.01 |
| Poultry meat | 0.03 |
| Pulses | *0.02 |
| Rape seed (canola) | *0.01 |
| Rice | 50 |
| Rice bran, unprocessed | 30 |
| Rice, husked | 5 |
| Rice, polished | 3 |
| Root and tuber vegetables | T0.7 |
| Sorghum, grain | 0.6 |
| Sorghum, sweet (sorgo) | 0.6 |
| Stone fruits | 0.5 |
| Sunflower seed | *0.02 |
| Sweet corn (corn-on-the-cob) | *0.02 |
| Tea, green, black | 20 |
| Triticale | 0.15 |
| Wheat | 0.15 |
| | |

Agvet chemical: Thidiazuron

| Permitted residue: Thidiazuron | |
|--------------------------------|-------|
| Cotton seed | *0.5 |
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| | |

Agvet chemical: Thiobencarb

| Rice *0. | 05 |
|----------|----|

Agvet chemical: Thiodicarb

Permitted residue: Sum of thiodicarb and methomyl, expressed as thiodicarb

| All other foods except animal food commodities | 0.1 |
|---|-------|
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 |
| Broccoli, Chinese (Gai lan) | 2 |
| Chia | T1 |
| Cotton seed | *0.1 |
| Cotton seed oil, crude | *0.1 |
| Edible offal (mammalian) | *0.05 |
| Maize | *0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Potato | 0.1 |
| | |

| Pulses | *0.1 |
|------------------------------|------|
| Sweet corn (corn-on-the-cob) | *0.1 |
| Tomato | 2 |

Agvet chemical: Thiophanate

see Carbendazim

Agvet chemical: Thiophanate-methyl

Permitted residue: Sum of thiophanate-methyl and 2-aminobenzimidazole,expressed as thiophanatemethyl

| All other foods except animal food | 0.1 |
|------------------------------------|------|
| commodities | |
| Almonds | 0.1 |
| Apricot | 15 |
| Cherries | 20 |
| Currants, black, red, white | *0.1 |
| Grapes | 5 |
| Mango | 2 |
| Nectarine | 3 |
| Peach | 3 |
| Peanut | 0.1 |
| Plums | 0.5 |
| Raspberries, red, black | *0.1 |
| Rhubarb | *0.1 |
| Strawberry | *0.1 |
| | |

Agvet chemical: Thiram

see Dithiocarbamates

Agvet chemical: Tiafenacil

Permitted residue—commodities of plant origin: Tiafenacil

Permitted residue—Sum of tiafenacil and 3-(2-(2chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl) phenylthio)propanamido)propanoic acid (M-01), expressed as tiafenacil

| Cereal grains [except sweet corns] | *0.01 |
|------------------------------------|-------|
| Cotton seed | *0.01 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Mustard seeds | *0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pulses | *0.01 |
| Rape seed (canola) | *0.01 |

Agvet chemical: Tiamulin

Permitted residue: Tiamulin

| Pig, edible offal of | *0.1 |
|----------------------|------|
| Pig meat | *0.1 |

| Poultry, edible offal of | *0.1 |
|--------------------------|------|
| Poultry meat | *0.1 |
| | |

Agvet chemical: Tilmicosin

Permitted residue: Tilmicosin

| Cattle, edible offal of | 1 |
|-------------------------|-------|
| Cattle meat | *0.05 |
| Pig, edible offal of | 1 |
| Pig meat | 0.05 |
| | |

Agvet chemical: Tioxazafen

Permitted residue: Sum of tioxazafen and benzamidine (benzenecarboximidamide), expressed as tioxazafen

| Cotton seed | *0.01 |
|--------------------------|-------|
| Edible offal (mammalian) | 0.03 |
| Eggs | *0.02 |
| Fats (mammalian) | 0.03 |
| Maize | *0.01 |
| Meat (mammalian) | 0.02 |
| Milks | 0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry fats | *0.02 |
| Poultry meat | *0.02 |
| Soya bean (dry) | 0.04 |
| | |

Agvet chemical: Tolclofos-methyl

Permitted residue: Tolclofos-methyl

| All other foods except animal food commodities | 0.02 |
|---|-------|
| Beetroot | *0.01 |
| Cotton seed | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Leafy greens [except chard; purslane; spinach] | 0.7 |
| Mammalian fats [except meat fats] | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Potato | 0.3 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |

Agvet chemical: Tolfenamic acid

| Cattle kidney | *0.01 |
|---------------|-------|
| Cattle liver | *0.01 |
| Cattle meat | 0.05 |
| Cattle milk | 0.05 |
| Pig kidney | *0.01 |
| Pig liver | 0.1 |
| Pig meat | *0.01 |

Agvet chemical: Tolfenpyrad

Permitted residue—commodities of plant origin: Tolfenpyrad

Permitted residue—commodities of animal origin: Sum of tolfenpyrad, and free and conjugated PT-CA (4-[4-[(4-chloro-3-ethyl-1-methylpyrazol-5-yl) carbonylaminomethyl] phenoxy] benzoic acid and OH-PT-CA (4-[4-[[4-chloro-3(1-hydroxyethyl)-1methylpyrazol-5-yl] carbonylaminomethyl] phenoxy] benzoic acid) (released with alkaline hydrolysis), expressed as tolfenpyrad

Dulle suiteres

| Bulb onions | 0.09 |
|--|-------|
| Citrus oil, edible | 80 |
| Edible offal (mammalian) | 0.4 |
| Eggs | *0.01 |
| Lemons and Limes | 0.9 |
| Mammalian fats [except milk fats] | *0.01 |
| Mandarins | 0.9 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Oranges, Sweet, Sour | 0.6 |
| Peppers [except martynia; okra; roselle] | 0.5 |
| Peppers, chili, dried | 5 |
| Potato | 0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Pummelos | 0.6 |

Agvet chemical: Toltrazuril

Permitted residue: Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril

| Cattle fat | 1 |
|--------------------------|-------|
| Cattle kidney | 1 |
| Cattle liver | 2 |
| Cattle muscle | 0.25 |
| Chicken, edible offal of | 5 |
| Chicken meat | 2 |
| Eggs | *0.03 |
| Pig, edible offal of | 2 |
| Pig meat (in the fat) | 1 |
| | |

Agvet chemical: Topramezone

Permitted residue: Topramezone

| · · · · · · · · · · · · · · · · · · · | |
|---------------------------------------|--------|
| Barley | *0.01 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.001 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Wheat | *0.01 |

| Agvet chemical: Tralkoxydim | |
|--|---------|
| Permitted residue: Tralkoxydim | |
| Cereal grains [except sweet corns] | *0.02 |
| | |
| Agvet chemical: Trenbolone acetate | |
| Permitted residue: Sum of trenbolone acetate and 17 Alpha- and 17 Beta-trenbolone, both free and conjugated, expressed as trenbolone | |
| conjugated, expressed as trenbolone | ree and |
| conjugated, expressed as trenbolone Cattle, edible offal of | 0.01 |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |

Agvet chemical: Triadimefon

Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon

see also Triadimenol

| All other foods except animal food commodities | 0.05 |
|--|-------|
| Apple | T1 |
| Cereal grains [except sweet corns] | 0.5 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.1 |
| Field pea (dry) | 0.1 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits | 0.2 |
| Fungi, edible (except mushrooms) | 0.2 |
| Garden pea, shelled (succulent seeds) | 0.1 |
| Garden pea (young pods, succulent | 0.1 |
| seeds) | |
| Grapes | 1 |
| Fats (mammalian) | *0.25 |
| Meat (mammalian) | *0.05 |
| Milks | *0.1 |
| Mushrooms | 0.2 |
| Peppers, chili, dried | 5 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Strawberry | 0.5 |
| Sugar cane | *0.05 |
| Sweet corns | 0.2 |
| Tea, green, black | 0.2 |
| | |

Agvet chemical: Triadimenol

Permitted residue: Triadimenol

| see also <i>Triadimefon</i> | |
|--|------|
| All other foods except animal food | 0.05 |
| commodities | |
| Anise myrtle leaves (dried) | 0.05 |
| Berries and other small fruits [except | T0.5 |
| grapes; riberry; strawberry] | |
| Brassica vegetables (except Brassica | 1 |
| leafy vegetables) [except Chinese | |
| cabbage (Pe-tsai)] | |
| Broccoli, Chinese (Gai Ian) | 1 |

| Cereal grains [except sorghum, grain; sweet corns] | *0.01 |
|---|-------|
| Cherries | 0.1 |
| Chives | T3 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than cucurbits | 1 |
| Fungi, edible (except mushrooms) | 1 |
| Grapes | 0.5 |
| Leek | Т3 |
| Lemon myrtle leaves (dried) | 0.05 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mushrooms | 1 |
| Onion, bulb | 0.05 |
| Onion, Chinese | Т3 |
| Onion, Welsh | Т3 |
| Papaya (pawpaw) | 0.2 |
| Parsnip | 0.2 |
| Peppers, chili, dried | 5 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Radish | 0.2 |
| Riberry | 0.3 |
| Shallot | Т3 |
| Sorghum, grain | 0.5 |
| Spring onion | Т3 |
| Strawberry | 0.5 |
| Sugar cane | *0.05 |
| Swede | 0.2 |
| Sweet corns | 1 |
| Tea, green, black | 0.2 |
| Turnip, garden | 0.2 |

Agvet chemical: Triallate

Permitted residue: Sum of triallate and 2,3,3trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate

| • | |
|---|-------|
| Cereal grains [except sweet corns] | *0.05 |
| Edible offal (mammalian) [except | *0.1 |
| kidney] | |
| Eggs | *0.01 |
| Fats (mammalian) | 0.2 |
| Kidney of cattle, goats, pigs and sheep | 0.2 |
| Legume vegetables | *0.05 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Oilseed | 0.1 |
| Palm nuts | 0.1 |
| Peanut | 0.1 |
| Poultry, edible offal of | 0.2 |
| Poultry fats | 0.2 |
| Poultry meat | *0.1 |
| Pulses | 0.1 |
| | |

Agvet chemical: Triasulfuron

| Permitted residue: Triasulfuron | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.02 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |

*0.01

0.1

Agvet chemical: Triazophos

Milks

| Permitted residue: | Triazophos | |
|--------------------|------------|--|
| Coriander, seed | | |

Agvet chemical: Tribenuron-methyl

Permitted residue: Tribenuron-methyl

| Barley | *0.01 |
|--------------------------|-------|
| Chick-pea (dry) | *0.01 |
| Cotton seed | *0.05 |
| Edible offal (mammalian) | *0.01 |
| Maize | *0.05 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mung bean (dry) | *0.01 |
| Oats | *0.01 |
| Rape seed (canola) | *0.01 |
| Sorghum, grain | *0.01 |
| Soya bean (dry) | *0.01 |
| Sunflower seed | *0.01 |
| Wheat | *0.01 |
| | |

Agvet chemical: Trichlorfon

Permitted residue: Trichlorfon

| Achachairu | Т3 |
|--|------|
| All other foods except animal food commodities | 0.05 |
| Assorted tropical and sub-tropical fruits – edible peel | Т3 |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | Т3 |
| Babaco | Т3 |
| Beetroot | 0.2 |
| Berries and other small fruits | T2 |
| Brussels sprouts | 0.2 |
| Cape gooseberry (ground cherry) | T0.5 |
| Cattle, edible offal of | 0.1 |
| Cattle fat | 0.1 |
| Cattle meat | 0.1 |
| Cauliflower | 0.2 |
| Celery | 0.2 |
| Cereal grains [except sweet corn (corn- on-the-cob)] | 0.1 |
| Dried fruits | 2 |
| Egg plant | T0.5 |

| Eggs | *0.05 |
|---|--------|
| Fish muscle | T*0.01 |
| Fruit [except as otherwise listed under this chemical] | T0.1 |
| Goat, edible offal of | 0.1 |
| Goat meat | 0.1 |
| Kumquats | Т3 |
| Loquat | Т3 |
| Macadamia nuts | 0.1 |
| Medlar | Т3 |
| Milks | *0.05 |
| Miracle fruit | Т3 |
| Oilseed [except peanut] | 0.1 |
| Pepino | T5 |
| Peppers | 0.2 |
| Persimmon, Japanese | Т3 |
| Pig, edible offal of | 0.1 |
| Pig fat | 0.1 |
| Pig meat | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses [except soya bean (dry)] | 0.2 |
| Quince | Т3 |
| Rollinia | Т3 |
| Shaddock (pomelo) | Т3 |
| Soya bean (dry) | 0.1 |
| Stone fruits | Т3 |
| Sugar cane | *0.05 |
| Sweet corn (corn-on-the-cob) | 0.2 |
| Tamarillo (tree tomato) | Т3 |
| Thai egg plant | T0.5 |
| Vegetables [except as otherwise listed under this chemical] | 0.1 |

Agvet chemical: Triclabendazole

Permitted residue: Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents

| Fats (mammalian) | 1 |
|--------------------|------|
| Kidney (mammalian) | 1 |
| Liver (mammalian) | 2 |
| Meat (mammalian) | 0.5 |
| Milks | 0.01 |

Agvet chemical: Triclopyr

Permitted residue: Triclopyr

| Cattle, edible offal of | 5 |
|---------------------------------|-------|
| Cattle meat (in the fat) | 0.2 |
| Citrus fruits [except kumquats] | 0.2 |
| Goat, edible offal of | 5 |
| Goat meat (in the fat) | 0.2 |
| Litchi | 0.1 |
| Milks (in the fat) | 0.1 |
| Poppy seed | *0.01 |
| Sheep, edible offal of | 5 |
| | |

| Sheep meat (in the fat) | 0.2 |
|-------------------------------|------|
| | |
| Agvet chemical: Tridemorph | |
| Permitted residue: Tridemorph | |
| Tea, green, black | 0.05 |

Agvet chemical: Trifloxystrobin

| Permitted residue: Sum of trifloxystrobin and metabolite ((E,E)-methoxyimino-[2-[1-(3- trifluoromethylphenyl)-ethylideneaminooxym phenyl] acetic acid), expressed as trifloxystro equivalents | ethyl] |
|---|-------------|
| All other foods except animal food commodities | 0.05 |
| Almonds | 0.05 |
| Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)] | 2 |
| Banana | 0.5 |
| Barley | 0.5 |
| Beans (except broad bean and soya bean) | 0.06 |
| Beans with pods [except beans (except broad bean and soya bean); common bean (pods and/or immature seeds)] | 0.5 |
| Beetroot | T0.5 |
| Beetroot leaves | T10 |
| Broccoli | 2 |
| Bush berries | 3 |
| Cane berries | 3 |
| Carrot | 0.1 |
| Cauliflower | 2 |
| Celery | T5 |
| Chard (silver beet) | T10 |
| Chicory leaves | T10 |
| Common bean (pods and/or immature seeds) | 0.4 |
| Cotton seed | *0.04 |
| Corn salad | 15 |
| Cucumber | 0.5 |
| Dried grapes | 2 |
| Edible offal (mammalian) | 0.09 |
| Eggs | *0.04 |
| Endive | T10 |
| Grapefruit | 0.6 |
| Grapes | 3 |
| Hazelnuts | T0.1 |
| Hops, dry | 11 |
| Lemon | 0.6 |
| Lettuce, head | 15 |
| Lettuce, leaf | 15 |
| Linseed | 0.4 |
| Maize | 0.05 |
| Mammalian fats (except milk fats) | 0.07 |
| Meat (mammalian) (in the fat) | 0.07 0.5 |
| Melons, except watermelon | 0.5 |

| Milks | *0.02 |
|-----------------------------------|--------|
| Mustard seeds | T*0.02 |
| Oranges | 0.6 |
| Peanut | 0.05 |
| Peanut oil, crude | 0.05 |
| Peas with pods (subgroup) | 1.5 |
| Peppers, sweet, chili | 0.5 |
| Persimmon, Japanese | 1.5 |
| Pistachio nut | 0.04 |
| Podded pea (young pods) (snow and | 0.06 |
| sugar snap) | |
| Pome fruits [except Persimmon, | 0.7 |
| Japanese] | 0.05 |
| Popcorn | 0.05 |
| Poultry, edible offal of | *0.04 |
| Poultry meat (in the fat) | *0.04 |
| Rape seed (canola) | *0.02 |
| Rice | 5 |
| Spinach | T10 |
| Stone fruits | 5 |
| Strawberry | 2 |
| Sugar beet | 0.1 |
| Sweet corn (corn-on-the-cob) | 0.04 |
| Tomato | 0.7 |
| Walnuts | 0.04 |
| Wheat | 0.2 |

Agvet chemical: Trifloxysulfuron sodium

Permitted residue: Trifloxysulfuron

| · · · · · · · · · · · · · · · · · · · | |
|---------------------------------------|-------|
| Cotton seed | *0.01 |
| Cotton seed oil, crude | *0.01 |
| Cotton seed oil, edible | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Sugar cane | *0.01 |
| | |

Agvet chemical: Trifludimoxazin

Permitted residue: Trifludimoxazin

| Barley | *0.01 |
|--------------------------|--------|
| Broad bean (dry) | *0.01 |
| Chick-pea (dry) | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Field pea (dry) | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.001 |
| Oats | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Triticale | *0.01 |
| Wheat | *0.01 |
| | |

Agvet chemical: Triflumezopyrim

Permitted residue—commodities of plant origin: Triflumezopyrim

Permitted residue—commodities of animal origin: Triflumezopyrim

| Rice | 0.2 |
|------|-----|
|------|-----|

Agvet chemical: Triflumizole

Permitted residue: Sum of triflumizole and (E)-4-
chloro-a, a, a-trifluoro- N-(1-amino-2-
propoxyethylidene)-o-toluidine, expressed as
triflumizoleCherries1.5Grapes2.5

| Grapes | 2.5 |
|-----------|-----|
| Hops, dry | 50 |
| | |

Agvet chemical: Triflumuron

Permitted residue: Triflumuron

| Cereal grains [except sweet corns] | *0.05 |
|-------------------------------------|-------|
| Edible offal (mammalian) [except | *0.05 |
| sheep, edible offal of] | |
| Eggs | 0.01 |
| Hops, dry | 50 |
| Meat (mammalian) [except sheep meat | *0.05 |
| (in the fat)] | |
| Milks | *0.05 |
| Mushrooms | 0.1 |
| Palm nuts | *0.05 |
| Peanut | *0.05 |
| Poultry, edible offal of | 0.01 |
| Poultry meat (in the fat) | 0.1 |
| Sheep, edible offal of | 0.1 |
| Sheep meat (in the fat) | 2 |
| | |

Agvet chemical: Trifluralin

Permitted residue: Trifluralin

| Adzuki bean (dry) | *0.05 |
|---|--------|
| All other foods except animal food commodities | 0.01 |
| commodiado | |
| Almonds | 0.05 |
| Bergamot | T*0.05 |
| Broad bean (dry) | *0.05 |
| Carrot | 0.5 |
| Cereal grains [except sweet corns] | *0.05 |
| Chick-pea (dry) | *0.05 |
| Chives | T*0.05 |
| Coriander (leaves, roots, stems) | *0.05 |
| Coriander, seed | *0.05 |
| Cowpea (dry) | *0.05 |
| Dill, seed | *0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| | |

| Fennel, bulb | T0.5 |
|---|--------|
| Fennel, seed | *0.05 |
| Fruit | *0.05 |
| Galangal, Greater | 0.5 |
| Herbs | *0.05 |
| Hyacinth bean (dry) | *0.05 |
| Lemon verbena (fresh weight) | *0.05 |
| Lupin (dry) | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Mizuna | *0.05 |
| Mung bean (dry) | *0.05 |
| Oilseed | *0.05 |
| Parsnip | 0.5 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Rose and dianthus (edible flowers) | *0.05 |
| Shrimps and Prawns | T0.001 |
| Sugar cane | *0.05 |
| Sweet corns | 0.05 |
| Tea, green, black | *0.05 |
| Turmeric, root (fresh) | 0.5 |
| Vegetables [except as otherwise listed under this chemical] | 0.05 |

Agvet chemical: Triforine

| Permitted residue: Triforine | |
|---|----|
| Pome fruits [except Persimmon, Japanese] | 1 |
| Stone fruits [except jujube, Chinese] | 10 |

Agvet chemical: Trimethoprim

Permitted residue: Trimethoprim

| Cattle milk | 0.05 |
|--------------------------|-------|
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Meat (mammalian) | 0.05 |
| Poultry, edible offal of | 0.05 |
| Poultry meat | 0.05 |
| | |

Agvet chemical: Trinexapac-ethyl

Permitted residue: Trinexapac acid

| remilleu residue. Timexapac aciu | |
|---|--------|
| All other foods except animal food commodities | 0.02 |
| Barley bran, processed | 4 |
| Bran, unprocessed of cereal grains [except rice bran, unprocessed; wheat bran, unprocessed] | 0.5 |
| Cereal grains [except rice; rye; sweet corns (subgroup)] | 0.2 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.02 |
| Milks | *0.005 |
| Poppy seed | 20 |
| | |

| Poultry, edible offal of | *0.01 |
|--------------------------|-------|
| Poultry meat | *0.01 |
| Rice | 0.5 |
| Rice bran, unprocessed | 3 |
| Rice, polished | 0.7 |
| Rye | 3 |
| Sugar cane | 0.1 |
| Wheat bran, unprocessed | 5 |

Agvet chemical: Triticonazole

Permitted residue: Triticonazole

| Cereal grains [except sweet corns] | *0.05 |
|------------------------------------|-------|
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| | |

Agvet chemical: Tulathromycin

Permitted residue: Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethylamino)-ß-Dxylohexopyranosyl]oxy]-1-oxa-6azacyclopentadecan-15-one, expressed as tulathromycin equivalents

| Cattle fat | 0.1 |
|---------------|-------|
| Cattle kidney | 1 |
| Cattle liver | 3 |
| Cattle muscle | 0.1 |
| Pig fat/skin | 0.3 |
| Pig kidney | 3 |
| Pig liver | 2 |
| Pig muscle | 0.5 |
| Sheep fat | *0.05 |
| Sheep kidney | 0.3 |
| Sheep liver | 1 |
| Sheep muscle | 0.15 |
| | |

Agvet chemical: Tylosin

Permitted residue: Tylosin A

| - | |
|--------------------------|-------|
| Cattle, edible offal of | *0.1 |
| Cattle meat | *0.1 |
| Eggs | *0.2 |
| Milks | *0.05 |
| Pig, edible offal of | *0.2 |
| Pig fat | *0.1 |
| Pig meat | *0.2 |
| Poultry, edible offal of | *0.2 |
| Poultry fats | *0.1 |
| Poultry meat | *0.2 |

Agvet chemical: Uniconazole-p

Permitted residue: Sum of uniconazole-p and its Zisomer expressed as uniconazole-p

| Avocado 0.5 Carrot T*0.01 Custard apple T*0.01 Poppy seed *0.01 Walnuts T*0.01 | | |
|--|---------------|--------|
| Custard appleT*0.01Poppy seed*0.01 | Avocado | 0.5 |
| Poppy seed *0.01 | Carrot | T*0.01 |
| | Custard apple | T*0.01 |
| Walnuts T*0.01 | Poppy seed | *0.01 |
| | Walnuts | T*0.01 |

Agvet chemical: Valifenalate

| Permitted residue: Valife | lifenala | ate |
|---------------------------|----------|-----|
|---------------------------|----------|-----|

| Edible offal (mammalian) | *0.01 |
|-----------------------------------|-------|
| Eggplant | 0.4 |
| Eggs | *0.01 |
| Table grapes | 0.3 |
| Mammalian fats [except milk fats] | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Onion, bulb | 0.5 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Shallot | 0.5 |
| Tomato | 0.4 |
| | |

Agvet chemical: Virginiamycin

Permitted residue: Inhibitory substance, identified as virginiamycin

| Cattle, edible offal of | 0.2 |
|--------------------------|------|
| Cattle fat | 0.2 |
| Cattle milk | 0.1 |
| Cattle meat | *0.1 |
| Poultry, edible offal of | 0.2 |
| Poultry fats | 0.2 |
| Poultry meat | 0.1 |
| Sheep, edible offal of | 0.2 |
| Sheep meat | 0.1 |
| | |

Agvet chemical: Warfarin

| Permitted residue: Wartarin | |
|----------------------------------|--------|
| Pig, edible offal [except liver] | T0.007 |
| Pig fat | T0.007 |
| Pig liver | T0.04 |
| Pig meat | T0.007 |

Agvet chemical: Zeranol

Permitted residue: Zeranol

| Cattle, edible offal of | 0.02 |
|-------------------------|-------|
| Cattle meat | 0.005 |

Agvet chemical: Zeta-cypermethrin

see Cypermethrin

Agvet chemical: Zetacypermethrin

see Cypermethrin

Agvet chemical: Zinc phosphide

See Phosphine

Agvet chemical: Zineb

See Dithiocarbamates

Agvet chemical: Ziram

See Dithiocarbamates

Agvet chemical: Zoxamide

Permitted residue: Zoxamide

| Grapes 5 |
|----------|
|----------|

Flutianil

| Permitted residue: Flutianil | |
|------------------------------|------|
| Apple | 0.15 |
| Cherries (subgroup) | 0.4 |
| Small fruit vine climbing | 0.7 |

Isoprothiolane

Permitted residue — commodities of plant origin: isoprothiolane

Permitted residue — commodities of animal origin: sum of isoprothiolane and 2-(1,3-dithiolan-2-ylidene)-3-oxo-3-(propan-2-yloxy)propanoic acid (M-2), expressed as isoprothiolane

Banana

Pyraziflumid

Permitted residue — commodities of plant origin: pyraziflumid

Permitted residue — commodities of animal origin: pyraziflumid and its pyraziflumid-4'-OH metabolite (free), expressed as pyraziflumid

| Dried grapes (currants; raisins; sultanas) | 6 |
|--|-----|
| Grapes | 3 |
| Pome fruits | 1.5 |

Spiropidion

Permitted residue — commodities of plant origin: sum of spiropidion and spiropidion-enol (SYN547305) expressed as spiropidion

Permitted residue — commodities of animal origin: spiropidionenol (SYN547305) expressed as spiropidion

| Cucumber | 0.8 |
|--|--------|
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.012 |
| Fruiting vegetables, cucurbits – melons, | 0.9 |
| pumpkins and winter squashes | |
| Mammalian fats (except milk fats) | 0.025 |
| Meat (mammalian) | *0.012 |
| Milks | *0.012 |
| Peppers (subgroup) | 1 |
| Peppers, chili, dried | 7 |
| Potato | 1.5 |
| Potato, flakes/granules | 5 |
| Poultry, edible offal of | *0.012 |
| Poultry fats | *0.012 |
| Poultry meat | *0.012 |
| Soya bean (dry) | 3 |
| Soya flour | 5 |
| Tomato | 0.8 |
| Tomato, dried | 7 |
| Tomato, puree | 1.5 |
| | |

1

Amendment History

The Amendment History provides information about each amendment to the Schedule. The information includes commencement or cessation information for relevant amendments.

These amendments are made under section 92 of the *Food Standards Australia New Zealand Act 1991* unless otherwise indicated. Amendments do not have a specific date for cessation unless indicated as such.

About this compilation

This is compilation No. 77 of Schedule 20 as in force on **16 April 2024** (up to Amendment No. 226/APVMA 8). It includes any commenced amendment affecting the compilation to that date.

Prepared by the Office of Parliamentary Counsel, Canberra.

Uncommenced amendments or provisions ceasing to have effect.

To assist stakeholders, the effect of any uncommenced amendments or provisions which will cease to have effect, may be reflected in the Schedule as shaded boxed text with the relevant commencement or cessation date. These amendments will be reflected in a compilation registered on the Federal Register of Legislation including or omitting those amendments and provided in the Amendment History once the date is passed.

The following abbreviations may be used in the table below:

| ad = added or inserted | am = amended |
|--|---|
| C[x] = Compilation No. x | ed = editorial change |
| exp = expired or ceased to have effect | (md not Incorp) = misdescribed amendment cannot |
| | be given effect. |
| rep = repealed | rs = repealed and substituted |
| | |

Schedule 20 was published in the Food Standards Gazette No. FSC96 on 10 April 2015 as part of Amendment 154 (F2015L00468 --- 1 April 2015) and has since been amended as follows:

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|---------------------|------------------|---|-----------------------------|-----------------|---|
| Std heading | 161 | F2016L00118 17 Feb 2016 FSC103 22 Feb 2016 | 1 March 2016 | am | Remove number from Note. |
| 2(b), (c) | 166 | F2017L00026 5 Jan 2017 FSC108 12 Jan 2017 | 12 Jan 2017 | am, ad | Insert new paragraph (c) with consequential formatting amendment to paragraph (b). |
| table to S20—3 | 161 | F2016L00118 17 Feb 2016 FSC103 22 Feb 2016 | 1 March 2016 | rs | Table. |
| table to S20—3 | APVMA 1, 2016 | F2016L00141 24 Feb 2016 APVMA Special 1 March 2016 | 1 March 2016 | am | Abamectin, Azoxystrobin, Chlorothalonil, Clothianidin, Cyazofamid, Dithiocarbamates, Flumioxazin, Imidacloprid, Methabenzthiazuron, Propachlor, Pymetrozine, Spinetoram, Tebuconazole and Trichlorfon. |

| Section | A'ment | FRL | Commencement | How | Description of amendment |
|-------------------|------------------|---|--------------|----------|---|
| affected | No. | registration Gazette | (Cessation) | affected | |
| table to S20—3 | APVMA 2, 2016 | F2016L00247 8 March 2016 APVMA 5 8 March 2016 | 8 March 2016 | ad | Oxathiapiprolin. |
| table to S20—3 | APVMA 2, 2016 | F2016L00247 8 March 2016 APVMA 5 8 March 2016 | 8 March 2016 | am | Aminoethoxyvinyl-glycine, Chlorantraniliprole, Difenoconazole, Etoxazole, Flumioxazin, Glyphosate, Prochloraz, Propiconazole, Sethoxydim, Spirotetramat and Triclabendazole. |
| table to S20—3 | APVMA 3, 2016 | F2016L00489 5 April 2016 APVMA 7 5 April 2016 | 5 April 2016 | am | Permitted residue for Abamectin. |
| table to S20—3 | APVMA 3, 2016 | F2016L00489 5 April 2016 APVMA 7 5 April 2016 | 5 April 2016 | am | Abamectin and Sethoxydim. |
| table to S20—3 | APVMA 4, 2016 | F2016L00616 2 May 2016 APVMA 9 3 May 2016 | 3 May 2016 | ad | Decoquinate. |
| table to S20—3 | APVMA 4, 2016 | F2016L00616 2 May 2016 APVMA 9 3 May 2016 | 3 May 2016 | am | Azoxystrobin, Bifenthrin, Cyproconazole, Difenoconazole, Ethephon, Etoxazole, Maldison and Spinetoram. |
| table to S20—3 | 163 | F2016L00788 12 May 2016 FSC105 19 May 2016 | 19 May 2016 | am | Permitted residue for Clethodim. |
| table to S20—3 | 163 | F2016L00788 12 May 2016 FSC105 19 May 2016 | 19 May 2016 | ad | Cycloxydim, Famoxadone, Flupyradifurone, Folpet, Fosetyl- aluminium and Mesotrione. |
| table to S20—3 | 163 | F2016L00788 12 May 2016 FSC105 19 May 2016 | 19 May 2016 | am | Acetamiprid, Boscalid, Buprofezin, Carbaryl, Carbendazim, Clopyralid, Clothianidin, Cyantraniliprole, Cyprodinil, Dichlobenil, Difenoconazole, Dimethenamid-P, Dodine, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fludioxonil, Fluopyram, Flutriafol, Fluxapyroxad, Fosetyl, Glyphosate, Imazamox, Imazapic, Imazapyr, Imazethapyr, Indoxacarb, Maldison, Metaflumizone, Metalaxyl, Metrafenone, Norflurazon, Penconazole, Pyraclostrobin, Spinetoram, Spinosad, Tebuconazole, Thiamethoxam, Thiophanate-methyl and Triadimefon. |
| table to S20—3 | APVMA 5, 2016 | F2016L00863 31 May 2016 APVMA 11 31 May 2016 | 31 May 2016 | am | Residue definition for Glyphosate. |
| table to S20—3 | APVMA 5, 2016 | F2016L00863 31 May 2016 APVMA 11 31 May 2016 | 31 May 2016 | am | Acetamiprid, Acibenzolar-S-methyl, Boscalid, Clothianidin, Flonicamid, Metalaxyl, Metsulfuron-methyl, Pymetrozine and Sulfoxaflor. |
| table to S20—3 | APVMA 6, 2016 | F2016L01088 28 June 2016 APVMA 13 28 June 2016 | 28 June 2016 | am | Bixafen, Difenoconazole, Fenvalerate, Imazapic, Imazapyr, Milbemectin and Quinoxyfen. |
| table to S20—3 | APVMA 7, 2016 | F2016L01238 26 July 2016 APVMA 15 26 July 2016 | 26 July 2016 | am | Azoxystrobin, Chloridazon, Flamprop- methyl, Fluensulfone, Mandipropamid. Meloxicam. |
| table to S20—3 | APVMA 8, 2016 | F2016L01316 23 Aug 2016 APVMA 17 23 Aug 2016 | 23 Aug 2016 | am | Azoxystrobin, Buprofezin, Cyproconazole, Prothioconazole and Spirotetramat. |

| Section | A'ment | FRL | Commencement | How | Description of amendment |
|-------------------|------------------|------------------------------|---------------|----------|---|
| affected | No. | registration | (Cessation) | affected | |
| | | Gazette | | | |
| table to | APVMA 9, | F2016L01579 | 4 Oct 2016 | am | Bromoxynil, Carbendazim, Clothianidin, |
| S20—3 | 2016 | 4 Oct 2016 | | | Ethephon, Iprodione, Linuron, |
| | | APVMA 20 4 Oct 2016 | | | Methabenzthiazuron and Pirimicarb. |
| table to | APVMA | F2016L01749 | 15 Nov 2016 | ad | Amisulbrom and Mandestrobin. |
| S20—3 | 10, 2016 | 14 Nov 2016 | | | |
| | | APVMA 23 | | | |
| table to | APVMA | 15 Nov 2016 F2016L01749 | 15 Nov 2016 | am | Abamectin, Acibenzolar-S-methyl, |
| S20-3 | 10, 2016 | 14 Nov 2016 | 13 100 2010 | an | Boscalid, Buprofezin, |
| | | APVMA 23 | | | Chlorantraniliprole, Chlorothalonil, |
| | | 15 Nov 2016 | | | Difenoconazole, Dithiocarbamates, Etoxazole, Flubendiamide, Iprodione |
| | | | | | and Saflufenacil. |
| | | | | | |
| table to | APVMA | F2016L01817 | 29 Nov 2016 | ad | Pyriofenone. |
| S20—3 | 11, 2016 | 28 Nov 2016 APVMA 24 | | | |
| | | 29 Nov 2016 | | | |
| table to | APVMA | F2016L01817 | 29 Nov 2016 | am | Azoxystrobin, Boscalid and Propachlor. |
| S20—3 | 11, 2016 | 28 Nov 2016 APVMA 24 | | | |
| | | 29 Nov 2016 | | | |
| table to | APVMA 1, | F2017L00033 | 10 Jan 2017 | ad | Niclosamide. |
| S20—3 | 2017 | 6 Jan 2017 | | | |
| | | APVMA1 10 Jan 2017 | | | |
| table to | APVMA 1, | F2017L00033 | 10 Jan 2017 | am | Azoxystrobin, Captan, Cyproconazole, |
| S20—3 | 2017 | 6 Jan 2017 | | | Cypermethrin, Dimethomorph, |
| | | APVMA 1 10 Jan 2017 | | | Emamectin, Metribuzin, Prothioconazole and Tebuconazole. |
| | | 10 Jan 2017 | | | |
| table to | 166 | F2017L00026 | 12 Jan 2017 | am | Ametoctradin, Azoxystrobin, Bifenthrin, |
| S20—3 | | 5 Jan 2017 | | | Captan, Cyfluthrin, Deltamethrin, |
| | | FSC108 12 Jan 2017 | | | Fenhexamid, Fludioxonil, Glyphosate, Iprodione, Methomyl, Penthiopyrad, 2- |
| | | | | | Phenylphenol, Pyrimethanil, Spinosad, |
| | | | | | Thiabendazole, Thiodicarb, Triadimefon |
| | | | | | and Triadimenol. |
| table to | APVMA 2, | F2017L00096 | 7 Feb 2017 | am | Azoxystrobin, Clothianidin, Fluopicolide, |
| S20—3 | 2017 | 6 Feb 2017 | | | Propamocarb, Propiconazole, |
| | | APVMA 3 7 Feb 2017 | | | Sulfoxaflor and Tebuconazole. |
| table to | APVMA 3, | F2017L00264 | 21 March 2017 | am | Abamectin, Acetamiprid, Boscalid, |
| S20—3 | 2017 | 20 March 2017 | | | Chlorantraniliprole, Cypermethrin, |
| | | APVMA 6 21 March 2017 | | | Cyprodinil, Dithianon, Dithiocarbamates, Fludioxonil, |
| | | | | | Novaluron, Spirotetramat, Sulfoxaflor |
| | | | | | and Trifloxystrobin. |
| table to | APVMA 4, | F2017L00449 | 18 April 2017 | ad | Metazachlor. |
| S20-3 | 2017 | 18 April 2017 | | au | |
| | | APVMA 8 | | | |
| table to | | 18 April 2017 F2017L00449 | 18 April 2017 | am | Boscalid Elopicamid Eluppyrom |
| table to S20-3 | APVMA 4, 2017 | 18 April 2017 | | am | Boscalid, Flonicamid, Fluopyram, Imazamox, Propiconazole and |
| | | APVMA 8 | | | Pyrimethanil. |
| toble to | | 18 April 2017 | 16 Mai: 0047 | 0.55 | |
| table to S20—3 | APVMA 5, 2017 | F2017L00522 12 May 2017 | 16 May 2017 | am | Flonicamid, Imazamox, Monepantel, Pirimicarb, Propiconazole, Pyriproxyfen |
| | | APVMA 10 | | | and Spirotetramat. |
| table to | 170 | 16 May 2017 | 25 May 2017 | 000 | Avilamucin |
| table to S20—3 | 170 | F2017L00591 23 May 2017 | 25 May 2017 | am | Avilamycin. |
| | | FSC112 | | | |
| | | 25 May 2017 | | <u> </u> | |
| table to S20—3 | APVMA 6, 2017 | F2017L00649 8 June 2017 | 13 June 2017 | ad | Cloquintocet acid. |
| 520-5 | 2017 | APVMA 12 | | | |
| | | 13 June 2017 | | | |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|---------------------|------------------|---|-----------------------------|-----------------|---|
| table to S20—3 | APVMA 6, 2017 | F2017L00649 8 June 2017 APVMA 12 8 June 2017 | 13 June 2017 | am | Fluopicolide, Metolachlor, Propamocarb and Propyzamide. |
| table to S20—3 | APVMA 7 2017 | F2017L00897 7 July 2017 APVMA 14 11 July 2017 | 11 July 2017 | ad | Bicyclopyrone. |
| table to S20—3 | APVMA 7 2017 | F2017L00897 7 July 2017 APVMA 14 11 July 2017 | 11 July 2017 | am | Iprodione, Metalaxyl and Propyzamide. |
| Table to S20—3 | APVMA 8 2017 | F2017L00995 8 August 2017 APVMA 16 8 August 2017 | 8 August 2017 | am | Bixafen, Buprofezin, Clopyralid, Clothianidin, Flumioxazin, Imazamox and Imazapyr. |
| Table to S20—3 | APVMA 9 2017 | F2017L01129 5 Sept 2017 APVMA 18 5 Sept 2017 | 5 September 2017 | am | Fluazinam, Pyraflufen-ethyl and Spirotetramat |
| Table to S20—3 | APVMA 10 2017 | F2017L01317 3 October 2017 APVMA 20 3 October 2017 | 3 October 2017 | am | Abamectin, Azoxystrobin, Cyproconazole, Fludioxonil, Fluxapyroxad, Penflufen, Sulfoxaflor, Trifloxystrobin, |
| Table to S20—3 | APVMA 11 2017 | F2017L01404 31 Oct 2017 APVMA 22 31 October 2017 | 31 October 2017 | am | Cloquintocet-mexyl, Diquat, Fludioxonil, Tebuconazole |
| Table to S20—3 | APVMA 12 2017 | F2017L01522 28 Nov 2017 APVMA 24 28 November 2017 | 28 Nov 2017 | ad | Clothianidin, Cyclaniliprole, Chlorantraniliprole, Clomazone, Cyanamide, Cyantraniliprole, Cyprodinil, Dimethomorph, Fludioxonil, Haloxyfop Mandipropamid, Methomyl, Methoxyfenozide, Napropamide, Phosphorous acid |

| Section affected | A'ment No. | FRL registration | Commencement | How affected | Description of amendment |
|---------------------|------------------|---|-----------------|-----------------|--|
| anecteu | NO. | Gazette | (Cessation) | anecteu | |
| Table to S20—3 | 175 | F2017L01594 7 December 2017 FSC116 7 December 2017 | 7 December 2017 | ad | Acequinocyl, Acephate, Acetamiprid, Aminocyclopyrachlor, Azoxystrobin, Benzovindiflupyr, Bifenthrin, Brodifacoum, Buprofezin, Carbaryl, Carbendazim, Chlorantraniliprole, Chlorfenvinphos, Clopyralid, Chlorpyrifos-methyl, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, Deltamethrin, Dichlorvos, Dicloran, Difenoconazole, Disulfoton, Endothal, Ethoprophos, Etofenprox, Fenamiphos, Fenarimol, Fenpropathrin, Fenpropimorph, Fenthion, Fenpyroximate, Fenvalerate, Flonicamid, Flubendiamide, Fludioxonil, Flumioxazin, Fluopyram, Flusilazole, Flutriafol, Fosetyl-aluminium, Glyphosate, Hexythiazox, Imazamox, Inorganic bromide, Iprodione, Imidacloprid, Metalaxyl, Methamidophos, Myclobutanil, Maldison, Mesotrione, Metaflumizone, Metalaxyl, Metconazole, Methomyl, Myclobutanil, Naled, Nicarbazin, Norflurazon, Novaluron, Oxathiapiprolin, Paraquat, Phenothrin, 2-Phenylphenol, Phosphine, Propyzamide, Prothioconazole, Pyraflufen-ethyl, Pyridaben, Pyrimethanil, Phosphine, Quintozene, Rimsulfuron, Saflufenacil, Sedaxane, Sethoxydim, Spinetoram, Spirotetramat, Tebuconazole, Tetradifon, Thiacloprid, Thiamethoxam, Thifensulfuron, Thifensulfuron-methyl, Triadimenol, Trifloxystrobin, Virginiamycin |
| Table to S20—3 | APVMA 1, 2018 | F2018L00038 9 Jan 2018 APVMA 1, 16 January 2018 | 16 Jan 2018 | am | Azoxystrobin, Butafenacil, Chlorantraniliprole, Dicamba, Etoxazole, Fludioxonil, Paraquat, Penflufen, Pyraclostrobin, Saflufenacil, Sulfoxaflor, Tebuconazole, Trifloxystrobin |
| Table to S20—3 | APVMA 2, 2018 | F2018L00240 7 March 2018 APVMA 2, 13 March 2018 | 13 March 2018 | ad | Florpyrauxifen-benzyl, |
| Table to S20—3 | APVMA 2, 2018 | F2018L00240 7 March 2018 APVMA 2, 13 March 2018 | 13 March 2018 | am | Flutriafol, Pirimicarb, Sedaxane |
| Table to S20—3 | APVMA 3, 2018 | F2018L00512 18 April 2018 APVMA 8, 24 April 2018 | 24 April 2018 | ad | Afidopyropen, Isopyrazam, Pydiflumetofen |
| Table to S20—3 | APVMA 3, 2018 | F2018L00512 18 April 2018 APVMA 8, 24 April 2018 | 24 April 2018 | am | Abamectin, Azoxystrobin, Bifenthrin, Buprofezin, Cyantraniliprole, Cyazofamid, Cyhalothrin, Dithiocarbamates, Endothal, Florpyrauxifen-benzyl, Fludioxonil, Fluopicolide, Fluroxypyr, Imazalil, Metribuzin, Myclobutanil, Oxathiapiprolin, Propamocarb, Prosulfocarb |

| Section | A'ment | FRL | Commencement | How | Description of amendment |
|-------------------|------------------|---|----------------|----------|---|
| affected | No. | registration Gazette | (Cessation) | affected | |
| Table to S20—3 | APVMA 4, 2018 | F2018L00990 28 June 2018 APVMA 13, 3 July 2018 | 3 July 2018 | ad | Acetamiprid, Emamectin, Metalaxyl, Novaluron, Pendimethalin, Penflufen, Prochloraz |
| Table to S20—3 | APVMA 4, 2018 | F2018L00990 28 June 2018 APVMA 13, 3 July 2018 | 3 July 2018 | am | Pendimethalin, Prochloraz, |
| Table to S20—3 | APVMA 5, 2018 | F2018L01103 9 August APVMA 16 14 August 2018 | 14 August 2018 | ad | Amicarbazone |
| Table to S20—3 | APVMA 5, 2018 | F2018L01103 9 August APVMA 16 14 August 2018 | 14 August 2018 | am | Abamectin, Bixafen, Clothianidin, Cypermethrin, Cyromazine, Endothal, Halosulfuron-methyl, Sulfoxaflor |
| Table to S20—3 | 180 | F2018L01151 22 August 2018 FSC121 23 August 2018 | 23 August 2018 | ad | Acetochlor, Isofetamid, Teflubenzuron |
| Table to S20—3 | 180 | F2018L01151 22 August 2018 FSC121 23 August 2018 | 23 August 2018 | am | 2,4-DB, Acetamiprid, Aldicarb, Ametoctradin, Amitraz, Amitrole, Azoxystrobin, Benzovindiflupyr, Bitertanol, Buprofezin, Carbendazim, Carbofuran, Chlorpyrifos, Clofentezine, Chlorfluazuron, Clothianidin, Cyhalothrin, Cyprodinil, Dicamba, Difenoconazole, Diflubenzuron, Diflufenican, Dithiocarbamates, Dimethenamid-P, Dithiocarbamates, Dodine, Emamectin, Etoxazole, Endothal, Fenarimol, Fenbuconazole, Fenbuconazole oxide, Fenitrothion, Fenpropathrin, Fenpyrazamine, Fenpyroximate,Fipronil, Florfenicol, Fluazinam, Flumioxazin, Fluopyram, Fluxapyroxad, Fosetyl- aluminium, Imazamox, Ipconazole, Iprodione, Ivermectin, Levamisole, Maldison, MCPA, Mesotrione, Metalaxyl, Metconazole, Permethrin,Phorate, Phosmet, Phosphorous acid, Piperonyl butoxide, Pyriofenone, Profenofos, Propachlor, Propamocarb, Prothioconazole, Prothiofos, Prothiofos, Pyraflufen-ethyl, Pyriproxyfen, Pyroxasulfone, Quinoxyfen, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Tetraconazole, Thiodicarb, Thiophanate- methyl, Trichlorfon, Tridemorph, Trifloxystrobin, Trifluralin, Tylosin |

| Section | A'ment | FRL | Commencement | How | Description of amendment |
|-------------------|------------------|---|----------------------|----------|---|
| affected | No. | registration Gazette | (Cessation) | affected | |
| Table to S20—3 | APVMA 6, 2018 | F2018L01205 22 August 2018 APVMZ 17 28 August 2018 | 28 August 2018 | am | Aminoethoxyvinylglycine, Pendimethalin, Pyridate |
| Table to S20—3 | APVMA 7, 2018 | F2018L01346 20 September 2018 APVMA 19 25 September 2018 | 25 September 2018 | ad | Metamitron |
| Table to S20—3 | APVMA 7, 2018 | F2018L01346 20 September 2018 APVMA 19 25 September 2018 | 25 September 2018 | am | Acetamiprid, Emamectin, Etoxazole, Flumioxazin, Propiconazole (md not incorp), Sedaxane (md not incorp) |
| Table to S20—3 | APVMA 8 2018 | F2018L01446 16 October 2018 APVMA 22 6 November 2018 | 6 November 2018 | ad | Cypermethrin, Flamprop-methyl, Maldison, Methomyl (md not incorp), Pymetrozine, Quintozene |
| Table to S20—3 | APVMA 8 2018 | F2018L01446 16 October 2018 APVMA 22 6 November 2018 | 6 November 2018 | am | Chlorantraniliprole, Maldison, Propiconazole, Sedaxane |
| Table to S20—3 | APVMA 9 2018 | F2018L01641 28 Nov 2018 APVMA 24 4 Dec 2018 | 4 Dec 2018 | am | Fluopicolide, Fluvalinate, Methomyl, Propamocarb, Terbuthylazine, |
| Table to S20—3 | APVMA 1 2019 | F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019 | 29 January 2019 | ad | Abamectin, 2,4-D, Fipronil, Fluensulfone, Fluvalinate, Hexythiazox, Indoxacarb, Linuron, Paclobutrazol, Pyraclostrobin, Spiroxamine, Sulfoxaflor, Tebuconazole |
| Table to S20—3 | APVMA 1 2019 | F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019 | 29 January 2019 | am | Linuron, Fluensulfone, Paclobutrazol, Spiroxamine |
| Table to S20—3 | APVMA 2 2019 | F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019 | 26 February 2019 | ad | Amisulbrom, Azoxystrobin, Bixafen, Cyprodinil, Diafenthiuron, Dinotefuran, Ethephon, Fludioxonil, Indoxacarb, Phosphine, Phosphorous acid, Praziquantel, Spinetoram, Tebuconazole |
| Table to S20—3 | APVMA 2 2019 | F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019 | 26 February 2019 | am | Azoxystrobin, Bifenthrin, Bixafen, Clothianidin, Fluensulfone, Fluopyram, Imidacloprid, Phosphorous acid, Sulfoxaflor, Tebuconazole |
| Table to S20—3 | APVMA 3 2019 | F2019L00670 1 May 2019 APVMA 9 7 May 2019 | 7 May 2019 | ad | Azoxystrobin, Cyproconazole, Fenoxycarb, Fenvalerate, Fipronil, Florpyrauxifen-benzyl, Thiabendazole, |
| Table to S20—3 | APVMA 3 2019 | F2019L00670 1 May 2019 APVMA 9 7 May 2019 | 7 May 2019 | am | Azoxystrobin, Bifenthrin, Fenoxycarb, Phosphorous acid |

| Section | A'ment | FRL | Commencement | How | Description of amendment |
|-------------------|-----------------|--|----------------|----------|--|
| affected | No. | registration Gazette | (Cessation) | affected | |
| Table to S20—3 | APVMA 4 2019 | F2019L00974 8 July 2019 APVMA 14 16 July 2019 | 16 July 2019 | ad | Bromoxynil, Chlorantraniliprole, Diflubenzuron, Fluopyram, Glyphosate (md not Incorp) Haloxyfop, Indoxacarb, Mandestrobin (md not Incorp) Praziquantel, Pyrethrins, Sethoxydim, Trichlorfon |
| Table to S20—3 | APVMA 4 2019 | F2019L00974 8 July 2019 APVMA 14 16 July 2019 | 16 July 2019 | am | Glyphosate (md not Incorp), Praziquantel, Fluopyram |
| Table to S20—3 | 186 | F2019L00994 17 July 2019 FSC127 25 July 2019 | 25 July 2019 | am | Aldoxycarb, Azaconazole, Boscalid, Carbaryl, Chinomethionat, Chlorpropham, Chlorantraniliprole, Clodinafop acid, Clodinafop-propargyl, Clofentezine, Clothianidin, Cyhalothrin, Cypermethrin, Deltamethrin, Diafenthiuron, Diuron,, Dimethipin, Dimethirimol, Fenvalerate, Flamprop- methyl, Flucythrinate, Flusilazole, Fluxapyroxad, Metaflumizone, Olaquindox, Oxydemeton-methyl, Oxythioquinox, Permethrin, Phosmet, Pyrimethanil, Sethoxydim, Sulfoxaflor, Sulprofos, Tebufenozide, Tetrachlorvinphos, Tetradifon, Thiamethoxam, Thiometon, Tolylfluanid, Trichloroethylene, Triflumizole, |
| Table to S20—3 | 186 | F2019L00994 17 July 2019 FSC127 25 July 2019 | 25 July 2019 | ad | 2,4D, Abamectin, Acetamiprid, Benzovindiflupyr, Boscalid, Bupirimate, Fenazaquin, Carbaryl, Chlorpyrifos- methyl, Clofentezine, Clothianidin, Cyflufenamid, Cyhalothrin, Cyprodinil, Cypermethrin, Difenoconazole, Diflubenzuron, Diflufenican, Diuron, Emamectin, Famoxadone, Fenbuconazole, Fenpyrazamine, Fluazifop-p-butyl, Fluazinam, Fluopyram, Flupyradifurone, Fluxapyroxad, Folpet, Halosulfuron-methyl, Mandestrobin, Mesotrione, Metaflumizone, Metalaxyl, Methamidophos, Methidathion, Penthiopyrad, Phenmedipham, Phosmet, Phosphine, Pirimicarb, Prochloraz, Profenofos, Propaquizafop, Pyraclostrobin, Quinoxyfen, Quizalofop- ethyl, Quizalofop-p-tefuryl, Rimsulfuron, Saflufenacil, Sethoxydim, Sulfoxaflor, Tebufenozide, Tebufenpyrad, Teflubenzuron, Terbacil, Thiophanate- methyl, Trifluralin |
| Table to S20—3 | APVMA 5 2019 | F2019l01059 7 August 2019 APVMA 16 13 August 2019 | 13 August 2019 | ad | Acetamiprid, Aminopyralid, Bromoxynil, Cyprodinil, Fludioxonil, Fluralaner, Fluxapyroxad, Glyphosate, Halauxifen-methyl, Haloxyfop, Imazapyr, Mandestrobin, Mefentrifluconazole, Metolachlor, Penthiopyrad, Phosphorous acid, Pirimicarb, Pyripoxyfen (md not Incorp, Topramezone |
| Table to S20—3 | APVMA 5 2019 | F2019l01059 7 August 2019 APVMA 16 13 August 2019 | 13 August 2019 | am | Clofentezine, Cyfluthrin, Cyprodinil, Fludioxonil, Glyphosate, Haloxyfop, Phosphorous acid, Pyraclostrobin |

| Section | A'ment | FRL | Commencement | How | Description of amendment |
|-------------------|-----------------|--|----------------------|----------|---|
| affected | No. | registration Gazette | (Cessation) | affected | |
| Table to S20—3 | APVMA 6 2019 | F2019L01150 4 September 2019 APVMA 18 10 September 2019 | 10 September 2019 | am | Chlorantraniliprole, Clothianidin, Thiamethoxam |
| Table to S20—3 | APVMA 7 2019 | F2019L01515 28 November 2019 APVMA 24 3 December 2019 | 3 December 2019 | ad | Afidopyropen, Aminopyralid, Azoxystrobin, Benzovindiflupyr, Cypermethrin, Flumioxazin, Halauxifen- methyl, Imazapyr, Metalaxyl, Napropamide, Pyraclostrobin, Pyrethrins, Pyriproxyfen, Quizalofop-ethyl, Sotheavidim, Sulfavafler, Torbuthylazing |
| Table to S20—3 | APVMA 7 2019 | F2019L01515 28 November 2019 APVMA 24 3 December 2019 | 3 December 2019 | am | Sethoxydim, Sulfoxaflor, Terbuthylazine, Abamectin , Azoxystrobin, Cyflufenamid, Difenoconazole, Fludioxonil , Imidacloprid , Pyraclostrobin, |
| Table to S20—3 | APVMA 1 2020 | F2020L00022 9 January 2020 APVMA 1 14 January 2020 | 14 January 2020 | ad | Afidopyropen, Bixafen, Cinmethylin, Dithiocarbamates, Etofenprox, Etoxazole, Indoxacarb, Iprodione, Prothioconazole |
| Table to S20—3 | APVMA 1 2020 | F2020L00022 9 January 2020 APVMA 1 14 January 2020 | 14 January 2020 | am | Amoxycillin, Bixafen, Dithiocarbamates, Emamectin, Imidacloprid, Indoxacarb |
| Table to S20—3 | 191 | F2020L00152 20 February 2020 FSC 131 26 February 2020 | 26 February 2020 | am | Imazapyr |
| Table to S20—3 | APVMA 2 2020 | F2020L00219 2 March 2020 APVMA 5 10 March 2020 | 10 March 2020 | ad | 2,4-D, Bifenthrin, Glufosinate and Glufosinate ammonium, Glyphosate, Mesotrione, Methiocarb |
| Table to S20—3 | APVMA 3 2020 | F2020L00380 31 March 2020 APVMA 7 7 April 2020 | 7 April 2020 | ad | Bixlozone, Carbetamide, , Diafenthiuron, Difenoconazole, Etoxazole, Flubendazole, Fluopyram, Fluralaner, Halosulfuron-methyl, Imazamox, Napropamide, Prosulfocarb, Tebuconazole, Trifloxystrobin |
| Table to S20—3 | APVMA 3 2020 | F2020L00380 31 March 2020 APVMA 7 7 April 2020 | 7 April 2020 | am | Bifenthrin, Glufosinate and Glufosinate- ammonium, Lasalocid, Oxamyl, Trinexapac-ethyl |
| Table to S20—3 | APVMA 4 2020 | F2020L00619 27 May 2020 APVMA 11 2 June 2020 | 2 June 2020 | ad | Bupirimate, Cyanamide, Cyazofamid, Diafenthiuron, Fludioxonil, Fluopicolide, Indoxacarb, Metolachlor, Paracetamol Propamocarb |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|---------------------|-----------------|---|-----------------------------|-----------------|---|
| Table to S20—3 | APVMA 4 2020 | F2020L00619 27 May 2020 APVMA 11 2 June 2020 | 2 June 2020 | am | Cyanamide, Fluopicolide, Linuron, Metolachlor, Propamocarb |
| Table to S20—3 | APVMA 5 2020 | F2020L00903 10 July 2020 APVMA 14 14 July 2020 | 14 July 2020 | ad | Chlorantraniliprole,Tetraniliprole, Trifludimoxazin, Methomyl, Spinetoram |
| Table to S20—3 | APVMA 5 2020 | F2020L00903 10 July 2020 APVMA 14 14 July 2020 | 14 July 2020 | am | Chlorantraniliprole, Fluopyram, Trifloxystrobin |
| Table to S20—3 | 193 | F2020L00939 23 July 2020 FSC 134 28 July 2020 | 28 July 2020 | ad | Acephate, Benzovindiflupyr, Boscalid, Carbendazim, Clofentezine, Cypermethrin, Deltamethrin, Dimethomorph, Dithiocarbamates, Endosulfan, Fenazaquin, Flazasulfuron, Fluazifop-p-butyl, Fluopicolide, Fluopyram, Folpet, Halosulfuron-methyl, Imidacloprid, Metalaxyl, Oxathiapiprolin, Pendimethalin Phosmet, Phosphorous acid, Propiconazole, Sethoxydim, Tetraconazole, Triadimenol |
| Table to S20—3 | 193 | F2020L00939 23 July 2020 FSC 134 28 July 2020 | 28 July 2020 | am | Abamectin, Acequinocyl, Boscalid, Buprofezin, Chlorothalonil, Clofentezine, Clothianidin, Cypermethrin, Cyproconazole, Difenoconazole, Dithiocarbamates, Emamectin, Etridiazole, Fentin, Fenazaquin, Fenhexamid, Fenoxycarb, Flonicamid, Fluazifop-p-butyl, Fluopyram, Hexythiazox, Imidacloprid, Indoxacarb, Metalaxyl, Iprodione, Metalaxyl, Methoxyfenozide, Myclobutanil, Pendimethalin, Phosphorous acid, Propiconazole, Quinoxyfen, Tebuconazole, Thiamethoxam, Trifloxystrobin |
| Table to S20—3 | APVMA 6 | F2020L00989 5 August 2020 APVMA 16 11 August 2020 | 11 August 2020 | ad | Azoxystrobin, Chlorantraniliprole, Cyproconazole, Emamectin, Etoxazole Flonicamid, Fludioxonil, Glufosinate and Glufosinate-ammonium, Glyphosate, Indoxacarb (md not Incorp), Linuron, Napropamide, Novaluron, Permethrin, Prothioconazole, Pyridate. |
| Table to S20—3 | APVMA 6 | F2020L00989 5 August 2020 APVMA 16 11 August 2020 | 11 August 2020 | am | Aclonifen, Metcamifen |
| Table to S203 | AMPVA 7 | F2020L01316 16 October 2020 AMPVA 17 20 October 2020 | 20 October 2020 | ad | Ametoctradin, Buprofezin, Cyazofamid, Glyphosate, Propyzamide, Proquinazid, Spinosad, Uniconazole-p |

| Section | A'ment | FRL | Commencement | How | Description of amendment |
|-------------------|------------|---|---------------------|----------|---|
| affected | No. | registration Gazette | (Cessation) | affected | |
| Table to S203 | APVMA 7 | F2020L01316 16 October 2020 AMPVA 17 20 October 2020 | 20 October 2020 | am | Amisulbrom, Azoxystrobin, Buprofezin, Chlorantraniliprole, Cyazofamid, Glyphosate, Indoxacarb, Methomyl, Spinosad |
| Table to S20—3 | APVMA 8 | F2020L01424 12 November 2020 APVMA 23 17 November 2020 | 17 November 2020 | ad | Bifenazate, Bifenthrin, Isofetamid, Metalaxyl |
| Table to S20—3 | APVMA 8 | F2020L01424 12 November 2020 APVMA 23 17 November 2020 | 17 November 2020 | am | Abamectin, Bifenthrin, Bupirimate, Carfentrazone-ethyl, Clofentezine, Cyprodinil, Fludioxonil, Isofetamid Metsulfuron-methyl, Phosphorous acid Tolclofos-methyl, Triadimenol |
| Table to S20—3 | APVMA 9 | F2020L01503 27 November 2020 APVMA 24 1 December 2020 | 1 December 2020 | ad | Imidacloprid, Pyraflufen-ethyl, Saflufenacil |
| Table to S20—3 | APVMA 9 | F2020L01503 27 November 2020 APVMA 24 1 December 2020 | 1 December 2020 | am | Metribuzin, Pyraflufen-ethyl (md not incorp), Saflufenacil, Clothianidin, Fluralaner, Metribuzin |
| Table to S20—3 | APVMA 1 | F2021L00067 22 January 2021 APVMA 2 27 January 2021 | 27 January 2021 | ad | 2,4-D, Acetamiprid, Carbaryl, Uniconazole-p |
| Table to S20—3 | APVMA 1 | F2021L00067 22 January 2021 APVMA 2 27 January 2021 | 27 January 2021 | am | 2,4-D, Pyraclostrobin |
| Table to S20—3 | APVMA 2 | F2021L00125 18 February 2021 APVMA 4 23 February 2021 | 23 February 2021 | ad | Acequinocyl, Acetamiprid, Cyproconazole, Fludioxonil, Pyriproxyfen, Acequinocyl, Acetamiprid, Afidopyropen Azoxystrobin, Cyproconazole Fludioxonil, Flumioxazin Forchlorfenuron, Propachlor Pydiflumetofen, Pyriproxyfen Ractopamine, Tiafenacil Tetraniliprole |
| Table to S20—3 | APVMA 2 | F2021L00125 18 February 2021 APVMA 4 23 February 2021 | 23 February 2021 | am | Afidopyropen, Azoxystrobin, Captan, Cyproconazole, Fludioxonil, Pydiflumetofen |

| Section | A'ment | FRL | Commencement | How | Description of amendment |
|-------------------|------------|---|----------------|----------|--|
| affected | No. | registration Gazette | (Cessation) | affected | |
| Table to S20—3 | APVMA 3 | F2021L00491 27 April 2021 APVMA 9 4 May 2021 | 4 May 2021 | ad | Fomesafen, Azoxystrobin, Bromoxynil, Diflufenican, Fluopyram, Trifloxystrobin |
| Table to S20—3 | APVMA 3 | F2021L00491 27 April 2021 APVMA 9 4 May 2021 | 4 May 2021 | am | Fluopyram, Pyraflufen-ethyl, Spinetoram, Metalaxyl, Methomyl |
| Table to S20—3 | 200 | F2021L00684 2 June 2021 FSC141 3 June 2021 | 3 June 2021 | am | Aminocyclopyrachlor, <i>Clodinafop- propargyl, Clodinafop acid,</i> Difenoconazole, Flumioxazin, Kresoxim- methyl, Phosphine, Pirimicarb |
| Table to S20—3 | APVMA 4 | F2021L00976 9 July 2021 APVMA 13 13 July 2021 | 13 July 2021 | am | Afidopyropen, Ametoctradin, Chlorantraniliprole, Cyantraniliprole, Cypermethrin, Cyprodinil, Dimethoate (md not incorp), Dimethomorph, Fipronil, Fludioxonil, Flumioxazin, Fluopyram, Propiconazole, Sulfoxaflor, Haloxyfop, Metalaxyl, Metrafenone, Omethoate (md not incorp), Propiconazole. |
| Table to S20—3 | 202 | F2021L01174 23 August 2021 FSC143 26 August 2021 | 26 August 2021 | am | Ethiprole, Fenpicoxamid, Flusilazole, Picoxystrobin, Tioxazafen, Triflumezopyrim, Zinc phosphide, Zineb, Ziram, Zoxamide, Abamectin, Acetamiprid Acibenzolar-S-methyl, Ametoctradin, Azoxystrobin, Bentazone, Carbendazim, Carfentrazone-ethyl, Chlorantraniliprole, Chlorpyrifos, Cyclaniliprole, Cypermethrin, Fluazifop-p- butyl, Fludioxonil, Flutriafol, Imazalil, Imidacloprid, Kresoxim-methyl, Mefentrifluconazole, Metalaxyl, Oxathiapiprolin, Paraquat, Permethrin, Phosphine, Pyraclostrobin, Pyriofenone, Pyriproxyfen, Sethoxydim, Sulfoxaflor, Tebuconazole, 2,4-D, Acephate, Acifluorfen, Afidopyropen, Benzovindiflupyr, Bifenthrin, Boscalid, Carboxin, Chlorfenapyr, Chlorpyrifos- methyl, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cyhalothrin, Deltamethrin, Difenoconazole, Dithianon, Diuron, Fenbuconazole, Fenoxaprop-ethyl, Fenpyroximate, Flubendiamide, Fluopyram, Fluoxastrobin, Flupyradifurone, Flutolanil, Fluxapyroxad, Folpet, Glyphosate, Halosulfuron-methyl, Hexythiazox, Isofetamid, Lufenuron, Maldison, Mandipropamid, MCPA, MCPB, Metconazole, Methamidophos, Milbemectin, Myclobutanil, Norflurazon, Oxamyl, Pendimethalin, Phorate, Pirimiphos-methyl, Profenofos, Prohexadione-calcium, Propamocarb, Propiconazole, Pyraflufen-ethyl, Pyrethrins, Pyroxasulfone, Sethoxydim, Simazine, Spinosad, Sulfuryl fluoride, Tebufenozide, Thiacloprid, Thiamethoxam, Thiophanate-methyl, Iprodione, Methomyl, Metolachlor, |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|---------------------|---------------|---|-----------------------------|-----------------|--|
| Table to S20—3 | APVMA 5 | F2021L01235 3 Sept 2021 APVMA 18 7 Sept 2021 | 7 September 2021 | am | Flonicamid, Fluxapyroxad, Isopyrazam, Isoxaflutole, Mefentrifluconazole (md not incorp), Mesotrione Pyriproxyfen, Saflufenacil, Cyantraniliprole, Dimethoate, Methomyl, Metribuzin, Omethoate, Azoxystrobin, Bromoxynil, Carbendazim, Dimethoate, Imazapyr, Spiroxamine |
| Table to S20—3 | APVMA 6 | F2021L01426 13 Oct 2021 APVMA 21 19 Oct 2021 | 19 October 2021 | am | Fluazaindolizine, Benzyladenine, Metamitron, Pydiflumetofen, Pyroxasulfone. |
| Table to S20—3 | APVMA 1 | F2022L00142 17 Feb 2022 APVMA 4 22 Feb 2022 | 22 Feb 2022 | am | Abamectin, Aclonifen, Afidopyropen, Bifenazate, Bixlozone, Chlorantraniliprole, Cyantraniliprole, Cyflumetofen, Cyprodinil, Dicamba, Dithiocarbamates, Etoxazole, Florylpicoxamid, Fludioxonil, Fluopyram, Flupyradifurone, Glyphosate, Imazapic, Imazapyr, Imidacloprid, Mefentrifluconazole, Moxidectin, Pendimethalin, Propiconazole, Proquinazid, Spirotetramat, Trifloxystrobin, |
| Table to S20—3 | APVMA 2 | F2022L00696 12 May 2022 APVMA 10 17 May 2022 | 17 May 2022 | am | Acequinocyl , Acetamiprid, Difenoconazole, Mesotrione, Methoxyfenozide, Pydiflumetofen, Pyriproxyfen, Sulfoxaflor, Tulathromycin |
| Table to S20—3 | APVMA 3 | F2022L00970 12 July 2022 APVMA 14 12 July 2022 | 12 July 2022 | ad | Fluoxapiprolin, Isotianil, Metobromuron |
| Table to S20—3 | APVMA 3 | F2022L00970 12 July 2022 APVMA 14 12 July 2022 | 12 July 2022 | am | Florpyrauxifen-benzyl, Fluroxypyr Glyphosate (safflower seed md not incorp), Haloxyfop Imidacloprid, Isofetamid, Maldison, Mandestrobin, Permethrin, Sethoxydim |
| Table to S20—3 | APVMA 4 | F2022L01102 22 Aug 2022 APVMA 17 23 Aug 2022 | 23 August 2022 | am | Bifenthrin, Diflufenican, Fluopyram, Fluroxypyr, Indoxacarb, Prothioconazole, Tebuconazole, Tetraniliprole Thiabendazole, Trifludimoxazin |
| Table to S20—3 | 211 | F2022L01118 26 Aug 2022 FSC151 1 Sept 2022 | 1 September 2022 | am | Abamectin, Acephate, Acequinocyl, Acetamiprid, Afidopyropen, Ametoctradin, Ametryn, Aminoethoxyvinylglycine, Aminopyralid, Amisulbrom, Amitrole, Atrazine, Azamethiphos, Azoxystrobin, Benzovindiflupyr, Bifenazate, Bifenthrin, Bixafen, Boscalid, Bromacil, Bromoxynil, Buprofezin, Butafenacil, Butroxydim, Cadusafos, Captan, Carbaryl, Carbendazim, Carbon disulphide, Carbonyl sulphide, Carboxin, Carfentrazone-ethyl, Chlorantraniliprole, Chlorfenapyr, Chloropicrin, Chlorothalonil, Chlorpyrifos, Chlorpyrifos- methyl, Chlorsulfuron, Chlorthal-dimethyl, Clofentezine, Clopyralid, Cloquintocet- mexyl, Clothianidin, Cyanazine, Cyantraniliprole, Cycloxydim, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|---------------------|---------------|--------------------------------|-----------------------------|-----------------|---|
| | | | | | Cyprodinil, Cyromazine, 2,4-D, 2,4-DB, Deltamethrin, Diafenthiuron, Diazinon, Dicamba, Dichlobenil, Dichlorprop-P, Dichlorvos, Diclofop-methyl, Dicofol, Didecyldimethylammonium chloride, Difenoconazole, Diflubenzuron, Dimethoate, Dimethomorph, Diquat, Dithiocarbamates, Diuron, Dodine, 2,2- DPA, Emamectin, Epoxiconazole, EPTC, Ethion, Ethofumesate, Ethoprophos, Ethylene dichloride (EDC), Etofenprox, Etoxazole, Fenazaquin, Fenbutatin oxide, Fenhexamid, Fenitrothion, Fenoxycarb, Fenpropathrin, Fenpyroximate, Fenvalerate, Fipronil, Flonicamid, Florasulam, Florpyrauxifen-benzyl, Fluazaindolizine, Fluazifop-p-butyl, Fluazinam, Flubendiamide, Fludioxonil, Fluensulfone, Flumioxazin, Fluometuron, Fluopicolide, Fluoyram, Flupyradifurone, Fluquinconazole, Fluroxypyr (md), Flutriafol, Fluvalinate, Fluxapyroxad, Fosetyl, Fosetyl-aluminium, Glufosinate and Glufosinate-ammonium, Glyphosate, Guazatine, Halauxifen-methyl, Halosulfuron-methyl, Haloxyfop, Hexythiazox, Imazalil, Imazamox, Imazapyr, Imidacloprid, Indoxacarb, Inorganic bromide, Ipconazole, Iprolione, Isofetamid, Isoxaflutole, Lufenuron, Madison, Mandestrobin, Mandipropamid, MCPA, MCPB, Mefenpyr-diethyl, Metentrifluconazole, Metaflumizone, Metalaxyl, Metaldehyde, Metamitron, Metazachlor, Metoachlor, Metosulam, Metrafenone, Methiozarb, Methomyl, Metoprene, Methoxyfenozide, Methyl bromide, Metolachlor, Metosulam, Metrafenone, Methibuzin, Metsuffuron- methyl, Mevinphos, Miblemectin, Myclobutanil, Napropamide, Norflurazon, Novaluron, Omethoate, Oryzalin, Oxxfluorfen, Paclobutrazol, Paraquat, Perconazole, Pendimethalin, Penflufen, Penthiopyrad, Permethrin, Phenmedipham, 2-Phenylphenol, Phorate, Phosmet, Phosphine, Phosphorous acid, Picloram, Picolinafen, Piperonyl butoxide, Pirimicarb, Pirimiphos-methyl, Procymidone, Propiconazole, Neyraflufen-ethylvy. Pyrasulfotole, Pyrethrins, Pyridaben, Pyraclostrobin, Pyraflufen-ethylvy. Pyrasulfotole, Pyrethrins, Pyridaben, Pyrinethanil, Pyriofenone, Pyriproxyfen, Sindufenacil, Sedaxane, Sethoxydim, Simazine, Spinetoram, Spinosad, Sp |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|---------------------|---------------|---|-----------------------------|-----------------|---|
| | | | | | |
| Table to S20—3 | 212 | F2022L01172 6 Sept 2022 FSC152 8 Sept 2022 | 7 September 2022 | am | 1,4-Dimethyl naphthalene, Abamectin, Acephate, Acequinocyl, Acetamiprid, Acetochlor, Acifluorfen, Afidopyropen, Ametryn, Amitrole, Azinphos-methyl, Azoxystrobin, Bentazone, Benzovindiflupyr, Bifenazate, Boscalid, Bupirimate, Buprofezin, Carbaryl, Carbendazim, Carbofuran, Chlorantraniliprole, Chlorothalonil, Chlorothalonil, Chlorpyrifos, Clofentezine, Clothianidin, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cycloxydim, Cyfluthrin (beta-cyfluthrin), Cyhalothrin, Cyhexatin, Cypermethrin, Cyprodinil, Cyromazine, Dichlobenil, Dichlorvos, Difenoconazole, Diflubenzuron, Dimethoate, Dimethomorph, Dinocap, Dinotefuran, Diphenylamine, Diquat, Diuron, Emamectin (Emamectin benzoate), EPTC, Ethiprole, Ethofumesate, Ethoprophos, Ethylene, Etofenprox, Fenamidone, Fenarimol, Fenazaquin, Fenbuconazole, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fenpyroximate, Fenvalerate (esfenvalerate), Fipronil, Flonicamid, Fluazifop-p-butyl, Fludioxonil, Fluensulfone, Fluopicolide, Fluopyram, Flupyradifurone, Flutianil, Flutolanil, Flutriafol, Fluxapyroxad, Forchlorfenuron, Fosetyl-aluminium, Glufosinate- ammonium, Glyphosate, Hexazinone, Imazapic, Imazapyr, Imazethapyr, Imidacloprid, Inpyrfluxam, Iprodione, Isofetamid, Isoxaflutole, Kasugamycin, Kresoxim-Methyl, Mancozeb (Dithiocarbamates), Mefentrifluconazole, Mepanipyrim, Metaflumizone, Metalaxyl (Metlaxyl-M), Metconazole, Methamidophos , Methidathion, Methowyf, Nethoprene, Methoxyfenozide, Metribuzin, Novaluron, Omethoate, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paraquat, Pendimethalin, Perohloraz, Propiconazole, Propoxur, Prothiofos, Pydiflumetofen, Pyraclostrobin, Pyrethrins, Pyrimethanil, Pyrofenone, Pyriproxyfen, Quinclorac, Quinoxyfen, Quintozene, Quizalofop- ethyl, Rimsulfuron, Saflufenacil, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Sulfoxaflor, Tebuconazole, Tebufenozide, Tepraloxydim, Terbacil, Thiabendazole, Thiacloprid, Thiamethoxam, Thifensulfuron-methyl, Tolclofos-Methyl, Tolfenpyrad, Triadimefon, Triadimenol, Triazophos, Trifloxystrobin, Valifenalate |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|---------------------|---------------|---|-----------------------------|-----------------|---|
| Table to S20—3 | APVMA 5 | F2022L01442 10 November 2022 APVMA 23 15 November 2022 | 15 November 2022 | am | Aminocyclopyrachlor, Amitraz, Bupirimate, Buprofezin, Captan, Emamectin, Fluopyram , Flupyradifurone, Fluxapyroxad, Glyphosate, Imazapic, Imazapyr, Myclobutanil, Tebuconazole, Tetraniliprole, Pyraclostrobin, Quizalofop- ethyl |
| Table to S20—3 | APVMA 1 | F2023L00107 15 February 2023 APVMA 4 21 February 2023 | 21 February 2023 | am | Afidopyropen, Aminopyralid, Atrazine, Azoxystrobin Bifenthrin, Bixlozone, Butafenacil, Clomazone, Clopyralid, Clothianidin, Cyhalothrin, Cypermethrin , Diafenthiuron, Dimpropyridaz, Emamectin , Flonicamid, Fluquinconazole, Florylpicoxamid, Fluquioxonil, Flutriafol, Glufosinate and Glufosinate-ammonium, Glyphosate, Halauxifen-methyl, Haloxyfop, Imazamox, Imazapic, Imazapyr, Imidacloprid, Iprodione, Isocycloseram, Maldison, Methomyl, Metribuzin Metolachlor, Napropamide, Oryzalin , Penflufen, Permethrin, Pirimicarb, Procymidone, Prothioconazole Propyzamide, Pydiflumetofen, Quizalofop-ethyl,, Quizalofop-p-tefuryl, Sedaxane, Sethoxydim, Simazine, Spinetoram, Sulfoxaflor, Tebuconazole, Terbuthylazine , Tetraniliprole, |
| Table to S20—3 | APVMA 2 | F2023L00445 17 April 2023 APVMA 8 18 April 2023 | 18 April 2023 | am | Acetamiprid, Bifenthrin, Cyfluthrin, Dithiocarbamates, Flazasulfuron, Fluopyram, Methoxyfenozide, Procymidone, Spinetoram, Sulfoxaflor, Trifloxystrobin |
| Table to S20—3 | 220 | F2023L01004 11 July 2023 FSC160 19 July 2023 | 19 July 2023 | am | Amisulbrom, Bifenazate, Buprofezin, Cyflumetofen, Cyproconazole, Cyprodinil, Diafenthiuron, Didecyldimethylammonium chloride, Dinotefuran, Ethephon, Fenazaquin, Fludioxonil, Fluoxapiprolin, Fluxapyroxad, Imazamox, Kresoxim- methyl, Maldison, Metalaxyl, Niclosamide, Phosphorous acid, Propyzamide, Prosulfocarb, Prothioconazole, Pydiflumetofen, Pyraflufen-ethyl, Pyroxasulfone, Sethoxydim, Tetraniliprole, Trichlorfon, Triticonazole |
| Table to S20—3 | APVMA 3 | F2023L01013 18 July 2023 APVMA 15 25 July 2023 | 25 July 2023 | am | Dodine, Fipronil, Fluopicolide, Fluralaner, Indaziflam, Inpyrfluxam, Ipflufenoquin, Mandestrobin, Mesotrione, Metrafenone, Propamocarb, Proquinazid, Prosulfocarb, Pyraclostrobin, Sethoxydim, Tetraniliprole |
| Table to S20—3 | 226 | F2024L00184 20 February 2024 FSC166 23 February 2024 | 23 February 2024 | rep | Bensulide, Bioresmethrin, Fenarimol, Pebulate |
| Table to S20—3 | 226 | F2024L00184 20 February 2024 FSC166 23 February 2024 | 23 February 2024 | ad | Flutianil, Isoprothiolane, Pyraziflumid, Spiropidion |

| Section | A'ment | FRL | Commencement | How | Description of amendment |
|-------------------|--------|---|------------------|--------------|---|
| affected | No. | registration Gazette | (Cessation) | affected | |
| Table to S20—3 | 226 | F2024L00184 20 February 2024 FSC166 23 February 2024 | 23 February 2024 | am ed C76 | Abamectin, Acequinocyl, Acetamiprid, Aclonifen, Altrenogest, Aminoethoxyvinylglycine, Amitrole, Azinphos-methyl, Azoxystrobin, Benalaxyl, Bendiocarb, Bentazone, Benzovindiflupyr, Bicyclopyrone, Bifenazate, Bifenthrin, Bixafen, Boscalid, Bromoxynil, Buprofezin, Butafenacil, Cadusafos, Captan, Carbaryl, Chlorantraniliprole, Chlorothalonil, Chlorpyrifos, Clofentezine, Clothianidin, Cyantraniliprole, Cyclaniliprole, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyproconazole, Cyprodinil, Ciromazine, 2,4-D, Diazinon, Dichlobenil, Dichlorvos, Difenoconazole, Dimethomorph, Diphenylamine, Diquat, Dithiocarbamates, 2,2-DPA, Ethephon (md not incorp), Ethiprole, Ethoprophos, Etofenprox, Etoxazole, Fenbuconazole, Fenbutatin oxide, Fenhexamid, Fenpicoxamid, Fenpyroximate, Fipronil (Sch items 230, 232 md not incorp), Florylpicoxamid, Fluaziandolizine, Fluazifop-p-butyl, Fluazinam, Fludioxonil, Fluazifop-p-butyl, Fluazinam, Fludioxonil, Fluroxypyr, Fluxapyroxad, Fomesafen, Forchlorfenuron, Glufosinate and Glufosinate-ammonium, Glyphosate, Haloxyfop, Hexazinone, Hexythiazox, Imazalil, Imazamox, Imidacloprid, Indoxacarb, Ioxynil, Iprodione, Isofetamid, Isoxaben, Linuron, Maldison, Mandestrobin (Sch item 232 md not incorp), Mandipropamid, Metalaxyl, Metonazole, Methidathion, Methiocarb, Methomyl, Methoprene, Methoxyfenozide, Metolachlor, Milbemectin, Myclobutanil, Napropamide, Norflurazon, Novaluron, Oryzalin, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paclobutrazol, Paraquat, Penconazole, Pendimethalin, Penthiopyrad, Permethrin, 2-Phenylphenol, Phosphorous acid, Pinoxaden, Pirimicarb, Prometryn, Propachlor, Propaquizafop, Propargite, Propazine, Propiconazole, Pydiflumetofen, Pyridate, Pyrimethanil, Pyriproxyfen, Pyroxasulfone, Pyroxsulam, Quinclorac, Quinoxyfen, Saflufenacil, Sethoxydim, Simazine, Spinetoram, Spinosad, Spirotetramat, Sulfoxaflor, Tebuconazole, Produinazid, Thiamethoxam, Tiafenacil, Tolhofno, Trifloxystrobin, Trifluralin, Trichlorfon, Trifloxystrobin, Tridimenol, Trichlorfon, Trifloxystrobin, Tridatimenol, Tri |
| S20—3 | | 12 April 2024 APVMA 8 16 April 2024 | 10 APHI 2024 | am | for Maldison, Metolachlor, Propiconazole, Trichlorfon, Trifluralin |

Editorial changes

The *Legislation Act 2003* authorises First Parliamentary Counsel to make editorial and presentational changes to a compiled law in preparing a compilation of the law for registration. The changes must not change the effect of the law. Editorial changes take effect from the compilation registration date.

If the compilation includes editorial changes, the notes will include a brief outline of the changes in general terms. Full details of any changes can be obtained from the Office of Parliamentary Counsel.

The editorial change amendments can be given effect as intended and incorporated into the compiled law and the abbreviation "ed" will be added to the details of the amendment in the Table of Amendments.

In preparing this compilation for registration, the following kinds of editorial change(s) were made under the *Legislation Act 2003*.

Section S20—3 (table entry for Agvet chemical: Maldison)

Kind of editorial change

Give effect to the misdescribed amendment as intended and change to capitalisation

Details of editorial change

Paragraph 230(z) of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit "Citrus fruits [except kumquats]" and substitute "Citrus fruits" in the entry for Agvet chemical: Maldison in section S20—3.

The text "citrus fruits [except kumquats]" also appears in the entry for Agvet chemical: Maldison in section S20—3.

This compilation was editorially changed to omit "citrus fruits [except kumquats]" and substitute "citrus fruits" in the entry for Agvet chemical: Maldison in section S20—3 to give effect to the misdescribed amendment as intended and to correct the capitalisation.

Section S20—3 (table entry for Agvet chemical: Metolachlor)

Kind of editorial change

Give effect to the misdescribed amendment as intended

Details of editorial change

Table item 7 of item 143 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit "T*0.05" and substitute "*0.05" in the food commodity for Dill seed in the entry for Agvet chemical: Metolachlor in section S20—3.

The text "Dill seed" does not appear in the entry for Agvet chemical: Metolachlor in section S20—3. However, "Dill, seed" does appear.

This compilation was editorially changed to omit "T*0.05" and substitute "*0.05" in the food commodity for Dill, seed in the entry for Agvet chemical: Metolachlor in section S20—3 to give effect to the misdescribed amendment as intended.

Section S20—3 (table entry for Agvet chemical: Propiconazole)

Kind of editorial change

Give effect to the misdescribed amendment as intended and reordering of provisions

Details of editorial change

Item 166 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* provides as follows:

[166] Section S20—3 (table entry for Agvet chemical: Propiconazole)

Insert in alphabetical order:

Broccoli, Chinese

T1

However, the existing entries for Boysenberry and Blueberries in the entry for Agvet chemical: Propiconazole in section S20—3 are not in alphabetical order.

This compilation was editorially changed to move the entry for Boysenberry to after the entry for Blueberries and to insert the entry for Broccoli, Chinese after the entry for Boysenberry in the entry for Agvet chemical: Propiconazole in section S20—3 to correct the alphabetical order and to give effect to the misdescribed amendment as intended.

Section S20—3 (table entry for Agvet chemical: Trichlorfon)

Kind of editorial change

Give effect to the misdescribed amendment as intended

Details of editorial change

Table item 2 of item 218 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit "Fruit [except achachairu; assorted tropical and sub-tropical fruits – edible peel; assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]; babaco; berries and other small fruits; dried fruits; loquat; medlar; miracle fruit; quince; rollinia; pomelo; stone fruits (except jujube, Chinese)]" and substitute "Fruit [except as otherwise listed under this chemical]" in the entry for Agvet chemical: Trichlorfon in section S20—3.

The text contained in the entry for Agvet chemical: Trichlorfon in section S20—3 does not exactly match the text to be omitted as outlined in table item 2 of item 218 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation.*

This compilation was editorially changed to omit and substitute the text in the entry for Agvet chemical: Trichlorfon in section S20—3 to give effect to the misdescribed amendment as intended.

Section S20—3 (table entry for Agvet chemical: Trichlorfon)

Kind of editorial change

Give effect to the misdescribed amendment as intended and change to capitalisation

Details of editorial change

Item 228 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit "perisimmon" (wherever occurring) and substitute "persimmon" in section S20—3.

The word "perisimmon" does not appear in the entry for Agvet chemical: Trichlorfon in section S20—3. However, the word "Perisimmon" does appear.

This compilation was editorially changed to omit "Perisimmon" and substitute "Persimmon" in the entry for Agvet chemical: Trichlorfon in section S20—3 to give effect to the misdescribed amendment as intended and to correct the capitalisation.

Section S20—3 (table entry for Agvet chemical: Trifluralin)

Kind of editorial change

Give effect to the misdescribed amendment as intended

Details of editorial change

Item 223 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit the entry for Burnet, Salad from the entry for Agvet chemical: Trifluralin in section S20—3.

The text "Burnet, Salad" does not appear in the entry for Agvet chemical: Trifluralin in section S20—3. However, "Burnet, salad" does appear.

This compilation was editorially changed to omit the entry for Burnet, salad from the entry for Agvet chemical: Trifluralin in section S20—3 to give effect to the misdescribed amendment as intended.

Section S20—3 (table entry for Agvet chemical: Trifluralin)

Kind of editorial change

Give effect to the misdescribed amendment as intended

Details of editorial change

Table item 3 of item 224 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit "T*0.05" and substitute "*0.05" in the food commodity for Dill seed in the entry for Agvet chemical: Trifluralin in section S20—3.

The text "Dill seed" does not appear in the entry for Agvet chemical: Trifluralin in section S20—3. However, "Dill, seed" does appear.

This compilation was editorially changed to omit "T*0.05" and substitute "*0.05" in the food commodity for Dill, seed in the entry for Agvet chemical: Trifluralin in section S20—3 to give effect to the misdescribed amendment as intended.