


Health Insurance (Diagnostic Imaging Services Table) Regulation 2016



Dated 17 August 2016

Peter Cosgrove Governor-General

By His Excellency's Command

Sussan Ley Minister for Health and Aged Care



Contents		
1	Name	1
2	Commencement	1
3	Authority	
4	Schedules	1
5	Diagnostic imaging services table	1
6	Dictionary	1
Schedule 1—D	agnostic imaging services table	2
Part 1—Prelimin	ary	2
Division 1.1—	nterpretation	2
1.1.1	References to diagnostic imaging services	2
Division 1.2—	General application provisions	2
Subdivision	A—Capital sensitivity	2
1.2.1	Application of (K) items and (NK) items	2
1.2.2	Age of equipment	2
1.2.3	Exemptions from capital sensitivity	4
1.2.4	Reconsideration of exemption decisions	5
1.2.5	Delegation	5
Subdivision	B—Other provisions	6
1.2.6	Meaning of symbols (R) and (NR) in the table	6
1.2.7	Who may provide a diagnostic imaging service	6
1.2.8	Report requirements for certain services	6
1.2.9	Bulk-billing incentive	6
1.2.1		
1.2.1	Multiple services—vascular ultrasound	7
1.2.1	· · · · · · · · · · · · · · · · · · ·	7
1.2.1	Application of items—services provided with autologous injections of blood or blood products	8
Part 2—Services	and fees	9
Division 2.1—	Group I1: ultrasound	9
Subdivision	A—General	9
2.1.1	Ultrasound services—eligible services	9
2.1.2	Ultrasound services—R-type eligible services	
Subdivision	B—Subgroups 1 to 4 of Group I1	10
2.1.3	Certain items taken to include referred by dental practitioner or referring dental practitioner	
Subdivision	C—Subgroup 5 of Group I1: obstetric and gynaecological	24
2.1.4	Obstetric and gynaecological ultrasound services—limits	
2.1.5	Obstetric and gynaecological services—referrals and clinical notes	
2.1.6	Obstetric and gynaecological services—conditions	
Subdivision	D—Subgroup 6 of Group I1: musculoskeletal ultrasound	41
2.1.7	Musculoskeletal ultrasound services—personal attendance	
2.1.8	Musculoskeletal ultrasound services—comparison ultra-sonography	
2.1.9	Musculoskeletal ultrasound services—equipment	
Division 2.2—	Group I2: computed tomography (examination)	53
2.2.1	CT services—eligible services	
2.2.2	CT services—exclusion of attenuation correction and anatomical correlation	
2.2.3	CT services—exclusion of acoustic neuroma	

2.2.4	CT services—assessment of headache	54
2.2.5	CT services—number of services	54
2.2.6	Cone bean computed tomography—items 57362 and 57363	54
Division 2.3—G	roup I3: diagnostic radiology	62
Subdivision .	A—General	62
2.3.1	Who must perform diagnostic imaging procedure	
Subdivision 1	B—Subgroups 1 to 9 of Group I3	63
Subdivision (C—Subgroup 10 of Group I3: radiographic examination of breasts	68
2.3.2	Mammography services—eligible services	
Subdivision 1	D—Subgroups 12 to 14 of Group I3	69
	E—Subgroup 15 of Group I3: fluoroscopic examination	73
	F—Subgroup 16 of Group I3: preparation for radiological	
	procedure	74
2.3.3	Preparation of patients for radiological procedures	74
Subdivision	G—Subgroup 17 of Group I3: interventional techniques	75
2.3.4	Meaning of angiography suite	75
Division 2.4—G	roup I4: nuclear medicine imaging	75
2.4.1	Nuclear scanning services—other than PET	75
2.4.2	PET nuclear scanning services	75
2.4.3	PET nuclear scanning services—performance under personal supervision	76
2.4.4	PET nuclear scanning services—equipment	76
2.4.5	PET nuclear scanning services—statutory declaration	76
Division 2.5—G	roup I5: magnetic resonance imaging	84
Subdivision .	A—General	84
2.5.1	MRI and MRA services—eligible services	84
2.5.2	MRI and MRA services—request	
2.5.3	MRI and MRA services—permissible circumstances for performance	85
2.5.4	MRI and MRA services—eligible provider	85
2.5.5	MRI and MRA services—eligible equipment	85
2.5.6	MRI and MRA services—partial eligible equipment	86
2.5.7	MRI and MRA services—meaning of scan	86
2.5.8	MRI and MRA services—multiple services	86
2.5.9	MRI or MRA services—related services that can be claimed in a 12 month	0.4
~	period	
	B—Subgroups 1 to 19 of Group I5	87
Subdivision	C—Subgroup 20 of Group I5: scans of pelvis and upper abdomen for specified conditions	95
2.5.10	MRI services—limits for certain items	
2.5.10	MRI and MRA services—modifying items	
	D—Subgroups 21 and 22 of Group I5	97
	E—Subgroup 33 of Group I5	98
	F—Subgroup 34 of Group I5	99
	roup I6: management of bulk-billed services	100
2.6.1	Application of items 64990 and 64991	100
Part 3—Dictionary		103
Schedule 2—Repea	ıls	107
-		
Health Insurc	unce (Diagnostic Imaging Services Table) Regulation 2015	107

1 Name

This is the *Health Insurance (Diagnostic Imaging Services Table) Regulation* 2016.

2 Commencement

(1) Each provision of this instrument specified in column 1 of the table commences, or is taken to have commenced, in accordance with column 2 of the table. Any other statement in column 2 has effect according to its terms.

Commencement information			
Column 1	Column 2	Column 3	
Provisions	Commencement	Date/Details	
1. The whole of this instrument	The day after this instrument is registered.	19 August 2016	

Note: This table relates only to the provisions of this instrument as originally made. It will not be amended to deal with any later amendments of this instrument.

(2) Any information in column 3 of the table is not part of this instrument. Information may be inserted in this column, or information in it may be edited, in any published version of this instrument.

3 Authority

This instrument is made under the *Health Insurance Act 1973*.

4 Schedules

Each instrument that is specified in a Schedule to this instrument is amended or repealed as set out in the applicable items in the Schedule concerned, and any other item in a Schedule to this instrument has effect according to its terms.

5 Diagnostic imaging services table

For subsection 4AA(1) of the Act, Schedule 1 prescribes a table of diagnostic imaging services.

6 Dictionary

The Dictionary in Part 3 of Schedule 1 defines certain words and expressions that are used in this instrument, and includes references to certain words and expressions that are defined elsewhere in this instrument.

Schedule 1—Diagnostic imaging services table

Note: See section 5.

Part 1—Preliminary

Division 1.1—Interpretation

1.1.1 References to diagnostic imaging services

A reference to a diagnostic imaging service in an item in Part 2 includes a reference to the undertaking of the diagnostic imaging procedure used for rendering the service.

Division 1.2—General application provisions

Subdivision A—Capital sensitivity

1.2.1 Application of (K) items and (NK) items

- (1) Subject to clause 1.2.3, an (NK) item applies to a service that is performed on:
 - (a) diagnostic imaging equipment:
 - (i) that has not been upgraded; and
 - (ii) the age of which exceeds the new effective life age for the equipment; or
 - (b) diagnostic imaging equipment:
 - (i) that has been upgraded; and
 - (ii) the age of which exceeds the maximum extended life age for the equipment.
- (2) A (K) item does not apply to a service to which an (NK) item applies.

1.2.2 Age of equipment

Age of equipment

- (1) The date from which the age of equipment is worked out for this instrument is:
 - (a) the date that the diagnostic imaging equipment was first installed in Australia; or
 - (b) if the diagnostic imaging equipment was imported as used equipment—the date of manufacture of the oldest component of the equipment.

Life ages

(2) The *new effective life age* and *maximum extended life age* for equipment are the periods set out in the following table for that type of equipment:

Life a	ges			
Item	Column 1 Topic	Column 2 Modality	Column 3 New effective life age (years)	Column 4 Maximum extended life age (years)
1	Ultrasound	Equipment used to perform a service to which an item in Group I1 in Division 2.1 applies	10	15
2	СТ	Equipment used to perform a service to which an item in Group I2 in Division 2.2 applies	10	15
3	Mammography	Equipment used to perform a service to which an item in Group I3 (other than Subgroup 10) in Division 2.3 applies	10	15
4	Angiography	Equipment used to perform a service to which an item in Subgroup 13 of Group I3 in Division 2.3 applies	10	15
5	Rest of diagnostic radiology	Equipment used to perform a service to which an item in Subgroups 1 to 9, 12, 14, 15 or 17 of Group I3 in Division 2.3 applies	15	20
6	Nuclear medicine (excluding PET)	Equipment used to perform a service to which an item in Group I4 in Division 2.4 applies	10	15
7	MRI	Equipment used to perform a service to which an item in Group I5 in Division 2.5 applies	10	20

Upgrades

- (3) Diagnostic imaging equipment has been *upgraded* if:
 - (a) an additional reasonable investment has been made within the new effective life age for the equipment that improves the overall performance of the imaging system so that it is equivalent to new equipment supplied in Australia at the time of the improvement; or
 - (aa) in the case of CT or angiography equipment that was not more than 15 years old on 1 January 2015—an additional reasonable investment has been made before 1 January 2016 that improves the overall performance of the imaging system so that it is equivalent to new equipment supplied in Australia at the time of the improvement; or
 - (b) the equipment is currently accredited under The Royal Australian and New Zealand College of Radiologists' Mammography Quality Assurance Program.

Note: Proprietors can obtain further information on what constitutes an upgrade from the Department's website (http://www.health.gov.au/capitalsensitivity).

1.2.3 Exemptions from capital sensitivity

Outer regional, remote and very remote areas

- (1) An (NK) item does not apply if:
 - (a) the diagnostic imaging equipment used to perform the service is ordinarily located at diagnostic imaging premises; and
 - (b) the diagnostic imaging premises are located in RA2, RA3 or RA4.

Note:

Proprietors can identify what Remoteness Area they fall under at the Department's DoctorConnect website (http://www.doctorconnect.gov.au). Proprietors should refer to the category names, rather than category numbers as the website uses different category numbers from those specified in this instrument

- (2) An (NK) item does not apply if:
 - (a) the diagnostic imaging equipment used to perform the service is not ordinarily located at diagnostic imaging premises; and
 - (b) the diagnostic imaging equipment used to perform the service is ordinarily located, when not in use, at a base for mobile diagnostic imaging equipment; and
 - (c) the base for mobile diagnostic imaging equipment is located in RA2, RA3 or RA4.

Note:

Proprietors can identify what Remoteness Area they fall under at the Department's DoctorConnect website (http://www.doctorconnect.gov.au). Proprietors should refer to the category names, rather than category numbers as the website uses different category numbers from those specified in this instrument.

Inner regional areas

- (3) An (NK) item does not apply if:
 - (a) both of the following subparagraphs apply:
 - (i) the Department has notified the relevant proprietor of the receipt of a valid application for an exemption under subclause (4);
 - (ii) the Secretary has not made a decision under subclause (4); or
 - (b) the Secretary has granted an exemption under subclause (4); or
 - (c) the Secretary has notified the relevant proprietor that the Secretary has refused to grant an exemption under subclause (4), and:
 - (i) if the proprietor has not yet applied for reconsideration under clause 1.2.4—the period to apply for reconsideration has not yet expired; or
 - (ii) if the proprietor has applied for reconsideration under clause 1.2.4—the Secretary has not yet notified the proprietor of the Secretary's reconsideration decision.
- (4) The Secretary may grant an exemption in writing in respect of diagnostic imaging equipment if the Secretary is satisfied that the diagnostic imaging equipment:
 - (a) is operated on a rare and sporadic basis; and
 - (b) provides crucial patient access to diagnostic imaging services.
- (5) The Secretary must make a decision under subclause (4) within 28 days of the day on which the Department notifies the relevant proprietor of the receipt of a valid application as mentioned in paragraph (3)(a).

- (6) A relevant proprietor may only apply for an exemption under subclause (4) if the age of the diagnostic imaging equipment exceeds the maximum extended life age for the diagnostic imaging equipment by less than 3 years, and:
 - (a) all of the following subparagraphs apply:
 - (i) the diagnostic imaging equipment is ordinarily located at diagnostic imaging premises;
 - (ii) the diagnostic imaging premises are located in RA1;
 - (iii) the diagnostic imaging premises are located in RRMA4 or RRMA5; or
 - (b) all of the following subparagraphs apply:
 - (i) the diagnostic imaging equipment is ordinarily located at a base for mobile diagnostic imaging equipment when not in use;
 - (ii) the diagnostic imaging equipment is not ordinarily located at diagnostic imaging premises;
 - (iii) the base for mobile diagnostic imaging equipment is located in RA1;
 - (iv) the base for mobile diagnostic imaging equipment is located in an area classified as RRMA4 or RRMA5.

Note: Proprietors can identify what Remoteness Area they fall under at the Department's DoctorConnect website (http://www.doctorconnect.gov.au). Proprietors should refer to the category names, rather than category numbers as the website uses different category numbers from those specified in this instrument.

(7) An application under subclause (6) must be made in writing to the Department.

1.2.4 Reconsideration of exemption decisions

- (1) If the Secretary refuses to grant an exemption under subclause 1.2.3(4), the proprietor who applied for the exemption may apply to the Secretary for reconsideration of the decision within:
 - (a) 28 days after the date of issue of the notice of the decision to the proprietor; or
 - (b) if the Secretary is satisfied that special circumstances exist—within such further period (if any) as the Secretary allows.
- (2) In the application for reconsideration, the proprietor:
 - (a) must identify the decision for reconsideration and set out the reasons for the application; and
 - (b) may provide new material for the Secretary to consider.
- (3) The Secretary must, within 28 days after receipt of an application, reconsider the decision and:
 - (a) affirm the decision; or
 - (b) vary the decision; or
 - (c) set aside the decision and make a decision in substitution for it.
- (4) The Secretary must notify the proprietor of a reconsideration decision under subclause (3).

1.2.5 Delegation

The Secretary may, by written notice, delegate to an APS employee in the Department any of the Secretary's powers under this Division.

Subdivision B—Other provisions

1.2.6 Meaning of symbols (R) and (NR) in the table

- (1) An item including the symbol (R) is an R-type diagnostic imaging service.
- (2) An item including the symbol (NR) is an NR-type diagnostic imaging service.

1.2.7 Who may provide a diagnostic imaging service

Unless the contrary intention appears, items in this table relating to diagnostic imaging services apply whether the service is provided by:

- (a) a medical practitioner; or
- (b) a person, other than a medical practitioner, who:
 - (i) is employed by a medical practitioner; or
 - (ii) provides the service under the supervision of a medical practitioner in accordance with accepted medical practice.

1.2.8 Report requirements for certain services

- (1) An item in Part 2 (except an item to which subclause (2) applies) applies only if the providing practitioner gives a report of the service performed to the practitioner, participating midwife or participating nurse practitioner who requested the service.
- (2) This subclause applies to:
 - (a) items 55026, 55054, 55130, 55131, 55135, 55136, 55848, 55849, 55850, 55851, 57341, 57345, 59312, 59313, 59314, 59315, 60506, 60507, 60509, 60510, 61109 and 61110, being items of services performed in conjunction with a surgical procedure; and
 - (b) items 60918 and 60927, being items of service performed in preparation for a radiological procedure.

1.2.9 Bulk-billing incentive

- (1) This clause applies if:
 - (a) a service that is mentioned in an item in Divisions 2.1 to 2.4 of this table is provided; and
 - (b) the service is not provided in a hospital; and
 - (c) the service is bulk-billed.
- (2) The fee for the service is 95% of the fee mentioned in this table for the service.
- (3) For paragraph 10(2)(aa) of the Act, the benefit payable is the amount calculated under subclause (2).

Note: Under subparagraph 6EF(b)(ii) of the *Health Insurance Regulations 1975*, the medicare benefit payable is 100% of the amount calculated under subclause (2) of this clause.

(4) This clause does not apply to the service specified in item 61369 or 61671.

1.2.10 Bulk-billing—magnetic resonance imaging

(1) This clause applies if:

- (a) a service that is mentioned in an item in Division 2.5 of this table is provided; and
- (b) the service is not provided in a hospital; and
- (c) the service is bulk-billed.
- (2) The fee for the service is 100% of the fee mentioned in this table for the service.
- (3) For paragraph 10(2)(aa) of the Act, the benefit payable is the amount calculated under subclause (2).

Note: Under subparagraph 6EF(b)(ii) of the *Health Insurance Regulations 1975*, the medicare benefit payable is 100% of the amount calculated under subclause (2) of this clause.

1.2.11 Multiple services—vascular ultrasound

- (1) If a medical practitioner provides 2 or more vascular ultrasound services for the same patient on the same day, the fees specified for the items that apply to the services are affected as follows:
 - (a) the second highest fee is reduced by 40%;
 - (b) any other fee, except the highest, is reduced by 50%.
- (2) For subclause (1):
 - (a) if 2 or more applicable fees are equally the highest:
 - (i) only one of those fees is taken to be the highest fee; and
 - (ii) the other, or another, highest fee is taken to be the second highest fee; and
 - (b) if 2 or more fees are equally second highest—any one of those fees may be taken to be the second highest for the purpose of paragraph (1)(b); and
 - (c) if a reduced fee calculated under subclause (1) is not a multiple of 5 cents—the reduced fee is taken to be the nearest amount that is a multiple of 5 cents.
- (3) This clause does not apply to the fee specified in item 64990 or 64991.

1.2.12 Multiple services

- (1) If a medical practitioner renders 2 or more diagnostic imaging services for the same patient on the same day, the fees set out in the items that apply to the services, other than the item with the highest fee, are reduced by \$5.
- (2) If a medical practitioner renders at least one R-type diagnostic imaging service and at least one consultation service for the same patient on the same day, the highest fee, set out in the items that apply to diagnostic imaging services rendered by the practitioner for that patient on that day, is reduced:
 - (a) if the fee for the relevant consultation is at least \$40—by \$35; or
 - (b) if that fee is less than \$40 but more than \$15—by \$15; or
 - (c) if that fee is less than \$15—by the amount of that fee.
- (3) For subclause (2), if more than one consultation has occurred, the relevant consultation is the consultation having the highest fee set out in the items that apply to the consultation.
- (4) If a medical practitioner renders at least one R-type diagnostic imaging service and at least one non-consultation service for the same patient on the same day,

the highest fee that applies to any diagnostic imaging services performed by the medical practitioner for the same patient on the same day, is reduced by \$5.

- (5) If a medical practitioner renders an R-type diagnostic imaging service, a consultation and a non-consultation service for the same patient on the same day, the sum of the reductions under subclauses (2) and (4) must not exceed the highest fee that applies to any diagnostic imaging services rendered by the medical practitioner for the same patient on the same day.
- (6) Clauses 1.2.11 and 2.5.8 apply, subject to subclauses (7) and (8), in addition to this clause.
- (7) For clause 1.2.11, if a medical practitioner provides:
 - (a) 2 or more vascular ultrasound services for the same patient on the same day; and
 - (b) one or more other diagnostic imaging services for that patient on that day; the amount of the fees payable for the vascular ultrasound services is taken, for this clause, to be an amount payable for one diagnostic imaging service.
- (8) For clause 2.5.8, if a medical practitioner provides:
 - (a) 2 or more MRI services mentioned in Subgroup 12 or 13 of Division 2.5 in this table for the same patient on the same day; and
 - (b) one or more other diagnostic imaging services for that patient on that day; the amount of the fees payable for the MRI services is taken, for this clause, to be an amount payable for one diagnostic imaging service.
- (9) This clause does not apply to diagnostic imaging services that are rendered in a remote area by a medical practitioner for whom a remote area exemption under section 23DX of the Act is in force for that area.
- (10) This clause does not apply to the fee specified in item 59103, 59104, 64990 or 64991.
- (11) In this table:

consultation means a service under an item listed in Divisions 2.1 to 2.14 of the general medical services table.

highest fee means the highest fee specified for an item in the first claim submitted to the Chief Executive Medicare for the services provided.

non-consultation service means a service under an item listed in the general medical services table other than in Divisions 2.1 to 2.14 of the general medical services table.

1.2.13 Application of items—services provided with autologous injections of blood or blood products

An item in the table does not apply to a service mentioned in the item if the service is provided to a patient at the same time as, or in connection with, an injection of blood or a blood product that is autologous.

Part 2—Services and fees

Division 2.1—Group I1: ultrasound

Subdivision A—General

2.1.1 Ultrasound services—eligible services

Items in this Division (except items 55600, 55601, 55603 and 55604) apply to an ultrasound service only if the diagnostic imaging procedure used in rendering the service is performed:

- (a) by a medical practitioner; or
- (b) by a registered sonographer on behalf of a medical practitioner.

2.1.2 Ultrasound services—R-type eligible services

- (1) Items in this Division (except items 55600, 55601, 55603 and 55604) marked with the symbol *(R)* apply to an ultrasound service (the *eligible service*) only if the service is performed:
 - (a) under the professional supervision of a specialist or a consultant physician in the practice of his or her specialty who is available:
 - (i) to monitor and influence the conduct and diagnostic quality of the examination; and
 - (ii) if necessary, to attend on the patient personally; or
 - (b) under the professional supervision of a practitioner who:
 - (i) is not a specialist or consultant physician; and
 - (ii) meets the requirement of subclause (2); and
 - (iii) is available to monitor and influence the conduct and diagnostic quality of the examination and, if necessary, to attend on the patient personally; or
 - (c) in the circumstance mentioned in subclause (3), and under the professional supervision of a practitioner who is available:
 - (i) to monitor and influence the conduct and diagnostic quality of the examination; and
 - (ii) if necessary, to attend on the patient personally; or
 - (d) if paragraph (a), (b) or (c) cannot be complied with:
 - (i) in an emergency; or
 - (ii) in a location that is not less than 30 kilometres by the most direct road route from another practice where services that comply with paragraph (a) or (b) are available.
- (2) For subparagraph (1)(b)(ii), the requirement is that, between 1 September 1997 and 31 August 1999, at least 50 services were rendered by or on behalf of the practitioner at the location where the eligible service was rendered, and the rendering of those services entitled payment of medicare benefits.
- (3) For paragraph (1)(c), the circumstance is that, between 1 September 1997 and 31 August 1999, at least 50 services were rendered in nursing homes or patients' residences by or on behalf of the practitioner, and the rendering of those services entitled payment of medicare benefits.

Subdivision B—Subgroups 1 to 4 of Group I1

2.1.3 Certain items taken to include referred by dental practitioner or referring dental practitioner

In items 55005, 55008, 55011, 55028, 55030 and 55032, a reference to a medical practitioner includes a reference to a dental practitioner approved under paragraph (b) of the definition of *professional service* in subsection 3(1) of the Act.

Group 1	1—Ultrasound	
Item	Description	Fee (\$)
Subgro	ıp 1—General	
55005	Head, ultrasound scan of, if:	54.55
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (NK)	
55007	Head, ultrasound scan of, if:	18.95
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (NK)	
55008	Orbital contents, ultrasound scan of, if:	54.55
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (NK)	
55010	Orbital contents, ultrasound scan of, if:	18.95
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (NK)	
55011	Neck, one or more structures of, ultrasound scan of, if:	54.55
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (NK)	
55013	Neck, one or more structures of, ultrasound scan of, if:	18.95
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (NK)	
55014	Abdomen, ultrasound scan of (including scan of urinary tract when performed), if:	55.65
	(a) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(b) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing	

•	1—Ultrasound	E (0)
Item	Description prostitioner is a member; and	Fee (\$)
	practitioner is a member; and (c) if the patient is referred by a participating nurse practitioner—the nurse	
	practitioner does not have a business or financial arrangement with the providing practitioner; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(e) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs; and	
	(f) within 24 hours of the service, a service mentioned in item 55017, 55038, 55065 or 55067 is not performed on the same patient by the providing practitioner (R) (NK)	
55016	Abdomen, ultrasound scan of (including scan of urinary tract when performed), if:	18.95
	(a) the patient is not referred by a medical practitioner or participating nurse practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(c) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs (NR) (NK)	
55017	Urinary tract, ultrasound scan of, if:	54.55
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs; and	
	(e) within 24 hours of the service, a service mentioned in item 55014, 55038, 55065 or 55067 is not performed on the same patient by the providing practitioner (R) (NK)	
55019	Urinary tract, ultrasound scan of, if:	18.95
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(c) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs (NR) (NK)	
55023	Scrotum, ultrasound scan of, if:	54.75
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (NK)	
55025	Scrotum, ultrasound scan of, if:	18.95
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (NK)	
55026	Ultrasonic cross-sectional echography, in conjunction with a surgical procedure using interventional techniques, not being a service associated with a service to which any other item in this group applies (R) (NK)	54.55

	11—Ultrasound	
Item	Description	Fee (\$)
55028	Head, ultrasound scan of, if:	109.10
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (K)	
55029	Head, ultrasound scan of, if:	37.85
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (K)	
55030	Orbital contents, ultrasound scan of, if:	109.10
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (K)	
55031	Orbital contents, ultrasound scan of, if:	37.85
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (K)	
55032	Neck, one or more structures of, ultrasound scan of, if:	109.10
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (K)	
55033	Neck, one or more structures of, ultrasound scan of, if:	37.85
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (K)	
55036	Abdomen, ultrasound scan of (including scan of urinary tract when performed), if:	111.30
	(a) the patient is referred by a medical practitioner or participating nurse practitioner for ultrasonic examination; and	
	(b) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(e) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs; and	
	(f) within 24 hours of the service, a service mentioned in item 55017, 55038, 55065 or 55067 is not performed on the same patient by the providing practitioner (R) (K)	
55037	Abdomen, ultrasound scan of (including scan of urinary tract when performed),	37.85

Item	Description	Fee (\$)
	if:	
	(a) the patient is not referred by a medical practitioner or participating nurse practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(c) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs (NR) (K)	
55038	Urinary tract, ultrasound scan of, if:	109.10
	(a) the patient is referred by a medical practitioner for ultrasonic examination; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs; and	
	(e) within 24 hours of the service, a service mentioned in item 55017, 55036, 55065 or 55067 is not performed on the same patient by the providing practitioner (R) (K)	
55039	Urinary tract, ultrasound scan of, if:	37.85
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(c) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs (NR) (K)	
55048	Scrotum, ultrasound scan of, if:	109.50
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (K)	
55049	Scrotum, ultrasound scan of, if:	37.85
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (K)	
55054	Ultrasonic cross-sectional echography, in conjunction with a surgical procedure using interventional techniques, not being a service associated with a service to which any other item in this group applies (R) (K)	109.10
55059	Breast, one, ultrasound scan of, if:	49.15
	(a) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(b) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (NK)	

Item	Description	Fee (\$)
55060	Breast, one, ultrasound scan of, if:	17.05
	(a) the patient is not referred by a medical practitioner or participating nurse practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (NK)	
55061	Breasts, both, ultrasound scan of, if:	54.55
	(a) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(b) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (NK)	
55062	Breasts, both, ultrasound scan of, if:	18.95
	(a) the patient is not referred by a medical practitioner or participating nurse practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (NK)	
55063	Urinary bladder, ultrasound scan of, by any or all approaches, if:	49.15
	(a) the patient is referred by a medical practitioner for ultrasonic examination; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) within 24 hours of the service, a service mentioned in item 11917, 55014, 55017, 55036, 55038, 55065, 55067, 55600, 55601, 55603 or 55604 is not performed on the same patient by the providing practitioner (R) (NK)	
55064	Urinary bladder, ultrasound scan of, by any or all approaches, if:	17.05
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(c) within 24 hours of the service, a service mentioned in item 11917, 55016, 55019, 55037, 55039, 55068, 55069, 55600, 55601, 55603 or 55604 is not performed on the same patient by the providing practitioner (NR) (NK)	
55065	Pelvis, ultrasound scan of, by any or all approaches, if:	98.25
	(a) the patient is referred by a medical practitioner for ultrasonic examination; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs; and	
	(e) within 24 hours of the service, a service mentioned in item 55014, 55017, 55036 or 55038 is not performed on the same patient by the providing	

Item	Description	Fee (\$)
	practitioner (R) (K)	
55067	Pelvis, ultrasound scan of, by any or all approaches, if:	50.25
	(a) the patient is referred by a medical practitioner for ultrasonic examination; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs; and	
	(e) within 24 hours of the service, a service mentioned in item 55014, 55017, 55036 or 55038 is not performed on the same patient by the providing practitioner (R) (NK)	
55068	Pelvis, ultrasound scan of, by any or all approaches, if:	35.00
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(c) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs (NR) (K)	
55069	Pelvis, ultrasound scan of, by any or all approaches, if:	17.85
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(c) the service is not solely a transrectal ultrasonic examination of the prostate gland, bladder base and urethra, or any of those organs (NR) (NK)	
55070	Breast, one, ultrasound scan of, if:	98.25
	(a) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(b) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (K)	
55073	Breast, one, ultrasound scan of, if:	34.05
	(a) the patient is not referred by a medical practitioner or participating nurse practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (K)	
55076	Breasts, both, ultrasound scan of, if:	109.10
	(a) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(b) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the	

Item	Description	Fee (\$)
	providing practitioner; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (R) (K)	
55079	Breasts, both, ultrasound scan of, if:	37.85
	(a) the patient is not referred by a medical practitioner or participating nurse practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies (NR) (K)	
55084	Urinary bladder, ultrasound scan of, by any or all approaches, if:	98.25
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) within 24 hours of the service, a service mentioned in item 11917, 55014, 55017, 55036, 55038, 55065, 55067, 55600, 55601, 55603 or 55604 is not performed on the same patient by the providing practitioner (R) (K)	
55085	Urinary bladder, ultrasound scan of, by any or all approaches, if:	34.05
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(c) within 24 hours of the service, a service mentioned in item 11917, 55016, 55019, 55037, 55039, 55068, 55069, 55600, 55601, 55603 or 55604 is not performed on the same patient by the providing practitioner (NR) (K)	
Subgrou	ıp 2—Cardiac	
55113	M-mode and two-dimensional real time echocardiographic examination of the heart from at least 2 acoustic windows for the investigation of symptoms or signs of cardiac failure, or suspected or known ventricular hypertrophy or dysfunction, or chest pain: (a) with:	230.65
	(i) measurement of blood flow velocities across the cardiac valves using pulsed wave and continuous wave Doppler techniques; and (ii) real time colour flow mapping from at least 2 acoustic windows; and (iii) recordings on video tape or digital media; and	
	(b) not being a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3, or another item in this Subgroup (except items 55118, 55125, 55130 and 55131), applies (R) (K)	
55114	M-mode and two-dimensional real time echocardiographic examination of the heart from at least 2 acoustic windows for the investigation of suspected or known acquired valvular, aortic, pericardial, thrombotic or embolic disease or heart tumour: (a) with:	230.65
	 (i) measurement of blood flow velocities across the cardiac valves using pulsed wave and continuous wave Doppler techniques; and (ii) real time colour flow mapping from at least 2 acoustic windows; and (iii) recordings on video tape or digital media; and 	
	(b) not being a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3, or another item in this Subgroup (except items 55118, 55125, 55130 and 55131), applies (R) (K)	

16

	1—Ultrasound	
Item	Description	Fee (\$)
55115	M-mode and two-dimensional real time echocardiographic examination of the heart from at least 2 acoustic windows for the investigation of symptoms or signs of congenital heart disease:	230.65
	(a) with:	
	 (i) measurement of blood flow velocities across the cardiac valves using pulsed wave and continuous wave Doppler techniques; and (ii) real time colour flow mapping from at least 2 acoustic windows; and (iii) recordings on video tape or digital media; and 	
	(b) not being a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3, or another item in this Subgroup (except items 55118, 55125, 55130 and 55131), applies (R) (K)	
55116	Exercise stress echocardiography performed in conjunction with item 11712:	261.65
	(a) with:(i) two-dimensional recordings before exercise (baseline) from at least 3 acoustic windows; and	
	(ii) matching recordings from the same windows at, or immediately after, peak exercise; and(iii) recordings on digital media with equipment permitting display of	
	baseline and matching peak images on the same screen; and	
	(b) not being a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3, or another item in this Subgroup (except items 55118, 55125, 55130 and 55131), applies (R) (K)	
55117	Pharmacological stress echocardiography performed in conjunction with item 11712:	261.65
	(a) with:(i) two-dimensional recordings before drug infusion (baseline) from at least 3 acoustic windows; and	
	 (ii) matching recordings from the same windows at least twice during drug infusion, including a recording at the peak drug dose; and (iii) recordings on digital media with equipment permitting display of baseline and matching peak images on the same screen; and 	
	(b) not being a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3, or another item in this Subgroup (except items 55118, 55125, 55130 and 55131), applies (R) (K)	
55118	Heart, two-dimensional real time transoesophageal examination of, from at least 2 levels, and in more than one plane at each level:	275.50
	 (a) with: (i) real time colour flow mapping and, if indicated, pulsed wave Doppler examination; and (ii) recordings on video tape or digital medium; and 	
	(b) not being an intra-operative service or a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3 applies (R) (K) (Anaes.)	
55119	M-mode and two-dimensional real time echocardiographic examination of the heart from at least 2 acoustic windows for the investigation of symptoms or signs of cardiac failure, or suspected or known ventricular hypertrophy or dysfunction, or chest pain:	115.35
	 (a) with: (i) measurement of blood flow velocities across the cardiac valves using pulsed wave and continuous wave Doppler techniques; and (ii) real time colour flow mapping from at least 2 acoustic windows; and 	

Itam	Description	E 00 (C)
Item	Description (iii) recordings on video tape or digital media; and	Fee (\$)
	(b) not being a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3, or another item in this Subgroup (except items 55118, 55125, 55130 and 55131), applies (R) (NK)	
55120	M-mode and two-dimensional real time echocardiographic examination of the heart from at least 2 acoustic windows for the investigation of suspected or known acquired valvular, aortic, pericardial, thrombotic or embolic disease or heart tumour:	115.35
	 (a) with: (i) measurement of blood flow velocities across the cardiac valves using pulsed wave and continuous wave Doppler techniques; and (ii) real time colour flow mapping from at least 2 acoustic windows; and (iii) recordings on video tape or digital media; and 	
	(b) not being a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3, or another item in this Subgroup (except items 55118, 55125, 55130 and 55131), applies (R) (NK)	
55121	M-mode and two-dimensional real time echocardiographic examination of the heart from at least 2 acoustic windows for the investigation of symptoms or signs of congenital heart disease:	115.35
	(a) with:(i) measurement of blood flow velocities across the cardiac valves using	
	pulsed wave and continuous wave Doppler techniques; and (ii) real time colour flow mapping from at least 2 acoustic windows; and (iii) recordings on video tape or digital media; and	
	(b) not being a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3, or another item in this Subgroup (except items 55118, 55125, 55130 and 55131), applies (R) (NK)	
55122	Exercise stress echocardiography performed in conjunction with item 11712: (a) with:	130.85
	(i) two-dimensional recordings before exercise (baseline) from at least 3 acoustic windows; and (ii) matching recordings from the same windows at, or immediately after,	
	peak exercise; and (iii) recordings on digital media with equipment permitting display of baseline and matching peak images on the same screen; and	
	(b) not being a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3, or another item in this Subgroup (except items 55118, 55125, 55130 and 55131), applies (R) (NK)	
55123	Pharmacological stress echocardiography performed in conjunction with item 11712:	130.85
	 (a) with: (i) two-dimensional recordings before drug infusion (baseline) from at least 3 acoustic windows; and (ii) matching recordings from the same windows at least twice during drug infusion, including a recording at the peak drug dose; and (iii) recordings on digital media with equipment permitting display of baseline and matching peak images on the same screen; and (b) not being a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3, or another item in this Subgroup (except items 55118, 55125, 55130 and 55131), applies (R) (NK) 	

	1—Ultrasound	E (0)
Item	Description	Fee (\$)
55125	Heart, two-dimensional real time transoesophageal examination of, from at least 2 levels, and in more than one plane at each level: (a) with:	137.75
	(i) real time colour flow mapping and, if indicated, pulsed wave Doppler examination; and(ii) recordings on video tape or digital medium; and	
	(b) not being an intra-operative service or a service associated with a service to which an item in Subgroup 1 (except items 55026 and 55054) or 3 applies (R) (NK) (Anaes.)	
55130	Intra-operative two-dimensional real time transoesophageal echocardiography incorporating Doppler techniques with colour flow mapping and recording onto video tape or digital medium, performed during cardiac surgery incorporating sequential assessment of cardiac function before and after the surgical procedure, not being a service associated with a service to which item 55135 or 55136 applies (R) (K) (Anaes.)	170.00
55131	Intra-operative two-dimensional real time transoesophageal echocardiography incorporating Doppler techniques with colour flow mapping and recording onto video tape or digital medium, performed during cardiac surgery incorporating sequential assessment of cardiac function before and after the surgical procedure, not being a service associated with a service to which item 55135 or 55136 applies (R) (NK) (Anaes.)	85.00
55135	Intra-operative two-dimensional real time transoesophageal echocardiography incorporating Doppler techniques with colour flow mapping and recording onto video tape or digital medium, performed during cardiac valve surgery (replacement or repair) incorporating sequential assessment of cardiac function and valve competence before and after the surgical procedure, not being a service associated with a service to which item 55130 or 55131 applies (R) (K) (Anaes.)	353.60
55136	Intra-operative two-dimensional real time transoesophageal echocardiography incorporating Doppler techniques with colour flow mapping and recording onto video tape or digital medium, performed during cardiac valve surgery (replacement or repair) incorporating sequential assessment of cardiac function and valve competence before and after the surgical procedure, not being a service associated with a service to which item 55130 or 55131 applies (R) (NK) (Anaes.)	176.80
Subgrou	ıp 3—Vascular	
55220	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of arteries or bypass grafts in the lower limb or of arteries and bypass grafts in the lower limb, below the inguinal ligament, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (NK)	84.75
55221	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of veins in the lower limb, below the inguinal ligament, for acute venous thrombosis, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (NK)	84.75
55222	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of veins in the lower limb, below the inguinal ligament, for chronic venous disease, not being a service associated with a service to which an item in Subgroup 1 (with the	84.75

Item	Description	Fee (\$)
	exception of items 55026 and 55054) or 4 applies (R) (NK)	
55223	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of arteries or bypass grafts in the upper limb or of arteries and bypass grafts in the upper limb, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (NK)	84.75
55224	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of veins in the upper limb, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (NK)	84.75
55226	Duplex scanning, bilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of extra-cranial bilateral carotid and vertebral vessels, with or without subclavian and innominate vessels, with or without oculoplethysmography or peri-orbital Doppler examination, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (NK)	84.75
55227	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of intra-abdominal, aorta and iliac arteries or inferior vena cava and iliac veins or of intra-abdominal, aorta and iliac arteries and inferior vena cava and iliac veins, excluding pregnancy related studies, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (NK)	84.75
55228	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of renal or visceral vessels or of renal and visceral vessels, including aorta, inferior vena cava and iliac vessels as required excluding pregnancy related studies, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (NK)	84.75
55229	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of intra-cranial vessels, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (NK)	84.75
55230	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements: (a) by spectral analysis of cavernosal artery of the penis following	84.75
	intracavernosal administration of a vasoactive agent; and	
	(b) performed during the period of pharmacological activity of the injected agent, to confirm a diagnosis of vascular aetiology for impotence; and	
	(c) if a specialist in diagnostic radiology, nuclear medicine, urology, general surgery (sub-specialising in vascular surgery) or a consultant physician in nuclear medicine attends the patient in person at the practice location where the service is performed, immediately before or for a period during the performance of the service; and	
	(d) if the specialist or consultant physician interprets the results and prepares a report, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (NK)	
55232	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements:	84.75
	(a) by spectral analysis of cavernosal tissue of the penis to confirm a diagnosis;	

Item	Description	Fee (\$)
	and (b) if indicated, assess the progress and management of: (i) priapism; or (ii) fibrosis of any type; or (iii) fracture of the tunica; or (iv) arteriovenous malformations; and	
	(c) if a specialist in diagnostic radiology, nuclear medicine, urology, general surgery (sub-specialising in vascular surgery) or a consultant physician in nuclear medicine attends the patient in person at the practice location where the service is performed, immediately before or for a period during the performance of the service; and	
	(d) if the specialist or consultant physician interprets the results and prepares a report, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (NK)	
55233	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of surgically created arteriovenous fistula or surgically created arteriovenous access grafts in the upper or lower limbs, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (NK)	84.75
55235	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of arteries or veins, or both, including any associated skin marking, for mapping of bypass conduit before vascular surgery, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054), 3 or 4 applies (R) (NK)	84.75
55236	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow spectral analysis and marking of veins in the lower limbs below the inguinal ligament before varicose vein surgery, including any associated skin marking, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054), 3 or 4 applies (R) (NK)	55.55
55238	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of arteries or bypass grafts in the lower limb or of arteries and bypass grafts in the lower limb, below the inguinal ligament, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K)	169.50
55244	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of veins in the lower limb, below the inguinal ligament, for acute venous thrombosis, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K)	169.50
55246	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of veins in the lower limb, below the inguinal ligament, for chronic venous disease, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K)	169.50
55248	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of arteries or bypass	169.50

Item	Description	Fee (\$)
	grafts in the upper limb or of arteries and bypass grafts in the upper limb, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K)	
55252	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of veins in the upper limb, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K)	169.50
55274	Duplex scanning, bilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of extra-cranial bilateral carotid and vertebral vessels, with or without subclavian and innominate vessels, with or without oculoplethysmography or peri-orbital Doppler examination, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K)	169.50
55276	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of intra-abdominal, aorta and iliac arteries or inferior vena cava and iliac veins or of intra-abdominal, aorta and iliac arteries and inferior vena cava and iliac veins, excluding pregnancy related studies, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K)	169.50
55278	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of renal or visceral vessels or of renal and visceral vessels, including aorta, inferior vena cava and iliac vessels as required excluding pregnancy related studies, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K)	169.50
55280	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of intra-cranial vessels, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K)	169.50
55282	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements:	169.50
	(a) by spectral analysis of cavernosal artery of the penis following intracavernosal administration of a vasoactive agent; and	
	(b) performed during the period of pharmacological activity of the injected agent, to confirm a diagnosis of vascular aetiology for impotence; and	
	(c) if a specialist in diagnostic radiology, nuclear medicine, urology, general surgery (sub-specialising in vascular surgery) or a consultant physician in nuclear medicine attends the patient in person at the practice location where the service is performed, immediately before or for a period during the performance of the service; and	
	(d) if the specialist or consultant physician interprets the results and prepares a report, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K)	
55284	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements:	169.50
	(a) by spectral analysis of cavernosal tissue of the penis to confirm a diagnosis; and	
	(b) if indicated, assess the progress and management of:(i) priapism; or	
	(ii) fibrosis of any type; or	

Item	1—Ultrasound Description	Foo (\$)
Item	(iii) fracture of the tunica; or	Fee (\$)
	(iv) arteriovenous malformations; and	
	(c) if a specialist in diagnostic radiology, nuclear medicine, urology, general surgery (sub-specialising in vascular surgery) or a consultant physician in nuclear medicine attends the patient in person at the practice location where the service is performed, immediately before or for a period during the performance of the service; and	
	 (d) if the specialist or consultant physician interprets the results and prepares a report, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K) 	
55292	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of surgically created arteriovenous fistula or surgically created arteriovenous access grafts in the upper or lower limbs, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054) or 4 applies (R) (K)	169.50
55294	Duplex scanning involving B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of arteries or veins, or both, including any associated skin marking, for mapping of bypass conduit before vascular surgery, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054), 3 or 4 applies (R) (K)	169.50
55296	Duplex scanning, unilateral, involving B mode ultrasound imaging and integrated Doppler flow spectral analysis and marking of veins in the lower limbs below the inguinal ligament before varicose vein surgery, including any associated skin marking, not being a service associated with a service to which an item in Subgroup 1 (with the exception of items 55026 and 55054), 3 or 4 applies (R) (K)	111.05
Subgrou	ıp 4—Urological	
55600	Prostate, bladder base and urethra, I ultrasound scan of, if performed:	109.10
	 (a) personally by a medical practitioner (not being the medical practitioner who assessed the patient as specified in paragraph (c)) using one or more transducer probes that: (i) have a nominal frequency of 7 to 7.5 MHz or a nominal frequency range that includes frequencies of 7 to 7.5 MHz; and (ii) can obtain both axial and sagittal scans in 2 planes at right angles; and 	
	(b) after a digital rectal examination of the prostate by that medical practitioner; and	
	(c) on a patient who has been assessed by a specialist in urology, radiation oncology or medical oncology, a consultant physician in medical oncology, who has:	
	(i) examined the patient in the 60 days before the scan; and(ii) recommended the scan for the management of the patient's current prostatic disease (R) (K)	
55601	Prostate, bladder base and urethra, l ultrasound scan of, if performed:	54.55
	(a) personally by a medical practitioner (not being the medical practitioner who assessed the patient as specified in paragraph (c)) using one or more transducer probes that:(i) have a nominal frequency of 7 to 7.5 MHz or a nominal frequency range that includes frequencies of 7 to 7.5 MHz; and	

	I1—Ultrasound Description	Fac (C)
Item	Description (ii) can obtain both axial and sagittal scans in 2 planes at right angles; and	Fee (\$)
	(b) after a digital rectal examination of the prostate by that medical practitioner; and	
	(c) on a patient who has been assessed by a specialist in urology, radiation oncology or medical oncology, a consultant physician in medical oncology, who has:	
	(i) examined the patient in the 60 days before the scan; and(ii) recommended the scan for the management of the patient's current prostatic disease (R) (NK)	
55603	Prostate, bladder base and urethra, ultrasound scan of, if performed:	109.10
	 (a) personally by a medical practitioner who made the assessment mentioned in paragraph (c) using one or more transducer probes that: (i) have a nominal frequency of 7 to 7.5 MHz or a nominal frequency range that includes frequencies of 7 to 7.5 MHz; and (ii) can obtain both axial and sagittal scans in 2 planes at right angles; and 	
	(b) after a digital rectal examination of the prostate by that medical practitioner; and	
	(c) on a patient who has been assessed by a specialist in urology, radiation oncology or medical oncology or a consultant physician in medical oncology who has:	
	(i) examined the patient in the 60 days before the scan; and(ii) recommended the scan for the management of the patient's current prostatic disease (R) (K)	
55604	Prostate, bladder base and urethra, ultrasound scan of, if performed:	54.55
	 (a) personally by a medical practitioner who made the assessment mentioned in paragraph (c) using one or more transducer probes that: (i) have a nominal frequency of 7 to 7.5 MHz or a nominal frequency range that includes frequencies of 7 to 7.5 MHz; and (ii) can obtain both axial and sagittal scans in 2 planes at right angles; and 	
	(b) after a digital rectal examination of the prostate by that medical practitioner; and	
	(c) on a patient who has been assessed by a specialist in urology, radiation oncology or medical oncology or a consultant physician in medical oncology who has:	
	(i) examined the patient in the 60 days before the scan; and(ii) recommended the scan for the management of the patient's current prostatic disease (R) (NK)	

Subdivision C—Subgroup 5 of Group I1: obstetric and gynaecological

2.1.4 Obstetric and gynaecological ultrasound services—limits

- (1) For NR-type diagnostic imaging services mentioned in an item in this Subdivision, the specified fee for no more than 3 services provided to the same patient in any one pregnancy applies.
- (2) For any patient, items 55706, 55707, 55708, 55709, 55713, 55714, 55716, 55717, 55718, 55722, 55723, 55726, 55759, 55760, 55762, 55763, 55768, 55769, 55770 and 55771 are applicable only once in a pregnancy.

2.1.5 Obstetric and gynaecological services—referrals and clinical notes

- (1) A referral for a service mentioned in item 55700, 55701, 55704, 55707, 55710, 55712, 55714, 55718, 55719, 55721, 55722, 55724, 55759, 55760, 55764, 55765, 55768, 55769, 55772 or 55773 must state the relevant condition or clinical indication for the service.
- (2) If a referral for a service mentioned in item 55712, 55719, 55721, 55724, 55764, 55765, 55772 or 55773 is given by a medical practitioner who has obstetric privileges at a non-metropolitan hospital, the referral must also state the words 'non-metropolitan obstetric privileges'.
- (3) A medical practitioner's clinical notes for a service mentioned in item 55702, 55703, 55705, 55708, 55711, 55715, 55716, 55720, 55723, 55725, 55726, 55727, 55762, 55763, 55766, 55767, 55770, 55771, 55774 or 55775 must state the relevant condition or clinical indication for the service.

2.1.6 Obstetric and gynaecological services—conditions

- (1) The conditions for items 55700, 55701, 55702, 55703, 55704, 55705, 55707, 55708, 55710, 55711, 55714 and 55716, are as follows:
 - (a) hyperemesis gravidarum;
 - (b) diabetes mellitus;
 - (c) hypertension;
 - (d) toxaemia of pregnancy;
 - (e) liver or renal disease;
 - (f) autoimmune disease;
 - (g) cardiac disease;
 - (h) alloimmunisation;
 - (i) maternal infection;
 - (i) inflammatory bowel disease;
 - (k) bowel stoma;
 - (1) abdominal wall scarring;
 - (m) previous spinal or pelvic trauma or disease;
 - (n) drug dependency;
 - (o) thrombophilia;
 - (p) significant maternal obesity;
 - (q) advanced maternal age;
 - (r) abdominal pain or mass;
 - (s) uncertain dates;
 - (t) high risk pregnancy;
 - (u) previous post dates delivery;
 - (v) previous caesarean section;
 - (w) poor obstetric history;
 - (x) suspicion of ectopic pregnancy;
 - (y) risk of miscarriage;
 - (z) diminished symptoms of pregnancy;
 - (za) suspected or known cervical incompetence;
 - (zb) suspected or known uterine abnormality;
 - (zc) pregnancy after assisted reproduction;

(zd) risk of fetal abnormality.

- (2) The conditions for items 55718, 55722, 55723 and 55726, are as follows:
 - (a) known or suspected fetal abnormality or fetal cardiac arrhythmia;
 - (b) fetal anatomy (late booking or incomplete mid-trimester scan);
 - (c) malpresentation;
 - (d) cervical assessment;
 - (e) clinical suspicion of amniotic fluid abnormality;
 - (f) clinical suspicion of placental or umbilical cord abnormality;
 - (g) previous complicated delivery;
 - (h) uterine scar assessment;
 - (i) uterine fibroid;
 - (j) previous fetal death in utero or neonatal death;
 - (k) antepartum haemorrhage;
 - (1) clinical suspicion of intrauterine growth retardation;
 - (m) clinical suspicion of macrosomia;
 - (n) reduced fetal movements;
 - (o) suspected fetal death;
 - (p) abnormal cardiotocography;
 - (q) prolonged pregnancy;
 - (r) premature labour;
 - (s) fetal infection;
 - (t) pregnancy after assisted reproduction;
 - (u) trauma;
 - (v) diabetes mellitus;
 - (w) hypertension;
 - (x) toxaemia of pregnancy;
 - (y) liver or renal disease;
 - (z) autoimmune disease;
 - (za) cardiac disease;
 - (zb) alloimmunisation;
 - (zc) maternal infection;
 - (zd) inflammatory bowel disease;
 - (ze) bowel stoma;
 - (zf) abdominal wall scarring;
 - (zg) previous spinal or pelvic trauma or disease;
 - (zh) drug dependency;
 - (zi) thrombophilia;
 - (zj) gross maternal obesity;
 - (zk) advanced maternal age;
 - (zl) abdominal pain or mass.

Item	Diagnostic imaging service	Fee (\$)
Subgrou	ip 5—Obstetric and gynaecological	(+)
55700	Pelvis or abdomen, pregnancy-related or pregnancy complication, ultrasound scan of, by any or all approaches, if:	60.00
	(a) the patient is referred by a medical practitioner or participating midwife; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is less than 12 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(e) if the patient is referred by a participating midwife—the midwife does not have a business or financial arrangement with the providing practitioner; and	
	(f) one or more of the conditions mentioned in subclause 2.1.6(1) are present (R) (K)	
55701	Pelvis or abdomen, pregnancy-related or pregnancy complication, ultrasound scan of, by any or all approaches, if:	30.00
	(a) the patient is referred by a medical practitioner or participating midwife; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is less than 12 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(e) if the patient is referred by a participating midwife—the midwife does not have a business or financial arrangement with the providing practitioner; and	
	(f) one or more of the conditions mentioned in subclause 2.1.6(1) are present (R) (NK)	
55702	Pelvis or abdomen, pregnancy-related or pregnancy complication, ultrasound scan of, by any or all approaches, if:	17.50
	(a) the patient is not referred by a medical practitioner or participating midwife; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is less than 12 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) one or more of the conditions mentioned in subclause 2.1.6(1) are present (NR) (NK)	
55703	Pelvis or abdomen, pregnancy-related or pregnancy complication, ultrasound scan of, by any or all approaches, if:	35.00
	(a) the patient is not referred by a medical practitioner or participating midwife; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is less than 12 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) one or more of the conditions mentioned in subclause 2.1.6(1) are present (NR) (K)	

Item	Diagnostic imaging service	Fee (\$)
55704	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	70.00
	(a) the patient is referred by a medical practitioner or participating midwife; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is 12 to 16 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(e) if the patient is referred by a participating midwife—the midwife does not have a business or financial arrangement with the providing practitioner; and	
	(f) one or more of the conditions mentioned in subclause 2.1.6(1) are present (R) (K)	
55705	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	35.00
	(a) the patient is not referred by a medical practitioner or participating midwife; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is 12 to 16 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) one or more of the conditions mentioned in subclause 2.1.6(1) are present (NR) (K)	
55706	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if:	100.00
	(a) the patient is referred by a medical practitioner or participating midwife; and	
	(b) the dating for the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(e) if the patient is referred by a participating midwife—the midwife does not have a business or financial arrangement with the providing practitioner; and	
	(f) the service is not performed in the same pregnancy as item 55709 or 55717 (R) (K)	
55707	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	70.00
	(a) the patient is referred by a medical practitioner or participating midwife; and	
	(b) the pregnancy (as confirmed by ultrasound) is dated by a fetal crown rump length of 45 to 84 mm; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing	

Itom	Diagnostia imaging sanujaa	Fac (\$)
Item	Diagnostic imaging service practitioner is a member; and	Fee (\$)
	(e) if the patient is referred by a participating midwife—the midwife does not have a business or financial arrangement with the providing practitioner; and	
	(f) nuchal translucency measurement is performed to assess the risk of fetal abnormality; and	
	(g) the service is not performed with item 55700, 55701, 55702, 55703, 55704, 55705, 55710 or 55711 on the same patient within 24 hours; and	
	(h) one or more of the conditions mentioned in subclause 2.1.6(1) are present (R) (K)	
55708	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	35.00
	(a) the patient is not referred by a medical practitioner or participating midwife; and	
	(b) the pregnancy (as confirmed by ultrasound) is dated by a crown rump length of 45 to 84 mm; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) nuchal translucency measurement is performed to assess the risk of fetal abnormality; and	
	(e) the service is not performed with item 55700, 55701, 55702, 55703, 55704, 55705, 55710 or 55711 on the same patient within 24 hours; and	
	(f) one or more of the conditions mentioned in subclause 2.1.6(1) are present (NR) (K)	
55709	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if:	38.00
	(a) the patient is not referred by a medical practitioner; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) the service is not performed in the same pregnancy as item 55706 or 55713 (NR) (K)	
55710	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	35.00
	(a) the patient is referred by a medical practitioner or participating midwife; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is 12 to 16 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(e) if the patient is referred by a participating midwife—the midwife does not have a business or financial arrangement with the providing practitioner; and	
	(f) one or more of the conditions mentioned in subclause 2.1.6(1) are present (R) (NK)	

Item	Diagnostic imaging service	Fee (\$)
55711	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if: (a) the patient is not referred by a medical practitioner or participating midwife; and (b) the dating of the pregnancy (as confirmed by ultrasound) is 12 to 16 weeks of gestation; and	17.50
	 (c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and (d) one or more of the conditions mentioned in subclause 2.1.6(1) are present (NR) (NK) 	
55712	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if: (a) the patient is referred by a medical practitioner who: (i) is a Member or a Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists; or (ii) has a Diploma of Obstetrics; or	115.00
	 (iii) has a qualification recognised by the Royal Australian and New Zealand College of Obstetricians and Gynaecologists as being equivalent to a Diploma of Obstetrics; or (iv) has obstetric privileges at a non-metropolitan hospital; and 	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks of gestation; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(e) further examination is clinically indicated after performance, in the same pregnancy, of a scan mentioned in item 55706, 55709, 55713 or 55717 (R) (K)	
55713	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if:	50.00
	(a) the patient is referred by a medical practitioner or participating midwife; and	
	(b) the dating for the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(e) if the patient is referred by a participating midwife—the midwife does not have a business or financial arrangement with the providing practitioner; and	
	(f) the service is not performed in the same pregnancy as item 55709 or 55717 (R) (NK)	

Item	Diagnostic imaging service	Fee (\$)
55714	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if: (a) the patient is referred by a medical practitioner or participating midwife; and	35.00
	(b) the pregnancy (as confirmed by ultrasound) is dated by a fetal crown rump length of 45 to 84 mm; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(e) if the patient is referred by a participating midwife—the midwife does not have a business or financial arrangement with the providing practitioner; and	
	(f) nuchal translucency measurement is performed to assess the risk of fetal abnormality; and	
	(g) the service is not performed with item 55700, 55701, 55702, 55703, 55704, 55705, 55710 or 55711 on the same patient within 24 hours; and	
	(h) one or more of the conditions mentioned in subclause 2.1.6(1) are present (R) (NK)	
55715	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, performed by or on behalf of a medical practitioner who is a Member or a Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists, if:	40.00
	(a) the patient is not referred by a medical practitioner; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) further examination is clinically indicated after performance, in the same pregnancy, of a scan mentioned in item 55706, 55709, 55713 or 55717 (NR) (K)	
55716	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if: (a) the patient is not referred by a medical practitioner or participating midwife; and	17.50
	(b) the pregnancy (as confirmed by ultrasound) is dated by a crown rump length of 45 to 84 mm; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) nuchal translucency measurement is performed to assess the risk of fetal abnormality; and	
	(e) the service is not performed with item 55700, 55701, 55702, 55703, 55704, 55705, 55710 or 55711on the same patient within 24 hours; and	
	(f) one or more of the conditions mentioned in subclause 2.1.6(1) are present (NR) (NK)	
55717	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if:	19.00
	(a) the patient is not referred by a medical practitioner; and	

Item	Diagnostic imaging service	Fee (\$)
	(b) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) the service is not performed in the same pregnancy as item 55706 or 55713 (NR) (NK)	
55718	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	100.00
	(a) the patient is referred by a medical practitioner or participating midwife; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(e) if the patient is referred by a participating midwife—the midwife does not have a business or financial arrangement with the providing practitioner; and	
	(f) the service is not performed in the same pregnancy as item 55723 or 55726; and	
	(g) one or more of the conditions mentioned in subclause 2.1.6(2) are present (R) (K)	
55719	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if:	57.50
	 (a) the patient is referred by a medical practitioner who: (i) is a Member or a Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists; or (ii) has a Diploma of Obstetrics; or 	
	(iii) has a qualification recognised by the Royal Australian and New Zealand College of Obstetricians and Gynaecologists as being equivalent to a Diploma of Obstetrics; or	
	(iv) has obstetric privileges at a non-metropolitan hospital; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks of gestation; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(e) further examination is clinically indicated after performance, in the same pregnancy, of a scan mentioned in item 55706, 55709, 55713 or 55717 (R) (NK)	

Itam	11—Ultrasound	E 00 (C)
Item	Diagnostic imaging service	Fee (\$)
55720	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, performed by or on behalf of a medical practitioner who is a Member or a Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists, if:	20.00
	(a) the patient is not referred by a medical practitioner; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) further examination is clinically indicated after performance, in the same pregnancy, of a scan mentioned in item 55706, 55709, 55713 or 55717 (NR) (NK)	
55721	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	115.00
	 (a) the patient is referred by a medical practitioner who: (i) is a Member or a Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists; or (ii) has a Diploma of Obstetrics; or 	
	(iii) has a qualification recognised by the Royal Australian and New Zealand College of Obstetricians and Gynaecologists as being equivalent to a Diploma of Obstetrics; or (iv) has obstetric privileges at a non-metropolitan hospital; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of gestation; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(e) further examination is clinically indicated in the same pregnancy to which item 55718, 55722, 55723 or 55726 applies (R) (K)	
55722	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	50.00
	(a) the patient is referred by a medical practitioner or participating midwife; and(b) the dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(e) if the patient is referred by a participating midwife—the midwife does not have a business or financial arrangement with the providing practitioner; and	
	(f) the service is not performed in the same pregnancy as item 55723 or 55726; and	
	(g) one or more of the conditions mentioned in subclause 2.1.6(2) are present (R) (NK)	
55723	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	38.00
	(a) the patient is not referred by a medical practitioner; and	

Item	11—Ultrasound Diagnostic imaging service	Fee (\$)
Item	(b) the dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of gestation; and	Fee (\$)
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) the service is not performed in the same pregnancy as item 55718 or 55722; and	
	(e) one or more of the conditions mentioned in subclause 2.1.6(2) are present (NR) (K)	
55724	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	57.50
	 (a) the patient is referred by a medical practitioner who: (i) is a Member or a Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists; or (ii) has a Diploma of Obstetrics; or 	
	(iii) has a qualification recognised by the Royal Australian and New Zealand College of Obstetricians and Gynaecologists as being equivalent to a Diploma of Obstetrics; or (iv) has obstetric privileges at a non-metropolitan hospital; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) the dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of gestation; and	
	 (d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and (e) further examination is clinically indicated in the same pregnancy to which item 55718, 55722, 55723 or 55726 applies (R) (NK) 	
55725	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, performed by or on behalf of a medical practitioner who is a Member or a Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists, if:	40.00
	(a) the patient is not referred by a medical practitioner; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) further examination is clinically indicated in the same pregnancy to which item 55718, 55722, 55723 or 55726 applies (NR) (K)	
55726	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	19.00
	(a) the patient is not referred by a medical practitioner; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) the service is not performed in the same pregnancy as item 55718 or 55722; and	
	(e) one or more of the conditions mentioned in subclause 2.1.6(2) are present (NR) (NK)	

Item	Diagnostic imaging service	Fee (\$)
55727	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, performed by or on behalf of a medical practitioner who is a Member or a Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists, if:	30.00
	(a) the patient is not referred by a medical practitioner; and	
	(b) the dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of gestation; and	
	(c) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(d) further examination is clinically indicated in the same pregnancy to which item 55718, 55722, 55723 or 55726 applies (NR) (NK)	
55729	Duplex scanning, if:	27.25
	 (a) the service involves: (i) B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of the umbilical artery; and (ii) measured assessment of amniotic fluid volume after the 24th week of gestation; and 	
	(b) the patient is referred by a medical practitioner for this procedure; and	
	(c) there is reason to suspect intrauterine growth retardation or a significant risk of fetal death; and	
	(d) the service is not associated with a service to which an item in this group applies;	
	—examination and report (R) (K)	
55730	Duplex scanning, if: (a) the service involves: (i) B mode ultrasound imaging and integrated Doppler flow measurements by spectral analysis of the umbilical artery; and (ii) measured assessment of amniotic fluid volume after the 24th week of gestation; and	13.65
	(b) the patient is referred by a medical practitioner for this procedure; and	
	(c) there is reason to suspect intrauterine growth retardation or a significant risk of fetal death; and	
	(d) the service is not associated with a service to which an item in this group applies;	
	—examination and report (R) (NK)	
55735	Pelvis, ultrasound scan of, in association with saline infusion of the endometrial cavity, by any or all approaches, if:	63.50
	(a) the patient is referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(c) the medical practitioner is not a member of a group of medical practitioners of which the providing practitioner is a member; and	
	(d) a previous transvaginal ultrasound has revealed an abnormality of the uterus or fallopian tube (R) (NK)	
55736	Pelvis, ultrasound scan of, in association with saline infusion of the endometrial cavity, by any or all approaches, if:	127.00
	(a) the patient is referred by a medical practitioner; and	

Item	Diagnostic imaging service	Fee (\$)
<u> </u>	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	100 (0)
	(c) the medical practitioner is not a member of a group of medical practitioners of which the providing practitioner is a member; and	
	(d) a previous transvaginal ultrasound has revealed an abnormality of the uterus or fallopian tube (R) (K)	
55737	Pelvis, ultrasound scan of, in association with saline infusion of the endometrial cavity, by any or all approaches, if:	28.50
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(c) a previous transvaginal ultrasound has revealed an abnormality of the uterus or fallopian tube (NR) (NK)	
55739	Pelvis, ultrasound scan of, in association with saline infusion of the endometrial cavity, by any or all approaches, if:	57.00
	(a) the patient is not referred by a medical practitioner; and	
	(b) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(c) a previous transvaginal ultrasound has revealed an abnormality of the uterus or fallopian tube (NR) (K) $$	
55759	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if:	150.00
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) ultrasound of the same pregnancy confirms a multiple pregnancy; and	
	(d) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks gestation; and	
	(e) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(f) the service mentioned in item 55706, 55709, 55712, 55713, 55715, 55717, 55719, 55720, 55762 or 55763 is not performed in conjunction with the scan during the same pregnancy (R) (K)	
55760	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if:	75.00
	(a) the patient is referred by a medical practitioner; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) ultrasound of the same pregnancy confirms a multiple pregnancy; and	
	(d) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks gestation; and	
	(e) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(f) the service mentioned in item 55706, 55709, 55712, 55713, 55715, 55717, 55719, 55720, 55762 or 55763 is not performed in conjunction with the scan during the same pregnancy (R) (NK)	

Item	Diagnostic imaging service	Fee (\$)
55762	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if:	60.00
	(a) the patient is not referred by a medical practitioner; and	
	(b) ultrasound of the same pregnancy confirms a multiple pregnancy; and	
	(c) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks gestation; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(e) the service mentioned in item 55706, 55709, 55712, 55713, 55715, 55717, 55719, 55720, 55759 or 55760 is not performed in conjunction with the scan during the same pregnancy (NR) (K)	
55763	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if:	30.00
	(a) the patient is not referred by a medical practitioner; and	
	(b) ultrasound of the same pregnancy confirms a multiple pregnancy; and	
	(c) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks gestation; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(e) the service mentioned in item 55706, 55709, 55712, 55713, 55715, 55717, 55719, 55720, 55759 or 55760 is not performed in conjunction with the scan during the same pregnancy (NR) (NK)	
55764	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if:	160.00
	 (a) the patient is referred by a medical practitioner who: (i) is a Member or Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists; or (ii) has a Diploma of Obstetrics; or 	
	(iii) has a qualification recognised by the Royal Australian and New Zealand College of Obstetricians and Gynaecologists as equivalent to a Diploma of Obstetrics; or	
	(iv) has obstetric privileges at a non-metropolitan hospital; and(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) ultrasound of the same pregnancy confirms a multiple pregnancy; and(d) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks	
	gestation; and (e) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(f) further examination is clinically indicated in the same pregnancy in which item 55759, 55760, 55762 or 55763 has been performed; and	
	(g) the service mentioned in item 55706, 55709, 55712, 55713, 55715, 55717, 55719 or 55720 is not performed in conjunction with the scan during the same pregnancy (R) (K)	

Item	Diagnostic imaging service	Fee (\$)
55765	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, if:	80.00
	(a) the patient is referred by a medical practitioner who:(i) is a Member or Fellow of the Royal Australian and New Zealand	
	College of Obstetricians and Gynaecologists; or	
	 (ii) has a Diploma of Obstetrics; or (iii) has a qualification recognised by the Royal Australian and New Zealand College of Obstetricians and Gynaecologists as equivalent to a Diploma of Obstetrics; or 	
	(iv) has obstetric privileges at a non-metropolitan hospital; and	
	(b) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) ultrasound of the same pregnancy confirms a multiple pregnancy; and	
	(d) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks gestation; and	
	(e) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(f) further examination is clinically indicated in the same pregnancy in which item 55759, 55760, 55762 or 55763 has been performed; and	
	(g) the service mentioned in item 55706, 55709, 55712, 55713, 55715, 55717, 55719 or 55720 is not performed in conjunction with the scan during the same pregnancy (R) (NK)	
55766	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, performed by or on behalf of a medical practitioner, who is a Member or Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists, if:	65.00
	(a) the patient is not referred by a medical practitioner; and	
	(b) ultrasound of the same pregnancy confirms a multiple pregnancy; and	
	(c) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks of gestation; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(e) further examination is clinically indicated in the same pregnancy in which item 55759, 55760, 55762 or 55763 has been performed; and	
	(f) the service mentioned in item 55706, 55709, 55712, 55713, 55715, 55717, 55719 or 55720 is not performed in conjunction with the scan during the same pregnancy (NR) (K)	
55767	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, with measurement of all parameters for dating purposes, performed by or on behalf of a medical practitioner, who is a Member or Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists, if:	32.50
	(a) the patient is not referred by a medical practitioner; and	
	(b) ultrasound of the same pregnancy confirms a multiple pregnancy; and	
	(c) the dating of the pregnancy (as confirmed by ultrasound) is 17 to 22 weeks of gestation; and	
	(d) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	

T.	11—Ultrasound	E (0)
Item	Diagnostic imaging service	Fee (\$)
	(e) further examination is clinically indicated in the same pregnancy in which item 55759, 55760, 55762 or 55763 has been performed; and	
	(f) the service mentioned in item 55706, 55709, 55712, 55713, 55715, 55717, 55719 or 55720 is not performed in conjunction with the scan during the same pregnancy (NR) (NK)	
55768	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	150.00
	(a) dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of gestation; and	
	(b) the ultrasound confirms a multiple pregnancy; and	
	(c) the patient is referred by a medical practitioner; and	
	(d) the service is not performed in the same pregnancy as item 55770 or 55771; and	
	(e) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(f) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(g) the service mentioned in item 55718, 55721, 55722, 55723, 55724, 55725, 55726 or 55727 is not performed in conjunction with the scan during the same pregnancy (R) (K)	
55769	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal	75.00
	development and anatomy, ultrasound scan of, by any or all approaches, if:	
	(a) dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of gestation; and	
	(b) the ultrasound confirms a multiple pregnancy; and	
	(c) the patient is referred by a medical practitioner; and	
	(d) the service is not performed in the same pregnancy as item 55770 or 55771; and	
	(e) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(f) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(g) the service mentioned in item 55718, 55721, 55722, 55723, 55724, 55725, 55726 or 55727 is not performed in conjunction with the scan during the same pregnancy (R) (NK)	
55770	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	60.00
	(a) dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of gestation; and	
	(b) the ultrasound confirms a multiple pregnancy; and	
	(c) the patient is not referred by a medical practitioner; and	
	(d) the service is not performed in the same pregnancy as item 55768 or 55769; and	
	(e) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(f) the service mentioned in item 55718, 55721, 55722, 55723, 55724, 55725, 55726 or 55727 is not performed in conjunction with the scan during the same pregnancy (NR) (K)	

Item	Diagnostic imaging service	Fee (\$)
55771	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if: (a) dating of the pregnancy (as confirmed by ultrasound) is after 22 weeks of	30.00
	gestation; and	
	(b) the ultrasound confirms a multiple pregnancy; and	
	(c) the patient is not referred by a medical practitioner; and	
	(d) the service is not performed in the same pregnancy as item 55768 or 55769; and	
	(e) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(f) the service mentioned in item 55718, 55721, 55722, 55723, 55724, 55725, 55726 or 55727 is not performed in conjunction with the scan during the same pregnancy (NR) (NK)	
55772	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	160.00
	(a) dating of the pregnancy as confirmed by ultrasound is after 22 weeks of gestation; and	
	 (b) the patient is referred by a medical practitioner who: (i) is a Member or Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists; or (ii) has a Diploma of Obstetrics; or 	
	(iii) has a qualification recognised by the Royal Australian and New Zealand College of Obstetricians and Gynaecologists as equivalent to a Diploma of Obstetrics; or	
	(iv) has obstetric privileges at a non-metropolitan hospital; and	
	(c) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) further examination is clinically indicated in the same pregnancy to which item 55768, 55769, 55770 or 55771 has been performed; and	
	(e) the pregnancy as confirmed by ultrasound is a multiple pregnancy; and	
	(f) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(g) the service mentioned in item 55718, 55721, 55722, 55723, 55724, 55725, 55726 or 55727 is not performed in conjunction with the scan during the same pregnancy (R) (K)	
55773	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, if:	80.00
	(a) dating of the pregnancy as confirmed by ultrasound is after 22 weeks of gestation; and	
	(b) the patient is referred by a medical practitioner who:	
	(i) is a Member or Fellow of the Royal Australian and New Zealand	
	College of Obstetricians and Gynaecologists; or (ii) has a Diploma of Obstetrics; or	
	(iii) has a qualification recognised by the Royal Australian and New Zealand College of Obstetricians and Gynaecologists as equivalent to a Diploma of Obstetrics; or	
	(iv) has obstetric privileges at a non-metropolitan hospital; and	
	(c) the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) further examination is clinically indicated in the same pregnancy to which	

Item	Diagnostic imaging service	Fee (\$)
	item 55768, 55769, 55770 or 55771 has been performed; and	
	(e) the pregnancy as confirmed by ultrasound is a multiple pregnancy; and	
	(f) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(g) the service mentioned in item 55718, 55721, 55722, 55723, 55724, 55725, 55726 or 55727 is not performed in conjunction with the scan during the same pregnancy (R) (NK)	
55774	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, performed by or on behalf of a medical practitioner who is a Member or a Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists, if:	65.00
	(a) dating of the pregnancy as confirmed by ultrasound is after 22 weeks of gestation; and	
	(b) the patient is not referred by a medical practitioner; and	
	(c) further examination is clinically indicated in the same pregnancy to which item 55768, 55769, 55770 or 55771 has been performed; and	
	(d) the pregnancy as confirmed by ultrasound is a multiple pregnancy; and	
	(e) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(f) the service mentioned in item 55718, 55721, 55722, 55723, 55724, 55725, 55726 or 55727 is not performed in conjunction with the scan during the same pregnancy (NR) (K)	
55775	Pelvis or abdomen, pregnancy-related or pregnancy complication, fetal development and anatomy, ultrasound scan of, by any or all approaches, performed by or on behalf of a medical practitioner who is a Member or a Fellow of the Royal Australian and New Zealand College of Obstetricians and Gynaecologists, if:	32.50
	(a) dating of the pregnancy as confirmed by ultrasound is after 22 weeks of gestation; and	
	(b) the patient is not referred by a medical practitioner; and	
	(c) further examination is clinically indicated in the same pregnancy to which item 55768, 55769, 55770 or 55771 has been performed; and	
	(d) the pregnancy as confirmed by ultrasound is a multiple pregnancy; and	
	(e) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(f) the service mentioned in item 55718, 55721, 55722, 55723, 55724, 55725, 55726 or 55727 is not performed in conjunction with the scan during the same pregnancy (NR) (NK)	

Subdivision D—Subgroup 6 of Group I1: musculoskeletal ultrasound

2.1.7 Musculoskeletal ultrasound services—personal attendance

Items in this Subdivision apply to a musculoskeletal ultrasound service only if:

(a) the medical practitioner responsible for the conduct and report of the examination personally attends during the performance of the scan and personally examines the patient; or

(b) the service is performed, because of medical necessity, in a location that is more than 30 kilometres by the most direct road route from another practice where services that comply with paragraph (a) are available.

2.1.8 Musculoskeletal ultrasound services—comparison ultra-sonography

The fee applicable for items in this Subdivision includes any views of another part of the patient taken for comparison purposes.

2.1.9 Musculoskeletal ultrasound services—equipment

Items in this Subdivision apply only to an ultrasound service performed using an ultrasound system that has available on-site a transducer capable of operation at a frequency of at least 7.5 MHz.

	[1—Ultrasound	F (4)
Item	Description	Fee (\$)
Subgro	up 6—Musculoskeletal ultrasound	
55800	Hand or wrist, one or both sides, ultrasound scan of, if:	109.10
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (K)	
55801	Hand or wrist, one or both sides, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (NK)	
55802	Hand or wrist, one or both sides, ultrasound scan of, if:	37.85
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (K)	
55803	Hand or wrist, one or both sides, ultrasound scan of, if:	18.95
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (NK)	
55804	Forearm or elbow, one or both sides, ultrasound scan of, if:	109.10

	11—Ultrasound	E (A)
Item	Description	Fee (\$)
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (K)	
55805	Forearm or elbow, one or both sides, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (NK)	
55806	Forearm or elbow, one or both sides, ultrasound scan of, if:	37.85
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (K)	
55807	Forearm or elbow, one or both sides, ultrasound scan of, if:	18.95
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (NK)	
55808	Shoulder or upper arm, one or both sides, ultrasound scan of, if:	109.10
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner; and	
	(e) the service is used for the assessment of one or more of the following suspected or known conditions:	
	 (i) an injury to a muscle, tendon or muscle/tendon junction; (ii) rotator cuff tear, calcification or tendinosis (biceps, subscapular, supraspinatus, infraspinatus); (iii) biceps subluxation; 	
	(iv) capsulitis and bursitis;	
	(v) a mass, including a ganglion;	

Group I1—Ultrasound		
Item	Description	Fee (\$)
	(vi) an occult fracture; (vii) acromioclavicular joint pathology (R) (K)	
55809	Shoulder or upper arm, one or both sides, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner; and	
	(e) the service is used for the assessment of one or more of the following suspected or known conditions:	
	(i) an injury to a muscle, tendon or muscle/tendon junction;(ii) rotator cuff tear, calcification or tendinosis (biceps, subscapular, supraspinatus, infraspinatus);	
	(iii) biceps subluxation;	
	(iv) capsulitis and bursitis;(v) a mass, including a ganglion;	
	(v) a mass, including a gangnon, (vi) an occult fracture;	
	(vii) acromioclavicular joint pathology (R) (NK)	
55810	Shoulder or upper arm, one or both sides, ultrasound scan of, if:	37.85
33610	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	37.00
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner; and	
	(c) the service is used for the assessment of one or more of the following suspected or known conditions:	
	(i) an injury to a muscle, tendon or muscle/tendon junction;	
	(ii) rotator cuff tear, calcification or tendinosis (biceps, subscapular, supraspinatus, infraspinatus);	
	(iii) biceps subluxation;	
	(iv) capsulitis and bursitis;	
	(v) a mass, including a ganglion;	
	(vi) an occult fracture; (vii) acromioclavicular joint pathology (NR) (K)	
<i>EE</i> 011		10.05
55811	Shoulder or upper arm, one or both sides, ultrasound scan of, if: (a) the service is not associated with a service to which an item in Subgroup 2 or	18.95
	3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner; and	
	(c) the service is used for the assessment of one or more of the following suspected or known conditions:	
	(i) an injury to a muscle, tendon or muscle/tendon junction;	
	(ii) rotator cuff tear, calcification or tendinosis (biceps, subscapular, supraspinatus, infraspinatus);	
	(iii) biceps subluxation;(iv) capsulitis and bursitis;	
	(v) a mass, including a ganglion;	

Item	Description	Fee (\$)
	(vi) an occult fracture; (vii) acromioclavicular joint pathology (NR) (NK)	
55812	Chest or abdominal wall, one or more areas, ultrasound scan of, if:	109.10
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (K)	
55813	Chest or abdominal wall, one or more areas, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (NK)	
55814	Chest or abdominal wall, one or more areas, ultrasound scan of, if:	37.85
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (K)	
55815	Chest or abdominal wall, one or more areas, ultrasound scan of, if:	18.95
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (NK)	
55816	Hip or groin, one or both sides, ultrasound scan of, if:	109.10
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (K)	
55817	Hip or groin, one or both sides, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse	

Itom	Description	E00 (\$)
Item	practitioner; and	Fee (\$)
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (NK)	
55818	Hip or groin, one or both sides, ultrasound scan of, if:	37.85
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (K)	
55819	Hip or groin, one or both sides, ultrasound scan of, if:	18.95
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (NK)	
55820	Paediatric hip examination for dysplasia, one or both sides, ultrasound scan of, if:	109.10
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (K)	
55821	Paediatric hip examination for dysplasia, one or both sides, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (NK)	
55822	Paediatric hip examination for dysplasia one or both sides, ultrasound scan of, if:	37.85
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (K)	
55823	Paediatric hip examination for dysplasia one or both sides, ultrasound scan of, if:	18.95

T4	Description	E (0)
Item	Description 2	Fee (\$)
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (NK)	
55824	Buttock or thigh, one or both sides, ultrasound scan of, if:	109.10
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (K)	
55825	Buttock or thigh, one or both sides, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (NK)	
55826	Buttock or thigh, one or both sides, ultrasound scan of, if:	37.85
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (K)	
55827	Buttock or thigh, one or both sides, ultrasound scan of, if:	18.95
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (NK)	
55828	Knee, one or both sides, ultrasound scan of, if:	109.10
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner; and	
	(e) the service is used for the assessment of one or more of the following suspected or known conditions:	

Itom	Description	Fac (\$)
Item	Description (i) abnormality of tendons or bursae about the knee;	Fee (\$)
	(ii) a meniscal cyst, popliteal fossa cyst, mass or pseudomass;	
	(iii) a nerve entrapment or a nerve or nerve sheath tumour;	
	(iv) an injury of collateral ligaments (R) (K)	
55829	Knee, one or both sides, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner; and	
	(e) the service is used for the assessment of one or more of the following suspected or known conditions: (i) abnormality of tendons or bursae about the knee;	
	(ii) a meniscal cyst, popliteal fossa cyst, mass or pseudomass;(iii) a nerve entrapment or a nerve or nerve sheath tumour;(iv) an injury of collateral ligaments (R) (NK)	
55830	Knee, one or both sides, ultrasound scan of, if:	37.85
33630	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	37.03
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner; and	
	(c) the service is used for the assessment of one or more of the following suspected or known conditions:	
	(i) abnormality of tendons or bursae about the knee;	
	(ii) a meniscal cyst, popliteal fossa cyst, mass or pseudomass;	
	(iii) a nerve entrapment or a nerve or nerve sheath tumour;(iv) an injury of collateral ligaments (NR) (K)	
55831	Knee, one or both sides, ultrasound scan of, if:	18.95
33031	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	10.55
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner; and	
	(c) the service is used for the assessment of one or more of the following suspected or known conditions:	
	 (i) abnormality of tendons or bursae about the knee; (ii) a meniscal cyst, popliteal fossa cyst, mass or pseudomass; (iii) a nerve entrapment or a nerve or nerve sheath tumour; (iv) an injury of collateral ligaments (NR) (NK) 	
55832	Lower leg, one or both sides, ultrasound scan of, if:	109.10
20002	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	107.10
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing	

Item	Description	Fee (\$)
	practitioner is a member; and	()
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (K)	
55833	Lower leg, one or both sides, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (NK)	
55834	Lower leg, one or both sides, ultrasound scan of, performed by or on behalf of a medical practitioner, if:	37.85
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (K)	
55835	Lower leg, one or both sides, ultrasound scan of, performed by or on behalf of a medical practitioner, if:	18.95
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (NK)	
55836	Ankle or hind foot, one or both sides, ultrasound scan of, if:	109.10
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner, participating nurse practitioner or podiatrist; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (K)	
55837	Ankle or hind foot, one or both sides, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner, participating nurse practitioner or podiatrist; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (NK)	

Item	Description	Fee (\$)
55838	Ankle or hind foot, one or both sides, ultrasound scan of, if:	37.85
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (K)	
55839	Ankle or hind foot, one or both sides, ultrasound scan of, if:	18.95
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (NK)	
55840	Mid foot or fore foot, one or both sides, ultrasound scan of, if:	109.10
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner, participating nurse practitioner or podiatrist; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (K)	
55841	Mid foot or fore foot, one or both sides, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner, participating nurse practitioner or podiatrist; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (NK)	
55842	Mid foot or fore foot, one or both sides, ultrasound scan of, if:	37.85
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (K)	
55843	Mid foot or fore foot, one or both sides, ultrasound scan of, if:	18.95
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (NK)	
55844	Assessment of a mass associated with the skin or subcutaneous structures, not being a part of the musculoskeletal system, one or more areas, ultrasound scan of, if:	87.35
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner, participating nurse practitioner or podiatrist; and	

Item	Description	Fee (\$)
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (K)	
55845	Assessment of a mass associated with the skin or subcutaneous structures, not being a part of the musculoskeletal system, one or more areas, ultrasound scan of, if:	43.70
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner, participating nurse practitioner or podiatrist; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (NK)	
55846	Assessment of a mass associated with the skin or subcutaneous structures, not being a part of the musculoskeletal system, one or more areas, ultrasound scan of, if:	37.85
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (K)	
55847	Assessment of a mass associated with the skin or subcutaneous structures, not being a part of the musculoskeletal system, one or more areas, ultrasound scan of, if:	18.95
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (NK)	
55848	Musculoskeletal cross-sectional echography, in conjunction with a surgical procedure using interventional techniques, not being a service associated with a service to which any other item in this group applies, and not performed in conjunction with item 55026 or 55054 (R) (K)	109.10
55849	Musculoskeletal cross-sectional echography, in conjunction with a surgical procedure using interventional techniques, not being a service associated with a service to which any other item in this group applies, and not performed in conjunction with item 55026 or 55054 (R) (NK)	54.55
55850	Musculoskeletal cross-sectional echography, in conjunction with a surgical procedure using interventional techniques, inclusive of a diagnostic musculoskeletal ultrasound service, if:	152.85
	(a) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(b) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) if the patient is referred by a participating nurse practitioner—the nurse	

Item	Description	Fee (\$)
	practitioner does not have a business or financial relationship with the providing practitioner; and	100 (0)
	(d) the medical practitioner or nurse practitioner has indicated on a referral for a musculoskeletal ultrasound that an ultrasound guided intervention be performed if clinically indicated; and	
	(e) the service is not performed in conjunction with item 55026, 55054 or 55800 to 55849 (R) (K)	
55851	Musculoskeletal cross-sectional echography, in conjunction with a surgical procedure using interventional techniques, inclusive of a diagnostic musculoskeletal ultrasound service, if:	76.45
	(a) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(b) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(c) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial relationship with the providing practitioner; and	
	(d) the medical practitioner or nurse practitioner has indicated on a referral for a musculoskeletal ultrasound that an ultrasound guided intervention be performed if clinically indicated; and	
	(e) the service is not performed in conjunction with item 55026, 55054 or 55800 to 55849 (R) (NK)	
55852	Paediatric spine, spinal cord and overlying subcutaneous tissues, ultrasound scan of, if:	109.10
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (K)	
55853	Paediatric spine, spinal cord and overlying subcutaneous tissues, ultrasound scan of, if:	54.55
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is referred by a medical practitioner or participating nurse practitioner; and	
	(c) if the patient is referred by a medical practitioner—the medical practitioner is not a member of a group of practitioners of which the providing practitioner is a member; and	
	(d) if the patient is referred by a participating nurse practitioner—the nurse practitioner does not have a business or financial arrangement with the providing practitioner (R) (NK)	
55854	Paediatric spine, spinal cord and overlying subcutaneous tissues, ultrasound scan of, if:	37.85
	(a) the service is not associated with a service to which an item in Subgroup 2 or	

52

Group I1—Ultrasound		
Item	Description	Fee (\$)
	3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (K)	
55855	Paediatric spine, spinal cord and overlying subcutaneous tissues, ultrasound scan of, if:	18.95
	(a) the service is not associated with a service to which an item in Subgroup 2 or 3 applies; and	
	(b) the patient is not referred by a medical practitioner or participating nurse practitioner (NR) (NK)	

Division 2.2—Group I2: computed tomography (examination)

2.2.1 CT services—eligible services

- (1) Items in this Division (other than items 57360 and 57361) apply to a CT service that is:
 - (a) performed under the professional supervision of a specialist in the specialty of diagnostic radiology who is available:
 - (i) to monitor and influence the conduct and diagnostic quality of the examination; and
 - (ii) if necessary, to attend on the patient personally; and
 - (b) reported by a specialist in the specialty of diagnostic radiology.
- (2) Items 57360 and 57361 apply to a CT service that is:
 - (a) performed under the professional supervision of a specialist or consultant physician who is recognised by the Conjoint Committee for the Recognition of Training in CT Coronary Angiography and available:
 - (i) to monitor and influence the conduct and diagnostic quality of the examination; and
 - (ii) if necessary, to attend on the patient personally; and
 - (b) reported by a specialist or consultant physician who is recognised by the Conjoint Committee for the Recognition of Training in CT Coronary Angiography.
- (3) However, items in this Division apply to a CT service that does not comply with the requirements mentioned in subclause (1) or (2) if the service is performed:
 - (a) in an emergency; or
 - (b) because of medical necessity, in a remote location.

2.2.2 CT services—exclusion of attenuation correction and anatomical correlation

Items in this Division do not apply to a CT service that is performed for the purpose of attenuation correction or anatomical correlation of another diagnostic imaging procedure.

2.2.3 CT services—exclusion of acoustic neuroma

If an axial scan is performed for the exclusion of acoustic neuroma, item 56001 or 56007 applies instead of any other item in this table that might be taken to apply to the service.

2.2.4 CT services—assessment of headache

- (1) If the service mentioned in item 56007 or 56047 is used for the assessment of a headache of a patient to whom this clause applies, the fee mentioned in the item applies only if:
 - (a) a scan without intravenous contrast medium has been performed on the patient; and
 - (b) the service is required because the result of the scan is abnormal.
- (2) This clause applies to a patient who:
 - (a) is under 50 years; and
 - (b) is (apart from the headache) otherwise well; and
 - (c) has no localising symptoms or signs; and
 - (d) has no history of malignancy or immunosuppression.

2.2.5 CT services—number of services

Items 56220 to 56240 and 56619 to 56665 apply once only for a service mentioned in any of those items, regardless of the number of patient attendances required to complete the service.

2.2.6 Cone bean computed tomography—items 57362 and 57363

Item 57362 or 57363 applies to the service mentioned in that item only if the service is performed with diagnostic imaging equipment that is not used to perform any other diagnostic imaging service.

Group I2—Computed tomography—examination		
Item	Description	Fee (\$)
56001	Computed tomography—scan of brain without intravenous contrast medium, not being a service to which item 57001 applies (R) (K) (Anaes.)	195.05
56007	Computed tomography—scan of brain with intravenous contrast medium and with any scans of the brain before intravenous contrast injection, when performed, not being a service to which item 57007 applies (R) (K) (Anaes.)	250.00
56010	Computed tomography—scan of pituitary fossa with or without intravenous contrast medium and with or without brain scan when performed (R) (K) (Anaes.)	252.10
56013	Computed tomography—scan of orbits with or without intravenous contrast medium and with or without brain scan when performed (R) (K) (Anaes.)	250.00
56016	Computed tomography—scan of petrous bones in axial and coronal planes in 1 mm or 2 mm sections, with or without intravenous contrast medium, with or without scan of brain (R) (K) (Anaes.)	290.00
56022	Computed tomography—scan of facial bones, para nasal sinuses or both without intravenous contrast medium (R) (K) (Anaes.)	225.00
56028	Computed tomography—scan of facial bones, para nasal sinuses or both with intravenous contrast medium and with any scans of the facial bones, para nasal sinuses or both before intravenous contrast injection, when performed (R) (K)	336.80

Item	Description	Fee (\$)
	(Anaes.)	
56030	Computed tomography—scan of facial bones, para nasal sinuses or both, with scan of brain, without intravenous contrast medium (R) (K) (Anaes.)	225.00
56036	Computed tomography—scan of facial bones, para nasal sinuses or both, with scan of brain, with intravenous contrast medium, if:	336.80
	(a) a scan without intravenous contrast medium has been performed; and(b) the service is required because the result of the scan mentioned in paragraph (a) is abnormal (R) (K) (Anaes.)	
56041	Computed tomography—scan of brain without intravenous contrast medium, not being a service to which item 57041 applies (R) (NK) (Anaes.)	98.75
56047	Computed tomography—scan of brain with intravenous contrast medium and with any scans of the brain before intravenous contrast injection, when performed, not being a service to which item 57047 applies (R) (NK) (Anaes.)	126.10
56050	Computed tomography—scan of pituitary fossa with or without intravenous contrast medium and with or without brain scan when performed (R) (NK) (Anaes.)	128.20
56053	Computed tomography—scan of orbits with or without intravenous contrast medium and with or without brain scan when performed (R) (NK) (Anaes.)	128.20
56056	Computed tomography—scan of petrous bones in axial and coronal planes in 1 mm or 2 mm sections, with or without intravenous contrast medium, with or without scan of brain (R) (NK) (Anaes.)	155.45
56062	Computed tomography—scan of facial bones, para nasal sinuses or both without intravenous contrast medium (R) (NK) (Anaes.)	113.15
56068	Computed tomography—scan of facial bones, para nasal sinuses or both with intravenous contrast medium and with any scans of the facial bones, para nasal sinuses or both before intravenous contrast injection, when performed (R) (NK) (Anaes.)	168.40
56070	Computed tomography—scan of facial bones, para nasal sinuses or both, with scan of brain, without intravenous contrast medium (R) (NK) (Anaes.)	113.15
56076	Computed tomography—scan of facial bones, para nasal sinuses or both, with scan of brain, with intravenous contrast medium, if:	168.40
	(a) a scan without intravenous contrast medium has been performed; and	
	(b) the service is required because the result of the scan mentioned in paragraph (a) is abnormal (R) (NK) (Anaes.)	
56101	Computed tomography—scan of soft tissues of neck, including larynx, pharynx, upper oesophagus and salivary glands (not associated with cervical spine) without intravenous contrast medium, not being a service to which item 56801 applies (R) (K) (Anaes.)	230.00
56107	Computed tomography—scan of soft tissues of neck, including larynx, pharynx, upper oesophagus and salivary glands (not associated with cervical spine)—with intravenous contrast medium and with any scans of soft tissues of neck, including larynx, pharynx, upper oesophagus and salivary glands (not associated with cervical spine) before intravenous contrast injection, when undertaken, not being a service associated with a service to which item 56807 applies (R) (K) (Anaes.)	340.00
56141	Computed tomography—scan of soft tissues of neck, including larynx, pharynx, upper oesophagus and salivary glands (not associated with cervical spine) without intravenous contrast medium, not being a service to which item 56841 applies (R) (NK) (Anaes.)	116.45

Item	2—Computed tomography—examination Description	Fee (\$)
56147	Computed tomography—scan of soft tissues of neck, including larynx, pharynx, upper oesophagus and salivary glands (not associated with cervical spine)—with intravenous contrast medium and with any scans of soft tissues of neck, including larynx, pharynx, upper oesophagus and salivary glands (not associated with cervical spine) before intravenous contrast injection, when performed, not being a service associated with a service to which item 56847 applies (R) (NK) (Anaes.)	171.60
56219	Computed tomography—scan of spine, one or more regions with intrathecal contrast medium, including the preparation for intrathecal injection of contrast medium and any associated plain X-rays, not being a service to which item 59724 or 59275 applies (R) (K) (Anaes.)	326.20
56220	Computed tomography—scan of spine, cervical region, without intravenous contrast medium (R) (K) (Anaes.)	240.00
56221	Computed tomography—scan of spine, thoracic region, without intravenous contrast medium (R) (K) (Anaes.)	240.00
56223	Computed tomography—scan of spine, lumbosacral region, without intravenous contrast medium (R) (K) (Anaes.)	240.00
56224	Computed tomography—scan of spine, cervical region, with intravenous contrast medium and with any scans of the cervical region of the spine before intravenous contrast injection when undertaken (R) (K) (Anaes.)	351.40
56225	Computed tomography—scan of spine, thoracic region, with intravenous contrast medium and with any scans of the thoracic region of the spine before intravenous contrast injection when undertaken (R) (K) (Anaes.)	351.40
56226	Computed tomography—scan of spine, lumbosacral region, with intravenous contrast medium and with any scans of the lumbosacral region of the spine prior to intravenous contrast injection when undertaken (R) (K) (Anaes.)	351.40
56227	Computed tomography—scan of spine, cervical region, without intravenous contrast medium (R) (NK) (Anaes.)	122.50
56228	Computed tomography—scan of spine, thoracic region, without intravenous contrast medium (R) (NK) (Anaes.)	122.50
56229	Computed tomography—scan of spine, lumbosacral region, without intravenous contrast medium (R) (NK) (Anaes.)	122.50
56230	Computed tomography—scan of spine, cervical region, with intravenous contrast medium and with any scans to the cervical region of the spine before intravenous contrast injection when undertaken (R) (NK) (Anaes.)	177.45
56231	Computed tomography—scan of spine, thoracic region, with intravenous contrast medium and with any scans to the cervical region of the spine before intravenous contrast injection when undertaken (R) (NK) (Anaes.)	177.45
56232	Computed tomography—scan of spine, lumbosacral region, with intravenous contrast medium and with any scans to the lumbosacral region of the spine before intravenous contrast injection when undertaken (R) (NK) (Anaes.)	177.45
56233	Computed tomography—scan of spine, 2 examinations of the kind referred to in items 56220, 56221 and 56223, without intravenous contrast medium (R) (K) (Anaes.)	240.00
56234	Computed tomography—scan of spine, 2 examinations of the kind referred to in items 56224, 56225 and 56226, with intravenous contrast medium and with any scans of these regions of the spine before intravenous contrast injection when undertaken (R) (K) (Anaes.)	351.40
56235	Computed tomography—scan of spine, 2 examinations of the kind referred to in	122.45

56

Item	Description	Fee (\$)
10111	items 56227, 56228 and 56229, without intravenous contrast medium (R) (NK) (Anaes.)	100 (0)
56236	Computed tomography—scan of spine, 2 examinations of the kind referred to in items 56230, 56231 and 56232, with intravenous contrast medium and with any scans of these regions of the spine before intravenous contrast injection when undertaken (R) (NK) (Anaes.)	177.45
56237	Computed tomography—scan of spine, 3 regions cervical, thoracic and lumbosacral, without intravenous contrast medium (R) (K) (Anaes.)	240.00
56238	Computed tomography—scan of spine, 3 regions, cervical, thoracic and lumbosacral, with intravenous contrast medium and with any scans of these regions of the spine before intravenous contrast injection when undertaken (R) (K) (Anaes.)	351.40
56239	Computed tomography—scan of spine, 3 regions, cervical, thoracic and lumbosacral, without intravenous contrast medium (R) (NK) (Anaes.)	122.45
56240	Computed tomography—scan of spine, 3 regions, cervical, thoracic and lumbosacral, with intravenous contrast medium and with any scans of these regions of the spine before intravenous contrast injection when undertaken (R) (NK) (Anaes.)	177.45
56259	Computed tomography—scan of spine, one or more regions with intrathecal contrast medium, including the preparation for intrathecal injection of contrast medium and any associated plain X-rays, not being a service to which item 59724 or 59275 applies (R) (NK) (Anaes.)	164.80
56301	Computed tomography—scan of chest, including lungs, mediastinum, chest wall and pleura, with or without scans of the upper abdomen, without intravenous contrast medium, not being a service to which item 56801 or 57001 applies and not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (K) (Anaes.)	295.00
56307	Computed tomography—scan of chest, including lungs, mediastinum, chest wall and pleura, with or without scans of the upper abdomen, with intravenous contrast medium and with any scans of the chest, including lungs, mediastinum, chest wall or pleura and upper abdomen before intravenous contrast injection, when undertaken, not being a service to which item 56807 or 57007 applies and not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (K) (Anaes.)	400.00
56341	Computed tomography—scan of chest, including lungs, mediastinum, chest wall and pleura, with or without scans of the upper abdomen, without intravenous contrast medium, not being a service to which item 56841 or 57041 applies and not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (NK) (Anaes.)	149.45
56347	Computed tomography—scan of chest, including lungs, mediastinum, chest wall and pleura, with or without scans of the upper abdomen, with intravenous contrast medium and with any scans of the chest, including lungs, mediastinum, chest wall or pleura and upper abdomen before intravenous contrast injection, when undertaken, not being a service to which item 56847 or 57047 applies and not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (NK) (Anaes.)	202.00
56401	Computed tomography—scan of upper abdomen only (diaphragm to iliac crest) without intravenous contrast medium, not being a service to which item 56301, 56501, 56801 or 57001 applies (R) (K) (Anaes.)	250.00
56407	Computed tomography—scan of upper abdomen only (diaphragm to iliac crest),	360.00

Item	Description	Fee (\$)
	with intravenous contrast medium, and with any scans of upper abdomen (diaphragm to iliac crest) before intravenous contrast injection, when undertaken, not being a service to which item 56307, 56507, 56807 or 57007 applies (R) (K) (Anaes.)	V.
56409	Computed tomography—scan of pelvis only (iliac crest to pubic symphysis) without intravenous contrast medium not being a service associated with a service to which item 56401 applies (R) (K) (Anaes.)	250.00
56412	Computed tomography—scan of pelvis only (iliac crest to pubic symphysis), with intravenous contrast medium and with any scans of pelvis (iliac crest to pubic symphysis) before intravenous contrast injection, when undertaken, not being a service to which item 56407 applies (R) (K) (Anaes.)	360.00
56441	Computed tomography—scan of upper abdomen only (diaphragm to iliac crest) without intravenous contrast medium, not being a service to which item 56341, 56541, 56841 or 57041 applies (R) (NK) (Anaes.)	126.80
56447	Computed tomography—scan of upper abdomen only (diaphragm to iliac crest), with intravenous contrast medium, and with any scans of upper abdomen (diaphragm to iliac crest) before intravenous contrast injection, when performed, not being a service to which item 56347, 56547, 56847 or 57047 applies (R) (NK) (Anaes.)	181.50
56449	Computed tomography—scan of pelvis only (iliac crest to pubic symphysis) without intravenous contrast medium not being a service associated with a service to which item 56441 applies (R) (NK) (Anaes.)	126.80
56452	Computed tomography—scan of pelvis only (iliac crest to pubic symphysis), with intravenous contrast medium and with any scans of pelvis (iliac crest to pubic symphysis) before intravenous contrast injection, when undertaken, not being a service to which item 56447 applies (R) (NK) (Anaes.)	181.50
56501	Computed tomography—scan of upper abdomen and pelvis without intravenous contrast medium, not for the purposes of virtual colonoscopy and not being a service to which item 56801 or 57001 applies (R) (K) (Anaes.)	385.00
56507	Computed tomography—scan of upper abdomen and pelvis with intravenous contrast medium and with any scans of upper abdomen and pelvis before intravenous contrast injection, when performed, not for the purposes of virtual colonoscopy and not being a service to which item 56807 or 57007 applies (R) (K) (Anaes.)	480.05
56541	Computed tomography—scan of upper abdomen and pelvis without intravenous contrast medium, not for the purposes of virtual colonoscopy and not being a service to which item 56841 or 57041 applies (R) (NK) (Anaes.)	193.15
56547	Computed tomography—scan of upper abdomen and pelvis with intravenous contrast medium and with any scans of upper abdomen and pelvis before intravenous contrast injection, when performed, not for the purposes of virtual colonoscopy and not being a service to which item 56847 or 57047 applies (R) (NK) (Anaes.)	243.75
56553	Computed tomography—scan of colon for exclusion or diagnosis of colorectal neoplasia in a symptomatic or high risk patient if: (a) one or more of the following applies: (i) the patient has had an incomplete colonoscopy in the 3 months before the scan; (ii) there is a high-grade colonic obstruction; (iii) the patient is referred by a specialist or consultant physician who performs colonoscopies in the practice of his or her speciality; and	520.00

Item	Description	Fee (\$)
	(b) the service is not a service to which item 56301, 56307, 56401, 56407, 56409, 56412, 56501, 56507, 56801, 56807 or 57001 applies; and	
	(c) the service has not been performed on the patient in the 36 months before the scan (R) (K) (Anaes.)	
56555	Computed tomography—scan of colon for exclusion or diagnosis of colorectal neoplasia in a symptomatic or high risk patient if:	260.00
	(a) one or more of the following applies:(i) the patient has had an incomplete colonoscopy in the 3 months before the scan;	
	(ii) there is a high-grade colonic obstruction;(iii) the patient is referred by a specialist or consultant physician who performs colonoscopies in the practice of his or her speciality; and	
	(b) the service is not a service to which item 56301, 56307, 56401, 56407, 56409, 56412, 56501, 56507, 56801, 56807 or 57001 applies; and	
	(c) the service has not been performed on the patient in the 36 months before the scan (R) (NK) (Anaes.)	
56619	Computed tomography—scan of extremities, one or more regions without intravenous contrast medium (R) (K) (Anaes.)	220.00
56625	Computed tomography—scan of extremities, one or more regions with intravenous contrast medium and with any scans of extremities before intravenous contrast injection, when performed (R) (K) (Anaes.)	334.65
56659	Computed tomography—scan of extremities, one or more regions without intravenous contrast medium (R) (NK) (Anaes.)	112.10
56665	Computed tomography—scan of extremities, one or more regions with intravenous contrast medium and with any scans of extremities before intravenous contrast injection, when performed (R) (NK) (Anaes.)	167.40
56801	Computed tomography—scan of chest, abdomen and pelvis with or without scans of soft tissues of neck without intravenous contrast medium, not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (K) (Anaes.)	466.55
56807	Computed tomography—scan of chest, abdomen and pelvis with or without scans of soft tissues of neck with intravenous contrast medium and with any scans of chest, abdomen and pelvis with or without scans of soft tissue of neck before intravenous contrast injection, when performed, not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (K) (Anaes.)	560.00
56841	Computed tomography—scan of chest, abdomen and pelvis with or without scans of soft tissues of neck without intravenous contrast medium, not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (NK) (Anaes.)	233.35
56847	Computed tomography—scan of chest, abdomen and pelvis with or without scans of soft tissues of neck with intravenous contrast medium and with any scans of chest, abdomen and pelvis with or without scans of soft tissue of neck before intravenous contrast injection, when performed, not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (NK) (Anaes.)	283.85
57001	Computed tomography—scan of brain and chest with or without scans of upper abdomen without intravenous contrast medium, not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (K) (Anaes.)	466.65

Item	Description	Fee (\$)
57007	Computed tomography—scan of brain and chest with or without scans of upper abdomen with intravenous contrast medium and with any scans of brain and chest and upper abdomen before intravenous contrast injection, when performed, not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (K) (Anaes.)	567.75
57041	Computed tomography—scan of brain and chest with or without scans of upper abdomen without intravenous contrast medium, not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (NK) (Anaes.)	233.40
57047	Computed tomography—scan of brain and chest with or without scans of upper abdomen with intravenous contrast medium and with any scans of brain and chest and upper abdomen before intravenous contrast injection, when performed, not including a study performed to exclude coronary artery calcification or image the coronary arteries (R) (NK) (Anaes.)	283.90
57201	Computed tomography—pelvimetry (R) (K) (Anaes.)	155.20
57247	Computed tomography—pelvimetry (R) (NK) (Anaes.)	77.55
57341	Computed tomography, in conjunction with a surgical procedure using interventional techniques, not being a service associated with a service to which another item in this table applies (R) (K) (Anaes.)	470.00
57345	Computed tomography, in conjunction with a surgical procedure using interventional techniques, not being a service associated with a service to which another item in this table applies (R) (NK) (Anaes.)	241.60
57350	Computed tomography—spiral angiography with intravenous contrast medium including any scans performed before intravenous contrast injection—one or more spiral data acquisitions, including image editing, and maximum intensity projections or 3 dimensional surface shaded display, with hardcopy recording of multiple projections, if:	510.00
	(a) the service is not a service to which another item in this group applies; and	
	(b) the service is performed for the exclusion of arterial stenosis, occlusion, aneurysm or embolism; and	
	(c) the service has not been performed on the same patient within the previous 12 months; and	
	(d) the service is not a study performed to image the coronary arteries (R) (K) (Anaes.)	
57351	Computed tomography—spiral angiography with intravenous contrast medium, including any scans performed before intravenous contrast injection—one or more spiral data acquisitions, including image editing, and maximum intensity projections or 3 dimensional surface shaded display, with hardcopy recording of multiple projections, if:	510.00
	(a) the service is not a service to which another item in this group applies; and	
	(b) the service is performed for the exclusion of acute or recurrent pulmonary embolism, acute symptomatic arterial occlusion, post-operative complication of arterial surgery, acute ruptured aneurysm, or acute dissection of the aorta, carotid or vertebral artery; and	
	(c) a service to which item 57350 or 57355 applies has been performed on the same patient within the previous 12 months; and	
	(d) the service is not a study performed to image the coronary arteries (R) (K) (Anaes.)	
57355	Computed tomography—spiral angiography with intravenous contrast medium	264.15

Item	Description	Fee (\$)
Item	including any scans performed before intravenous contrast injection—one or	F CC (5)
	more spiral data acquisitions, including image editing, and maximum intensity projections or 3 dimensional surface shaded display, with hardcopy recording of multiple projections, if:	
	(a) the service is not a service to which another item in this group applies; and	
	(b) the service is performed for the exclusion of arterial stenosis, occlusion, aneurysm or embolism; and	
	(c) the service has not been performed on the same patient within the previous 12 months; and	
	(d) the service is not a study performed to image the coronary arteries (R) (NK) (Anaes.)	
57356	Computed tomography—spiral angiography with intravenous contrast medium, including any scans performed before intravenous contrast injection—one or more spiral data acquisitions, including image editing, and maximum intensity projections or 3 dimensional surface shaded display, with hardcopy recording of multiple projections, if:	264.15
	(a) the service is not a service to which another item in this group applies; and(b) the service is performed for the exclusion of acute or recurrent pulmonary embolism, acute symptomatic arterial occlusion, post-operative complication of arterial surgery, acute ruptured aneurysm, or acute dissection of the aorta, carotid or vertebral artery; and	
	(c) the service to which item 57350 or 57355 applies has been performed on the same patient within the previous 12 months; and	
	(d) the service is not a study performed to image the coronary arteries (R) (NK) (Anaes.)	
57360	Computed tomography of the coronary arteries performed on a minimum of a 64 slice (or equivalent) scanner if:	700.00
	(a) the request is made by a specialist or consultant physician; and	
	 (b) one of the following subparagraphs applies to the patient: (i) the patient has stable symptoms consistent with coronary ischaemia, is at low to intermediate risk of coronary artery disease and would have been considered for coronary angiography; (ii) the patient requires exclusion of coronary artery anomaly or fistula; (iii) the patient will be undergoing non-coronary cardiac surgery (R) (K) (Anaes.) 	
57361	Computed tomography of the coronary arteries performed on a minimum of a 64 slice (or equivalent) scanner if:	350.00
	(a) the request is made by a specialist or consultant physician; and	
	(b) one of the following applies to the patient:	
	 (i) the patient has stable symptoms consistent with coronary ischaemia, is at low to intermediate risk of coronary artery disease and would have been considered for coronary angiography; 	
	(ii) the patient requires exclusion of coronary artery anomaly or fistula;(iii) the patient will be undergoing non-coronary cardiac surgery (R)(NK) (Anaes.)	
57362	Cone beam computed tomography—dental and temporo-mandibular joint imaging (without contrast medium) for diagnosis and management of any of the following:	113.15
	(a) mandibular and dento-alveolar fractures;	
	(b) dental implant planning;	

Group	2—Computed tomography—examination	
Item	Description	Fee (\$)
	(c) orthodontics;	
	(d) endodontic conditions;	
	(e) periodontal conditions;	
	(f) temporo-mandibular joint conditions	
	Payable once per patient per day, not being for a service to which any of items 57959 to 57969 apply, and not being a service associated with another service in Group I2 (R) (K) (Anaes.)	
57363	Cone beam computed tomography—dental and temporo-mandibular joint imaging (without contrast medium) for diagnosis and management of any of the following:	56.60
	(a) mandibular and dento-alveolar fractures;	
	(b) dental implant planning;	
	(c) orthodontics;	
	(d) endodontic conditions;	
	(e) periodontal conditions;	
	(f) temporo-mandibular joint conditions	
	Payable once per patient per day, not being for a service to which any of items 57959 to 57969 apply, and not being a service associated with services in Group I2 (R) (NK) (Anaes.)	

Division 2.3—Group I3: diagnostic radiology

Subdivision A—General

2.3.1 Who must perform diagnostic imaging procedure

- (1) For a service mentioned in an item in Subdivision B, D, E or G of this Division, a diagnostic imaging procedure must be performed by:
 - (a) a medical practitioner; or
 - (b) a person registered as a medical radiation practitioner under a law of a State or Territory who:
 - (i) is employed by a medical practitioner; or
 - (ii) provides the service under the supervision of a medical practitioner in accordance with accepted medical practice.
- (2) However, for a service mentioned in items 57901 to 57969, a diagnostic imaging procedure may also be performed by a dental practitioner who:
 - (a) may request the service because of the operation of subsection 16B(2) of the Act; and
 - (b) either:
 - (i) is employed by a medical practitioner; or
 - (ii) provides the service under the supervision of a medical practitioner in accordance with accepted medical practice.
- (3) Subclauses (1) and (2) do not apply if the procedure is performed:
 - (a) in RA2, RA3 or RA4; or
 - (b) in:
 - (i) RA1; and

(ii) RRMA4 or RRMA5.

Subdivision B—Subgroups 1 to 9 of Group I3

Group 1	Group I3—Diagnostic radiology		
Item	Description	Fee (\$)	
Subgro	up 1—Radiographic examination of extremities		
57506	Hand, wrist, forearm, elbow or humerus (NR) (K)	29.75	
57509	Hand, wrist, forearm, elbow or humerus (R) (K)	39.75	
57512	Hand and wrist, or hand, wrist and forearm, or forearm and elbow, or elbow and humerus (NR) (K)	40.50	
57515	Hand and wrist, or hand, wrist and forearm, or forearm and elbow, or elbow and humerus (R) (K)	54.00	
57518	Foot, ankle, leg, knee or femur (NR) (K)	32.50	
57521	Foot, ankle, leg, knee or femur (R) (K)	43.40	
57524	Foot and ankle, or ankle and leg, or leg and knee, or knee and femur (NR) (K)	49.40	
57527	Foot and ankle, or ankle and leg, or leg and knee, or knee and femur (R) (K)	65.75	
57529	Hand, wrist, forearm, elbow or humerus (NR) (NK)	14.90	
57530	Hand, wrist, forearm, elbow or humerus (R) (NK)	19.90	
57532	Hand and wrist, or hand, wrist and forearm, or forearm and elbow, or elbow and humerus (NR) (NK)	20.25	
57533	Hand and wrist, or hand, wrist and forearm, or forearm and elbow, or elbow and humerus (R) (NK)	27.00	
57535	Foot, ankle, leg, knee or femur (NR) (NK)	16.25	
57536	Foot, ankle, leg, knee or femur (R) (NK)	21.70	
57538	Foot and ankle, or ankle and leg, or leg and knee, or knee and femur (NR) (NK)	24.70	
57539	Foot and ankle, or ankle and leg, or leg and knee, or knee and femur (R) (NK)	32.90	
Subgrou	up 2—Radiographic examination of shoulder or pelvis		
57700	Shoulder or scapula (NR) (K)	40.50	
57702	Shoulder or scapula (NR) (NK)	20.25	
57703	Shoulder or scapula (R) (K)	54.00	
57705	Shoulder or scapula (R) (NK)	27.00	
57706	Clavicle (NR) (K)	32.50	
57708	Clavicle (NR) (NK)	16.25	
57709	Clavicle (R) (K)	43.40	
57711	Clavicle (R) (NK)	21.70	
57712	Hip joint (R) (K)	47.15	
57714	Hip joint (R) (NK)	23.60	
57715	Pelvic girdle (R) (K)	60.90	
57717	Pelvic girdle (R) (NK)	30.45	
57721	Femur, internal fixation of neck or intertrochanteric (pertrochanteric) fracture (R) (K)	99.25	
57723	Femur, internal fixation of neck or intertrochanteric (pertrochanteric) fracture (R) (NK)	49.65	

Group 1	Group I3—Diagnostic radiology		
Item	Description	Fee (\$)	
Subgro	up 3—Radiographic examination of head		
57901	Skull, not in association with item 57902 or 57914 (R) (K)	64.50	
57902	Cephalometry, not in association with item 57901 or 57911 (R) (K)	64.50	
57903	Sinuses (R) (K)	47.30	
57906	Mastoids (R) (K)	64.50	
57909	Petrous temporal bones (R) (K)	64.50	
57911	Skull, not in association with item 57902 or 57914 (R) (NK)	32.25	
57912	Facial bones—orbit, maxilla or malar, any or all (R) (K)	47.15	
57914	Cephalometry, not in association with item 57901 or 57911 (R) (NK)	32.25	
57915	Mandible, not by orthopantomography technique (R) (K)	47.15	
57917	Sinuses (R) (NK)	23.65	
57918	Salivary calculus (R) (K)	47.15	
57920	Mastoids (R) (NK)	32.25	
57921	Nose (R) (K)	47.15	
57923	Petrous temporal bones (R) (NK)	32.25	
57924	Eye(R)(K)	47.15	
57926	Facial bones—orbit, maxilla or malar, any or all (R) (NK)	23.60	
57927	Temporo-mandibular joints (R) (K)	49.65	
57929	Mandible, not by orthopantomography technique (R) (NK)	23.60	
57930	Teeth—single area (R) (K)	32.90	
57932	Salivary calculus (R) (NK)	23.60	
57933	Teeth—full mouth $(R)(K)$	78.25	
57935	Nose (R) (NK)	23.60	
57938	Eye (R) (NK)	23.60	
57939	Palato-pharyngeal studies with fluoroscopic screening (R) (K)	64.50	
57941	Temporo-mandibular joints (R) (NK)	24.85	
57942	Palato-pharyngeal studies without fluoroscopic screening (R) (K)	49.65	
57944	Teeth—single area (R) (NK)	16.45	
57945	Larynx, lateral airways and soft tissues of the neck, not being a service associated with a service to which item 57939, 57942, 57950 or 57953 applies (R) (K)	43.40	
57947	Teeth—full mouth (R) (NK)	39.15	
57950	Palato-pharyngeal studies with fluoroscopic screening (R) (NK)	32.25	
57953	Palato-pharyngeal studies without fluoroscopic screening (R) (NK)	24.85	
57956	Larynx, lateral airways and soft tissues of the neck, not being a service associated with a service to which item 57939, 57942, 57950 or 57953 applies (R) (NK)	21.70	
57959	Orthopantomography for diagnosis or management (or both) of trauma, infection, tumour or a congenital or surgical condition of the teeth or maxillofacial region (R) (NK)	23.70	
57960	Orthopantomography for diagnosis or management (or both) of trauma, infection, tumour or a congenital or surgical condition of the teeth or maxillofacial region (R) (K)	47.40	

Item	Description	Fee (\$)
57962	Orthopantomography for diagnosis or management (or both) of any of the following conditions, if the signs and symptoms of the condition is present: (a) impacted teeth;	23.70
	(b) caries;	
	(c) periodontal pathology;	
	(d) periapical pathology (R) (NK)	
57963	Orthopantomography for diagnosis or management (or both) of any of the following conditions, if the signs and symptoms of the condition is present:	47.40
	(a) impacted teeth;(b) caries;	
	(c) periodontal pathology;	
	(d) periodolital pathology, (d) periodolital pathology (R) (K)	
57965	Orthopantomography for diagnosis or management (or both) of missing or crowded teeth, or developmental anomalies of the teeth or jaws (R) (NK)	23.70
57966	Orthopantomography for diagnosis or management (or both) of missing or crowded teeth, or developmental anomalies of the teeth or jaws (R) (K)	47.40
57968	Orthopantomography for diagnosis or management (or both) of temporo-mandibular joint arthroses or dysfunction (R) (NK)	23.70
57969	Orthopantomography for diagnosis or management (or both) of temporo-mandibular joint arthroses or dysfunction (R) (K)	47.40
Subgrou	ıp 4—Radiographic examination of spine	
58100	Spine—cervical (R) (K)	67.15
58102	Spine—cervical (R) (NK)	33.60
58103	Spine—thoracic (R) (K)	55.10
58105	Spine—thoracic (R) (NK)	27.55
58106	Spine—lumbosacral (R) (K)	77.00
58108	Spine—4 regions, cervical, thoracic, lumbosacral and sacrococcygeal (R) (K)	110.00
58109	Spine—sacrococcygeal (R) (K)	47.00
58111	Spine—lumbosacral (R) (NK)	38.50
58112	Spine—2 examinations of the kind mentioned in items 58100, 58102, 58103, 58105, 58106, 58109, 58111 and 58117 (R) (K)	97.25
58114	Spine—4 regions, cervical, thoracic, lumbosacral and sacrococcygeal (R) (NK)	55.00
58115	Spine—3 examinations of the kind mentioned in items 58100, 58102, 58103, 58105, 58106, 58109, 58111 and 58117 (R) (K)	110.00
58117	Spine—sacrococcygeal (R) (NK)	23.50
58120	Spine—4 regions, cervical, thoracic, lumbosacral and sacrococcygeal, if the service to which item 58120, 58121, 58126 or 58127 applies has not been performed on the same patient within the same calendar year (R) (K)	110.00
58121	Spine—3 examinations of the kind mentioned in items 58100, 58102, 58103, 58105, 58106, 58109, 58111 and 58117, if the service to which item 58120, 58121, 58126 or 58127 applies has not been performed on the same patient within the same calendar year (R) (K)	110.00
58123	Spine—2 examinations of the kind mentioned in items 58100, 58102, 58103, 58105, 58106, 58109, 58111 and 58117 (R) (NK)	48.65
58124	Spine—3 examinations of the kind mentioned in items 58100, 58102, 58103,	55.00

Item	Description	Fee (\$)
	58105, 58106, 58109, 58111 and 58117 (R) (NK)	(+)
58126	Spine—4 regions, cervical, thoracic, lumbosacral and sacrococcygeal, if the service to which item 58120, 58121, 58126 or 58127 applies has not been performed on the same patient within the same calendar year (R) (NK)	55.00
58127	Spine—3 examinations of the kind mentioned in items 58100, 58102, 58103, 58105, 58106, 58109, 58111 and 58117, if the service to which item 58120, 58121, 58126 or 58127 applies has not been performed on the same patient within the same calendar year (R) (NK)	55.00
Subgrou	ip 5—Bone age study and skeletal survey	
58300	Bone age study (R) (K)	40.10
58302	Bone age study (R) (NK)	20.05
58306	Skeletal survey (R) (K)	89.40
58308	Skeletal survey (R) (NK)	44.70
Subgrou	ip 6—Radiographic examination of thoracic region	
58500	Chest (lung fields) by direct radiography (NR) (K)	35.35
58502	Chest (lung fields) by direct radiography (NR) (NK)	17.70
58503	Chest (lung fields) by direct radiography (R) (K)	47.15
58505	Chest (lung fields) by direct radiography (R) (NK)	23.60
58506	Chest (lung fields) by direct radiography with fluoroscopic screening (R) (K)	60.75
58508	Chest (lung fields) by direct radiography with fluoroscopic screening (R) (NK)	30.40
58509	Thoracic inlet or trachea (R) (K)	39.75
58511	Thoracic inlet or trachea (R) (NK)	19.90
58521	Left ribs, right ribs or sternum (R) (K)	43.40
58523	Left ribs, right ribs or sternum (R) (NK)	21.70
58524	Left and right ribs, left ribs and sternum, or right ribs and sternum (R) (K)	56.50
58526	Left and right ribs, left ribs and sternum, or right ribs and sternum (R) (NK)	28.25
58527	Left ribs, right ribs and sternum (R) (K)	69.40
58529	Left ribs, right ribs and sternum (R) (NK)	34.70
Subgro	ıp 7—Radiographic examination of urinary tract	
58700	Plain renal only (R) (K)	46.05
58702	Plain renal only (R) (NK)	23.05
58706	Intravenous pyelography, with or without preliminary plain films and with or without tomography (R) (K)	157.90
58708	Intravenous pyelography, with or without preliminary plain films and with or without tomography (R) (NK)	78.95
58715	Antegrade or retrograde pyelography with or without preliminary plain films and with preparation and contrast injection, one side (R) (K)	151.55
58717	Antegrade or retrograde pyelography with or without preliminary plain films and with preparation and contrast injection, one side (R) (NK)	75.80
58718	Retrograde cystography or retrograde urethrography with or without preliminary plain films and with preparation and contrast injection (R) (K) (Anaes.)	126.10
58720	Retrograde cystography or retrograde urethrography with or without preliminary plain films and with preparation and contrast injection (R) (NK) (Anaes.)	63.05
58721	Retrograde micturating cysto-urethrography, with preparation and contrast	138.25

Item	Description	Fee (\$)
	injection (R) (K) (Anaes.)	
58723	Retrograde micturating cysto-urethrography, with preparation and contrast injection (R) (NK) (Anaes.)	69.15
Subgro	ip 8—Radiographic examination of alimentary tract and biliary system	
58900	Plain abdominal only, not being a service associated with a service to which item 58909, 58911, 58912, 58914, 58915 or 58917 applies (NR) (K)	35.70
58902	Plain abdominal only, not being a service associated with a service to which item 58909, 58911, 58912, 58914, 58915 or 58917 applies (NR) (NK)	17.85
58903	Plain abdominal only, not being a service associated with a service to which item 58909, 58911, 58912, 58914, 58915 or 58917 applies (R) (K)	47.60
58905	Plain abdominal only, not being a service associated with a service to which item 58909, 58911,58912, 58914, 58915 or 58917 applies (R) (NK)	23.80
58909	Barium or other opaque meal of one or more of pharynx, oesophagus, stomach or duodenum, with or without preliminary plain films of pharynx, chest or duodenum, not being a service associated with a service to which item 57939, 57942, 57945, 57950, 57953 or 57956 applies (R) (K)	89.95
58911	Barium or other opaque meal of one or more of pharynx, oesophagus, stomach or duodenum, with or without preliminary plain films of pharynx, chest or duodenum, not being a service associated with a service to which item 57939, 57942, 57945, 57950, 57953 or 57956 applies (R) (NK)	45.00
58912	Barium or other opaque meal of oesophagus, stomach, duodenum and follow through to colon, with or without screening of chest and with or without preliminary plain film (R) (K)	110.25
58914	Barium or other opaque meal of oesophagus, stomach, duodenum and follow through to colon, with or without screening of chest and with or without preliminary plain film (R) (NK)	55.15
58915	Barium or other opaque meal, small bowel series only, with or without preliminary plain film (R) (K)	78.95
58916	Small bowel enema, barium or other opaque study of the small bowel, including duodenal intubation, with or without preliminary plain films, not being a service associated with a service to which item 30488 applies (R) (K) (Anaes.)	138.50
58917	Barium or other opaque meal, small bowel series only, with or without preliminary plain film (R) (NK)	39.50
58920	Small bowel enema, barium or other opaque study of the small bowel, including duodenal intubation, with or without preliminary plain films, not being a service associated with a service to which item 30488 applies (R) (NK) (Anaes.)	69.25
58921	Opaque enema, with or without air contrast study and with or without preliminary plain films (R) (K)	135.25
58923	Opaque enema, with or without air contrast study and with or without preliminary plain films (R) (NK)	67.65
58927	Cholegraphy direct, with or without preliminary plain films and with preparation and contrast injection, not being a service associated with a service to which item 30439 applies (R) (K)	76.45
58929	Cholegraphy direct, with or without preliminary plain films and with preparation and contrast injection, not being a service associated with a service to which item 30439 applies (R) (NK)	38.25
58933	Cholegraphy, percutaneous transhepatic, with or without preliminary plain films and with preparation and contrast injection (R) (K)	205.60

Group 1	3—Diagnostic radiology	
Item	Description	Fee (\$)
58935	Cholegraphy, percutaneous transhepatic, with or without preliminary plain films and with preparation and contrast injection (R) (NK)	102.80
58936	Cholegraphy, drip infusion, with or without preliminary plain films, with preparation and contrast injection and with or without tomography (R) (K)	195.95
58938	Cholegraphy, drip infusion, with or without preliminary plain films, with preparation and contrast injection and with or without tomography (R) (NK)	98.00
58939	Defaecogram (R) (K)	139.30
58941	Defaecogram (R) (NK)	69.65
Subgro	up 9—Radiographic examination for localisation of foreign bodies	
59103	Localisation of foreign body, if provided in conjunction with a service mentioned in Subgroups 1 to 12 of Group I3 (R) (K)	21.30
59104	Localisation of foreign body, if provided in conjunction with a service mentioned in Subgroups 1 to 12 of Group I3 (R) (NK)	10.65

Subdivision C—Subgroup 10 of Group I3: radiographic examination of breasts

2.3.2 Mammography services—eligible services

Items in this Subdivision apply only to a mammography service performed:

- (a) under the professional supervision of a specialist in the specialty of diagnostic radiology who is available:
 - (i) to monitor and influence the conduct and diagnostic quality of the examination; and
 - (ii) if necessary, to attend on the patient personally; or
- (b) if paragraph (a) cannot be complied with:
 - (i) in an emergency; or
 - (ii) because of medical necessity, in a remote location.

Group I3—Diagnostic radiography		
Item	Description	Fee (\$)
Subgrou	p 10—Radiographic examination of breasts	
59300	Mammography of both breasts if there is reason to suspect the presence of malignancy because of:	89.50
	(a) the past occurrence of breast malignancy in the patient or members of the patient's family; or	
	(b) symptoms or indications of malignancy found on examination of the patient by a medical practitioner (R) (K)	
59301	Mammography of both breasts if there is reason to suspect the presence of malignancy because of:	44.75
	(a) the past occurrence of breast malignancy in the patient or members of the patient's family; or	
	(b) symptoms or indications of malignancy found on examination of the patient by a medical practitioner (R) (NK)	

Item	Description	Fee (\$)
59303	Mammography of one breast if:	53.95
	(a) the patient is referred with a specific request for a unilateral mammogram; and	
	(b) there is reason to suspect the presence of malignancy because of:(i) the past occurrence of breast malignancy in the patient or members of the patient's family; or(ii) symptoms or indications of malignancy found on examination of the	
	patient by a medical practitioner (R) (K)	
59304	Mammography of one breast if:	27.00
	(a) the patient is referred with a specific request for a unilateral mammogram; and	
(i) the past occurrence of bre the patient's family; or(ii) symptoms or indications	(ii) symptoms or indications of malignancy found on examination of the	
	patient by a medical practitioner (R) (NK)	
59306	Mammary ductogram (galactography)—one breast (R) (K)	100.30
59307	Mammary ductogram (galactography)—one breast (R) (NK)	50.15
59309	Mammary ductogram (galactography)—2 breasts (R) (K)	200.60
59310	Mammary ductogram (galactography)—2 breasts (R) (NK)	100.30
59312	Radiographic examination of both breasts, in conjunction with a surgical procedure on each breast, using interventional techniques (R) (K)	87.00
59313	Radiographic examination of both breasts, in conjunction with a surgical procedure on each breast, using interventional techniques (R) (NK)	43.50
59314	Radiographic examination of one breast, in conjunction with a surgical procedure using interventional techniques (R) (K)	52.50
59315	Radiographic examination of one breast, in conjunction with a surgical procedure using interventional techniques (R) (NK)	26.25
59318	Radiographic examination of excised breast tissue to confirm satisfactory excision of one or more lesions in one breast or both following pre-operative localisation in conjunction with a service under item 31536 (R) (K)	47.05
59319	Radiographic examination of excised breast tissue to confirm satisfactory excision of one or more lesions in one breast or both following pre-operative localisation in conjunction with a service under item 31536 (R) (NK)	23.55

Subdivision D—Subgroups 12 to 14 of Group I3

Group I3—Diagnostic radiography		
Item	Description	Fee (\$)
Subgro	up 12—Radiographic examination with opaque or contrast media	
59700	Discography, each disc, with or without preliminary plain films and with preparation and contrast injection (R) (K) (Anaes.)	96.55
59701	Discography, each disc, with or without preliminary plain films and with preparation and contrast injection (R) (NK) (Anaes.)	48.30
59703	Dacryocystography, one side, with or without preliminary plain film and with preparation and contrast injection (R) (K)	75.90
59704	Dacryocystography, one side, with or without preliminary plain film and with	37.95

Item	Description	Fee (\$)
	preparation and contrast injection (R) (NK)	= = (+)
59712	Hysterosalpingography, with or without preliminary plain films and with preparation and contrast injection (R) (K) (Anaes.)	113.70
59713	Hysterosalpingography, with or without preliminary plain films and with preparation and contrast injection (R) (NK) (Anaes.)	56.85
59715	Bronchography, one side, with or without preliminary plain films and with preparation and contrast injection, on a person under 16 years of age (R) (K) (Anaes.)	143.55
59716	Bronchography, one side, with or without preliminary plain films and with preparation and contrast injection, on a person under 16 years of age (R) (NK) (Anaes.)	71.80
59718	Phlebography, one side, with or without preliminary plain films and with preparation and contrast injection (R) (K) (Anaes.)	134.65
59719	Phlebography, one side, with or without preliminary plain films and with preparation and contrast injection (R) (NK) (Anaes.)	67.35
59724	Myelography, one or more regions, with or without preliminary plain films and with preparation and contrast injection, not being a service associated with a service to which item 56219 applies (R) (K) (Anaes.)	226.45
59725	Myelography, one or more regions, with or without preliminary plain films and with preparation and contrast injection, not being a service associated with a service to which item 56219 or 56259 applies (R) (NK) (Anaes.)	113.25
59733	Sialography, one side, with preparation and contrast injection, not being a service associated with a service to which item 57918 or 57932 applies (R) (K)	107.70
59734	Sialography, one side, with preparation and contrast injection, not being a service associated with a service to which item 57918 or 57932 applies (R) (NK)	53.85
59739	Sinogram or fistulogram, one or more regions, with or without preliminary plain films and with preparation and contrast injection (R) (K)	73.75
59740	Sinogram or fistulogram, one or more regions, with or without preliminary plain films and with preparation and contrast injection (R) (NK)	36.90
59751	Arthrography, each joint, excluding the facet (zygapophyseal) joints of the spine, single or double contrast study, with or without preliminary plain films and with preparation and contrast injection (R) (K)	139.15
59752	Arthrography, each joint, excluding the facet (zygapophyseal) joints of the spine, single or double contrast study, with or without preliminary plain films and with preparation and contrast injection (R) (NK)	69.60
59754	Lymphangiography, one or both sides, with preliminary plain films and follow-up radiography and with preparation and contrast injection (R) (K)	219.35
59755	Lymphangiography, one or both sides, with preliminary plain films and follow-up radiography and with preparation and contrast injection (R) (NK)	109.70
59763	Air insufflation during video—fluoroscopic imaging including associated consultation (R) (K)	133.90
59764	Air insufflation during video—fluoroscopic imaging including associated consultation (R) (NK)	66.95
Subgro	up 13—Angiography	
59903	Angiocardiography, including the service mentioned in item 59970, 59974, 61109 or 61110, not being a service to which item 59912 or 59925 applies (R) (K) (Anaes.)	114.55

T4	I3—Diagnostic radiography	E (0)
59912	Description Selective coronary arteriography, including the service mentioned in item 59970, 59974, 61109 or 61110, not being a service to which item 59903 or 59925 applies (R) (K) (Anaes.)	Fee (\$) 305.20
59925	Selective coronary arteriography and angiocardiography, including a service mentioned in item 59903, 59912, 59970, 59974, 61109 or 61110 (R) (K) (Anaes.)	362.45
59970	Angiography or digital subtraction angiography, or both, with fluoroscopy and image acquisition, using a mobile image intensifier, including any preliminary plain films, preparation and contrast injection—one or more regions (R) (K) (Anaes.)	168.30
59971	Angiocardiography, including the service mentioned in item 59970, 59974, 61109 or 61110, not being a service to which item 59972 or 59973 applies (R) (NK) (Anaes.)	57.30
59972	Selective coronary arteriography, including the service mentioned in item 59970, 59974, 61109 or 61110, not being a service to which item 59971 or 59973 applies (R) (NK) (Anaes.)	152.60
59973	Selective coronary arteriography and angiocardiography, including a service mentioned in item 59970, 59971, 59972, 59974, 61109 or 61110 (R) (NK) (Anaes.)	181.25
59974	Angiography or digital subtraction angiography, or both, with fluoroscopy and image acquisition using a mobile image intensifier, including any preliminary plain films, preparation and contrast injection—one or more regions (R) (NK) (Anaes.)	84.20
60000	Digital subtraction angiography, examination of head and neck with or without arch aortography—1 to 3 data acquisition runs (R) (K) (Anaes.)	564.00
60001	Digital subtraction angiography, examination of head and neck with or without arch aortography—1 to 3 data acquisition runs (R) (NK) (Anaes.)	282.00
60003	Digital subtraction angiography, examination of head and neck with or without arch aortography—4 to 6 data acquisition runs (R) (K) (Anaes.)	827.10
60004	Digital subtraction angiography, examination of head and neck with or without arch aortography—4 to 6 data acquisition runs (R) (NK) (Anaes.)	413.55
60006	Digital subtraction angiography, examination of head and neck with or without arch aortography—7 to 9 data acquisition runs (R) (K) (Anaes.)	1 176.10
60007	Digital subtraction angiography, examination of head and neck with or without arch aortography—7 to 9 data acquisition runs (R) (NK) (Anaes.)	588.05
60009	Digital subtraction angiography, examination of head and neck with or without arch aortography—10 or more data acquisition runs (R) (K) (Anaes.)	1 376.30
60010	Digital subtraction angiography, examination of head and neck with or without arch aortography—10 or more data acquisition runs (R) (NK) (Anaes.)	688.15
60012	Digital subtraction angiography, examination of thorax—1 to 3 data acquisition runs (R) (K) (Anaes.)	564.00
60013	Digital subtraction angiography, examination of thorax—1 to 3 data acquisition runs (R) (NK) (Anaes.)	282.00
60015	Digital subtraction angiography, examination of thorax—4 to 6 data acquisition runs (R) (K) (Anaes.)	827.10
60016	Digital subtraction angiography, examination of thorax—4 to 6 data acquisition runs (R) (NK) (Anaes.)	413.55
60018	Digital subtraction angiography, examination of thorax—7 to 9 data acquisition	1 176.10

Item	Description	Fee (\$)
	runs (R) (K) (Anaes.)	100 (0)
60019	Digital subtraction angiography, examination of thorax—7 to 9 data acquisition runs (R) (NK) (Anaes.)	588.05
60021	Digital subtraction angiography, examination of thorax—10 or more data acquisition runs (R) (K) (Anaes.)	1 376.30
60022	Digital subtraction angiography, examination of thorax—10 or more data acquisition runs (R) (NK) (Anaes.)	688.15
60024	Digital subtraction angiography, examination of abdomen—1 to 3 data acquisition runs (R) (K) (Anaes.)	564.00
60025	Digital subtraction angiography, examination of abdomen—1 to 3 data acquisition runs (R) (NK) (Anaes.)	282.00
60027	Digital subtraction angiography, examination of abdomen—4 to 6 data acquisition runs (R) (K) (Anaes.)	827.10
60028	Digital subtraction angiography, examination of abdomen—4 to 6 data acquisition runs (R) (NK) (Anaes.)	413.55
60030	Digital subtraction angiography, examination of abdomen—7 to 9 data acquisition runs (R) (K) (Anaes.)	1 176.10
60031	Digital subtraction angiography, examination of abdomen—7 to 9 data acquisition runs (R) (NK) (Anaes.)	588.05
60033	Digital subtraction angiography, examination of abdomen—10 or more data acquisition runs (R) (K) (Anaes.)	1 376.30
60034	Digital subtraction angiography, examination of abdomen—10 or more data acquisition runs (R) (NK) (Anaes.)	688.15
60036	Digital subtraction angiography, examination of upper limb or limbs—1 to 3 data acquisition runs (R) (K) (Anaes.)	564.00
60037	Digital subtraction angiography, examination of upper limb or limbs—1 to 3 data acquisition runs (R) (NK) (Anaes.)	282.00
60039	Digital subtraction angiography, examination of upper limb or limbs—4 to 6 data acquisition runs (R) (K) (Anaes.)	827.10
60040	Digital subtraction angiography, examination of upper limb or limbs—4 to 6 data acquisition runs (R) (NK) (Anaes.)	413.55
60042	Digital subtraction angiography, examination of upper limb or limbs—7 to 9 data acquisition runs (R) (K) (Anaes.)	1 176.10
60043	Digital subtraction angiography, examination of upper limb or limbs—7 to 9 data acquisition runs (R) (NK) (Anaes.)	588.05
60045	Digital subtraction angiography, examination of upper limb or limbs—10 or more data acquisition runs (R) (K) (Anaes.)	1 376.30
60046	Digital subtraction angiography, examination of upper limb or limbs—10 or more data acquisition runs (R) (NK) (Anaes.)	688.15
60048	Digital subtraction angiography, examination of lower limb or limbs—1 to 3 data acquisition runs (R) (K) (Anaes.)	564.00
60049	Digital subtraction angiography, examination of lower limb or limbs—1 to 3 data acquisition runs (R) (NK) (Anaes.)	282.00
60051	Digital subtraction angiography, examination of lower limb or limbs—4 to 6 data acquisition runs (R) (K) (Anaes.)	827.10
60052	Digital subtraction angiography, examination of lower limb or limbs—4 to 6 data acquisition runs (R) (NK) (Anaes.)	413.55

Group	I3—Diagnostic radiography	
Item	Description	Fee (\$)
60054	Digital subtraction angiography, examination of lower limb or limbs—7 to 9 data acquisition runs (R) (K) (Anaes.)	1 176.10
60055	Digital subtraction angiography, examination of lower limb or limbs—7 to 9 data acquisition runs (R) (NK) (Anaes.)	588.05
60057	Digital subtraction angiography, examination of lower limb or limbs—10 or more data acquisition runs (R) (K) (Anaes.)	1 376.30
60058	Digital subtraction angiography, examination of lower limb or limbs—10 or more data acquisition runs (R) (NK) (Anaes.)	688.15
60060	Digital subtraction angiography, examination of aorta and lower limb or limbs—1 to 3 data acquisition runs (R) (K) (Anaes.)	564.00
60061	Digital subtraction angiography, examination of aorta and lower limb or limbs—1 to 3 data acquisition runs (R) (NK) (Anaes.)	282.00
60063	Digital subtraction angiography, examination of aorta and lower limb or limbs—4 to 6 data acquisition runs (R) (K) (Anaes.)	827.10
60064	Digital subtraction angiography, examination of aorta and lower limb or limbs—4 to 6 data acquisition runs (R) (NK) (Anaes.)	413.55
60066	Digital subtraction angiography, examination of aorta and lower limb or limbs—7 to 9 data acquisition runs (R) (K) (Anaes.)	1 176.10
60067	Digital subtraction angiography, examination of aorta and lower limb or limbs—7 to 9 data acquisition runs (R) (NK) (Anaes.)	588.05
60069	Digital subtraction angiography, examination of aorta and lower limb or limbs—10 or more data acquisition runs (R) (K) (Anaes.)	1 376.30
60070	Digital subtraction angiography, examination of aorta and lower limb or limbs—10 or more data acquisition runs (R) (NK) (Anaes.)	688.15
60072	Selective arteriography or selective venography by digital subtraction angiography technique—one vessel (NR) (K) (Anaes.)	48.10
60073	Selective arteriography or selective venography by digital subtraction angiography technique—one vessel (NR) (NK) (Anaes.)	24.05
60075	Selective arteriography or selective venography by digital subtraction angiography technique—2 vessels (NR) (K) (Anaes.)	96.10
60076	Selective arteriography or selective venography by digital subtraction angiography technique—2 vessels (NR) (NK) (Anaes.)	48.05
60078	Selective arteriography or selective venography by digital subtraction angiography technique—3 or more vessels (NR) (K) (Anaes.)	144.25
60079	Selective arteriography or selective venography by digital subtraction angiography technique—3 or more vessels (NR) (NK) (Anaes.)	72.15
Subgro	up 14—Tomography	
60100	Tomography of any region (R) (K) (Anaes.)	60.75
60101	Tomography of any region (R) (NK) (Anaes.)	30.40

Subdivision E—Subgroup 15 of Group I3: fluoroscopic examination

Group l	3—Diagnostic radiography	
Item	Description	Fee (\$)
Subgrou	ip 15—Fluoroscopic examination	
60500	Fluoroscopy, with general anaesthesia (not being a service associated with a	43.40

Group 1	Group I3—Diagnostic radiography	
Item	Description	Fee (\$)
	radiographic examination) (R) (K) (Anaes.)	
60501	Fluoroscopy, with general anaesthesia (not being a service associated with a radiographic examination) (R) (NK) (Anaes.)	21.70
60503	Fluoroscopy, without general anaesthesia (not being a service associated with a radiographic examination) (R) (K)	29.75
60504	Fluoroscopy, without general anaesthesia (not being a service associated with a radiographic examination) (R) (NK)	14.90
60506	Fluoroscopy using a mobile image intensifier, in conjunction with a surgical procedure lasting less than 1 hour, not being a service associated with a service to which another item in this table applies (R) (K)	63.75
60507	Fluoroscopy using a mobile image intensifier, in conjunction with a surgical procedure lasting less than 1 hour, not being a service associated with a service to which another item in this table applies (R) (NK)	31.90
60509	Fluoroscopy using a mobile image intensifier, in conjunction with a surgical procedure lasting 1 hour or more, not being a service associated with a service to which another item in this table applies (R) (K)	98.90
60510	Fluoroscopy using a mobile image intensifier, in conjunction with a surgical procedure lasting 1 hour or more, not being a service associated with a service to which another item in this table applies (R) (NK)	49.45

Subdivision F—Subgroup 16 of Group I3: preparation for radiological procedure

2.3.3 Preparation of patients for radiological procedures

Items in this Subdivision apply only to the preparation of a patient for a radiological procedure for a service to which any of items 59903 to 59974 apply by:

- (a) injecting opaque or contrast media; or
- (b) removing fluid and replacing it with air, oxygen or other contrast media; or
- (c) a similar method.

Group I3—Diagnostic radiography		
Item	Description	Fee (\$)
Subgro	up 16—Preparation for radiological procedure	
60918	Arteriography (peripheral) or phlebography—one vessel, when used in association with a service to which item 59903, 59912, 59925, 59970, 59971, 59972, 59973 or 59974 applies, not being a service associated with a service to which any of items 60000 to 60079 apply (NR) (Anaes.)	47.15
60927	Selective arteriogram or phlebogram, when used in association with a service to which item 59903, 59912, 59925, 59970, 59971, 59972, 59973 or 59974 applies, not being a service associated with a service to which any of items 60000 to 60079 apply (NR) (Anaes.)	38.05

Subdivision G—Subgroup 17 of Group I3: interventional techniques

2.3.4 Meaning of angiography suite

In this table:

angiography suite means a room that contains only equipment designed for angiography that is able to perform digital subtraction or rapid-sequence film angiography.

Group I3—Diagnostic radiography		
Item	Description	Fee (\$)
Subgro	up 17—Interventional techniques	
61109	Fluoroscopy in an angiography suite with image intensification, in conjunction with a surgical procedure using interventional techniques, not being a service associated with a service to which another item in this table applies (R) (K)	258.90
61110	Fluoroscopy in an angiography suite with image intensification, in conjunction with a surgical procedure using interventional techniques, not being a service associated with a service to which another item in this table applies (R) (NK)	129.45

Division 2.4—Group I4: nuclear medicine imaging

2.4.1 Nuclear scanning services—other than PET

Items 61302 to 61505, 61650 to 61719 and 61729 apply only if:

- (a) the performance of the service does not involve the use of positron-emission radio-isotopes or a PET scanner; and
- (b) the service is performed:
 - (i) by a specialist or consultant physician whose name is included in a register, given to the Chief Executive Medicare by the JNMCAC, of participants in the Joint Nuclear Medicine Specialist Credentialling Program of the JNMCAC; or
 - (ii) by a person acting on behalf of a specialist or consultant physician mentioned in subparagraph (i); and
- (c) the final report of the service is compiled by the specialist or consultant physician who performed the preliminary examination of the patient and the estimation and administration of the dosage of radiopharmaceuticals.

2.4.2 PET nuclear scanning services

- (1) Items 61523 to 61646 apply only if the service is performed on a person:
 - (a) at the written request of a specialist or consultant physician (the *requesting practitioner*) if:
 - (i) the person is the requesting practitioner's patient; and
 - (ii) the requesting practitioner decides that the service is necessary; and
 - (b) in a comprehensive facility; and
 - (c) in accordance with clauses 2.4.3 and 2.4.4.
- (2) Also, the items apply only if the owner or operator of the equipment used to perform the service is not in breach of clause 2.4.5.

2.4.3 PET nuclear scanning services—performance under personal supervision

- (1) For clause 2.4.2, the service must be performed on a person by or under the personal supervision of:
 - (a) a credentialled specialist other than the requesting practitioner; or
 - (b) a medical practitioner other than the requesting practitioner if the medical practitioner:
 - (i) is a Fellow of the RACP or RANZCR; and
 - (ii) has reported 400 or more studies forming part of PET services for which a medicare benefit was payable; and
 - (iii) is authorised under State or Territory law to prescribe and administer to humans the PET radiopharmaceuticals that are to be administered to the person; and
 - (iv) met the requirements of subparagraphs (i), (ii) and (iii) before 1 November 2011.
- (2) In this clause:

requesting practitioner has the same meaning as in paragraph 2.4.2(1)(a).

2.4.4 PET nuclear scanning services—equipment

For clause 2.4.2, the service must be performed on a person using equipment that meets the following requirements:

- (a) the *Requirements for PET Accreditation (Instrumentation & Radiation Safety) 2nd Edition (2012)*, issued by the Australian and New Zealand Society of Nuclear Medicine Inc;
- (b) the NEMA Standards Publication NU 2-2007, *Performance Measurements of Positron Emission Tomographs*, published by the National Electrical Manufacturers Association (USA).

2.4.5 PET nuclear scanning services—statutory declaration

- (1) The owner or operator mentioned in subclause 2.4.2(2) must have given a statutory declaration to the Chief Executive Medicare that includes the following information:
 - (a) whether the owner or operator is a credentialed specialist or a medical practitioner who satisfies the requirements mentioned in subparagraphs 2.4.3(1)(b)(i) to (iv);
 - (b) whether the place where the owner or operator provides the service in a comprehensive facility;
 - (c) whether the equipment meets the requirements mentioned in clause 2.4.4;
 - (d) the facility's address;
 - (e) the provider number for the facility given by the Chief Executive Medicare:
 - (f) the location specific practice number for the facility given by the Minister;
 - (g) the models, serial numbers and manufacturers of the equipment.
- (2) If the matters declared in the statutory declaration change, the owner or operator must give the Chief Executive Medicare written notice of the change as soon as the owner or operator knows about the change.

	14—Nuclear medicine imaging	
Item	Description	Fee (\$)
61302	Single stress or rest myocardial perfusion study—planar imaging (R) (K)	448.85
61303	Single stress or rest myocardial perfusion study—with single photon emission tomography and with planar imaging when performed (R) (K)	565.30
61306	Combined stress and rest, stress and re-injection or rest and redistribution myocardial perfusion study, including delayed imaging or re-injection protocol on a subsequent occasion—planar imaging (R) (K)	709.70
61307	Combined stress and rest, stress and re-injection or rest and redistribution myocardial perfusion study, including delayed imaging or re-injection protocol on a subsequent occasion—with single photon emission tomography and with planar imaging when performed (R) (K)	834.90
61310	Myocardial infarct-avid-study, with planar imaging and single photon emission tomography, or planar imaging or single photon emission tomography (R) (K)	367.30
61313	Gated cardiac blood pool study, (equilibrium), with planar imaging and single photon emission tomography, or planar imaging or single photon emission tomography (R) (K)	303.35
61314	Gated cardiac blood pool study, and first pass blood flow or cardiac shunt study, with planar imaging and single photon emission tomography, or planar imaging, or single photon emission tomography (R) (K)	420.00
61316	Gated cardiac blood pool study, with intervention, with planar imaging and single photon emission tomography, or planar imaging, or single photon emission tomography (R) (K)	381.15
61317	Gated cardiac blood pool study, with intervention and first pass blood flow study or cardiac shunt study, with planar imaging and single photon emission tomography or planar imaging, or single photon emission tomography (R) (K)	492.40
61320	Cardiac first pass blood flow study or cardiac shunt study, not being a service to which another item in this group applies (R) (K)	228.90
61328	Lung perfusion study, with planar imaging and single photon emission tomography or planar imaging, or single photon emission tomography (R) (K)	227.65
61340	Lung ventilation study using aerosol, technegas or xenon gas, with planar imaging and single photon emission tomography or planar imaging or single photon emission tomography (R) (K)	253.00
61348	Lung perfusion study and lung ventilation study using aerosol, technegas or xenon gas, with planar imaging and single photon emission tomography, or planar imaging, or single photon emission tomography (R) (K)	443.35
61352	Liver and spleen study (colloid)—planar imaging (R) (K)	259.35
61353	Liver and spleen study (colloid), with single photon emission tomography and with planar imaging when performed (R) (K)	386.60
61356	Red blood cell spleen or liver study, including single photon emission tomography when performed (R) (K)	392.80
61360	Hepatobiliary study, including morphine administration or pre-treatment with a cholagogue when performed (R) (K)	403.35
61361	Hepatobiliary study with formal quantification following baseline imaging, using a cholagogue (R) (K)	461.40
61364	Bowel haemorrhage study (R) (K)	496.95
61368	Meckel's diverticulum study (R) (K)	223.10
61369	Indium-labelled octreotide study, including single photon emission tomography when undertaken, if:	2 015.75

Item	Description	Fee (\$)
	(a) a gastro-entero-pancreatic endocrine tumour is suspected, based on biochemical evidence, with negative or equivocal conventional imaging; or	
	(b) a surgically amenable gastro-entero-pancreatic endocrine tumour has been identified based on conventional techniques, to exclude additional disease sites (R) (K)	
61372	Salivary study (R) (K)	223.10
61373	Gastro-oesophageal reflux study, including delayed imaging on a separate occasion when performed (R) (K)	489.70
61376	Oesophageal clearance study (R) (K)	143.35
61381	Gastric emptying study, using single tracer (R) (K)	574.35
61383	Combined solid and liquid gastric emptying study using dual isotope technique or the same isotope on separate days (R) (K)	624.95
61384	Radionuclide colonic transit study (R) (K)	687.70
61386	Renal study, including perfusion and renogram images and computer analysis or cortical study with planar imaging (R) (K)	332.50
61387	Renal cortical study, with single photon emission tomography and planar quantification (R) (K)	430.75
61389	Single renal study with pre-procedural administration of a diuretic or angiotensin converting enzyme (ACE) inhibitor (R) (K)	370.55
61390	Renal study with diuretic administration after a baseline study (R) (K)	409.95
61393	Combined examination involving a renal study following angiotensin converting enzyme (ACE) inhibitor provocation and a baseline study, in either order and related to a single referral episode (R) (K)	605.50
61397	Cystoureterogram (R) (K)	246.85
61401	Testicular study (R) (K)	162.30
61402	Cerebral perfusion study, with single photon emission tomography and with planar imaging when performed (R) (K)	605.05
61405	Brain study with blood brain barrier agent, with planar imaging and single photon emission tomography, or planar imaging, or single photon emission tomography (R) (K)	346.00
61409	Cerebro-spinal fluid transport study, with imaging on 2 or more separate occasions (R) (K)	873.50
61413	Cerebro-spinal fluid shunt patency study (R) (K)	225.95
61417	Dynamic blood flow study or regional blood volume quantitative study, not being a service associated with a service to which another item in this group applies (R) (K)	118.85
61421	Bone study—whole body, with, when undertaken, blood flow, blood pool and delayed imaging on a separate occasion (R) (K)	479.80
61425	Bone study—whole body and single photon emission tomography, with, when undertaken, blood flow, blood pool and delayed imaging on a separate occasion (R) (K)	600.70
61426	Whole body study using iodine (R) (K)	554.80
61429	Whole body study using gallium (R) (K)	543.00
61430	Whole body study using gallium, with single photon emission tomography (R) (K)	659.45
61433	Whole body study using cells labelled with technetium (R) (K)	496.95

	I4—Nuclear medicine imaging	
Item	Description	Fee (\$)
61434	Whole body study using cells labelled with technetium, with single photon emission tomography (R) (K)	615.40
61437	Whole body study using thallium (R) (K)	
61438	Whole body study using thallium, with single photon emission tomography (R) (K)	672.95
61441	Bone marrow study—whole body using technetium labelled bone marrow agents (R) (K)	489.70
61442	Whole body study, using gallium—with single photon emission tomography of 2 or more body regions acquired separately (R) (K)	752.35
61445	Bone marrow study—localised using technetium labelled agent (R) (K)	286.80
61446	Localised bone or joint study, including when undertaken, blood flow, blood pool and repeat imaging on a separate occasion (R) (K)	333.55
61449	Localised bone or joint study and single photon emission tomography, including when undertaken, blood flow, blood pool and imaging on a separate occasion (R) (K)	
61450	Localised study using gallium (R) (K)	397.55
61453	Localised study using gallium, with single photon emission tomography (R) (K)	514.70
61454	Localised study using cells labelled with technetium (R) (K)	
61457	Localised study using cells labelled with technetium, with single photon emission tomography (R) (K)	470.45
61458	Localised study using thallium (R) (K)	
61461	Localised study using thallium, with single photon emission tomography (R) (K)	
61462	Repeat planar and single photon emission tomography imaging, or repeat planar imaging or single photon emission tomography imaging on an occasion subsequent to the performance of item 61364, 61426, 61429, 61430, 61442, 61450, 61453, 61469, 61484, 61485, 61669, 61692, 61693, 61694, 61700, 61704, 61705, 61712, 61715 or 61716, if there is no additional administration of radiopharmaceutical and if the previous radionuclide scan was abnormal or equivocal (R) (K)	129.00
61469	Lymphoscintigraphy (R) (K)	348.10
61473	Thyroid study including uptake measurement when performed (R) (K)	175.40
61480	Parathyroid study, planar imaging and single photon emission tomography when performed (R) (K)	386.85
61484	Adrenal study (R) (K)	880.85
61485	Adrenal study, with single photon emission tomography (R) (K)	999.20
61495	Tear duct study (R) (K)	223.10
61499	Particle perfusion study (infra-arterial) or Le Veen shunt study (R) (K)	253.00
61505	CT scan performed at the same time and covering the same body area as single photon emission tomography for the purpose of anatomic localisation or attenuation correction if no separate diagnostic CT report is issued and only in association with items 61302 to 61729 (R) (K)	100.00
61523	Whole body FDG PET study, performed for evaluation of a solitary pulmonary nodule, if:(a) the nodule is considered unsuitable for transthoracic fine needle aspiration biopsy; or	953.00

Item	Description Fee	
	(b) an attempt at pathological characterisation has failed (R)	
61529	Whole body FDG PET study, performed for the staging of proven non-small cell lung cancer, if curative surgery or radiotherapy is planned (R)	
61538	FDG PET study of the brain for evaluation of suspected residual or recurrent malignant brain tumour based on anatomical imaging findings, after definitive therapy (or during ongoing chemotherapy) in patients who are considered suitable for further active therapy (R)	
61541	Whole body FDG PET study, following initial therapy, performed for the evaluation of suspected residual, metastatic or recurrent colorectal carcinoma in a patient considered suitable for active therapy (R)	
61553	Whole body FDG PET study, following initial therapy, performed for the evaluation of suspected metastatic or recurrent malignant melanoma in a patient considered suitable for active therapy (R)	
61559	FDG PET study of the brain, performed for the evaluation of refractory epilepsy, that is being evaluated for surgery (R)	918.00
61565	Whole body FDG PET study, following initial therapy, performed for the evaluation of suspected residual, metastatic or recurrent ovarian carcinoma in a patient considered suitable for active therapy (R)	953.00
61571	Whole body FDG PET study for the further primary staging of patients with histologically proven carcinoma of the uterine cervix, at FIGO stage IB2 or greater by conventional staging, prior to planned radical radiation therapy or combined modality therapy with curative intent (R)	953.00
61575	Whole body FDG PET study for the further staging of patients with confirmed local recurrence of carcinoma of the uterine cervix considered suitable for salvage pelvic chemoradiotherapy or pelvic exenteration with curative intent (R)	
61577	Whole body FDG PET study, performed for the staging of proven oesophageal or GEJ carcinoma, in a patient considered suitable for active therapy (R)	
61598	Whole body FDG PET study performed for the staging of biopsy-proven, newly-diagnosed or recurrent head and neck cancer (R)	953.00
61604	Whole body FDG PET study performed for the evaluation of a patient with suspected residual head and neck cancer after definitive treatment, and who is suitable for active therapy (R)	953.00
61610	Whole body FDG PET study performed for the evaluation of metastatic squamous cell carcinoma of unknown primary site involving cervical nodes (R)	953.00
61616	Whole body FDG PET study for the initial staging of indolent non-Hodgkin's lymphoma if: (a) clinical, pathological and imaging findings indicated that the stage is I or	953.00
	IIA; and (b) the proposed management is definitive radiotherapy with curative intent (R)	
61620	Whole body FDG PET study for the initial staging of newly diagnosed or previously untreated Hodgkin's or non-Hodgkin's lymphoma (excluding indolent non-Hodgkin's lymphoma) (R)	
61622	Whole body FDG PET study to assess response to first line therapy either during treatment or within 3 months of completing definitive first line treatment for Hodgkin's or non-Hodgkin's lymphoma (excluding indolent non-Hodgkin's lymphoma) (R)	
61628	Whole body FDG PET study for restaging following confirmation of recurrence	953.00

	oup I4—Nuclear medicine imaging		
Item	Description of Hodgkin's or non-Hodgkin's lymphoma (excluding indolent non-Hodgkin's lymphoma) (R)	Fee (\$)	
61632	Whole body FDG PET study to assess response to second-line chemotherapy if stem cell transplantation is being considered for Hodgkin's or non-Hodgkin's lymphoma (excluding indolent non-Hodgkin's lymphoma) (R)		
61640	Whole body FDG PET study for initial staging of a patient with biopsy-proven bone or soft tissue sarcoma (excluding gastrointestinal stromal tumour) considered by conventional staging to be potentially curable (R)	999.00	
61646	Whole body FDG PET study for the evaluation of patients with suspected residual or recurrent sarcoma (excluding gastrointestinal stromal tumour) after the initial course of definitive therapy to determine suitability for subsequent therapy with curative intent (R)		
61650	LeukoScan study of the long bones and feet for suspected osteomyelitis, if patient does not have access to ex-vivo white blood cell scanning (R) (K)	878.70	
	Note: LeukoScan is only indicated for diagnostic imaging in a patient suspected of infection of the long bones and feet, including those with diabetic ulcers. The descriptor does not cover a patient who is being investigated for other sites of infection.		
61651	Single stress or rest myocardial perfusion study—planar imaging (R) (NK)	224.45	
61652	Single stress or rest myocardial perfusion study—with single photon emission tomography and with planar imaging when performed (R) (NK)		
61653	Combined stress and rest, stress and re-injection or rest and redistribution myocardial perfusion study, including delayed imaging or re-injection protocol on a subsequent occasion—planar imaging (R) (NK)		
61654	Combined stress and rest, stress and re-injection or rest and redistribution myocardial perfusion study, including delayed imaging or re-injection protocol on a subsequent occasion—with single photon emission tomography and with planar imaging when performed (R) (NK)		
61655	Myocardial infarct-avid-study, with planar imaging and single photon emission tomography, or planar imaging or single photon emission tomography (R) (NK)		
61656	Gated cardiac blood pool study, (equilibrium), with planar imaging and single photon emission tomography, or planar imaging or single photon emission tomography (R) (NK)		
61657	Gated cardiac blood pool study, and first pass blood flow or cardiac shunt study, with planar imaging and single photon emission tomography, or planar imaging, or single photon emission tomography (R) (NK)	210.00	
61658	Gated cardiac blood pool study, with intervention, with planar imaging and single photon emission tomography, or planar imaging, or single photon emission tomography (R) (NK)		
61659	Gated cardiac blood pool study, with intervention and first pass blood flow study or cardiac shunt study, with planar imaging and single photon emission tomography or planar imaging, or single photon emission tomography (R) (NK)		
61660	Cardiac first pass blood flow study or cardiac shunt study, not being a service to which another item in this group applies (R) (NK)	114.45	
61661	Lung perfusion study, with planar imaging and single photon emission tomography or planar imaging, or single photon emission tomography (R) (NK)	113.85	
61662	Lung ventilation study using aerosol, technegas or xenon gas, with planar imaging and single photon emission tomography or planar imaging or single photon emission tomography (R) (NK)		

Item	Description	Fee (\$)
61663	Lung perfusion study and lung ventilation study using aerosol, technegas or xenon gas, with planar imaging and single photon emission tomography, or planar imaging, or single photon emission tomography (R) (NK)	221.70
61664	Liver and spleen study (colloid)—planar imaging (R) (NK)	
61665	Liver and spleen study (colloid), with single photon emission tomography and with planar imaging when performed (R) (NK)	193.30
61666	Red blood cell spleen or liver study, including single photon emission tomography when performed (R) (NK)	196.40
61667	Hepatobiliary study, including morphine administration or pre-treatment with a cholagogue when performed (R) (NK)	201.70
61668	Hepatobiliary study with formal quantification following baseline imaging, using a cholagogue (R) (NK)	230.70
61669	Bowel haemorrhage study (R) (NK)	248.50
61670	Meckel's diverticulum study (R) (NK)	111.55
61671	Indium-labelled octreotide study, including single photon emission tomography when undertaken, if:	1 007.90
	(a) a gastro-entero-pancreatic endocrine tumour is suspected, based on biochemical evidence, with negative or equivocal conventional imaging; or	
	(b) a surgically amenable gastro-entero-pancreatic endocrine tumour has been identified based on conventional techniques, to exclude additional disease sites (R) (NK)	
61672	Salivary study (R) (NK)	
61673	Gastro-oesophageal reflux study, including delayed imaging on a separate occasion when performed (R) (NK)	
61674	Oesophageal clearance study (R) (NK)	71.70
61675	Gastric emptying study, using single tracer (R) (NK)	
61676	Combined solid and liquid gastric emptying study using dual isotope technique or the same isotope on separate days (R) (NK)	312.50
61677	Radionuclide colonic transit study (R) (NK)	343.85
61678	Renal study, including perfusion and renogram images and computer analysis or cortical study with planar imaging (R) (NK)	166.25
61679	Renal cortical study, with single photon emission tomography and planar quantification (R) (NK)	215.40
61680	Single renal study with pre-procedural administration of a diuretic or angiotensin converting enzyme (ACE) inhibitor (R) (NK)	185.30
61681	Renal study with diuretic administration after a baseline study (R) (NK)	205.00
61682	Combined examination involving a renal study following angiotensin converting enzyme (ACE) inhibitor provocation and a baseline study, in either order and related to a single referral episode (R) (NK)	302.75
61683	Cystoureterogram (R) (NK)	123.45
61684	Testicular study (R) (NK)	81.15
61685	Cerebral perfusion study, with single photon emission tomography and with planar imaging when performed (R) (NK)	302.55
61686	Brain study with blood brain barrier agent, with planar imaging and single photon emission tomography, or planar imaging, or single photon emission tomography (R) (NK)	173.00

Item	Description	Fee (\$)
61687	Cerebro-spinal fluid transport study, with imaging on 2 or more separate occasions (R) (NK)	436.75
61688	Cerebro-spinal fluid shunt patency study (R) (NK)	113.00
61689	Dynamic blood flow study or regional blood volume quantitative study, not being a service associated with a service to which another item in this group applies (R) (NK)	
61690	Bone study—whole body, with, when undertaken, blood flow, blood pool and delayed imaging on a separate occasion (R) (NK)	239.90
61691	Bone study—whole body and single photon emission tomography, with, when undertaken, blood flow, blood pool and delayed imaging on a separate occasion (R) (NK)	
61692	Whole body study using iodine (R) (NK)	277.40
61693	Whole body study using gallium (R) (NK)	271.50
61694	Whole body study using gallium, with single photon emission tomography (R) (NK)	329.75
61695	Whole body study using cells labelled with technetium (R) (NK)	248.50
61696	Whole body study using cells labelled with technetium, with single photon emission tomography (R) (NK)	307.70
61697	Whole body study using thallium (R) (NK)	271.40
61698	Whole body study using thallium, with single photon emission tomography (R) (NK)	336.50
61699	Bone marrow study—whole body using technetium labelled bone marrow agents (R) (NK)	
61700	Whole body study, using gallium—with single photon emission tomography of 2 or more body regions acquired separately (R) (NK)	376.20
61701	Bone marrow study—localised using technetium labelled agent (R) (NK)	143.40
61702	Localised bone or joint study, including when undertaken, blood flow, blood pool and repeat imaging on a separate occasion (R) (NK)	166.80
61703	Localised bone or joint study and single photon emission tomography, including when undertaken, blood flow, blood pool and imaging on a separate occasion (R) (NK)	228.10
61704	Localised study using gallium (R) (NK)	198.80
61705	Localised study using gallium, with single photon emission tomography (R) (NK)	257.35
61706	Localised study using cells labelled with technetium (R) (NK)	174.05
61707	Localised study using cells labelled with technetium, with single photon emission tomography (R) (NK)	235.25
61708	Localised study using thallium (R) (NK)	198.50
61709	Localised study using thallium, with single photon emission tomography (R) (NK)	263.95
61710	Repeat planar and single photon emission tomography imaging, or repeat planar imaging or single photon emission tomography imaging on an occasion subsequent to the performance of item 61364, 61426, 61429, 61430, 61442, 61450, 61453, 61469, 61484, 61485, 61669, 61692, 61693, 61694, 61700, 61704, 61705, 61712, 61715 or 61716, if there is no additional administration of radiopharmaceutical and if the previous radionuclide scan was abnormal or equivocal (R) (NK)	64.50

Group	Group I4—Nuclear medicine imaging		
Item	Description		
61712	Lymphoscintigraphy (R) (NK)	174.05	
61713	Thyroid study including uptake measurement when performed (R) (NK)	87.70	
61714	Parathyroid study, planar imaging and single photon emission tomography when performed (R) (NK)	193.45	
61715	Adrenal study (R) (NK)	440.45	
61716	Adrenal study, with single photon emission tomography (R) (NK)	499.60	
61717	Tear duct study (R) (NK)	111.55	
61718	Particle perfusion study (infra-arterial) or Le Veen shunt study (R) (NK)	126.50	
61719	CT scan performed at the same time and covering the same body area as single photon emission tomography for the purpose of anatomic localisation or attenuation correction if no separate diagnostic CT report is issued and only in association with items 61302 to 61729 (R) (NK)		
61729	LeukoScan study of the long bones and feet for suspected osteomyelitis, if patient does not have access to ex-vivo white blood cell scanning (R) (NK)	439.35	
	Note: LeukoScan is only indicated for diagnostic imaging in a patient suspected of infection of the long bones and feet, including those with diabetic ulcers. The descriptor does not cover a patient who is being investigated for other sites of infection.		

Division 2.5—Group I5: magnetic resonance imaging

Subdivision A—General

2.5.1 MRI and MRA services—eligible services

- (1) Items 63001 to 63486 and 63740 to 63747 apply to an MRI or MRA service performed:
 - (a) at the request of a specialist or consultant physician in accordance with clause 2.5.2; and
 - (b) in a permissible circumstance mentioned in clause 2.5.3; and
 - (c) using eligible equipment mentioned in clause 2.5.5.
- (2) Items 63457, 63458, 63464 to 63484 and 63740 to 63747 also apply to an MRI service performed:
 - (a) at the request of a specialist or consultant physician in accordance with clause 2.5.2; and
 - (b) in a permissible circumstance mentioned in clause 2.5.3; and
 - (c) using partial eligible equipment mentioned in clause 2.5.6.
- (3) Items 63491 to 63497 apply to an MRI or MRA service performed:
 - (a) at the request of a medical practitioner in accordance with clause 2.5.2; and
 - (b) in a permissible circumstance mentioned in clause 2.5.3; and
 - (c) using:
 - (i) eligible equipment mentioned in clause 2.5.5; or
 - (ii) partial eligible equipment mentioned in clause 2.5.6.
- (4) Items 63507 to 63561 apply to an MRI service performed:

- (a) at the request of a medical practitioner other than a specialist or consultant physician in accordance with clause 2.5.2; and
- (b) in a permissible circumstance mentioned in clause 2.5.3; and
- (c) using:
 - (i) eligible equipment mentioned in clause 2.5.5; or
 - (ii) partial eligible equipment mentioned in clause 2.5.6.

2.5.2 MRI and MRA services—request

For clause 2.5.1, a request must:

- (a) be made in writing; and
- (b) identify the clinical indications for the service.

2.5.3 MRI and MRA services—permissible circumstances for performance

A service is performed in a permissible circumstance only if it is:

- (a) for clause 2.5.1:
 - (i) performed under the professional supervision of an eligible provider who is available to monitor and influence the conduct and diagnostic quality of the examination, including, if necessary, by personal attendance on the patient; and
 - (ii) reported by an eligible provider; or
- (b) for clause 2.5.1:
 - (i) performed in an emergency; or
 - (ii) performed because of medical necessity, in a remote location.

2.5.4 MRI and MRA services—eligible provider

The table sets out *eligible providers* for an MRI or MRA service.

Eligible	Eligible providers		
Item Person			
1	A specialist in diagnostic radiology who satisfies the Chief Executive Medicare that the specialist is a participant in the Royal Australian and New Zealand College of Radiologists' Quality and Accreditation Program		

2.5.5 MRI and MRA services—eligible equipment

The table sets out *eligible equipment* for an MRI or MRA service.

Eligible	Eligible equipment	
Item	Equipment	
1	Equipment that:	
	(a) is located at the premises of a comprehensive practice; and	
	(b) is made available to the practice by a person:	
	(i) who is subject to a deed with the Commonwealth that relates to the equipment; and (ii) for whom the deed has not been terminated; and	
	(c) is not identified as partial eligible equipment in the deed	

2.5.6 MRI and MRA services—partial eligible equipment

The table sets out *partial eligible equipment* for an MRI or MRA service.

Partial	Partial eligible equipment		
Item	Equipment		
1 Equipment that:			
	(a) is located at the premises of a comprehensive practice; and		
	(b) is made available to the practice by a person:		
	(i) who is subject to a deed with the Commonwealth that relates to the equipment; and		
	(ii) for whom the deed has not been terminated; and		
	(c) is identified as partial eligible equipment in the deed		

2.5.7 MRI and MRA services—meaning of scan

In items 63001 to 63561 and 63740 to 63747:

scan means a minimum of 3 sequences.

2.5.8 MRI and MRA services—multiple services

- (1) If an MRI service mentioned in an item in Subgroup 1, 2, 4, 5 or 14 of Group I5 in the table in Subdivision B, and an MRA service mentioned in an item in Subgroup 3 or 15 of that table, are provided to the same person on the same day, only the fee specified in the item in Subgroup 1, 2, 4, 5 or 14 applies to the services.
- (2) If a medical practitioner provides 2 or more MRI services mentioned in Subgroup 12 or 13 of Group I5 in the table in Subdivision B for the same patient on the same day, the fees specified for the items that apply to the services, other than the item with the highest fee, are reduced by 50%.
- (3) For subclause (2):
 - (a) if 2 or more applicable fees are equally the highest, only one of those fees is taken to be the highest fee; and
 - (b) if a reduced fee calculated under subclause (2) is not a multiple of 5 cents, the reduced fee is taken to be the nearest amount that is a multiple of 5 cents.

2.5.9 MRI or MRA services—related services that can be claimed in a 12 month period

An MRI or MRA item mentioned in column 1 of the table does not apply to the service mentioned in that item if the service is provided to a person who, in the 12 months before the service, has been provided with the maximum number of those services mentioned in column 2 of the table for that item.

Related services			
Item	Column 1	Column 2	
	MRI or MRA items	Maximum number of services	
1	63040 to 63085	3_	

Related	Related services		
Item	Column 1	Column 2	
	MRI or MRA items	Maximum number of services	
2	63101 and 63104	3	
3	63125 to 63136	3	
4	63161 to 63194	3	
5	63219 to 63265	3	
6	63271 to 63285	3	
7	63322 to 63348	3	
8	63361 and 63364	2	
9	63385 to 63394	2	
10	63401 to 63408	3	
11	63416 and 63419	1	
12	63425 to 63433	2	
13	63455 to 63467	1	
14	63482 and 63486	3	
15	63507 to 63561	3	

Subdivision B—Subgroups 1 to 19 of Group I5

Item	5—Magnetic resonance imaging Description	Fee (\$)
Subgro	up 1—Scan of head—for specified conditions	
63001	MRI—scan of head (including MRA, if performed) for tumour of the brain or meninges (R) (K) (Anaes.) (Contrast)	
63004	MRI—scan of head (including MRA, if performed) for inflammation of brain or meninges (R) (K) (Anaes.) (Contrast)	403.20
63007	MRI—scan of head (including MRA, if performed) for skull base or orbital tumour (R) (K) (Anaes.) (Contrast)	403.20
63010	MRI—scan of head (including MRA, if performed) for stereotactic scan of brain, with fiducials in place, for the sole purpose of allowing planning for stereotactic neurosurgery (R) (K) (Anaes.) (Contrast)	336.00
63013	MRI—scan of head (including MRA, if performed) for tumour of the brain or meninges (R) (NK) (Anaes.) (Contrast)	201.60
63014	MRI—scan of head (including MRA, if performed) for inflammation of brain or meninges (R) (NK) (Anaes.) (Contrast)	201.60
63016	MRI—scan of head (including MRA, if performed) for skull base or orbital tumour (R) (NK) (Anaes.) (Contrast)	201.60
63017	MRI—scan of head (including MRA, if performed) for stereotactic scan of brain, with fiducials in place, for the sole purpose of allowing planning for stereotactic neurosurgery (R) (NK) (Anaes.) (Contrast)	168.00
Subgro	up 2—Scan of head—for specified conditions	
63040	MRI—scan of head (including MRA, if performed) for acoustic neuroma (R) (K) (Anaes.) (Contrast)	
63043	MRI—scan of head (including MRA, if performed) for pituitary tumour (R) (K) (Anaes.) (Contrast)	358.40

Item	Description	Fee (\$)
63046	MRI—scan of head (including MRA, if performed) for toxic or metabolic or ischaemic encephalopathy (R) (K) (Anaes.) (Contrast)	403.20
63049	MRI—scan of head (including MRA, if performed) for demyelinating disease of the brain (R) (K) (Anaes.) (Contrast)	403.20
63052	MRI—scan of head (including MRA, if performed) for congenital malformation of the brain or meninges (R) (K) (Anaes.) (Contrast)	403.20
63055	MRI—scan of head (including MRA, if performed) for venous sinus thrombosis (R) (K) (Anaes.) (Contrast)	403.20
63058	MRI—scan of head (including MRA, if performed) for head trauma (R) (K) (Anaes.) (Contrast)	403.20
63061	MRI—scan of head (including MRA, if performed) for epilepsy (R) (K) (Anaes.) (Contrast)	403.20
63064	MRI—scan of head (including MRA, if performed) for stroke (R) (K) (Anaes.) (Contrast)	403.20
63067	MRI—scan of head (including MRA, if performed) for carotid or vertebral artery dissection (R) (K) (Anaes.) (Contrast)	403.20
63070	MRI—scan of head (including MRA, if performed) for intracranial aneurysm (R) (K) (Anaes.) (Contrast)	403.20
63073	MRI—scan of head (including MRA, if performed) for intracranial arteriovenous malformation (R) (K) (Anaes.) (Contrast)	403.20
63074	MRI—scan of head (including MRA, if performed) for acoustic neuroma (R) (NK) (Anaes.) (Contrast)	168.00
63075	MRI—scan of head (including MRA, if performed) for pituitary tumour (R) (NK) (Anaes.) (Contrast)	179.20
63076	MRI—scan of head (including MRA, if performed) for toxic or metabolic or ischaemic encephalopathy (R) (NK) (Anaes.) (Contrast)	201.60
63077	MRI—scan of head (including MRA, if performed) for demyelinating disease of the brain (R) (NK) (Anaes.) (Contrast)	201.60
63078	MRI—scan of head (including MRA, if performed) for congenital malformation of the brain or meninges (R) (NK) (Anaes.) (Contrast)	201.60
63079	MRI—scan of head (including MRA, if performed) for venous sinus thrombosis (R) (NK) (Anaes.) (Contrast)	201.60
63080	MRI—scan of head (including MRA, if performed) for head trauma (R) (NK) (Anaes.) (Contrast)	201.60
63081	MRI—scan of head (including MRA, if performed) for epilepsy (R) (NK) (Anaes.) (Contrast)	201.60
63082	MRI—scan of head (including MRA, if performed) for stroke (R) (NK) (Anaes.) (Contrast)	201.60
63083	MRI—scan of head (including MRA, if performed) for carotid or vertebral artery dissection (R) (NK) (Anaes.) (Contrast)	201.60
63084	MRI—scan of head (including MRA, if performed) for intracranial aneurysm (R) (NK) (Anaes.) (Contrast)	201.60
63085	MRI—scan of head (including MRA, if performed) for intracranial arteriovenous malformation (R) (NK) (Anaes.) (Contrast)	201.60
Subgrou	up 3—Scan of head and neck vessels—for specified conditions	
63101	MRI and MRA of extracranial or intracranial circulation (or both)—scan of head and neck vessels for stroke (R) (K) (Anaes.) (Contrast)	492.80

	5—Magnetic resonance imaging	
Item	Description	Fee (\$)
63104	MRI and MRA of extracranial or intracranial circulation (or both)—scan of head and neck vessels for stroke (R) (NK) (Anaes.) (Contrast)	246.40
Subgrou	p 4—Scan of head and cervical spine—for specified conditions	
63111	MRI—scan of head and cervical spine (including MRA, if performed) for tumour of the central nervous system or meninges (R) (K) (Anaes.) (Contrast)	492.80
63114	MRI—scan of head and cervical spine (including MRA, if performed) for inflammation of the central nervous system or meninges (R) (K) (Anaes.) (Contrast)	492.80
63117	MRI—scan of head and cervical spine (including MRA, if performed) for tumour of the central nervous system or meninges (R) (NK) (Anaes.) (Contrast)	246.40
63119	MRI—scan of head and cervical spine (including MRA, if performed) for inflammation of the central nervous system or meninges (R) (NK) (Anaes.) (Contrast)	246.40
Subgrou	p 5—Scan of head and cervical spine—for specified conditions	
63125	MRI—scan of head and cervical spine (including MRA, if performed) for demyelinating disease of the central nervous system (R) (K) (Anaes.) (Contrast)	492.80
63128	MRI—scan of head and cervical spine (including MRA, if performed) for congenital malformation of the central nervous system or meninges (R) (K) (Anaes.) (Contrast)	492.80
63131	MRI—scan of head and cervical spine (including MRA, if performed) for syrinx (congenital or acquired) (R) (K) (Anaes.) (Contrast)	492.80
63134	MRI—scan of head and cervical spine (including MRA, if performed) for demyelinating disease of the central nervous system (R) (NK) (Anaes.) (Contrast)	246.40
63135	MRI—scan of head and cervical spine (including MRA, if performed) for congenital malformation of the central nervous system or meninges (R) (NK) (Anaes.) (Contrast)	246.40
63136	MRI—scan of head and cervical spine (including MRA, if performed) for syrinx (congenital or acquired) (R) (NK) (Anaes.) (Contrast)	246.40
Subgrou	up 6—Scan of spine—one region or 2 contiguous regions—for specified condition	18
63151	MRI—scan of one region or 2 contiguous regions of the spine for infection (R) (K) (Anaes.) (Contrast)	358.40
63154	MRI—scan of one region or 2 contiguous regions of the spine for tumour (R) (K) (Anaes.) (Contrast)	358.40
63157	MRI—scan of one region or 2 contiguous regions of the spine for infection (R) (NK) (Anaes.) (Contrast)	179.20
63158	MRI—scan of one region or 2 contiguous regions of the spine for tumour (R) (NK) (Anaes.) (Contrast)	179.20
Subgrou	up 7—Scan of spine—one region or 2 contiguous regions—for specified condition	18
63161	MRI—scan of one region or 2 contiguous regions of the spine for demyelinating disease (R) (K) (Anaes.) (Contrast)	358.40
63164	MRI—scan of one region or 2 contiguous regions of the spine for congenital malformation of the spinal cord or the cauda equina or the meninges (R) (K) (Anaes.) (Contrast)	358.40
63167	MRI—scan of one region or 2 contiguous regions of the spine for myelopathy (R) (K) (Anaes.) (Contrast)	358.40
63170	MRI—scan of one region or 2 contiguous regions of the spine for syrinx	358.40

Item	Description	Fee (\$)
100111	(congenital or acquired) (R) (K) (Anaes.) (Contrast)	100 (4)
63173	MRI—scan of one region or 2 contiguous regions of the spine for cervical radiculopathy (R) (K) (Anaes.) (Contrast)	358.40
63176	MRI—scan of one region or 2 contiguous regions of the spine for sciatica (R) (K) (Anaes.) (Contrast)	358.40
63179	MRI—scan of one region or 2 contiguous regions of the spine for spinal canal stenosis (R) (K) (Anaes.) (Contrast)	358.40
63182	MRI—scan of one region or 2 contiguous regions of the spine for previous spinal surgery (R) (K) (Anaes.) (Contrast)	358.40
63185	MRI—scan of one region or 2 contiguous regions of the spine for trauma (R) (K) (Anaes.)	358.40
63186	MRI—scan of one region or 2 contiguous regions of the spine for demyelinating disease (R) (NK) (Anaes.) (Contrast)	179.20
63187	MRI—scan of one region or 2 contiguous regions of the spine for congenital malformation of the spinal cord or the cauda equina or the meninges (R) (NK) (Anaes.) (Contrast)	179.20
63188	MRI—scan of one region or 2 contiguous regions of the spine for myelopathy (R) (NK) (Anaes.) (Contrast)	179.20
63189	MRI—scan of one region or 2 contiguous regions of the spine for syrinx (congenital or acquired) (R) (NK) (Anaes.) (Contrast)	179.20
63190	MRI—scan of one region or 2 contiguous regions of the spine for cervical radiculopathy (R) (NK) (Anaes.) (Contrast)	179.20
63191	MRI—scan of one region or 2 contiguous regions of the spine for sciatica (R) (NK) (Anaes.) (Contrast)	179.20
63192	MRI—scan of one region or 2 contiguous regions of the spine for spinal canal stenosis (R) (NK) (Anaes.) (Contrast)	179.20
63193	MRI—scan of one region or 2 contiguous regions of the spine for previous spinal surgery (R) (NK) (Anaes.) (Contrast)	179.20
63194	MRI—scan of one region or 2 contiguous regions of the spine for trauma (R) (NK) (Anaes.)	179.20
Subgrou	up 8—Scan of spine—3 contiguous or 2 non-contiguous regions—for specified co	nditions
63201	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for infection (R) (K) (Anaes.) (Contrast)	448.00
63204	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for tumour (R) (K) (Anaes.) (Contrast)	448.00
63207	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for infection (R) (NK) (Anaes.) (Contrast)	224.00
63208	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for tumour (R) (NK) (Anaes.) (Contrast)	224.00
Subgrou	p 9—Scan of spine—3 contiguous or 2 non-contiguous regions—for specified co	nditions
63219	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for demyelinating disease (R) (K) (Anaes.) (Contrast)	448.00
63222	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for congenital malformation of the spinal cord or the cauda equina or the meninges (R) (K) (Anaes.) (Contrast)	448.00
63225	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for myelopathy (R) (K) (Anaes.) (Contrast)	448.00

Item	Description	Fee (\$)
63228	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for syrinx (congenital or acquired) (R) (K) (Anaes.) (Contrast)	448.00
63231	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for cervical radiculopathy (R) (K) (Anaes.) (Contrast)	448.00
63234	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for sciatica (R) (K) (Anaes.) (Contrast)	448.00
63237	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for spinal canal stenosis (R) (K) (Anaes.) (Contrast)	448.00
63240	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for previous spinal surgery (R) (K) (Anaes.) (Contrast)	448.00
63243	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for trauma (R) (K) (Anaes.)	448.00
63257	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for demyelinating disease (R) (NK) (Anaes.) (Contrast)	224.00
63258	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for congenital malformation of the spinal cord or the cauda equina or the meninges (R) (NK) (Anaes.) (Contrast)	224.00
63259	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for myelopathy (R) (NK) (Anaes.) (Contrast)	224.00
63260	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for syrinx (congenital or acquired) (R) (NK) (Anaes.) (Contrast)	224.00
63261	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for cervical radiculopathy (R) (NK) (Anaes.) (Contrast)	224.00
63262	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for sciatica (R) (NK) (Anaes.) (Contrast)	224.00
63263	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for spinal canal stenosis (R) (NK) (Anaes.) (Contrast)	224.00
63264	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for previous spinal surgery (R) (NK) (Anaes.) (Contrast)	224.00
63265	MRI—scan of 3 contiguous or 2 non-contiguous regions of the spine for trauma (R) (NK) (Anaes.)	224.00
Subgro	up 10—Scan of cervical spine and brachial plexus—for specified conditions	
63271	MRI—scan of cervical spine and brachial plexus for tumour (R) (K) (Anaes.) (Contrast)	492.80
63274	MRI—scan of cervical spine and brachial plexus for trauma (R) (K) (Anaes.) (Contrast)	492.80
63277	MRI—scan of cervical spine and brachial plexus for cervical radiculopathy (R) (K) (Anaes.) (Contrast)	492.80
63280	MRI—scan of cervical spine and brachial plexus for previous surgery (R) (K) (Anaes.) (Contrast)	492.80
63282	MRI—scan of cervical spine and brachial plexus for tumour (R) (NK) (Anaes.) (Contrast)	246.40
63283	MRI—scan of cervical spine and brachial plexus for trauma (R) (NK) (Anaes.) (Contrast)	246.40
63284	MRI—scan of cervical spine and brachial plexus for cervical radiculopathy (R) (NK) (Anaes.) (Contrast)	246.40
63285	MRI—scan of cervical spine and brachial plexus for previous surgery (R) (NK)	246.40

Group I5—Magnetic resonance imaging		
Item	Description	Fee (\$
<u> </u>	(Anaes.) (Contrast)	
	up 11—Scan of musculoskeletal system—for specified conditions	••••
63301	MRI—scan of musculoskeletal system for tumour arising in bone or musculoskeletal system, excluding tumours arising in breast, prostate or rectum	380.80
	(R) (K) (Anaes.) (Contrast)	
63304	MRI—scan of musculoskeletal system for infection arising in bone or musculoskeletal system, excluding infection arising in breast, prostate or rectum (R) (K) (Anaes.) (Contrast)	380.80
63307	MRI—scan of musculoskeletal system for osteonecrosis (R) (K) (Anaes.) (Contrast)	380.80
63310	MRI—scan of musculoskeletal system for tumour arising in bone or musculoskeletal system, excluding tumours arising in breast, prostate or rectum (R) (NK) (Anaes.) (Contrast)	190.40
63311	MRI—scan of musculoskeletal system for infection arising in bone or musculoskeletal system, excluding infection arising in breast, prostate or rectum (R) (NK) (Anaes.) (Contrast)	190.40
63313	MRI—scan of musculoskeletal system for osteonecrosis (R) (NK) (Anaes.) (Contrast)	190.40
Subgro	up 12—Scan of musculoskeletal system—for specified conditions	
63322	MRI—scan of musculoskeletal system for derangement of hip or its supporting structures (R) (K) (Anaes.) (Contrast)	403.20
63325	MRI—scan of musculoskeletal system for derangement of shoulder or its supporting structures (R) (K) (Anaes.) (Contrast)	403.20
63328	MRI—scan of musculoskeletal system for derangement of knee or its supporting structures (R) (K) (Anaes.) (Contrast)	403.20
63331	MRI—scan of musculoskeletal system for derangement of ankle or foot (or both) or its supporting structures (R) (K) (Anaes.) (Contrast)	403.20
63334	MRI—scan of musculoskeletal system for derangement of one or both temporomandibular joints or their supporting structures (R) (K) (Anaes.) (Contrast)	336.00
63337	MRI—scan of musculoskeletal system for derangement of wrist or hand (or both) or its supporting structures (R) (K) (Anaes.) (Contrast)	448.00
63340	MRI—scan of musculoskeletal system for derangement of elbow or its supporting structures (R) (K) (Anaes.) (Contrast)	403.20
63341	MRI—scan of musculoskeletal system for derangement of hip or its supporting structures (R) (NK) (Anaes.) (Contrast)	201.60
63342	MRI—scan of musculoskeletal system for derangement of shoulder or its supporting structures (R) (NK) (Anaes.) (Contrast)	201.60
63343	MRI—scan of musculoskeletal system for derangement of knee or its supporting structures (R) (NK) (Anaes.) (Contrast)	201.60
63345	MRI—scan of musculoskeletal system for derangement of ankle or foot (or both) or its supporting structures (R) (NK) (Anaes.) (Contrast)	201.60
63346	MRI—scan of musculoskeletal system for derangement of one or both temporomandibular joints or their supporting structures (R) (NK) (Anaes.) (Contrast)	168.00
63347	MRI—scan of musculoskeletal system for derangement of wrist or hand (or both) or its supporting structures (R) (NK) (Anaes.) (Contrast)	224.00

Group	5—Magnetic resonance imaging	
Item	Description	Fee (\$
63348	MRI—scan of musculoskeletal system for derangement of elbow or its supporting structures (R) (NK) (Anaes.) (Contrast)	201.60
Subgrou	up 13—Scan of musculoskeletal system—for specified conditions	
63361	MRI—scan of musculoskeletal system for Gaucher disease (R) (K) (Anaes.)	403.20
63364	MRI—scan of musculoskeletal system for Gaucher disease (R) (NK) (Anaes.)	201.60
Subgrou	up 14—Scan of cardiovascular system—for specified conditions	
63385	MRI—scan of cardiovascular system for congenital disease of the heart or a great vessel (R) (K) (Anaes.) (Contrast)	448.00
63388	MRI—scan of cardiovascular system for tumour of the heart or a great vessel (R) (K) (Anaes.) (Contrast)	448.00
63391	MRI—scan of cardiovascular system for abnormality of thoracic aorta (R) (K) (Anaes.) (Contrast)	403.20
63392	MRI—scan of cardiovascular system for congenital disease of the heart or a great vessel (R) (NK) (Anaes.) (Contrast)	224.00
63393	MRI—scan of cardiovascular system for tumour of the heart or a great vessel (R) (NK) (Anaes.) (Contrast)	224.00
63394	MRI—scan of cardiovascular system for abnormality of thoracic aorta (R) (NK) (Anaes.) (Contrast)	201.60
Subgrou condition	up 15—Magnetic resonance angiography—scan of cardiovascular system—for sons	pecified
63401	MRA—if the request for the scan specifically identifies the clinical indication for the scan—scan of cardiovascular system for vascular abnormality in a patient with a previous anaphylactic reaction to an iodinated contrast medium (R) (K) (Anaes.) (Contrast)	403.20
63404	MRA—if the request for the scan specifically identifies the clinical indication for the scan—scan of cardiovascular system for obstruction of the superior vena cava, inferior vena cava or a major pelvic vein (R) (K) (Anaes.) (Contrast)	403.20
63407	MRA—if the request for the scan specifically identifies the clinical indication for the scan—scan of cardiovascular system for vascular abnormality in a patient with a previous anaphylactic reaction to an iodinated contrast medium (R) (NK) (Anaes.) (Contrast)	201.60
63408	MRA—if the request for the scan specifically identifies the clinical indication for the scan—scan of cardiovascular system for obstruction of the superior vena cava, inferior vena cava or a major pelvic vein (R) (NK) (Anaes.) (Contrast)	201.60
Subgrou of 16 ye	up 16—Magnetic resonance angiography—for specified conditions—person und ars	er the age
63416	MRA—scan of person under the age of 16 for the vasculature of limbs prior to limb or digit transfer surgery in congenital limb deficiency syndrome (R) (K) (Anaes.) (Contrast)	403.20
63419	MRA—scan of person under the age of 16 for the vasculature of limbs prior to limb or digit transfer surgery in congenital limb deficiency syndrome (R) (NK) (Anaes.) (Contrast)	201.60
Subgrou 16 years	up 17—Magnetic resonance imaging—for specified conditions—person under the	e age of
63425	MRI—scan of person under the age of 16 for post-inflammatory or post-traumatic physeal fusion (R) (K) (Anaes.)	403.20
63428	MRI—scan of person under the age of 16 for Gaucher disease (R) (K) (Anaes.)	403.20

Item	Description	Fee (\$)
63432	MRI—scan of person under the age of 16 for post-inflammatory or post-traumatic physeal fusion (R) (NK) (Anaes.)	201.60
63433	MRI—scan of person under the age of 16 for Gaucher disease (R) (NK) (Anaes.)	201.60
Subgrou 16 years	up 18—Magnetic resonance imaging—for specified conditions—person under th	e age of
63440	MRI—scan of person under the age of 16 for pelvic or abdominal mass (R) (K) (Anaes.) (Contrast)	403.20
63443	MRI—scan of person under the age of 16 for mediastinal mass (R) (K) (Anaes.) (Contrast)	403.20
63446	MRI—scan of person under the age of 16 for congenital uterine or anorectal abnormality (R) (K) (Anaes.) (Contrast)	403.20
63447	MRI—scan of person under the age of 16 for pelvic or abdominal mass (R) (NK) (Anaes.) (Contrast)	201.60
63448	MRI—scan of person under the age of 16 for mediastinal mass (R) (NK) (Anaes.) (Contrast)	201.60
63449	MRI—scan of person under the age of 16 for congenital uterine or anorectal abnormality (R) (NK) (Anaes.) (Contrast)	201.60
Subgrou	p 19—Scan of body—for specified conditions	
63455	MRI—scan of the body for adrenal mass in a patient with a malignancy that is otherwise resectable (R) (NK) (Anaes.)	179.20
63457	MRI—scan of both breasts for the detection of cancer, if a dedicated breast coil is used, the request for scan identifies that the person is asymptomatic and is younger than 50 years of age, and the request for the scan identifies:	345.00
	(a) that the patient is at high risk of developing breast cancer, due to one of the following:	
	(i) 3 or more first or second degree relatives on the same side of the	
	family diagnosed with breast or ovarian cancer;	
	(ii) 2 or more first or second degree relatives on the same side of the family diagnosed with breast or ovarian cancer, if any of the relatives	
	has been diagnosed with bilateral breast cancer, had onset of breast	
	cancer before the age of 40 years, had onset of ovarian cancer before the age of 50 years, has been diagnosed with breast and ovarian	
	cancer (at the same time or at different times), has Ashkenazi Jewish	
	ancestry or is a male relative who has been diagnosed with breast cancer;	
	(iii) one first or second degree relative diagnosed with breast cancer at	
	age 45 years or younger, and another first or second degree relative on the same side of the family with bone or soft tissue sarcoma at age 45	
	years or younger; or (b) that genetic testing has identified the presence of a high risk breast cancer gene mutation (R) (NK) (Anaes.)	
63458	MRI—scan of both breasts for the detection of cancer, if:	345.00
	(a) a dedicated breast coil is used; and	
	(b) the person has had an abnormality detected as a result of a service mentioned in item 63457 or 63464 performed in the previous 12 months (R) (NK) (Anaes.)	
63461	MRI—scan of the body for adrenal mass in a patient with a malignancy that is otherwise resectable (R) (K) (Anaes.)	358.40

Item	Description	Fee (\$)
63464	MRI—scan of both breasts for the detection of cancer, if a dedicated breast coil is used, the request for scan identifies that the person is asymptomatic and is younger than 50 years of age, and the request for the scan identifies: (a) that the patient is at high risk of developing breast cancer, due to one of the following:	690.00
	 (i) 3 or more first or second degree relatives on the same side of the family diagnosed with breast or ovarian cancer; (ii) 2 or more first or second degree relatives on the same side of the family diagnosed with breast or ovarian cancer, if any of the relatives has been diagnosed with bilateral breast cancer, had onset of breast cancer before the age of 40 years, had onset of ovarian cancer before the age of 50 years, has been diagnosed with breast and ovarian cancer (at the same time or at different times), has Ashkenazi Jewish ancestry or is a male relative who has been diagnosed with breast cancer; (iii) one first or second degree relative diagnosed with breast cancer at age 45 years or younger, and another first or second degree relative on the same side of the family with bone or soft tissue sarcoma at age 45 years or younger; or 	
	(b) that genetic testing has identified the presence of a high risk breast cancer gene mutation (R) (K) (Anaes.)	
63467	MRI—scan of both breasts for the detection of cancer, if:	690.00
	(a) a dedicated breast coil is used; and	
	(b) the person has had an abnormality detected as a result of a service mentioned in item 63457 or 63464 performed in the previous 12 months (R) (K) (Anaes.)	

Subdivision C—Subgroup 20 of Group I5: scans of pelvis and upper abdomen for specified conditions

2.5.10 MRI services—limits for certain items

- (1) Item 63470 or 63479 does not apply to the service mentioned in that item if the person to whom the service is provided has previously been provided with that service or a service mentioned in item 63473 or 63481.
- (2) Item 63473 or 63481 does not apply to the service mentioned in that item if the person to whom the service is provided has previously been provided with that service or a service mentioned in item 63470 or 63479.
- (3) For any patient, if the service mentioned in item 63740 or 63744 is provided for assessment of change to therapy in a patient with small bowel Crohn's disease, the item applies to that service only once in a 12 month period.
- (4) For any patient, if the service mentioned in item 63743 or 63747 is provided for assessment of change to therapy of pelvis sepsis and fistulas from Crohn's disease, the item applies to that service only once in a 12 month period.

2.5.11 MRI and MRA services—modifying items

- (1) Subject to subclauses (2), (3) and (4), if item 63491, 63494 or 63497 applies to an MRI or MRA service, the fee specified in that item applies in addition to the fee specified in the other item in Group I5 of this table that applies to the service.
- (2) If 2 or more MRI or MRA services mentioned in item 63494 are performed for a person on the same day, the fee specified in that item applies to one of those services only.
- (3) If 2 or more MRI or MRA services mentioned in item 63497 are performed for a person on the same day, the fee specified in that item applies to one of those services only.
- (4) If:
 - (a) one or more MRI or MRA services mentioned in item 63494; and
 - (b) one or more MRI or MRA services mentioned in item 63497; are performed for a person on the same day, the fee specified in item 63494 or item 63497, but not both those items, applies to one of those services only.

Group 1	5—Magnetic resonance imaging	
Item	Description	Fee (\$)
Subgro	up 20—Scans of pelvis and upper abdomen—for specified conditions	
63470	MRI—scan of the pelvis for the staging of histologically diagnosed cervical cancer at FIGO stage 1B or greater, if the request for scan identifies that:	403.20
	(a) a histological diagnosis of carcinoma of the cervix has been made; and	
	(b) the patient has been diagnosed with cervical cancer at FIGO stage 1B or greater (R) (K) (Anaes.) (Contrast)	
63473	MRI—scan of the pelvis and upper abdomen, in a single examination, for the staging of histologically diagnosed cervical cancer at FIGO stage 1B or greater, if the request for scan identifies that:	627.20
	(a) a histological diagnosis of carcinoma of the cervix has been made; and	
	(b) the patient has been diagnosed with cervical cancer at FIGO stage 1B or greater (R) (K) (Anaes.) (Contrast)	
63476	MRI—scan of the pelvis for the initial staging of rectal cancer, if:	403.20
	(a) a phased array body coil is used; and	
	(b) the request for scan identifies that the indication is for the initial staging of rectal cancer (including cancer of the rectosigmoid and anorectum) (R) (K) (Anaes.) (Contrast)	
63479	MRI—scan of the pelvis for the staging of histologically diagnosed cervical cancer at FIGO stage 1B or greater, if the request for scan identifies that:	201.60
	(a) a histological diagnosis of carcinoma of the cervix has been made; and	
	(b) the patient has been diagnosed with cervical cancer at FIGO stage 1B or greater (R) (NK) (Anaes.) (Contrast)	
63481	MRI—scan of the pelvis and upper abdomen, in a single examination, for the staging of histologically diagnosed cervical cancer at FIGO stage 1B or greater, if the request for scan identifies that:	313.60
	(a) a histological diagnosis of carcinoma of the cervix has been made; and	
	(b) the patient has been diagnosed with cervical cancer at FIGO stage 1B or greater (R) (NK) (Anaes.) (Contrast)	
63484	MRI—scan of the pelvis for the initial staging of rectal cancer, if:	201.60

96

Group 1	5—Magnetic resonance imaging	
Item	Description	Fee (\$)
	(a) a phased array body coil is used; and	
	(b) the request for scan identifies that the indication is for the initial staging of rectal cancer (including cancer of the rectosigmoid and anorectum) (R) (NK) (Anaes.) (Contrast)	
63740	MRI—scan to evaluate small bowel Crohn's disease if the service is provided to a patient for:	457.20
	(a) evaluation of disease extent at time of initial diagnosis of Crohn's disease; or	
	(b) evaluation of exacerbation, or suspected complications, of known Crohn's disease; or	
	(c) evaluation of known or suspected Crohn's disease in pregnancy; or	
	(d) assessment of change to therapy in a patient with small bowel Crohn's disease (R) (K) (Contrast)	
63741	MRI—scan with enteroclysis for Crohn's disease if the service is related to item 63740 (R) (K)	265.25
63743	MRI—scan for fistulising perianal Crohn's disease if the service is provided to a patient for:	403.20
	(a) evaluation of pelvic sepsis and fistulas associated with established or suspected Crohn's disease; or	
	(b) assessment of change to therapy of pelvis sepsis and fistulas from Crohn's disease (R) (K) (Contrast)	
63744	MRI—scan to evaluate small bowel Crohn's disease if the service is provided to a patient for:	228.60
	(a) evaluation of disease extent at time of initial diagnosis of Crohn's disease; or	
	(b) evaluation of exacerbation, or suspected complications, of known Crohn's disease; or	
	(c) evaluation of known or suspected Crohn's disease in pregnancy; or	
	(d) assessment of change to therapy in a patient with small bowel Crohn's disease (R) (NK) (Contrast)	
63746	MRI—scan with enteroclysis for Crohn's disease if the service is related to item 63744 (R) (NK)	132.65
63747	MRI—scan for fistulising perianal Crohn's disease if the service is provided to patients for:	201.60
	(a) evaluation of pelvic sepsis and fistulas associated with established or suspected Crohn's disease; or	
	(b) assessment of change to therapy of pelvis sepsis and fistulas from Crohn's disease (R) (NK) (Contrast)	

Subdivision D—Subgroups 21 and 22 of Group I5

Item	Description	Fee (\$)
Subgro	up 21—Scan of body—for specified conditions	
63482	MRI—scan of pancreas and biliary tree for suspected biliary or pancreatic pathology (R) (K) (Anaes.)	403.20
63486	MRI—scan of pancreas and biliary tree for suspected biliary or pancreatic pathology (R) (NK) (Anaes.)	201.60

Group	Group I5—Magnetic resonance imaging		
Item	Description	Fee (\$)	
Subgro	up 22—Modifying items		
63491	MRI or MRA service to which an item in this Group (other than an item in this Subgroup) applies if:	44.80	
	(a) the service is performed in accordance with clause 2.5.1; and		
	(b) the item for the service includes in its description '(Contrast)'; and		
	(c) the service is performed using a contrast agent		
63494	MRI or MRA service to which an item in this Group (other than an item in this Subgroup) applies if:	44.80	
	(a) the service is performed in accordance with clause 2.5.1; and		
	(b) the service is performed on a person using intravenous or intra muscular sedation		
63497	MRI or MRA service to which an item in this Group (other than an item in this Subgroup) applies if:	156.80	
	(a) the service is performed in accordance with clause 2.5.1; and		
	(b) the service is performed on a person under anaesthetic in the presence of a medical practitioner who is qualified to perform an anaesthetic		
	Note: Subgroups 23 to 32 of this table are set out in a determination made under subsection 3C(1) of the Act.		

Subdivision E—Subgroup 33 of Group I5

Group I5—Magnetic resonance imaging		
Item	Description	Fee (\$)
Subgrou	up 33—Scan of body—for specified conditions	
63507	MRI—scan of head for a patient under 16 years if the service is for:	403.20
	(a) an unexplained seizure; or	
	(b) an unexplained headache if significant pathology is suspected; or	
	(c) paranasal sinus pathology that has not responded to conservative therapy (R) (K) (Anaes.) (Contrast)	
63508	MRI—scan of head for a patient under 16 years if the service is for:	201.60
	(a) an unexplained seizure; or	
	(b) an unexplained headache if significant pathology is suspected; or	
	(c) paranasal sinus pathology that has not responded to conservative therapy (R) (NK) (Anaes.) (Contrast)	
63510	MRI—scan of spine following radiographic examination for a patient under 16 years if the service is for:	448.00
	(a) significant trauma; or	
	(b) unexplained neck or back pain with associated neurological signs; or	
	(c) unexplained back pain if significant pathology is suspected (R) (K) (Anaes.) (Contrast)	
63511	MRI—scan of spine following radiographic examination for a patient under 16 years if the service is for:	224.00
	(a) significant trauma; or	
	(b) unexplained neck or back pain with associated neurological signs; or	
	(c) unexplained back pain if significant pathology is suspected (R) (NK) (Anaes.) (Contrast)	

Group	Group I5—Magnetic resonance imaging		
Item	Description	Fee (\$)	
63513	MRI—scan of knee following radiographic examination for internal joint derangement for a patient under 16 years (R) (K) (Anaes.) (Contrast)	403.20	
63514	MRI—scan of knee following radiographic examination for internal joint derangement for a patient under 16 years (R) (NK) (Anaes.) (Contrast)	201.60	
63516	MRI—scan of hip following radiographic examination for a patient under 16 years if any of the following is suspected: (a) septic arthritis;	403.20	
	(b) slipped capital femoral epiphysis;(c) Perthes disease (R) (K) (Anaes.) (Contrast)		
63517	MRI—scan of hip following radiographic examination for a patient under 16 years if any of the following is suspected:	201.60	
	(a) septic arthritis;		
	(b) slipped capital femoral epiphysis;		
	(c) Perthes disease (R) (NK) (Anaes.) (Contrast)		
63519	MRI—scan of elbow following radiographic examination for a patient under 16 years if a significant fracture or avulsion injury, which would change the way in which the patient is managed, is suspected (R) (K) (Anaes.) (Contrast)	403.20	
63520	MRI—scan of elbow following radiographic examination for a patient under 16 years if a significant fracture or avulsion injury, which would change the way in which the patient is managed, is suspected (R) (NK) (Anaes.) (Contrast)	201.60	
63522	MRI—scan of wrist following radiographic examination for a patient under 16 years if a scaphoid fracture is suspected (R) (K) (Anaes.) (Contrast)	448.00	
63523	MRI—scan of wrist following radiographic examination for a patient under 16 years if a scaphoid fracture is suspected (R) (NK) (Anaes.) (Contrast)	224.00	

Subdivision F—Subgroup 34 of Group I5

Group I5—Magnetic resonance imaging		
Description	Fee (\$)	
p 34—Magnetic resonance imaging—for specified conditions		
Scan of head for a patient 16 years or older, after referral by a medical practitioner (other than a specialist or consultant physician), for any of the following:	403.20	
(a) unexplained seizure(s);		
(b) unexplained chronic headache with suspected intracranial pathology (R) (K) (Contrast) (Anaes.)		
Scan of head for a patient 16 years or older, after referral by a medical practitioner (other than a specialist or consultant physician), for any of the following:	201.60	
(a) unexplained seizure(s);		
(b) unexplained chronic headache with suspected intracranial pathology (R) (NK) (Contrast) (Anaes.)		
Scan of spine for a patient 16 years or older, after referral by a medical practitioner (other than a specialist or consultant physician), for suspected cervical radiculopathy (R) (K) (Contrast) (Anaes.)	358.40	
Scan of spine for a patient 16 years or older, after referral by a medical practitioner (other than a specialist or consultant physician), for suspected	179.20	
	Description IP 34—Magnetic resonance imaging—for specified conditions Scan of head for a patient 16 years or older, after referral by a medical practitioner (other than a specialist or consultant physician), for any of the following: (a) unexplained seizure(s); (b) unexplained chronic headache with suspected intracranial pathology (R) (K) (Contrast) (Anaes.) Scan of head for a patient 16 years or older, after referral by a medical practitioner (other than a specialist or consultant physician), for any of the following: (a) unexplained seizure(s); (b) unexplained chronic headache with suspected intracranial pathology (R) (NK) (Contrast) (Anaes.) Scan of spine for a patient 16 years or older, after referral by a medical practitioner (other than a specialist or consultant physician), for suspected cervical radiculopathy (R) (K) (Contrast) (Anaes.) Scan of spine for a patient 16 years or older, after referral by a medical	

Group	Group I5—Magnetic resonance imaging		
Item	Description	Fee (\$)	
	cervical radiculopathy (R) (NK) (Contrast) (Anaes.)		
63557	Scan of spine for a patient 16 years or older, after referral by a medical practitioner (other than a specialist or consultant physician), for suspected cervical spinal trauma (R) (K) (Contrast) (Anaes.)	492.80	
63558	Scan of spine for a patient 16 years or older, after referral by a medical practitioner (other than a specialist or consultant physician), for suspected cervical spinal trauma (R) (NK) (Contrast) (Anaes.)	246.40	
63560	Scan of knee following acute knee trauma, after referral by a medical practitioner (other than a specialist or consultant physician), for a patient 16 years or older with:	403.20	
	(a) inability to extend the knee suggesting the possibility of acute meniscal tear; or		
	(b) clinical findings suggesting acute anterior cruciate ligament tear (R) (K) (Contrast) (Anaes.)		
63561	Scan of knee following acute knee trauma, after referral by a medical practitioner (other than a specialist or consultant physician), for a patient 16 years or older with:	201.60	
	(a) inability to extend the knee suggesting the possibility of acute meniscal tear; or		
	(b) clinical findings suggesting acute anterior cruciate ligament tear (R) (NK) (Contrast) (Anaes.)		

Division 2.6—Group I6: management of bulk-billed services

2.6.1 Application of items 64990 and 64991

- (1) If the diagnostic imaging service mentioned in item 64991 is provided to a person, either that item or item 64990, but not both those items, applies to the service.
- (2) If item 64990 or 64991 applies to a diagnostic imaging service, the fee specified in that item applies in addition to the fee specified in any other item in this table that applies to the service.
- (3) For item 64991, this subclause applies to a geographical area included in any of the following SSD spatial units:
 - (a) Beaudesert Shire Part A;
 - (b) Belconnen;
 - (c) Darwin City;
 - (d) Eastern Outer Melbourne;
 - (e) East Metropolitan Perth;
 - (f) Frankston City;
 - (g) Gosford-Wyong;
 - (h) Greater Geelong City Part A;
 - (i) Gungahlin-Hall;
 - (j) Ipswich City (Part in BSD);
 - (k) Litchfield Shire;
 - (l) Melton-Wyndham;

- (m) Mornington Peninsula Shire;
- (n) Newcastle;
- (o) North Canberra;
- (p) Palmerston-East Arm;
- (q) Pine Rivers Shire;
- (r) Queanbeyan;
- (s) South Canberra;
- (t) South Eastern Outer Melbourne;
- (u) Southern Adelaide;
- (v) South West Metropolitan Perth;
- (w) Thuringowa City Part A;
- (x) Townsville City Part A;
- (y) Tuggeranong;
- (z) Weston Creek-Stromlo;
- (za) Woden Valley;
- (zb) Yarra Ranges Shire Part A.
- (4) In this table:

Commonwealth concession card holder means a person who is a concessional beneficiary within the meaning given by subsection 84(1) of the *National Health Act 1953*.

practice location, for the provision of a diagnostic imaging service, means the place of practice for which the medical practitioner by whom, or on whose behalf, the service is provided, has been allocated a provider number by the Chief Executive Medicare.

regional, rural or remote area means either of the following:

- (a) an area classified as RRMAs 3-7 under the Rural, Remote and Metropolitan Areas Classification;
- (b) Norfolk Island.
- **SLA** means a Statistical Local Area specified in the ASGC.
- **SSD** means a Statistical Subdivision specified in the ASGC.

unreferred service means a diagnostic imaging service that:

- (a) is provided to a person by, or on behalf of, a medical practitioner, being a medical practitioner who is not a consultant physician, or specialist, in any speciality (other than a medical practitioner who is, for the Act, both a general practitioner and a consultant physician, or specialist, in a particular speciality); and
- (b) has not been referred to the medical practitioner by another medical practitioner or person with referring rights.

Group I6—Management of bulk-billed services		
Item	Description	Fee (\$)
64990	A diagnostic imaging service to which an item in this table (other than this item or item 64991) applies if:	7.05
	(a) the service is an unreferred service; and	

Group I6—Management of bulk-billed services		
Item	Description	Fee (\$)
	(b) the service is provided to a person who is under the age of 16 or is a Commonwealth concession card holder; and	
	(c) the person is not an admitted patient of a hospital; and	
	(d) the service is bulk-billed for the fees for:(i) this item; and(ii) the other item in this table applying to the service	
64991	A diagnostic imaging service to which an item in this table (other than this item or item 64990) applies if:	10.65
	(a) the service is an unreferred service; and	
	(b) the service is provided to a person who is under the age of 16 or is a Commonwealth concession card holder; and	
	(c) the person is not an admitted patient of a hospital; and	
	(d) the service is bulk-billed for the fees for:(i) this item; and(ii) the other item in this table applying to the service; and	
	(e) the service is provided at, or from, a practice location in: (i) a regional, rural or remote area; or (ii) Tasmania; or (iii) a geographical area to which subclause 2.6.1(3) applies; or (iv) the geographical area included in the SLA spatial unit of Palm Island (AC)	

Part 3—Dictionary

Note: All references in the Dictionary to a provision are references to a provision in this Schedule of this instrument unless otherwise indicated.

In this instrument:

Act means the Health Insurance Act 1973.

(Anaes.) has the meaning given by clause 2.43.5 of Schedule 1 to the general medical services table.

angiography suite has the meaning given by clause 2.3.4.

ASGC means the document titled *Australian Standard Geographical Classification (ASGC)* (ABS catalogue number 1216.0), published by the Australian Statistician in July 2010.

Note: The ASGC could in 2015 be viewed on the Australian Bureau of Statistics website (http://www.abs.gov.au).

bulk-billed, for a service, means the following:

- (a) a medicare benefit is payable to a person in relation to the service;
- (b) under an agreement entered into under section 20A of the Act:
 - (i) the person assigns to the eligible provider by whom, or on whose behalf, the service is provided, the person's right to the payment of the medicare benefit; and
 - (ii) the eligible provider accepts the assignment in full payment of the eligible provider's fee for the service provided.

Commonwealth concession card holder has the meaning given by clause 2.6.1.

comprehensive facility means a building or part of a building, or more than one building, where all of the following services are performed (whether or not other services are also performed):

- (a) PET;
- (b) computed tomography;
- (c) diagnostic ultrasound;
- (d) medical oncology;
- (e) radiation oncology;
- (f) surgical oncology;
- (g) X-ray.

comprehensive practice means a medical practice, or a radiology department of a hospital, that provides X-ray, ultrasound and computed tomography services (whether or not it provides other services).

computed tomography means a service performed (with or without intravenous contrast) using a detector:

(a) that is coupled to an X-ray tube that emits a finely collimated X-ray beam as it rotates within a gantry around a patient either in incremental or helical manner; and

(b) that receives a series of data profiles depicting the degree of absorption encountered by the X-ray beam, which are transformed into a cross-sectional image after the application of complex algorithms.

cone beam computed tomography means a service performed on a rotating gantry to which an X-ray source and a 2-dimensional flat panel detector are fixed that produces multiple sequential planar projection images in a single revolution around the patient, which are reconstructed into a 3-dimensional image.

consultation has the meaning given by clause 1.2.12.

credentialled specialist means a specialist or consultant physician credentialled under the 'Joint Nuclear Medicine Specialist Credentialling Program for the Recognition of the Credentials of Nuclear Medicine Specialists for Positron Emission Tomography' overseen by the JNMCAC.

CT means computed tomography.

eligible equipment, for an MRI or MRA service, has the meaning given by clause 2.5.5.

eligible provider, for an MRI or MRA service, has the meaning given by clause 2.5.4.

FDG means ¹⁸F-fluorodeoxyglucose.

GEJ means gastro-oesophageal junction.

Group, for a Group in the table, means every item in the Group.

group of practitioners has the same meaning as in subsection 16A(10) of the Act

highest fee has the meaning given by clause 1.2.12.

item means:

- (a) an item mentioned, by number, in column 1 of a table in:
 - (i) Schedule 1; or
 - (ii) Schedule 1 to the pathology services table; or
 - (iii) Schedule 1 to the general medical services table; and
- (b) in a reference immediately followed by a number—the item so numbered.

Example: A reference by number to any of items 11240, 11603 to 11612, 30361 and 30488 is a reference to the item so numbered in the general medical services table.

JNMCAC means the Joint Nuclear Medicine Credentialling and Accreditation Committee of the RACP and RANZCR.

(K) item means an item that includes the symbol (K) at the end of the item.

maximum extended life age has the meaning given by clause 1.2.2.

MRA means magnetic resonance angiography.

MRI means magnetic resonance imaging.

new effective life age has the meaning given by clause 1.2.2.

(NK) item means an item that includes the symbol (NK) at the end of the item.

non-consultation service has the meaning given by clause 1.2.12.

non-metropolitan hospital means a hospital that is located outside the Sydney, Melbourne, Brisbane, Adelaide, Perth, Greater Hobart, Darwin and Canberra major statistical divisions, as defined in the ASGC.

(NR) has the meaning given by clause 1.2.6.

partial eligible equipment has the meaning given by clause 2.5.6.

PET means positron emission tomography.

practice location has the meaning given by clause 2.6.1.

professional service has the meaning given by subsection 3(1) of the Act.

providing practitioner, for a service mentioned in an item in Group I1 of Part 2, means the medical practitioner by whom, or under whose supervision or direction, the service was performed.

(R) has the meaning given by clause 1.2.6.

RA1 means an inner regional area as classified by the ASGC.

RA2 means an outer regional area as classified by the ASGC.

RA3 means a remote area as classified by the ASGC.

RA4 means either of the following:

- (a) a very remote area as classified by the ASGC;
- (b) Norfolk Island.

RACP means The Royal Australasian College of Physicians (ABN 90 270 343 237).

RANZCR means The Royal Australian and New Zealand College of Radiologists (ABN 37 000 029 863).

regional, rural or remote area has the meaning given by clause 2.6.1.

registered sonographer means a person whose name is entered on the Register of Sonographers kept by the Chief Executive Medicare.

remote location means a place within Australia that is more than 30 kilometres by road from:

- (a) a hospital that provides a radiology or computed tomography service under the direction of a specialist in the specialty of diagnostic radiology; or
- (b) a free-standing radiology or computed tomography facility under the direction of a specialist in the specialty of diagnostic radiology.

report means a report prepared by a medical practitioner.

RRMA4 means a small rural centre as classified by the Rural, Remote and Metropolitan Areas Classification.

RRMA5 means a rural centre with an urban centre population of less than 10 000 persons as classified by the Rural, Remote and Metropolitan Areas Classification.

Rural, Remote and Metropolitan Areas Classification has the meaning given by the general medical services table.

scan, for items 63001 to 63567, has the meaning given by clause 2.5.7.

sequence, for a scan, means a series of images collected at the same time with similar image parameters (not including a scan designed to establish patient position and subsequently used to plan other scans).

SLA has the meaning given by clause 2.6.1.

SSD has the meaning given by clause 2.6.1.

Subgroup for a Subgroup in the table, means every item in the Subgroup.

unreferred service has the meaning given by clause 2.6.1.

upgraded has the meaning given by subclause 1.2.2(3).

Note: Several other words and expressions used in this instrument have a meaning given by subsection 3(1) of the Act, for example, the following:

- (a) diagnostic imaging service;
- (b) general medical services table;
- (c) participating midwife;
- (d) participating nurse practitioner;
- (e) pathology services table;
- (f) practitioner;
- (g) specialist.

Schedule 2—Repeals

Health Insurance (Diagnostic Imaging Services Table) Regulation 2015

1 The whole of the regulation

Repeal the regulation.