

# **Consumer Goods (Trolley Jacks) Safety Standard 2017**

I, Michael McCormack, Minister for Small Business, make the following safety standard.

Dated 14 December 2017

Michael McCormack Minister for Small Business



## Contents

Part 1-	—Prelimina	ary	1
	1	Name	1
	2	Commencement	
	3	Authority	1
	4	Schedules	1
	5	Definitions	1
Part 2-	—Safety sta	nndard	2
	6	Requirements during transitional period	2
	7	Safety standard for trolley jacks after transitional period	2
	8	Variation of the Australian Standard	
Schedi	ule 1—Repo	eals	3
	Consumer F	Product Safety Standard for Trolley Jacks (Consumer Protection Notice	
	No. 10 of 20	08) (Federal Register of Legislation No. F20081 03230)	3



## Part 1—Preliminary

#### 1 Name

This instrument is the Consumer Goods (Trolley Jacks) Safety Standard 2017.

#### 2 Commencement

This instrument commences on the day after this instrument is registered on the Federal Register of Legislation.

### 3 Authority

This instrument is made under sections 104 and 105 of the Australian Consumer Law

Note:

The reference to the Australian Consumer Law is a reference to Schedule 2 to the *Competition and Consumer Act 2010* as it applies as a law of the Commonwealth, States and Territories: see section 140K of that Act and corresponding provisions of Acts of States and Territories applying that Schedule.

#### 4 Schedules

Each instrument that is specified in a Schedule to this instrument is amended or repealed as set out in the applicable items in the Schedule concerned, and any other item in a Schedule to this instrument has effect according to its terms.

#### 5 Definitions

In this instrument:

Australian Standard means Australian Standard AS 2615:2016 Hydraulic trolley jacks, as in force on the commencement of this instrument.

Note:

The Australian Standard could in 2017 be purchased from SAI Global's website (https://www.saiglobal.com). The Australian Competition and Consumer Commission can make a copy of the standard available for viewing at one of its offices, subject to licensing conditions.

*transitional period* means the period of 24 months beginning on the day this instrument commences.

*trolley jack* has the same meaning as hydraulic trolley jack has in the Australian Standard.

## Part 2—Safety standard

#### 6 Requirements during transitional period

- (1) During the transitional period, a trolley jack must comply with:
  - (a) the standard set by Consumer Protection Notice No 10 of 2008 (Federal Register of Legislation No. F2008L03230), made under section 65E of the *Trade Practices Act 1974*, as that notice was in force immediately before the commencement of this instrument; or
  - (b) the Australian Standard as varied by section 8.
  - Note 1: The notice could in 2017 be viewed on the Federal Register of Legislation website (https://www.legislation.gov.au).
  - Note 2: Under item 4 of Schedule 7 to the *Trade Practices Amendment (Australian Consumer Law) Act (No. 2) 2010*, the standard set by the notice continued in force from the start of 1 January 2011 as if it were a safety standard made under section 104 of the Australian Consumer Law (because it was taken under section 65E of the *Trade Practices Act 1974* to be a prescribed consumer product safety standard for the purposes of section 65C of that Act immediately before 1 January 2011).
- (2) This section is repealed at the end of the last day of the transitional period.

#### 7 Safety standard for trolley jacks after transitional period

After the transitional period, the Australian Standard, as varied by section 8, is declared to be a safety standard for trolley jacks.

#### 8 Variation of the Australian Standard

- (1) For the purposes of this Part, the Australian Standard is varied by:
  - (a) omitting clause 5.4(a) and clause 9(f); and
  - (b) replacing clause 6.3 with the text set out in subsection (2) of this section; and
  - (c) replacing the words "1 min" in clause D3(g) in Appendix D with "15 minutes".
- (2) The replacement text for clause 6.3 of the Australian Standard is as follows: 6.3 Ease of operation
  - When the hydraulic trolley jack is tested in accordance with Appendix A and the operating force exceeds 450 N, Appendix F must be used to determine the maximum capacity of the hydraulic trolley jack using a maximum operating force of 450 N.

## Schedule 1—Repeals

Consumer Product Safety Standard for Trolley Jacks (Consumer Protection Notice No 10 of 2008) (Federal Register of Legislation No. F2008L03230)

#### 1 The whole of the instrument

Repeal the instrument.

Note:

Under item 4 of Schedule 7 to the *Trade Practices Amendment (Australian Consumer Law) Act (No. 2)* 2010, the Consumer Product Safety Standard for Trolley Jacks continued in force from the start of 1 January 2011 as if it were a safety standard made under section 104 of the Australian Consumer Law (because it was taken under section 65E of the *Trade Practices Act 1974* to be a prescribed consumer product safety standard for the purposes of section 65C of that Act immediately before 1 January 2011).