

Schedule 1—Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Note: See sections 5 and 6.

Permissible ingredients and requirements			
Column 1	Column 2	Column 3	Column 4
Item	Ingredient name	Purpose	Specific requirements
5079	UBIDECARENONE	A, E	<p>When used as an excipient, the route of administration must be topical and the concentration in the medicine must not be more than 0.05%.</p> <p>Not to be included in medicines intended for use in the eye.</p> <p>When for internal use, the maximum recommended daily dose must not provide more than 300 milligrams of ubidecarenone.</p> <p>When for internal use in combination with Ubiquinol-10, the maximum recommended daily dose must not provide more than 300 milligrams of ubiquinol-10 and ubidecarenone combined.</p> <p>When for internal use, the following warning statement is required on the medicine label: - (WARF) 'Do not take while on warfarin therapy without medical advice'.</p>
5080	UBIQUINOL-10	A, E	<p>When used as an excipient, the route of administration must be topical and the concentration in the medicine must be no more than 0.05%.</p> <p>Not to be included in medicines intended for use in the eye.</p> <p>When for internal use, the maximum recommended daily dose must provide no more</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			<p>than 300 milligrams of ubiquinol-10.</p> <p>When used in combination with ubidecarenone, the maximum recommended daily dose must provide no more than 300 mg of ubiquinol-10 and ubidecarenone combined.</p> <p>The medicine requires the following warning statement on the medicine label:</p> <p>- (WARF) 'Do not take while on warfarin therapy without medical advice.'</p>
5081	ULEX EUROPAEUS	A, H	
5082	ULMUS AMERICANA	A, H	
5083	ULMUS CAMPESTRIS	A, H	
5084	ULMUS GLABRA	A, H	
5085	ULMUS MINOR	A, H	
5086	ULMUS PARVIFOLIA	A, H	
5087	ULMUS PUMILA	A, H	
5088	ULMUS RUBRA	A, H	
5089	ULTRALIDE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
5090	ULTRAMARINE BLUE	E	<p>Permitted for use only as a colour for topical use.</p>
5091	ULVA LACTUCA	A, H	<p>Iodine is a mandatory component of <i>Ulva lactuca</i>.</p> <p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 0.1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 6

5092	UMBELLULARIA CALIFORNICA	A, H	
5093	UNCARIA GAMBIR	A, H	
5094	UNCARIA RHYNCOPHYLLA	A, H	
5095	UNCARIA SINENSIS	A, H	
5096	UNCARIA TOMENTOSA	A, H	
5097	UNDARIA PINNATIFIDA	A, H	Whole dried Undaria pinnatifida must not contain the holdfast. Only for use in oral medicines.
5098	UNDECANAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
5099	UNDECANOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used as a flavour the total flavour concentration in a medicine must be no more than 5%.
5100	UNDECENOIC ACID	E	
5101	UNDECYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
5102	UNDECYLCRYLENE DIMETICONE	E	Only for use in topical medicines for dermal

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 10%.
5103	UNDECYLENAMIDE DEA	E	
5104	UNDECYLENOYL PEG-5 PARABEN	E	Only for use in topical medicines for dermal application.
5105	URANIUM NITRATE	H	Only for use as an active homoeopathic ingredient.
5106	UREA	A, E, H	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 10% (w/w).
5107	URTICA DIOICA	A, E, H	
5108	URTICA URENS	A, H	
5109	USNEA BARBATA	A, H	
5110	UVA URSI LEAF DRY	A, H	
5111	UVA URSI LEAF POWDER	A, E, H	
5112	VA/BUTYL MALEATE/ISOBORNYL ACRYLATE COPOLYMER	E	Vinyl acetate is a mandatory component of VA/butyl maleate/isobornyl acrylate copolymer. The concentration of vinyl acetate in the medicine must be no more than 0.01% or 100 ppm. Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
5113	VACCARIA SEGATALIS	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

5114	VACCINIUM BRACTEATUM	A, H	
5115	VACCINIUM CORYMBOSUM	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
5116	VACCINIUM MACROCARPON	A, E, H	
5117	VACCINIUM MYRTILLOIDES	A, H	
5118	VACCINIUM MYRTILLUS	A, E, H	
5119	VACCINIUM OXYCOCCUS	A, H	
5120	VACCINIUM VITIS-IDAEA	A, H	Beta-arbutin is a mandatory component of <i>Vaccinium vitis-idaea</i> . When for oral use, the maximum recommended daily dose must not provide more than 500 mg of beta-arbutin. When for dermal application exclusively to the face: a) the concentration of beta-arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for use other than oral or dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
5121	VALENCENE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

5122	VALERALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
5123	VALERIAN DRY	A, H	
5124	VALERIAN OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
5125	VALERIAN POWDER	A, H	
5126	VALERIANA EDULIS	A, H	
5127	VALERIANA OFFICINALIS	A, H	
5128	VALERIANA SORBIFOLIA	A, H	
5129	VALERIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
5130	VALINE	A, E	
5131	VANADIUM	H	
5132	VANILLA	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 6

5133	VANILLA DRY	A, E, H	
5134	VANILLA EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
5135	VANILLA OLEORESIN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
5136	VANILLA PLANIFOLIA	A, E, H	
5137	VANILLA POWDER	A, E, H	
5138	VANILLA TAHITENSIS	A, H	
5139	VANILLIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
5140	VANILLIN	E	
5141	VANILLIN ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
5142	VANILLYL ALCOHOL	E	Permitted for use only in

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
5143	VAT RED 1	E	Permitted for use only as a colour for topical use.
5144	VAT RED 1 ALUMINIUM LAKE	E	Permitted for use only as a colour for topical use.
5145	VAT RED 5	E	Permitted for use only as a colour for topical use.
5146	VEGETABLE OIL	E	
5147	VEGETABLE OIL PHYTOSTEROL ESTERS	A	Only for use in oral medicines. The medicine requires the following warning statement on the medicine label: - (PREGNT) 'Not recommended for use by pregnant and lactating women (or words to that effect).'
5148	VEIN	H	Only for use as an active homoeopathic ingredient.
5149	VERATRALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
5150	VERATROL	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			excipient formulation. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
5151	VERATRUM ALBUM	A, H	Solanidine is a mandatory component of Veratrum album. The concentration of equivalent dry Veratrum album in the medicine must be no more than 10mg/Kg or 10mg/L or 0.001%.
5152	VERBASCUM DENSIFLORUM	A, H	
5153	VERBASCUM THAPSUS	A, H	
5154	VERBENA OFFICINALIS	A, H	
5155	VERBENA OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
5156	VERONICA CHAMAEDRYIS	A, H	
5157	VERONICA OFFICINALIS	A, H	
5158	VERONICASTRUM VIRGINICUM	A, E, H	
5159	VERTONAL	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. When included in a medicine for use on the lips the concentration of vertonal must be no more than 0.2%. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
5160	VETIVER OIL	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
5161	VETIVERYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
5162	VIBURNUM OPULUS	A, E, H	
5163	VIBURNUM PRUNIFOLIUM	A, E, H	
5164	VICIA FABIA	A, H	Levodopa is a mandatory component of Vicia faba. The concentration of levodopa in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
5165	VIGNA ANGULARIS VAR. ANGULARIS	A, H	
5166	VIGNA RADIATA	A, H	
5167	VIGNA UMBELLATA	A, H	
5168	VINCA MAJOR	A, H	Vincamine is a mandatory component of Vinca major. The concentration of vincamine in the medicine must be no more than 10mg/kg or 10 mg/L or 0.001%.
5169	VINCA MINOR	A, H	Vincamine and vincristine are mandatory components of Vinca minor. The concentration of vincamine in the medicine must be no more than 10mg/kg or 10 mg/L or 0.001%. The concentration of

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			Vincristine in the medicine must be no more than 10mg/kg or 10mg/L or 0.001%
5170	VINCETOXICUM OFFICINALE	A, H	
5171	VINEGAR	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
5172	VIOLA ODORATA	A, E, H	
5173	VIOLA TRICOLOR	A, H	
5174	VIOLA YEDOENSIS	A, H	
5175	VIOLET LEAF ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
5176	VIPER	H	Only for use as an active homoeopathic ingredient.
5177	VISCUM ALBUM	A, E, H	
5178	VISCUM COLORATUM	A, H	
5179	VISCUM FLAVESCENS	A, H	
5180	VITELLARIA PARADOXA	A, E, H	
5181	VITEX AGNUS-CASTUS	A, E, H	When the ingredient is in a medicine that is for internal use, the following warning statement is required on the label: - (VAC) 'Vitex agnus-castus may affect hormones and medicines such as oral contraceptives. Consult your health professional before use'

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

(or words to that effect).			
5182	VITEX NEGUNDO	A, H	
5183	VITEX ROTUNDIFOLIA	A, H	
5184	VITEX TRIFOLIA	A, H	
5185	VITIS VINIFERA	A, E, H	
5186	VITREOSCILLA CONCENTRATE	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 0.1%.
5187	VP/ACRYLATES/LAURYL METHACRYLATE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must not be more than 2.00%.
5188	WAHLENBERGIA GRACILIS	A, H	
5189	WALNUT	E	
5190	WALNUT OIL	E	
5191	WATER MELON	E	
5192	WHEAT	E	Gluten is a mandatory component of Wheat when the route of administration is other than topical and mucosal.
5193	WHEAT BRAN	E	Gluten is a mandatory component of Wheat bran when the route of administration is other than topical and mucosal.
5194	WHEAT DEXTRIN	A, E	Gluten is a mandatory component of wheat dextrin. Only for use when the dosage form is capsule, tablet or pill.
5195	WHEAT GERM	E	Gluten is a mandatory component of Wheat germ when the route of

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 6

			administration is other than topical and mucosal.
5196	WHEAT GERM GLYCERIDES	E	Gluten is a mandatory component of wheat germ glycerides when the route of administration is other than topical and mucosal.
5197	WHEAT LEAF	E	
5198	WHEAT SPROUT	E	Gluten is a mandatory component of Wheat sprout when the route of administration is other than topical and mucosal.
5199	WHEAT STARCH	E	When the route of administration is other than topical or mucosal, gluten is a mandatory component of wheat starch.
5200	WHEATGERM OIL	A, E, H	
5201	WHEY POWDER	E	Lactose is a mandatory component of Whey powder when the route of administration is oral.
5202	WHEY PROTEIN	E	Lactose is a mandatory component of Whey protein when the route of administration is oral.
5203	WHEY PROTEIN CONCENTRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
5204	WHITE BEESWAX	E	
5205	WHITE HOREHOUND HERB DRY	A, H	
5206	WHITE HOREHOUND HERB POWDER	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

5207	WHITE SOFT PARAFFIN	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
5208	WHOLE DRY MILK	E	
5209	WIKSTROEMIA VIRIDIFLORA	A, H	
5210	WILD CARROT HERB DRY	A, E, H	
5211	WILD CARROT HERB POWDER	A, H	
5212	WILD CHERRY BARK DRY	A, H	
5213	WILD CHERRY BARK POWDER	A, H	
5214	WILD LETTUCE LEAF DRY	A, H	
5215	WILD LETTUCE LEAF POWDER	A, H	
5216	WINTERGREEN OIL	A, E, H	<p>Methyl salicylate is a mandatory component of wintergreen oil.</p> <p>Not to be included in medicines for use in the eye or on damaged skin.</p> <p>When used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5%, and the dosage form is spray, the medicine does not require child resistant packaging if:</p> <ul style="list-style-type: none"> - the delivery device is engaged into the container in such a way that prevents it from being readily removed; - direct suction through the

			<p>delivery device results in delivery of no more than one dosage unit; and</p> <ul style="list-style-type: none"> - actuation of the spray device is ergonomically difficult for young children to accomplish. <p>The following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> - (METSAL) 'Contains methyl salicylate' (or words to that effect). <p>When for use in topical medicines for dermal application:</p> <ul style="list-style-type: none"> i) the concentration of methyl salicylate in the medicine must not be more than 25%; ii) the following warning statements are required on the medicine label: <ul style="list-style-type: none"> - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label: <ul style="list-style-type: none"> - (IRRIT) 'If irritation develops, discontinue use'.
5217	WITHANIA SOMNIFERA	A, E, H	The medicine requires the following warning statement on the label:

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			- (WITHANIA) 'If you are pregnant, or considering becoming pregnant, do not take without consulting a health professional' (or words to that effect) unless: (a) the plant part is root; (b) the plant preparation is an extract; (c) the extraction solvents are only water, ethanol or methanol; and (d) the maximum recommended daily dose of the medicine contains no more than the equivalent quantity of 12 g dry root.
5218	WOLFIPORIA COCOS	A, E, H	
5219	WOOL ALCOHOLS	E	Only for use in topical medicines for dermal application.
5220	WOOL FAT	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
5221	XANTHAN GUM	E	
5222	XANTHIUM SIBIRICUM	A, H	
5223	XANTHIUM STRUMARIUM	A, H	
5224	XANTHOMONA CAMPESTRIS	A, H	
5225	XEROPHYLLUM ASPHODELOIDES	A, H	
5226	XYLENE	E	The residual solvent limit for xylene is 21.7 mg per maximum recommended daily dose. The concentration in the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 6

			medicine must be no more than 0.217%.
5227	XYLITOL	E	
5228	XYLOSE	E	
5229	YAM	E	
5230	YARROW HERB DRY	A, H	
5231	YARROW HERB POWDER	A, H	
5232	YEAST AUTOLYSATE	E	
5233	YEAST DRIED	A, E, H	
5234	YELLOW 2G	E	Permitted for use only as a colour for topical use.
5235	YELLOW BEESWAX	E	
5236	YELLOW MERCURIC OXIDE	H	Only for use as an active homoeopathic ingredient.
5237	YELLOW SOFT PARAFFIN	A, E	Only for use in topical medicines for dermal application. When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
5238	YLANG YLANG OIL	A, E, H	
5239	YUCCA BACCATA	A, H	
5240	YUCCA ELATA	A, H	
5241	YUCCA FILAMENTOSA	A, H	
5242	YUCCA GLORIOSA	A, H	
5243	Z-BETA-DAMASCONE	E	Z – beta damascone must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing Z –

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			beta damascone must not be more than 5% of the total medicine.
5244	ZANTHOXYLUM AMERICANUM	A, H	
5245	ZANTHOXYLUM BUNGEANUM	A, E, H	
5246	ZANTHOXYLUM CLAVA-HERCULIS	A, H	
5247	ZANTHOXYLUM NITIDUM	A, H	
5248	ZANTHOXYLUM PIPERITUM	A, H	
5249	ZANTHOXYLUM SIMULANS	A, H	
5250	ZEAMAYS	A, E, H	
5251	ZEAXANTHIN	A, E	
5252	ZEIN	E	
5253	ZINC	H	<p>Only for use as an active homoeopathic ingredient.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.'</p> <p>OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect)'.</p>
5254	ZINC AMINO ACID CHELATE	A, E, H	<p>When used internally, zinc is a mandatory component of zinc amino acid chelate.</p> <p>The concentration of zinc in zinc amino acid chelate must be no more than 30%.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the</p>

			<p>medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'</p>
5255	ZINC ASCORBATE	A, E, H	<p>When used internally, zinc is a mandatory component of zinc ascorbate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'</p>
5256	ZINC ASCORBATE MONOHYDRATE	A, E, H	<p>When used internally, zinc is a mandatory component of zinc ascorbate monohydrate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect)'.
5257	ZINC CHLORIDE	A, E, H	<p>The concentration of zinc chloride in the medicine must be no more than 5%.</p> <p>When used internally, zinc is a mandatory component of zinc chloride.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect)'.</p>
5258	ZINC CITRATE	A, E, H	<p>When used internally, zinc is a mandatory component of zinc citrate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p>

			- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'
5259	ZINC CITRATE DIHYDRATE	A, E, H	When used internally, zinc is a mandatory component of zinc citrate dihydrate. When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc. When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label: - (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'
5260	ZINC CITRATE TRIHYDRATE	A, E, H	When used internally, zinc is a mandatory component of zinc citrate trihydrate. When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc. When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label: - (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			which may be dangerous if taken in large amounts or for a long period (or words to that effect).'
5261	ZINC DIASPARTATE	A	<p>When used internally, zinc is a mandatory component of zinc diaspertate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'</p>
5262	ZINC GLUCONATE	A, E, H	<p>When used internally, zinc is a mandatory component of zinc gluconate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 6

			effect).'
5263	ZINC GLYCINATE	A	<p>When used internally, zinc is a mandatory component of Zinc glycinate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'</p>
5264	ZINC GLYCINATE MONOHYDRATE	A	<p>When used internally, zinc is a mandatory component of Zinc glycinate monohydrate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'</p>
5265	ZINC LACTATE	E	Only for use in topical and

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

dental medicines and not to be included in medicines intended for use in the eye.

The concentration of zinc lactate in a medicine intended for topical use should be no more than 2%.

The concentration of Zinc lactate in a medicine for 'dental' use in toothpaste medicines must be no more than 2.5%.

Zinc lactate is not to be included in dental / toothpaste medicines intended for use by children less than 12 years old.

Medicines containing Zinc lactate for dental use require the following warning statement on the medicine label:

- (CHILD3) 'Use in children under 12 years is not recommended'.

5266

ZINC LACTATE DIHYDRATE

E

Only for use in topical and dental medicines and not to be included in medicines intended for use in the eye.

The concentration of Zinc lactate dihydrate in a medicine intended for topical use should be no more than 2%.

The concentration of Zinc lactate dihydrate in a medicine for 'dental' use in toothpaste medicines must be no more than 2.5%.

Zinc lactate dihydrate is not to be included in dental / toothpaste medicines intended for use by children less than 12 years old.

Medicines containing Zinc lactate for dental use require the following warning statement on the medicine label:

- (CHILD3) 'Use in children

			under 12 years is not recommended'.
5267	ZINC LYSINATE	A	<p>When used internally, zinc is a mandatory component of Zinc lysinate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'</p>
5268	ZINC METHIONINE SULFATE	A	<p>For topical use, the concentration of zinc methionine sulfate must be no more than 5%.</p> <p>When used internally, zinc is a mandatory component of zinc methionine sulfate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR 'WARNING: Contains zinc which may be dangerous if</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			taken in large amounts or for a long period (or words to that effect).'
5269	ZINC MYRISTATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.1%.
5270	ZINC OXIDE	A, E, H	When used internally, zinc is a mandatory component of zinc oxide. When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label: - (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR -'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period' (or words to that effect). When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
5271	ZINC PARA-PHENOLSULFONATE	E	The concentration of zinc parafenolsulfonate in the medicine must not exceed 5%. When used internally, zinc is a

			<p>mandatory component of zinc para-phenolsulfate.</p> <p>The percentage of zinc from zinc para-phenolsulfonate should be calculated based on the molecular weight of zinc para-phenolsulfonate.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period. OR WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period' (or words to that effect).</p>
5272	ZINC STEARATE	E	<p>When used internally, zinc is a mandatory component of zinc stearate.</p> <p>The percentage of zinc from zinc stearate should be calculated based on the molecular weight of zinc stearate.</p>
5273	ZINC SUCCINATE	A, E, H	<p>When used internally, zinc is a mandatory component of zinc succinate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.'</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			<p>or</p> <p>- 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'</p>
5274	ZINC SULFATE	A, E	<p>For topical use, the concentration of zinc sulfate must be no more than 5%.</p> <p>For internal use, zinc is a mandatory component of zinc sulfate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.'</p> <p>OR</p> <p>- 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'</p>
5275	ZINC SULFATE HEPTAHYDRATE	A, E	<p>For topical use, the concentration of zinc sulfate must be no more than 5%.</p> <p>For internal use, zinc is a mandatory component of zinc sulfate heptahydrate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the</p>

			<p>medicine requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR - 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'
5276	ZINC SULFATE HEXAHYDRATE	A, E, H	<p>For topical use, the concentration of zinc sulfate must be no more than 5%.</p> <p>For internal use, zinc is a mandatory component of zinc sulfate hexahydrate.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.' OR - 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'
5277	ZINC SULFATE MONOHYDRATE	A, E, H	<p>When the route of administration is topical the concentration of zinc sulfate in the medicine must be no more than 5%.</p> <p>When the medicine is for internal use, zinc is a mandatory component of zinc sulfate monohydrate.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

			<p>When for internal use, the maximum recommended daily dose must be no more than 50mg of zinc.</p> <p>When for internal use and the maximum recommended daily dose is more than 25mg but no more than 50mg of zinc, the medicine requires the following warning statement on the medicine label:</p> <p>- (ZINC) 'WARNING: May be dangerous if taken in large amounts or for a long period.'</p> <p>OR</p> <p>- 'WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).'</p>
5278	ZINC VALERATE	H	<p>Only for use as an active homoeopathic ingredient.</p> <p>For internal use, zinc is a mandatory component of zinc valerate.</p> <p>The percentage of zinc from zinc valerate should be calculated based on the molecular weight of zinc valerate.</p>
5279	ZINGERONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
5280	ZINGIBER OFFICINALE	A, E, H	<p>When for oral use AND the extract ratio is equal to or more than 25:1 AND the equivalent dry weight per dosage unit is equal to or more than 2g, the medicine requires the following warning statement</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 6

		on the medicine label: - (GINGER) 'Individuals taking anticoagulants should seek medical advice before taking this medicine.' AND 'Individuals at risk of bleeding problems should seek advice from their healthcare practitioner prior to taking this medicine'.
5281	ZIZIPHUS JUJUBA	A, H
5282	ZIZIPHUS JUJUBA VAR. SPINOSA	A, H
5283	ZIZYPHUS SATIVA	A, H
5284	ZOSTERA MARINA	A, H
5285	ZUCCHINI	E
