

Schedule 1—Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Note: See sections 5 and 6.

Permissible ingredients and requirements			
Column 1	Column 2	Column 3	Column 4
Item	Ingredient name	Purpose	Specific requirements
754	BACILLUS COAGULANS	A	<p>Only permitted for use in medicines:</p> <p>(a) limited to oral routes of administration; and</p> <p>(b) when the strain of Bacillus coagulans is confirmed to be:</p> <p>(i) Microbial Type Culture Collection (MTCC) accession number 5260; and/or</p> <p>(ii) MTCC accession number 5856.</p> <p>The strain of Bacillus coagulans must be declared on the label.</p> <p>When the strain of Bacillus coagulans is MTCC accession number 5260:</p> <p>(a) the maximum recommended daily dose of the medicine must not provide more than 6 billion cfu of Bacillus coagulans strain MTCC accession number 5260; and</p> <p>(b) the following warning statements are required on the medicine label:</p> <p>- (CHILD2) 'Not suitable for children'; and</p> <p>- (BACCOAG) 'Bacillus coagulans may affect the way some medicines work, including immunosuppressants. Consult your health professional before taking with other medicines (or words to that effect).'</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>When the strain of <i>Bacillus coagulans</i> is MTCC accession number 5856:</p> <p>(a) the maximum recommended daily dose of the medicine must not provide more than 2 billion cfu of <i>Bacillus coagulans</i> strain MTCC accession number 5856; and</p> <p>(b) the following warning statements are required on the medicine label:</p> <ul style="list-style-type: none"> - (PREGNT) 'Not recommended for use by pregnant and lactating women' (or words to that effect); - (CHILD2) 'Not suitable for children'; and - (BACCOAG) 'Bacillus coagulans may affect the way some medicines work, including immunosuppressants. Consult your health professional before taking with other medicines (or words to that effect).'
755	BACKHOUSIA CITRIODORA	A, E, H	<p>The herbal substance must be derived from leaf oil only.</p> <p>Only for use in topical medicines for dermal application.</p> <p>The concentration in the medicine must be no more than 10g/kg or 10g/L or 1%.</p> <p>The medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (IRRIT) 'If irritation develops - discontinue use' - (CHILD3) 'Use in children under 12 years is not recommended' - (PREGNT) 'Not recommended for use by pregnant and lactating women'

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

(or words to that effect).			
756	BACOPA MONNIERI	A, H	
757	BALLOTA NIGRA	A, H	
758	BALM OF GILEAD BUD DRY	A, H	
759	BALM OF GILEAD BUD POWDER	A, H	
760	BALSAM COPAIBA	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
761	BAMBUSA BREVIFLORA	A, E, H	
762	BAMBUSA TEXTILIS	A, H	
763	BANANA	E	
764	BANANA DISTILLATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
765	BAPTISIA CONFUSA	A, H	
766	BAPTISIA TINCTORIA	A, H	
767	BARBAREA VULGARIS	A, H	
768	BARIUM CARBONATE	H	Only for use as an active homoeopathic ingredient.
769	BARIUM CHLORIDE	H	Only for use as an active homoeopathic ingredient.
770	BARIUM SULFATE	E	Only for use in topical medicines for dermal application.
771	BARLEY	E	Gluten is a mandatory component of Barley when the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			route of administration is other than topical and mucosal.
772	BARLEY BRAN	E	Gluten is a mandatory component of Barley bran when the route of administration is other than topical and mucosal.
773	BARLEY GERM	E	Gluten is a mandatory component of Barley germ when the route of administration is other than topical and mucosal.
774	BARLEY LEAF	E	
775	BASIC BUTYLATED METHACRYLATE COPOLYMER	E	Only for use in oral medicines.
776	BASIC FUCHSIN	E	Only for use as a colour ingredient in topical medicines for dermal application.
777	BASIC RED 1	E	Only for use as a colour in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.1%.
778	BASIC VIOLET 11:1	E	Only for use as a colour in topical medicines for dermal application and not intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.1%.
779	BASIL OIL COMOROS	A, E, H	Methyl chavicol is a mandatory component of Basil oil Comoros. When the concentration of

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			<p>Methyl chavicol in the medicine is more than 5%, the nominal capacity of the container must be no more than 25mL.</p> <p>When the concentration of Methyl chavicol in the medicine is more than 5% and the nominal capacity of the container is 25mL or less, a restricted flow insert must fitted on the container, and the medicine requires the following warning statement on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect).</p>
780	BASIL OIL EUROPEAN	A, E, H	<p>Methyl chavicol is a mandatory component of Basil oil European.</p> <p>When the concentration of Methyl chavicol in the medicine is more than 5%, the nominal capacity of the container must be no more than 25mL.</p> <p>When the concentration of Methyl chavicol in the medicine is more than 5% and the nominal capacity of the container is 25mL or less, a restricted flow insert must fitted on the container, and the medicine requires the following warning statement on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect).</p>
781	BASSIA SCOPARIA	A, H	
782	BATYL ALCOHOL	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

783	BAY LEAF	E	
784	BAY OIL	A, E, H	<p>When the concentration of Bay oil in the medicine is more than 25%, the nominal capacity of the container must be no more than 25 mL.</p> <p>When the concentration of Bay oil in the medicine is more than 25% and the nominal capacity of the container is no more than 15 mL, there must be a restricted flow insert fitted on the container.</p> <p>When the concentration of Bay oil in the medicine is more than 25% and the nominal capacity of the container is more than 15 mL, a child resistant closure and restricted flow insert must be fitted on the container.</p> <p>The medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or word to that effect) - (NTAKEN) 'Not to be taken'
785	BEESWAX ABSOLUTE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
786	BEESWAX ALCOHOLS	A	<p>Only to be used in a medicine where Rainbow and Nature Pty Ltd (Client ID 22307), who applied to have the ingredient included in this Determination, is the sponsor of the medicine or has given written</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			<p>authorisation to the sponsor of a medicine to include the ingredient in the medicine. This paragraph ceases to be a requirement for this ingredient after 22 April 2024.</p> <p>The route of administration for medicines that contain beeswax alcohols must be limited to oral.</p> <p>The maximum recommended daily dose of the medicine must not provide more than 150 mg beeswax alcohols.</p> <p>The following warning statements (or words to the same effect) are required on the medicine label:</p> <p>(a) (PREGNT) ‘Not recommended for use by pregnant and lactating women’</p> <p>(b) (CHILD2) ‘Not suitable for children’</p>
787	BEET RED	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
788	BEETROOT	E, H	
789	BEGONIA FIMBRISTIPULA	A, H	
790	BEHENETH-10	E	<p>Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 1.5%.</p> <p>Residual levels of ethylene oxide are to be kept below the level of detection.</p>
791	BEHENIC ACID	E	When for oral ingestion, the maximum recommended daily dose must not provide more

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			than 383.5 milligrams of behenic acid.
792	BEHENOXY DIMETHICONE	E	Only for use in topical medicines for dermal application.
793	BEHENOYL STEARIC ACID	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 2.4%.
794	BEHENYL ALCOHOL	E	Only for use in topical medicines for dermal application.
795	BELLADONNA HERB DRY	A, H	Alkaloids calculated as hyoscyamine and atropine are mandatory components of Belladonna herb dry. The concentration of alkaloids calculated as hyoscyamine in the medicine and must be no more than 300 micrograms/Kg or 300 micrograms/L or 0.00003%. The concentration of atropine in the medicine must be no more than 100 micrograms/kg or 100 micrograms/L or 0.00001%.
796	BELLADONNA HERB POWDER	A, H	Alkaloids calculated as hyoscyamine and atropine are mandatory components of Belladonna herb powder. The concentration of alkaloids calculated as hyoscyamine in the medicine must be no more than 300 micrograms/Kg or 300 micrograms/L or 0.00003%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			The concentration of atropine in the medicine must be no more than 100 micrograms/kg or 100 micrograms/L or 0.00001%.
797	BELLADONNA HERB PREPARED	A, H	Alkaloids calculated as hyoscyamine and atropine are mandatory components of Belladonna herb prepared and must be declared in the application. The concentration of alkaloids calculated as hyoscyamine from all ingredients in the product must be no more than 300 micrograms/Kg or 300 micrograms/L or 0.00003%. The concentration of atropine from all ingredients in the product must be no more than 100 micrograms/kg or 100 micrograms/L or 0.00001%.
798	BELLIS PERENNIS	A, H	
799	BEMOTRIZINOL	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
800	BENINCASA HISPIDA	A, E, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

801	BENTONITE	E	
802	BENZALDEHYDE	E	
803	BENZALDEHYDE GLYCERYL ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
804	BENZALKONIUM CHLORIDE	E	Only for use in topical medicines for dermal application and nasal sprays. The requirement specified in paragraph (a) below applies to a medicine that contains the ingredient that is: - listed in the Register before 1 March 2022; and - released for supply before 1 March 2023. (a) The concentration in the medicine must be no more than 5%. The requirements specified in paragraphs (b) to (d) below apply to a medicine that contains the ingredient that is: - listed in the Register on or after 1 March 2022; or - released for supply on or after 1 March 2023. (b) When benzalkonium chloride is used in a topical medicine for dermal application, the concentration in the medicine must not be more than 5%. (c) When benzalkonium chloride is used in a nasal spray dosage form, the concentration of benzalkonium chloride in the medicine must not be more than 0.03%. (d) When benzalkonium

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			chloride is used in a nasal spray dosage form which is either: (i) indicated for use in children; or (ii) not specifically indicated for adults only; the following warning statement is required on the medicine label: - (NTAKEN2) 'Not to be used by children under 2 years old' (or words to that effect).
805	BENZETHONIUM CHLORIDE	E	Only for use as a preservative in topical medicines for dermal application.
806	BENZOIC ACID	E, H	
807	BENZOIN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
808	BENZOIN SIAM	A, E, H	
809	BENZOIN SUMATRA	A, E, H	
810	BENZOPHENONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
811	BENZOTHIAZOLE	E	Benzothiazole must only be included in medicines when in combination with other

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			permitted ingredients as a fragrance proprietary excipient formulation. The total concentration of the fragrance proprietary excipient formulation containing benzothiazole must not be more than 1% of the total medicine.
812	BENZYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
813	BENZYL ACETONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used as a fragrance the total fragrance concentration in a medicine must be no more than 1%.
814	BENZYL ALCOHOL	A, E	When used as an active ingredient: a) permitted for use only in medicated throat lozenges; and b) when the maximum recommended daily dose of the medicine provides more than 300mg, the following warning statement must be included on the medicine label: - (PREGNT) 'Not recommended for use by pregnant and lactating women' (or words to that effect).
815	BENZYL BENZOATE	E	Only for use in topical

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			medicines for dermal application.
816	BENZYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
817	BENZYL CINNAMATE	E	Only for use in: (a) topical medicines for dermal application when the concentration of benzyl cinnamate in the medicine is not greater than 0.15%; or (b) medicines in combination with other permitted ingredients as a constituent of a flavour proprietary excipient formulation when the total flavour proprietary excipient formulation in the medicine is not more than 5%. Not to be included in medicines intended for use in the eye.
818	BENZYL DIMETHYL CARBINYL-N-BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
819	BENZYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
820	BENZYL ISOAMYL ETHER	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
821	BENZYL ISOBUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
822	BENZYL ISOVALERATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
823	BENZYL LAURATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			fragrance concentration in a medicine must be no more than 1%.
824	BENZYL PHENYLACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
825	BENZYL PROPIONATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
826	BENZYL SALICYLATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
827	BENZYL TIGLATE	E	<p>Permitted for use only in combination with other permitted ingredients as part of a flavour proprietary excipient formulation.</p> <p>The total flavour proprietary</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			excipient formulation in a medicine must be no more than 5%.
828	BENZYLIDENE ACETONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
829	BENZYLIDENE CAMPHOR SULFONIC ACID	A	<p>Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must not be more than 6% (as acid).</p> <p>When used in primary sunscreen products, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
830	BERBERIS AQUIFOLIUM	A, H	
831	BERBERIS ARISTATA	A	<p>Only for use in oral medicines.</p> <p>The medicine requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (PREGNT) 'Not recommended for use by pregnant and lactating women' (or words to that effect).

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 2

832	BERBERIS VULGARIS	A, E, H	
833	BERGAMOT OIL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour, the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance, the total fragrance concentration in a medicine must be no more 1%.</p> <p>The medicine requires the following warning statement on the medicine label:</p> <p>- (SENS) 'Application to skin may increase sensitivity to sunlight.' (or words to that effect)</p>
834	BERGAMOT OIL BERGAPTEN-FREE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
835	BERGAMOT OIL COLDPRESSED	A, E, H	<p>When for internal use oxedrine is a mandatory component of bergamot oil coldpressed.</p> <p>The maximum recommended daily dose must provide no more than 30 milligrams of oxedrine.</p> <p>The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is:</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>a) for internal use; or</p> <p>b) in preparations containing 0.4 per cent or less of bergamot oil coldpressed; or</p> <p>c) for use in soaps or bath or shower gels that are washed off the skin.</p>
836	BERGAMOT OIL TERPENELESS	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
837	BERTHOLLETIA EXCELSA	A, E, H	
838	BETA RAPA	A, E, H	
839	BETA VULGARIS	A, E, H	
840	BETA,4-DIMETHYLCYCLOHEX-3-ENE-1-PROPAN-1-AL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
841	BETA-CARYOPHYLLENE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
842	BETA-CARYOPHYLLENE ALCOHOL	E	<p>Permitted for use only in combination with other permitted ingredients as part of a flavour proprietary excipient formulation.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			The total flavour proprietary excipient formulation in a medicine must be no more than 5%.
843	BETA-DAMASCENONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
844	BETA-DAMASCONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
845	BETA-HOMO CYCLOCITRAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
846	BETA-HYDROXY-BETA-METHYLBUTYRIC ACID	A	
847	BETA-IONONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
848	BETA-IONONE EPOXIDE	E	<p>Permitted for use only in combination with other permitted ingredients as part of a flavour proprietary excipient formulation.</p> <p>The total flavour proprietary excipient formulation in a medicine must be no more than 5%.</p>
849	BETA-ISO-METHYL IONONE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
850	BETA-METHYL NAPHTHYL KETONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
851	BETA-N-METHYL IONONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 2

			medicine must be no more 1%.
852	BETA-NAPHTHOL ETHYLETHER	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
853	BETA-NAPHTHOL METHYL ETHER	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
854	BETA-NAPHTHYL ANTHRANILATE	E	<p>Permitted for use only in combination with other permitted ingredients as part of a flavour proprietary excipient formulation.</p> <p>The total flavour proprietary excipient formulation in a medicine must be no more than 5%.</p>
855	BETA-NAPHTHYL ISOBUTYL ETHER	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicine must be no more 1%.
856	BETA-PINENE	E	Permitted for use only in combination with other permitted ingredients as a flavour or fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
857	BETA-TOCOPHEROL	E	
858	BETACAROTENE	A, E	When Vitamin A is declared as an equivalent of Betacarotene and the medicine is for oral or sublingual use in adults the medicine requires the following warning statement on the medicine label: - (VITA3) 'The recommended daily amount of vitamin A from all sources is 700 micrograms retinol equivalents for women and 900 micrograms retinol equivalents for men.'
859	BETADEX	E	
860	BETAGLUCAN	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.01%.
861	BETAINE	E	Only for use in topical medicines for dermal application.
862	BETAINE HYDROCHLORIDE	E	

863	BETULA LENTA	A, H	<p>Methyl salicylate is a mandatory component of <i>Betula lenta</i>.</p> <p>Not to be included in medicines for use in the eye or on damaged skin.</p> <p>When used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if:</p> <ul style="list-style-type: none">- the delivery device is engaged into the container in such a way that prevents it from being readily removed;- direct suction through the delivery device results in delivery of no more than one dosage unit; and- actuation of the spray device is ergonomically difficult for young children to accomplish. <p>The following warning statement is required on the medicine label:</p> <ul style="list-style-type: none">- (METSAL) 'Contains methyl salicylate' (or words to that effect). <p>When for use in topical medicines for dermal application:</p> <ul style="list-style-type: none">i) the concentration of methyl salicylate in the medicine must not be more than 25%;ii) the following warning
-----	--------------	------	--

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>statements are required on the medicine label:</p> <ul style="list-style-type: none"> - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight.' (or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); <p>iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> - (IRRIT) 'If irritation develops, discontinue use'.
864	BETULA NIGRA	A, H	<p>Cresol, eugenol and methyl salicylate are mandatory components of <i>Betula nigra</i>.</p> <p>For external use only when the total concentration of cresols, xlenols and other phenol homologues in the medicine is greater than 3%.</p> <p>When for internal use, the concentration of eugenol in the medicine must not exceed 0.06%.</p> <p>When the concentration of eugenol in the medicine is more than 25%:</p> <ul style="list-style-type: none"> a) the nominal capacity of the container must be no more than 25 mL; b) the medicine must be fitted with a restricted flow insert; c) when the nominal capacity

of the container is more than 15 mL, the medicine must be fitted with a child resistant closure; and

d) the medicine requires the following warning statements on the medicine label:

- (CHILD) 'Keep out of reach of children' (or words to that effect); and

- (NTAKEN) 'Not to be taken'.

Not to be included in medicines for use in the eye or on damaged skin.

When used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%.

When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging.

When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if:

- the delivery device is engaged into the container in such a way that prevents it from being readily removed;

- direct suction through the delivery device results in delivery of no more than one dosage unit; and

- actuation of the spray device is ergonomically difficult for young children to accomplish.

The following warning statement is required on the medicine label:

- (METSAL) 'Contains methyl salicylate' (or words to that effect).

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>When for use in topical medicines for dermal application:</p> <p>i) the concentration of methyl salicylate in the medicine must not be more than 25%;</p> <p>ii) the following warning statements are required on the medicine label:</p> <ul style="list-style-type: none"> - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight.' (or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); <p>iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> - (IRRIT) 'If irritation develops, discontinue use'.
865	BETULA PENDULA	A, E, H	<p>Methyl salicylate is a mandatory component of Betula pendula.</p> <p>Not to be included in medicines for use in the eye or on damaged skin.</p> <p>When used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other</p>

than spray, the medicine requires child resistant packaging.

When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if:

- the delivery device is engaged into the container in such a way that prevents it from being readily removed;
- direct suction through the delivery device results in delivery of no more than one dosage unit; and
- actuation of the spray device is ergonomically difficult for young children to accomplish.

The following warning statement is required on the medicine label:

- (METSAL) 'Contains methyl salicylate' (or words to that effect).

When for use in topical medicines for dermal application:

i) the concentration of methyl salicylate in the medicine must not be more than 25%

ii) the following warning statements are required on the medicine label:

- (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect);
 - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less';
 - (SENS) 'Application to skin may increase sensitivity to sunlight.' (or words to that effect);
-

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			- (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label: - (IRRIT) 'If irritation develops, discontinue use'.
866	BETULA PUBESCENS	A, E, H	
867	BICYCLO(2.2.1)HEPT-5-ENE-2-CARBOXYLIC ACID, 3-(1-METHYLETHYL)-, ETHYL ESTER, (1R,2R,3R,4S)-REL-	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
868	BICYCLO(2.2.2)OCT-5-ENE-2-CARBOXALDEHYDE, 6-METHYL-8-(1-METHYLETHYL)-	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
869	BIFIDOBACTERIUM ADOLESCENTIS	A	
870	BIFIDOBACTERIUM ANIMALIS	A	
871	BIFIDOBACTERIUM ANIMALIS SSP ANIMALIS	A	
872	BIFIDOBACTERIUM ANIMALIS SSP LACTIS	A	
873	BIFIDOBACTERIUM BIFIDUM	A	
874	BIFIDOBACTERIUM BREVE	A	
875	BIFIDOBACTERIUM INFANTIS	A	
876	BIFIDOBACTERIUM LACTIS	A	
877	BIFIDOBACTERIUM LONGUM	A	
878	BILBERRY	E	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 2

879	BIOSACCHARIDE GUM-1	E	<p>Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 5%.</p>
880	BIOTA ORIENTALIS	A, H	
881	BIOTIN	A, E	
882	BIRCH LEAF DRY	A, E, H	<p>Methyl salicylate is a mandatory component of birch leaf dry.</p> <p>Not to be included in medicines for use in the eye or on damaged skin.</p> <p>When used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if:</p> <ul style="list-style-type: none"> - the delivery device is engaged into the container in such a way that prevents it from being readily removed; - direct suction through the delivery device results in delivery of no more than one dosage unit; and - actuation of the spray device is ergonomically difficult for young children to accomplish. <p>The following warning statement is required on the</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>medicine label:</p> <ul style="list-style-type: none"> - (METSAL) 'Contains methyl salicylate' (or words to that effect). <p>When for use in topical medicines for dermal application:</p> <ul style="list-style-type: none"> i) the concentration of methyl salicylate in the medicine must not be more than 25% ii) the following warning statements are required on the medicine label: <ul style="list-style-type: none"> - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight.' (or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label: <ul style="list-style-type: none"> - (IRRIT) 'If irritation develops, discontinue use'.
883	BIRCH TAR OIL RECTIFIED	A, E, H	<p>Cresol is a mandatory component of birch tar oil rectified.</p> <p>For external use only when the total concentration of cresols, xlenols and other phenol homologues in the medicine is greater than 3%.</p>
884	BIS-BUTYLDIMETICONE	E	Only for use in topical

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

	POLYGLYCERYL-3		medicines for dermal application and not to be included in topical medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 1.5%.
885	BIS-DIGLYCERYL POLYACYLADIPATE-2	E	Only for use in topical medicines for dermal application.
886	BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 4%.
887	BIS-MACROGOL 900 METHYL ETHER DIMETHYL SILANE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 2.5%.
888	BIS-PEG-12 DIMETHICONE BEESWAX	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.2%.
889	BIS-STEARYL DIMETHICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			The concentration in the medicine must not be more than 2.30%.
890	BIS-STEARYL ETHYLENEDIAMINE/NEOPENTYL GLYCOL/STEARYL HYDROGENATED DIMER DILINOLEATE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 7%.
891	BISABOLENE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
892	BISABOLOL	E	If used as an excipient, the medicine is only for use in topical medicines for dermal application.
893	BITTER ALMOND OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. The absence of amygdalin in the medicine must be declared.
894	BITTERN	A, E, H	Only to be used in a medicine where WA Salt Koolyanobbing Pty Ltd- Australia (Client ID 69736), who applied to have the ingredient included in this

Determination, is the sponsor of the medicine or has given written authorisation to the sponsor of a medicine to include the ingredient in the medicine. This paragraph ceases to be a requirement for this ingredient after 8 June 2022.

Magnesium is a mandatory component of bittern.

Only permitted for use in:

- medicines limited to oral routes of administration; and
- topical medicines for dermal administration.

When used in a medicine:

(a) with an oral route of administration;

(b) not indicated for laxative (or related) use; and

(c) where the maximum recommended daily dose for:

(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;

(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or

(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;

the following warning statement is required on the medicine label:

- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).

When the route of administration is oral, the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicine must not be directed for use in infants younger than 12 months of age.
895	BIXA ORELLANA	A, E, H	
896	BLACK BONED CHICKEN POWDER	A	
897	BLACK COHOSH DRY	A, H	The medicine requires the following warning statement on the medicine label: - (BCOHOSH) 'Warning: In very rare cases - black cohosh has been associated with liver failure. If you are experiencing yellowing of the skin or whites of the eyes - dark urine - nausea - vomiting - unusual tiredness - weakness - stomach or abdominal pain - and/or loss of appetite - you should stop using this product and see your doctor.'
898	BLACK COHOSH POWDER	A, H	The medicine requires the following warning statement on the medicine label: - (BCOHOSH) 'Warning: In very rare cases - black cohosh has been associated with liver failure. If you are experiencing yellowing of the skin or whites of the eyes - dark urine - nausea - vomiting - unusual tiredness - weakness - stomach or abdominal pain - and/or loss of appetite - you should stop using this product and see your doctor.'
899	BLACK CURRANT	E	
900	BLACK CURRANT ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
901	BLACK CURRANT FRESH	A, E, H	
902	BLACK CURRANT SEED OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
903	BLACK OF CURACAO SPIDER	H	Only for use as an active homoeopathic ingredient.
904	BLACK PEPPER OIL	A, E, H	
905	BLACK RASPBERRY	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
906	BLACK SNAKE	H	Only for use as an active homoeopathic ingredient.
907	BLACKBERRY	E	
908	BLACKBERRY OILS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
909	BLACKBERRY WINE	E	Permitted for use only in combination with other permitted ingredients as a flavour.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
910	BLACKCURRANT ESTERS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
911	BLACKCURRANT JUICE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
912	BLACKSTRAP MOLASSES	E	When for oral or sublingual use, sucrose is a mandatory component of blackstrap molasses.
913	BLADDERWRACK DRY	A, H	Iodine is a mandatory component of Bladderwrack dry. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
914	BLADDERWRACK POWDER	A, H	Iodine is a mandatory component of Bladderwrack powder. Only for external use when the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			<p>concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less.</p> <p>Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.</p>
915	BLAINVILLEA ACMELLA	A, E, H	<p>When used as an excipient, permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
916	BLETILLA STRIATA	A, H	
917	BLUE FLAG RHIZOME DRY	A, H	
918	BLUE FLAG RHIZOME POWDER	A, H	
919	BLUEBERRY	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
920	BLUEBERRY JUICE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
921	BLUMEA LACERA	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

922	BOEHMERIA NIVEA	A, H	
923	BOERHAVIA DIFFUSA	A, H	
924	BOERHAVIA REPENS	A, H	
925	BOGBEAN LEAF DRY	A, H	
926	BOGBEAN LEAF POWDER	A, H	
927	BOIS DE ROSE OIL	A, E, H	
928	BOMBAX CEIBA	A, H	
929	BORAGO OFFICINALIS	A, E, H	Only for use when the preparation is 'fixed oil' and the fixed oil is derived from seeds of <i>Borago officinalis</i> .
930	BORAX	A, E, H	<p>Boron is a mandatory component of borax.</p> <p>The percentage of boron from borax should be calculated based on the molecular weight of borax.</p> <p>The maximum recommended daily dose must not provide more than 6mg of boron.</p> <p>In preparations for dermal use, which are not for paediatric or antifungal use, the concentration of boron in the medicine must be no more than 3500 mg/kg or 3500 mg/L or 0.35%.</p> <p>When the maximum recommended daily dose of the medicine provides more than 3 mg of boron and the medicine is for internal use and/or oral application, one of the following warning statements is required on the label:</p> <ul style="list-style-type: none"> - (NTAKEN12) 'Not to be taken by children under 12 years old' (or words to that effect); or - (ADULT) 'Adults only' (or words to that effect). <p>When the maximum recommended daily dose of the medicine provides more than 1 mg boron and up to, and</p>

			<p>including, 3 mg of boron, and the medicine is for internal use and/or oral application, one of the following warning statements is required on the label:</p> <ul style="list-style-type: none"> - (NTAKEN2) 'Not to be taken by children under 2 years old' (or words to that effect); or - (ADULT) 'Adults only' (or words to that effect). <p>When for excipient use and the maximum recommended daily dose of the medicine provides more than 1 mg of boron and the medicine is for internal use and/or oral application, the following warning statement is required on the label:</p> <ul style="list-style-type: none"> - (BORON) 'Contains boron' (or words to that effect). <p>When the medicine is for topical use for dermal application, the following warning statement is required on the label:</p> <ul style="list-style-type: none"> - (BROKEN) 'Use on unbroken skin only' (or words to that effect).
931	BORAX PENTAHYDRATE	A, E	<p>Boron is a mandatory component of borax pentahydrate.</p> <p>The percentage of boron from borax pentahydrate should be calculated based on the molecular weight of borax pentahydrate.</p> <p>The maximum recommended daily dose must not provide more than 6mg of boron from borax pentahydrate.</p> <p>In preparations for dermal use, which are not for paediatric or antifungal use, the concentration of boron in the medicine must not be more than 3500 mg/kg or 3500 g/L</p>

or 0.35%.

When the maximum recommended daily dose of the medicine provides more than 3 mg of boron and the medicine is for internal use and/or oral application, one of the following warning statements is required on the label:

- (NTAKEN12) 'Not to be taken by children under 12 years old' (or words to that effect); or

- (ADULT) 'Adults only' (or words to that effect).

When the maximum recommended daily dose of the medicine provides more than 1 mg boron and up to, and including, 3 mg of boron, and the medicine is for internal use and/or oral application, one of the following warning statements is required on the label:

- (NTAKEN2) 'Not to be taken by children under 2 years old' (or words to that effect); or

- (ADULT) 'Adults only' (or words to that effect).

When for excipient use and the maximum recommended daily dose of the medicine provides more than 1 mg of boron and the medicine is for internal use and/or oral application, the following warning statement is required on the label:

- (BORON) 'Contains boron' (or words to that effect).

When the medicine is for topical use for dermal application, the following warning statement is required on the label:

- (BROKEN) 'Use on unbroken skin only' (or words to that effect).

932	BORIC ACID	A, H	<p>Boron is a mandatory component of boric acid.</p> <p>The percentage of boron from boric acid should be calculated based on the molecular weight of boric acid.</p> <p>The maximum recommended daily dose must not provide more than 6mg of boron.</p> <p>In preparations for dermal use, which are not for paediatric or antifungal use, the concentration of boron in the medicine must not be more than 3500 mg/kg or 3500 mg/L or 0.35%.</p> <p>When the maximum recommended daily dose of the medicine provides more than 3 mg of boron and the medicine is for internal use and/or oral application, one of the following warning statements is required on the label:</p> <ul style="list-style-type: none">- (NTAKEN12) 'Not to be taken by children under 12 years old' (or words to that effect); or- (ADULT) 'Adults only' (or words to that effect). <p>When the maximum recommended daily dose of the medicine provides more than 1 mg boron and up to, and including, 3 mg of boron, and the medicine is for internal use and/or oral application, one of the following warning statements is required on the label:</p> <ul style="list-style-type: none">- (NTAKEN2) 'Not to be taken by children under 2 years old' (or words to that effect); or- (ADULT) 'Adults only' (or words to that effect). <p>When for excipient use and the</p>
-----	------------	------	--

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>maximum recommended daily dose of the medicine provides more than 1 mg of boron and the medicine is for internal use and/or oral application, the following warning statement is required on the label:</p> <p>- (BORON) 'Contains boron' (or words to that effect).</p> <p>When the medicine is for topical use for dermal application, the following warning statement is required on the label:</p> <p>- (BROKEN) 'Use on unbroken skin only' (or words to that effect).</p>
933	BORNEOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
934	BORNYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
935	BORON NITRIDE	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 0.5%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

936	BORONIA ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
937	BORONIA MEGASTIGMA	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
938	BOSWELLIA CARTERII	A, E, H	
939	BOSWELLIA SERRATA	A, E, H	
940	BOSWELLIA THURIFERA	A, H	
941	BOVINE CALCIUM CHONDROITIN SULFATE	A	
942	BOVINE CHONDROITIN SULFATE	A	
943	BOVINE COLOSTRUM POWDER	A	The following warning statement is required on the medicine label: - (BABY3) 'Not suitable for use in children under the age of 12 months except on the advice of a health professional.' (or words to that effect).
944	BOVINE LACTOFERRIN	A	
945	BOVINE POTASSIUM CHONDROITIN SULFATE	A	
946	BOVINE SODIUM CHONDROITIN SULFATE	A, E	When used as an excipient: - only for use in topical medicines for dermal application;

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>- not to be included in medicines intended for use in the eye; and</p> <p>- the concentration in the medicine must be no more than 0.001%.</p>
947	BOVINE WHEY IG-RICH FRACTION	A	<p>Only for use in oral medicines. The following warning statement is required on the medicine label:</p> <p>- (BABY3) 'Not suitable for use in children under the age of 12 months except on the advice of a health professional.' (or words to that effect).</p>
948	BRANDY	E	
949	BRASSICA CAMPESTRIS/ALEURITES FORDI OIL COPOLYMER	E	<p>Only for use in topical medicines for dermal application and not for use in topical medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 1%.</p>
950	BRASSICA CHINENSIS	A, H	<p>Allyl isothiocyanate is a mandatory component of Brassica chinensis when the plant part is seed.</p> <p>The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.</p>
951	BRASSICA JUNCEA	A, H	<p>Allyl isothiocyanate is a mandatory component of Brassica juncea when the plant part is seed.</p> <p>The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

952	BRASSICA NAPUS	A, E, H	<p>Allyl isothiocyanate is a mandatory component of Brassica napus when the plant part is seed.</p> <p>The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.</p>
953	BRASSICA NIGRA	A, H	<p>Allyl isothiocyanate is a mandatory component of Brassica nigra when the plant part is seed.</p> <p>The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.</p>
954	BRASSICA OLERACEA VAR. BOTRYTIS	A, E, H	<p>Allyl isothiocyanate is a mandatory component of Brassica oleracea var. botrytis when the plant part is seed.</p> <p>The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.</p>
955	BRASSICA OLERACEA VAR. CAPITATA	A, E, H	<p>Allyl isothiocyanate is a mandatory component of Brassica oleracea var. capitata when the plant part is seed.</p> <p>The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.</p>
956	BRASSICA OLERACEA VAR. GEMMIFERA	A, H	<p>Allyl isothiocyanate is a mandatory component of Brassica oleracea var gemmifera when the plant part is seed.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
957	BRASSICA OLERACEA VAR. ITALICA	A, H	Allyl isothiocyanate is a mandatory component of Brassica oleracea var. italica when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
958	BRASSICA OLERACEA VAR. VIRIDIS	A, H	Allyl isothiocyanate is a mandatory component of Brassica oleracea var. viridis when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
959	BRASSICA PEKINENSIS	A, H	Allyl isothiocyanate is a mandatory component of Brassica pekinensis when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
960	BRASSICA RAPA	A, E, H	Allyl isothiocyanate is a mandatory component of Brassica rapa when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

961	BRAZIL NUT	E	
962	BRILLIANT BLACK BN	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
963	BRILLIANT BLUE FCF	E	Permitted for use only as a colour for oral, topical and dental use.
964	BRILLIANT BLUE FCF ALUMINIUM LAKE	E	Permitted for use only as a colour for oral and topical use.
965	BRILLIANT BLUE FCF BARIUM LAKE	E	Permitted for use only as a colour for oral and topical use.
966	BRILLIANT SCARLET 4R	E	Permitted for use only as a colour in medicines for topical and oral routes of administration.
967	BRILLIANT SCARLET 4R ALUMINIUM LAKE	E	Permitted for use only as a colour in medicines for topical and oral routes of administration.
968	BRIZA MEDIA	A, H	
969	BROCCOLI	E	
970	BROMELAINS	A	May be derived from either the stem or fruit of the pineapple (<i>Ananas comosus</i>).
971	BROMOSTYROL	E	Not for use in infants Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
972	BROMUS CATHARTICUS	A, H	
973	BROMUS INERMIS	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

974	BROMUS RAMOSUS SUBSP. RAMOSUS	A, H	
975	BRONOPOL	E	Only for use in topical medicines for dermal application.
976	BROUSSONETIA PAPYRIFERA	A, H	
977	BROWN FK	E	Permitted for use only as a colour for topical use.
978	BRUNFELSIA UNIFLORA	A, H	The maximum daily dose must be no more than the equivalent of 1mg of the dry herbal material.
979	BRUSSEL SPROUT	E	
980	BRYONIA ALBA	A, H	
981	BRYONIA DIOICA	A, H	
982	BUCHU LEAF DRY	A, H	
983	BUCHU LEAF OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
984	BUCHU LEAF POWDER	A, E, H	
985	BUCKWHEAT	E, H	Only for use as an active homoeopathic or excipient ingredient.
986	BUDDLEJA OFFICINALIS	A, H	
987	BULNESIA SARMIENTI	A, E, H	
988	BUNIAS ORIENTALIS	A, H	
989	BUPLEURUM FALCATUM	A, H	
990	BURDOCK LEAF DRY	A, H	
991	BURDOCK LEAF POWDER	A, H	
992	BURDOCK ROOT DRY	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

993	BURDOCK ROOT POWDER	A, H	
994	BUSHMASTER SNAKE	H	Only for use as an active homoeopathic ingredient.
995	BUTAN-1-OL	E	The residual solvent limit for Butan-1-ol is 50 mg per maximum recommended daily dose. The concentration in the medicine must be no more than 0.5%.
996	BUTANE	E	Only for use as an excipient propellant ingredient.
997	BUTOXYETHANOL	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.1%.
998	BUTTER	E	
999	BUTTER ACIDS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1000	BUTTER ESTERS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1001	BUTTER STARTER DISTILLATE	E	Permitted for use only in combination with other

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1002	BUTYL 2-METHYLBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1003	BUTYL ACETATE	E	The residual solvent limit for Butyl acetate is 50 mg per maximum recommended daily dose. The concentration in the medicine must be no more than 0.5%.
1004	BUTYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1005	BUTYL BUTYRYL LACTATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1006	BUTYL CAPROATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1007	BUTYL ESTER OF PVM/MA COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 15%. The medicine requires the following warning statements on the medicine label: - (EYE) 'Avoid contact with eyes' (or words to that effect) - (EYE2) 'May be irritant to the eyes' (or words to that effect).
1008	BUTYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1009	BUTYL HYDROXYBENZOATE	E	Only for use in topical medicines for dermal application.
1010	BUTYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			5%.
1011	BUTYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1012	BUTYL LACTATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1013	BUTYL LEVULINATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1014	BUTYL METHOXYDIBENZOYLMETHAN E	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in preparation must not be more than 5%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

words to this effect).			
1015	BUTYL PROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1016	BUTYL STEARATE	E	Only for use in topical medicines for dermal application.
1017	BUTYL UNDECYLENATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1018	BUTYLATED HYDROXYANISOLE	E	
1019	BUTYLATED HYDROXYTOLUENE	E	
1020	BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 10%.
1021	BUTYLIDENE PHTHALIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicine must be no more than 5%.
1022	BUTYLOCTYL SALICYLATE	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 7%.</p>
1023	BUTYLPHENYL METHYLPROPIONAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1024	BUTYRALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
1025	BUTYRIC ACID	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1026	C1-8 ALKYL	E	Only for use in topical

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

	TETRAHYDROXYCYCLOHEXAN OATE		medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.012%.
1027	C10-12 ALKANE/CYCLOALKANE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1028	C10-30 CHOLESTEROL/LANOSTEROL ESTERS	E	Only for use in topical medicines for dermal application.
1029	C11-13 ALKANE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%.
1030	C11-14-ISO-ALCOHOL C-13 RICH	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1031	C12-13 PARETH-23	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			0.125%. Residual levels of 1,4-dioxane and ethylene oxide (and related substances) are to be kept below the level of detection.
1032	C12-13 PARETH-3	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.125%. Residual levels of 1,4-dioxane and ethylene oxide (and related substances) are to be kept below the level of detection.
1033	C12-15 ALKYL LACTATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1.2%.
1034	C12-15 ALKYL OCTANOATE	E	Only for use in topical medicines for dermal application.
1035	C12-20 ACID PEG-8 ESTER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.2%.
1036	C12-20 ALKYL GLUCOSIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 2

			The concentration in the medicine must be no more than 0.75%.
1037	C12-22 ALKYL ACRYLATE/HYDROXYETHYL ACRYLATE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye or on damaged skin. The concentration of C12-22 alkyl acrylate/hydroxyethylacrylate copolymer in the medicine must not be more than 5%.
1038	C13-14 ISOPARAFFIN	E	Only for use in topical medicines for dermal application.
1039	C14-22 ALCOHOLS	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2.55%.
1040	C15-16 ISOPARAFFIN	E	C15-16 isoparaffin must only be included in topical medicines: (a) for dermal application; and (b) where the dosage form of the medicine is not spray. The total concentration of C15-16 isoparaffin and C17-18 isoparaffin in the medicine must not be more than 50%. When the nominal capacity of the container is more than 2 mL and the medicine is not a solid or semi-solid preparation, the total concentration of designated solvents (including C15-16 isoparaffin) in the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicine must not be more than 25%.
1041	C15-19 ALKANE	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 7%.</p>
1042	C17-18 ISOPARAFFIN	E	<p>C17-18 isoparaffin must only be included in topical medicines:</p> <p>(a) for dermal application; and</p> <p>(b) where the dosage form of the medicine is not spray.</p> <p>The total concentration of C15-16 isoparaffin and C17-18 isoparaffin in the medicine must not be more than 50%.</p> <p>When the nominal capacity of the container is more than 2 mL and the medicine is not a solid or semi-solid preparation, the total concentration of designated solvents (including C17-18 isoparaffin) in the medicine must not be more than 25%.</p>
1043	C18-36 ACID GLYCOL ESTER	E	Only for use topical medicines for dermal application.
1044	C18-36 ACID TRIGLYCERIDE	E	Only for use in topical medicines for dermal application.
1045	C2-OCTENAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			5%.
1046	C20-40 ALCOHOLS	E	Only for use in topical medicines for dermal application.
1047	C20-40 ALKYL STEARATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2%.
1048	C20-40 PARETH-24	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.25%.
1049	C20-40 PARETH-3	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2%.
1050	C30-45 ALKYL CETEARYL DIMETICONE CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
1051	C9-11 ISOPARAFFIN	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1052	C9-11 PARETH-3	E	Only for use in topical medicines for dermal application.
1053	C9-15 ALKYL PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.12%
1054	CABBAGE	E	
1055	CABREUVA OIL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1056	CADE OIL	A, E, H	
1057	CAESALPINIA SAPPAN	A, H	
1058	CAFFEINE	A, E	When used as an excipient, only for use in topical medicines for dermal application. Only for use as an active ingredient for oral use in adults when the medicine consists principally of one or more designated active ingredients prescribed in Schedule 14 to the Regulations (other than caffeine). When for internal use or oral application, the maximum recommended daily dose of the medicine must provide no more than 100 mg of caffeine from this ingredient. When for internal use or oral application, the following warning statement is required

on the medicine label:

- (ADULT) 'Adults only' (or words to that effect).

When the medicine is packaged for supply as a divided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 33%.

When the medicine is packaged for supply as an undivided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 1%.

When the medicine is for internal use or oral application, a maximum recommended dose of the medicine must not provide more than 100 mg of total caffeine within a 3 hour period.

When the maximum recommended daily dose of the medicine provides greater than 10 mg of total caffeine and the medicine is for internal use or oral application, the following warning statements are required on the label:

- (CAFF) 'Contains [state quantity per dosage unit or per mL or per gram of product] total caffeine [per dosage unit or per mL or per gram]. A cup of instant coffee contains approximately 80mg of caffeine.'

- (CAFFPREG) 'Caffeine intake more than 200 mg per day is not recommended during pregnancy or breastfeeding.'

When the maximum recommended daily dose of the medicine provides greater than 80 mg of total caffeine and the medicines is for internal use or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>oral application, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (CAFFLMT) 'Limit the use of caffeine-containing products (including tea and coffee) when taking this product.' - (CAFFCYP) 'Caffeine interacts with enzyme CYP1A2 in the liver. Consult your health professional before taking with other medicines' (or words to that effect).
1059	CAJUPUT OIL	A, E, H	<p>Cineole is a mandatory component of Cajuput oil.</p> <p>When the concentration in the medicine is more than 25%, the nominal capacity of the container must be no more than 25 mL.</p> <p>When the concentration in the medicine is more than 25% and the nominal capacity of the container is more than 15 mL, a child resistant closure and restricted flow insert must be fitted on the container.</p> <p>When the concentration in the medicine is more than 25% and the nominal capacity of the container is less than 15 mL, a restricted flow insert must be fitted to the container.</p> <p>When the concentration in the medicine is more than 25%, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or word to that effect) - (NTAKEN) 'Not to be taken'. <p>When the concentration of cineole in the preparation is more than 25%, the nominal capacity of the container must not be more than 25 mL.</p>

			<p>When the concentration of cineole in the preparation is more than 25% and the nominal capacity of the container is more than 15 mL but no more than 25mL, the medicine must have a child resistant closure and restricted flow insert fitted on the container and the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or word to that effect) - (NTAKEN) 'Not to be taken'. <p>When the concentration of cineole in the preparation is more than 25% and the nominal capacity of the container is no more than 15 mL, the medicine must have the restricted flow insert fitted on the container and the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or word to that effect) - (NTAKEN) 'Not to be taken'.
1060	CALAMINE	A, E	<p>Only for use as an active or excipient ingredient for dermal application.</p> <p>When used as an active ingredient, can only be supplied as an un compounded medicine substance packed for retail sale and must comply with an un compounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.</p>
1061	CALCIFEDIOL MONOHYDRATE	A	The maximum recommended

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>daily dose of the medicine must not provide more than 10 micrograms of calcifediol.</p> <p>Only for use in oral medicines.</p> <p>Calcifediol must not be used in medicines with other Vitamin D analogues; such as ergocalciferol or colecalciferol.</p> <p>The medicine requires the following warning statements on the label:</p> <ul style="list-style-type: none"> - (CFEDIOL) 'Calcifediol may have similar effects to Vitamin D. Consult your health care professional before taking in combination with other medicines.' (or words to that effect); - (OTHVITD) 'The medicine should not be taken in combination with supplements containing Vitamin D without medical advice' (or words to that effect); - (CHILD9) 'Use in children under 9 years is not recommended' (or words to that effect).
1062	CALCIFIED LITHOTHAMNION SPECIES	A	Only for use in oral medicines.
1063	CALCIFIED LITHOTHAMNION TOPHIFORME	A	Only for oral use.
1064	CALCIUM ALGINATE	E	
1065	CALCIUM AMINO ACID CHELATE	A, H	<p>Calcium is a mandatory component of calcium amino acid chelate.</p> <p>The concentration of calcium in the calcium amino acid chelate must be no more than 25% w/w.</p>
1066	CALCIUM ASCORBATE	A, E, H	
1067	CALCIUM ASCORBATE DIHYDRATE	A, E, H	
1068	CALCIUM ASPARTATE	A	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1069	CALCIUM ASPARTATE HYDROCHLORIDE DIHYDRATE	A	Only for use in oral medicines.
1070	CALCIUM BEHENATE	E	Behenic acid is a mandatory component of Calcium behenate. When for oral ingestion, the maximum recommended daily dose must not provide more than 383.5 mg of Behenic acid.
1071	CALCIUM BETA-HYDROXY- BETA-METHYLBUTYRATE	A, H	
1072	CALCIUM BETA-HYDROXY- BETA-METHYLBUTYRATE MONOHYDRATE	A, H	
1073	CALCIUM CARBONATE	A, E, H	
1074	CALCIUM CASEINATE	E	
1075	CALCIUM CHLORIDE DIHYDRATE	E	
1076	CALCIUM CITRATE	A, E, H	
1077	CALCIUM CITRATE TETRAHYDRATE	A, E, H	
1078	CALCIUM DIASPARTATE	A	Only for use in oral medicines.
1079	CALCIUM FLUORIDE	H	The percentage of fluoride from Calcium fluoride should be calculated based on the molecular weight of Calcium fluoride. The concentration of fluoride in the product from all ingredients must be no more than 10mg/kg or 10mg/L or 0.1%.
1080	CALCIUM FOLINATE	A	Folinic acid is a mandatory component of calcium folinate. The maximum recommended daily dose must not provide more than 500 micrograms of folinic acid. When the medicine contains a combination of folic acid, folinic acid or levomefolic acid, the medicine must not

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			provide more than a combined total of 500 micrograms of folic acid, folinic acid and levomefolic acid per maximum recommended daily dose.
1081	CALCIUM GLUCONATE MONOHYDRATE	A, E, H	
1082	CALCIUM GLYCEROPHOSPHATE	A, E, H	
1083	CALCIUM GLYCINATE	A	Only for use in oral medicines.
1084	CALCIUM GLYCINATE DIHYDRATE	A	
1085	CALCIUM HEXAFLUOROSILICATE	H	Only for use as an active homoeopathic ingredient.
1086	CALCIUM HYDROGEN PHOSPHATE	A, E, H	
1087	CALCIUM HYDROGEN PHOSPHATE DIHYDRATE	A, E, H	
1088	CALCIUM HYDROGEN PHOSPHATE MONOHYDRATE	A, E, H	
1089	CALCIUM HYDROXIDE	A, E, H	When used as a standard active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia as in force or existing from time to time.
1090	CALCIUM HYDROXYCITRATE	A, H	
1091	CALCIUM HYPOPHOSPHITE	H	Only for use as an active homoeopathic ingredient.
1092	CALCIUM IODIDE	H	Only for use as an active homoeopathic ingredient.
1093	CALCIUM KETOGLUCONATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			for use in the eye or on damaged skin. The concentration must be no more than 1%
1094	CALCIUM L-THREONATE	A	Only for use in oral medicines.
1095	CALCIUM LACTATE	A, E, H	
1096	CALCIUM LACTATE GLUCONATE	A, E, H	
1097	CALCIUM LACTATE PENTAHYDRATE	A, E, H	
1098	CALCIUM LACTATE TRIHYDRATE	A, E, H	
1099	CALCIUM LYSINATE	A	Only for use in oral medicines.
1100	CALCIUM METHIONINATE	A	Only for use in oral medicines.
1101	CALCIUM OROTATE	A, E, H	
1102	CALCIUM OXIDE	E	Only for use in topical medicines for dermal application.
1103	CALCIUM PANTOTHENATE	A, E, H	
1104	CALCIUM PHOSPHATE	A, E, H	
1105	CALCIUM PYRUVATE	A	
1106	CALCIUM SACCHARATE	E	
1107	CALCIUM SILICATE	E	
1108	CALCIUM SODIUM CASEINATE	A, H	
1109	CALCIUM SODIUM LACTATE	A, E, H	
1110	CALCIUM STEARATE	E	
1111	CALCIUM SUCCINATE	A, E, H	
1112	CALCIUM SULFATE	A, E, H	
1113	CALCIUM SULFATE DIHYDRATE	A, E, H	
1114	CALCIUM SULFIDE	H	Only for use as an active homoeopathic ingredient.
1115	CALCIUM THREONINATE	A	
1116	CALENDULA FLOWER DRY	A, E, H	
1117	CALENDULA FLOWER POWDER	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1118	CALENDULA OFFICINALIS	A, E, H	
1119	CALLERYA RETICULATA	A, H	
1120	CALLICARPA PEDUNCULATA	A, H	
1121	CALLISTEPHUS CHINENSIS	A, H	
1122	CALLITRIS COLUMELLARIS	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1123	CALLITRIS COLUMELLARIS SUBSP. INTRATROPICA	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1124	CALLITRIS RHOMBOIDEA	A, H	
1125	CALLUNA VULGARIS	A, E, H	
1126	CALOCHORTUS TOLMIEI	A, H	
1127	CALTHA PALUSTRIS	A, H	
1128	CALUMBA ROOT DRY	A, H	
1129	CALUMBA ROOT POWDER	A, H	
1130	CALVATIA GIGANTEA	A, E, H	
1131	CALYCANTHUS FLORIDUS	A, H	
1132	CALYCANTHUS PRAECOX	A, H	
1133	CAMELLIA JAPONICA	A, H	
1134	CAMELLIA OLEIFERA	A, E, H	If Camellia oleifera (seed oil) is used as a solvent, it is restricted to topical or sunscreen preparations for dermal application only.
1135	CAMELLIA SINENSIS	A, E, H	Caffeine is a mandatory component of Camellia sinensis. When the medicine is packaged for supply as a

divided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 33%.

When for internal use or oral application, the maximum recommended daily dose of the medicine must provide no more than 400 mg of total caffeine.

When the medicine is packaged for supply as an undivided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 1%.

When the medicine is for internal use or oral application, a maximum recommended dose of the medicine must not provide more than 100 mg of total caffeine within a 3 hour period.

When the maximum recommended daily dose of the medicine provides greater than 10 mg of total caffeine and the medicine is for internal use or oral application, the following warning statements are required on the label:

- (ADULT) 'Adults only' (or words to that effect).

- (CAFF) 'Contains [state quantity per dosage unit or per mL or per gram of product] total caffeine [per dosage unit or per mL or per gram]. A cup of instant coffee contains approximately 80mg of caffeine.'

- (CAFFPREG) 'Caffeine intake more than 200 mg per day is not recommended during pregnancy or breastfeeding.'

When the maximum recommended daily dose of the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>medicine provides greater than 80 mg of total caffeine and the medicines is for internal use or oral application, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (CAFFLMT) 'Limit the use of caffeine-containing products (including tea and coffee) when taking this product.' - (CAFFCYP) 'Caffeine interacts with enzyme CYP1A2 in the liver. Consult your health professional before taking with other medicines' (or words to that effect).
1136	CAMPHENE	E	<p>Permitted for use only in combination with other permitted ingredients as a coating solution, a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1137	CAMPHOLENIC ALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as part of a flavour proprietary excipient formulation.</p> <p>The total flavour proprietary excipient formulation in a medicine must be no more than 5%.</p>
1138	CAMPHOR	A, E, H	<p>In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%.</p> <p>In liquid preparations, the concentration of camphor must be no more than 2.5%.</p>

1139	CAMPHOR BENZALKONIUM METHOSULFATE	A	<p>Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the preparation must not be more than 6%.</p> <p>When used in primary sunscreen products, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
1140	CAMPHOR OIL BROWN	A, H	<p>camphor, cineole and safrole are mandatory components of camphor oil brown.</p> <p>In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%.</p> <p>In liquid preparations other than essential oils, the concentration of camphor must be no more than 2.5%.</p> <p>In essential oil preparations, if the concentration of camphor is more than 2.5% but less than or equal to 10%, and the nominal capacity of the container is less than 25 millilitres, the medicine must have a restricted flow insert fitted on the container and include the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'.

In essential oil preparations, if the concentration of camphor is more than 10%, and the nominal capacity of the container is less than 15 millilitres, the medicine must have a restricted flow insert fitted on the container and include the following warning statements on the medicine label:

- (CHILD) 'Keep out of reach of children' (or words to that effect); and

- (NTAKEN) 'Not to be taken'.

In essential oil preparations, if the concentration of camphor is more than 10%, and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a restricted flow insert and child resistant closure fitted on the container and include the following warning statements on the medicine label:

- (CHILD) 'Keep out of reach of children' (or words to that effect); and

- (NTAKEN) 'Not to be taken'.

When the concentration of cineole in the preparation is more than 25%, the nominal capacity of the container must not be more than 25 millilitres.

When the concentration of cineole in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a child resistant closure and restricted flow insert fitted on the container and include the following warning statements on the

			<p>medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. <p>When the concentration of cineole in the preparation is more than 25% and the nominal capacity of the container is no more than 15 millilitres, the medicine must have the restricted flow insert fitted on the container and include the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. <p>When for internal use then the concentration of safrole in a medicine must be no more than 0.1%.</p> <p>When for topical use then the concentration of safrole in a medicine must be no more than 1.0%.</p> <p>If the concentration of camphor is more than 2.5%, the nominal capacity of the container must be no more than 25mL.</p>
1141	CAMPHOR OIL WHITE	A, E, H	<p>Camphor and safrole are mandatory components of camphor oil white.</p> <p>In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%.</p> <p>In liquid preparations other than essential oils, the concentration of camphor must be no more than 2.5%.</p> <p>In essential oil preparations, if the concentration of camphor is more than 2.5% but less than or</p>

equal to 10%, and the nominal capacity of the container is less than 25 millilitres, the medicine must have a restricted flow insert fitted on the container and include the following warning statements on the medicine label:

- (CHILD) 'Keep out of reach of children' (or words to that effect); and

- (NTAKEN) 'Not to be taken'.

In essential oil preparations, if the concentration of camphor is more than 10%, and the nominal capacity of the container is less than 15 millilitres, the medicine must have a restricted flow insert fitted on the container and include the following warning statements on the medicine label:

- (CHILD) 'Keep out of reach of children' (or words to that effect); and

- (NTAKEN) 'Not to be taken'.

In essential oil preparations, if the concentration of camphor is more than 10%, and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a restricted flow insert and child resistant closure fitted on the container and include the following warning statements on the medicine label:

- (CHILD) 'Keep out of reach of children' (or words to that effect); and

- (NTAKEN) 'Not to be taken'.

When for internal use then the concentration of safrole in a medicine must be no more than 0.1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			When for topical use then the concentration of safrole in a medicine must be no more than 1.0%. If the concentration of camphor is more than 2.5%, the nominal capacity of the container must be no more than 25mL.
1142	CAMPSIS GRANDIFLORA	A, H	
1143	CANADA BALSAM	A, H	
1144	CANANGA ODORATA	A, E, H	
1145	CANANGA OIL	A, E, H	
1146	CANARIUM INDICUM	A, H	Only for use when the plant part is seed and the plant preparation is oil.
1147	CANARIUM LUZONICUM	A, H	
1148	CANDELILLA WAX	A, E, H	
1149	CANDIDA ALBICANS	H	Only for use as an active homoeopathic ingredient.
1150	CANDIDA UTILIS	A, E, H	When used as an excipient, only for use in medicines in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total flavour proprietary excipient formulation in a medicine must not be more than 5%.
1151	CANINE MILK	H	Only for use as an active homoeopathic ingredient.
1152	CANOLA OIL	A, E, H	Allyl isothiocyanate is a mandatory component of canola oil when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1153	CANTHARIDES	H	Only available as an active homoeopathic ingredient.
1154	CANTHAXANTHIN	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
1155	CAPRIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1156	CAPROIC ALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1157	CAPRYLIC ALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a coating solution, a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1158	CAPRYLIC/CAPRIC GLYCERIDES	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1159	CAPRYLIC/CAPRIC/ISOSTEARIC /ADIPIC TRIGLYCERIDE	E	
1160	CAPRYLIC/CAPRIC/MYRISTIC/S TEARIC TRIGLYCERIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine is not to exceed 3%
1161	CAPRYLIC/CAPRIC/STEARIC TRIGLYCERIDE	E	Only for use in topical medicines for dermal application.
1162	CAPRYLOYL GLYCERIN/SEBACIC ACID COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%.
1163	CAPRYLOYL GLYCINE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 2%
1164	CAPRYLOYL SALICYLIC ACID	E	Only for use in topical medicines for dermal

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must not be more than 0.3%.
1165	CAPRYLYL GLYCOL	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2%
1166	CAPRYLYL METHICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 10%.
1167	CAPSELLA BURSA-PASTORIS	A, H	
1168	CAPSICUM	E, H	Only for use as an active homoeopathic or excipient ingredient.
1169	CAPSICUM ANNUUM	A, E, H	
1170	CAPSICUM DRY	A, E, H	
1171	CAPSICUM FRUIT OLEORESIN	A, E	
1172	CAPSICUM FRUTESCENS	A, E, H	
1173	CAPSICUM POWDER	A, E, H	
1174	CARALLUMA ADSCENDENS VAR. FIMBRIATA	A	The plant part must be herb and the plant preparation must be a hydroethanolic extract.
1175	CARAMEL	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1176	CARAPICHEA IPECACUANHA	A, H	Emetine is a mandatory component of Carapichea ipecacuanha. The concentration of emetine in the medicine must not be more than 0.2%.
1177	CARAWAY DRY	A, H	
1178	CARAWAY OIL	A, E, H	
1179	CARAWAY POWDER	A, H	
1180	CARBOMER 1342	E	Only for use as an excipient in topical medicines for dermal application.
1181	CARBOMER 2001	E	Only for use as an excipient ingredient in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration must be no more than 1% in formulations at pH 7 (approximately neutral) and 0.1% in formulations at a different pH.
1182	CARBOMER 934	E	Only for use in topical medicines for dermal application.
1183	CARBOMER 934P	E	Only for use in topical medicines for dermal application.
1184	CARBOMER 940	E	Only for use in topical medicines for dermal application.
1185	CARBOMER 941	E	Only for use as an excipient in topical medicines for dermal application.
1186	CARBOMER 954	E	Only for use as an excipient in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1187	CARBOMER 980	E	Only for use as an excipient in topical medicines for dermal application.
1188	CARBOMER 981	E	Only for use as an excipient in topical medicines for dermal application.
1189	CARBOMER COPOLYMER (TYPE B)	E	Only for use as an excipient in topical medicines for dermal application.
1190	CARBOMER HOMOPOLYMER (TYPE B)	E	Only for use as an excipient in topical medicines for dermal application.
1191	CARBOMER U-10	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
1192	CARBON	E, H	Only for use as an active homoeopathic or excipient ingredient.
1193	CARBON BLACK	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
1194	CARBON DIOXIDE	E	
1195	CARDAMOM FRUIT DRY	A, H	
1196	CARDAMOM FRUIT POWDER	A, E, H	
1197	CARDAMOM OIL	A, E, H	
1198	CARDIOSPERMUM HALICACABUM	A, H	
1199	CARICA PAPAYA	A, E, H	
1200	CARLINA ACAULIS	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1201	CARMELLOSE	E	
1202	CARMELLOSE CALCIUM	E	
1203	CARMELLOSE SODIUM	E	
1204	CARMINE	E	Permitted for use only as a colour for oral and topical use.
1205	CARMOISINE	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
1206	CARMOISINE ALUMINIUM LAKE	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
1207	CARNAUBA WAX	A, E, H	
1208	CARNOSINE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.2%.
1209	CAROB BEAN EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1210	CAROB GUM	E	
1211	CAROB POD	E	
1212	CAROTENES	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
1213	CARPINUS BETULUS	A, H	
1214	CARPINUS CORDATA	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1215	CARRAGEENAN	E	
1216	CARROT	E	
1217	CARROT SEED OIL	A, E, H	
1218	CARTHAMUS TINCTORIUS	A, E, H	<p>Carthamus tinctorius (safflower oil) when used as a solvent is restricted to topical or sunscreen preparations for dermal application only.</p> <p>If for oral use, the medicine requires the following warning statement on the medicine label:</p> <p>- (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect).</p>
1219	CARUM CARVI	A, H	
1220	CARVACROL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
1221	CARVACRYL METHYL ETHER	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1222	CARVEOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			medicine must be no more 1%.
1223	CARVONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1224	CARVYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1225	CARYA ILLINOINENSIS	A, H	
1226	CARYA OVATA	A, H	
1227	CARYOPHYLLENE OXIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1228	CASCARA DRY	A, H	Hydroxyanthracene derivatives calculated as cascarioside A is a mandatory component of cascara dry when the route of administration is oral. When used in oral medicines,

if the maximum recommended daily dose contains more than 10 mg of hydroxyanthracene derivatives the medicine requires the following warning statements on the medicine label:

- (CHILD3) 'Use in children under 12 years is not recommended';
- (LAX2) 'Prolonged use may cause serious bowel problems'; and
- (LAX3) 'Do not use when abdominal pain, nausea or vomiting are present, or if you develop diarrhoea. If you are pregnant or breast feeding, seek the advice of a healthcare professional before taking this product' [or words to that effect].

When promoted or marketed as a laxative, the medicine requires the following warning statement on the medicine label:

- (LAX1) 'Drink plenty of water' [or words to that effect].

When not promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:

- (LAX5) 'This product contains [name of the herb(s) or the chemical component(s)]'; and
- (LAX4) 'This product may have laxative effect'.

When used in oral medicines, if the maximum recommended daily dose contains less than 10 mg of hydroxyanthracene derivatives and is promoted or marketed as laxative, the medicine requires the following warning statements

			<p>on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD3) ‘Use in children under 12 years is not recommended’; - (LAX1) ‘Drink plenty of water’ [or words to that effect]; and - (LAX2) ‘Prolonged use may cause serious bowel problems’.
1229	CASCARA POWDER	A, H	<p>Hydroxyanthracene derivatives calculated as cascarioside A is a mandatory component of cascara powder when the route of administration is oral administration.</p> <p>When used in oral medicines, if the maximum recommended daily dose contains more than 10 mg of hydroxyanthracene derivatives the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD3) ‘Use in children under 12 years is not recommended’; - (LAX2) ‘Prolonged use may cause serious bowel problems’; and - (LAX3) ‘Do not use when abdominal pain, nausea or vomiting are present, or if you develop diarrhoea. If you are pregnant or breast feeding, seek the advice of a healthcare professional before taking this product’ (or words to that effect). <p>When promoted or marketed as a laxative, the medicine requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (LAX1) ‘Drink plenty of water’ (or words to that effect). <p>When not promoted or</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>marketed as laxative, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (LAX5) ‘This product contains [name of the herb(s) or the chemical component(s)]’; and - (LAX4) ‘This product may have laxative effect’. <p>When used in oral medicines, if the maximum recommended daily dose contains less than 10 mg of hydroxyanthracene derivatives and is promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD3) ‘Use in children under 12 years is not recommended’; - (LAX1) ‘Drink plenty of water’ (or words to that effect); and - (LAX2) ‘Prolonged use may cause serious bowel problems’.
1230	CASCARILLA OIL	A, H	The medicine must not contain more than 1mg of the equivalent dry herbal material per the maximum recommended daily dose.
1231	CASEIN	E	
1232	CASHEW NUT	E	
1233	CASSIA ALATA LEAF EXTRACT	E	<p>Only for use as an excipient ingredient in sunscreens for dermal application and not to be intended for use in the eye.</p> <p>The extraction ratio of the Cassia alata can only be 1:3 in 62.5% glycerine:water.</p> <p>The concentration in the medicine must be no more than 0.0275%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1234	CASSIA CINNAMON BARK DRY	A, H	When used as an active ingredient, the concentration of coumarin in the medicine must be no more than 0.001%.
1235	CASSIA CINNAMON BARK POWDER	A, H	When used as an active ingredient, the maximum daily dose of the medicine must contain no more than 0.001% of coumarin.
1236	CASSIA FISTULA	A, E, H	<p>Hydroxyanthracene glycosides calculated as sennoside B is a mandatory component of Cassia fistula when the route of administration is oral.</p> <p>When used in oral medicines, if the maximum recommended daily dose contains more than 10 mg of hydroxyanthracene derivatives the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD3) 'Use in children under 12 years is not recommended'; - (LAX2) 'Prolonged use may cause serious bowel problems'; and - (LAX3) 'Do not use when abdominal pain, nausea or vomiting are present, or if you develop diarrhoea. If you are pregnant or breast feeding, seek the advice of a healthcare professional before taking this product' (or words to that effect). <p>When promoted or marketed as a laxative, the medicine requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (LAX1) 'Drink plenty of water' (or words to that effect). <p>When not promoted or</p>

marketed as laxative, the medicine requires the following warning statements on the medicine label:

- (LAX5) 'This product contains [name of the herb(s) or the chemical component(s)]'; and

- (LAX4) 'This product may have laxative effect'.

When used in oral medicines, if the maximum recommended daily dose contains less than 10 mg of hydroxyanthracene derivatives and is promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:

- (CHILD3) 'Use in children under 12 years is not recommended';

- (LAX1) 'Drink plenty of water' (or words to that effect); and

- (LAX2) 'Prolonged use may cause serious bowel problems'.

When Cassia fistula is for use as an excipient:

(a) the plant part must be fruit; and

(b) must only be included in medicines when in combination with other permitted ingredients as a:

(i) flavour proprietary excipient formulation when the plant preparation is an extract; and/or

(ii) fragrance proprietary excipient formulation when the plant preparation is an essential oil.

The total concentration of flavour proprietary excipient formulations containing Cassia fistula must not be more than 5% of the total medicine.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			The total concentration of fragrance proprietary excipient formulations containing Cassia fistula must not be more than 1% of the total medicine.
1237	CASSIA OIL	A, E, H	The concentration of Cassia oil in the product must be no more than 2% unless the preparation is for dermal use as a rubefacient, in which case the concentration of cassia oil must be no more than 5%.
1238	CASSIE ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1239	CASTANEA MOLLISSIMA	A, H	
1240	CASTANEA SATIVA	A, H	
1241	CASTOR OIL	A, E	
1242	CASTOREUM	H	Only permitted for use as an active homoeopathic ingredient.
1243	CASUARINA EQUISTITIFOLIA	A, H	
1244	CATALPA BIGNONIOIDES	A, H	
1245	CATALPA OVATA	A, H	
1246	CATECHU	A, H	
1247	CATHARANTHUS ROSEUS	A, H	Vinblastine, vincamine, vincristine, vindesine, vinorelbine and yohimbine are mandatory components of Catharanthus roseus. The concentration of vinblastine, vincamine, vincristine, vindesine,

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			vinorelbine and yohimbine in the medicine must be no more than 10mg/kg or 10 mg/L or 0.001%.
1248	CAULIFLOWER	E	
1249	CAULOPHYLLUM THALICTROIDES	A, E, H	
1250	CAUSTICUM	H	Only for use as an active homoeopathic ingredient.
1251	CEANOTHUS AMERICANUS	A, H	
1252	CEDAR LEAF OIL	A, E, H	
1253	CEDARWOOD OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1254	CEDARWOOD OIL TERPENES	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1255	CEDARWOOD OIL VIRGINIA	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1256	CEDRENOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1257	CEDRENYLACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1258	CEDROL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1259	CEDRUS ATLANTICA	A, E, H	
1260	CEDRUS ATLANTICA WOOD OIL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1261	CEDRUS DEODARA	A, H	
1262	CEDRUS LIBANI	H	Only for use as an active homoeopathic ingredient.
1263	CEDRYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1264	CEDRYL METHYL ETHER	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1265	CELERY LEAF	E, H	
1266	CELERY SEED DRY	A, E, H	
1267	CELERY SEED OIL	A, E, H	
1268	CELERY SEED POWDER	A, H	
1269	CELLACEFATE	E	
1270	CELLULASE	A	Must be derived from <i>Trichoderma longibrachiatum</i> only.
1271	CELLULOSE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1272	CELOSIA ARGENTEA	A, H	
1273	CELOSIA ARGENTEA L. VAR. CRISTATA	A, H	
1274	CENTAUREA CYANUS	A, E, H	
1275	CENTAURIUM ERYTHRAEA	A, H	
1276	CENTELLA ASIATICA	A, E, H	
1277	CENTELLA ASIATICA MERISTEM CELL CULTURE	E	Only for use as an excipient ingredient in topical medicines for dermal application and not to be included in medicines intended for use in the eye or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			on damaged skin. The concentration in the medicine must be no more than 0.05%.
1278	CENTIPEDA CUNNINGHAMII	A, E, H	
1279	CENTIPEDA MINIMA	A, H	
1280	CEPHALANOPSIS SEGETUM	A, H	
1281	CERAMIDE 1	E	Only for use in topical medicines for dermal application.
1282	CERAMIDE 2	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 0.05%.
1283	CERAMIDE 3	E	Only for use in topical medicines for dermal application.
1284	CERATONIA SILIQUA	A, E, H	
1285	CERATOSTIGMA WILLMOTTIANUM	A, H	
1286	CERESIN	E	Only for use in topical medicines for dermal application.
1287	CESTRUM LATIFOLIUM	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The plant part must be leaf and must be a water extract. The concentration must be no more than 0.5%.
1288	CETEARETH-12	E	Only for use in topical

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicines for dermal application.
1289	CETEARETH-2	E	Only for use in topical medicines for dermal application.
1290	CETEARETH-20	E	Only for use in topical medicines for dermal application.
1291	CETEARETH-25	E	Only for use in topical medicines for dermal application.
1292	CETEARETH-30	E	Only for use in topical medicines for dermal application.
1293	CETEARETH-33	E	Only for use as an excipient ingredient for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.2%. Residual levels of 1,4-dioxane oxide (and related substances) are to be kept below the level of detection.
1294	CETEARYL GLUCOSIDE	E	Only for use in topical medicines for dermal application.
1295	CETEARYL ISONONANOATE	E	Only for use in topical medicines for dermal application.
1296	CETEARYL NONANOATE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 2

			The concentration in the medicine must not be more than 5%.
1297	CETEARYL OCTANOATE	E	Only for use in topical medicines for dermal application.
1298	CETETH-10	E	Only for use in topical medicines for dermal application.
1299	CETETH-2	E	Only for use in topical medicines for dermal application.
1300	CETETH-24	E	Only for use in topical medicines for dermal application.
1301	CETETH-5	E	Only for use in topical medicines for dermal application.
1302	CETOMACROGOL 1000	E	Only for use in topical medicines for dermal application.
1303	CETOMACROGOL 1000 PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 2%.
1304	CETOMACROGOL 500 PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicine must be no more than 2%.
1305	CETOSTEARYL ALCOHOL	E	
1306	CETOSTEARYL ALCOHOL/COCO-GLUCOSIDE COMPLEX	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 5.0 %
1307	CETRARIA ISLANDICA	A, H	
1308	CETRIMONIUM BROMIDE	E	Only for use in topical medicines for dermal application.
1309	CETRIMONIUM CHLORIDE	E	Only for use in topical medicines for dermal application.
1310	CETYL ACETATE	E	Only for use in topical medicines for dermal application.
1311	CETYL ALCOHOL	E	Only for use in topical medicines for dermal application.
1312	CETYL DIMETHICONE COPOLYOL	E	Only for use in topical medicines for dermal application.
1313	CETYL DIMETICONE	E	Only for use in topical medicines for dermal application.
1314	CETYL DIMETICONE/BIS-VINYLDIMETICONE CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			The concentration in the medicine must be no more than 0.1%.
1315	CETYL ESTERS WAX	E	Only for use in topical medicines for dermal application.
1316	CETYL HYDROXYETHYLCELLULOSE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
1317	CETYL LACTATE	E	Only for use in topical medicines for dermal application.
1318	CETYL OCTANOATE	E	Only for use in topical medicines for dermal application.
1319	CETYL PALMITATE	E	Only for use in topical medicines for dermal application.
1320	CETYL PHOSPHATE	E	Only for use in topical medicines for dermal application.
1321	CETYL-PG HYDROXYETHYL PALMITAMIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 8%.
1322	CETYL PYRIDINIUM CHLORIDE	A, E	When used as an excipient ingredient, only for use in topical medicines for dermal

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>application.</p> <p>When used as an active ingredient:</p> <p>a) permitted for use only in medicated throat lozenges;</p> <p>b) the medicine must not contain more than 2 mg of cetylpyridinium chloride per lozenge;</p> <p>c) the maximum recommended daily dose of the medicine must not provide more than 24 mg of cetylpyridinium chloride; and</p> <p>d) the medicine label must specify that the medicine is only to be used for 7 days (or less).</p>
1323	CHAENOMELES LAGENARIA	A, H	
1324	CHAENOMELES SPECIOSA	A, H	
1325	CHALK	A, E	<p>When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.</p>
1326	CHAMAECYPARIS LAWSONIANA	A, H	
1327	CHAMAELIRIUM LUTEUM	A, H	
1328	CHAMAEMELUM NOBILE	A, E, H	
1329	CHAMOMILE FLOWER DRY	A, E, H	
1330	CHAMOMILE OIL ENGLISH	A, E, H	
1331	CHAMOMILE OIL GERMAN	A, E, H	
1332	CHANGIUM SMYRNIODES	A, H	
1333	CHEIRANTHUS CHEIRI	A, H	
1334	CHELIDONIUM MAJUS	A, E, H	<p>When for oral or sublingual use, the medicine requires the following warning statement on the medicine label:</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			- (CELAND) 'WARNING: Greater Celandine may harm the liver in some people. Use only under the supervision of a healthcare professional'.
1335	CHELONE GLABRA	A, H	
1336	CHENOPODIUM ALBUM	A, H	
1337	CHENOPODIUM VULVARIA	A, H	
1338	CHERRY	E	
1339	CHERRY DISTILLATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1340	CHESTNUT SWEET	E, H	
1341	CHICKEN COMB EXTRACT	A	
1342	CHILLI	E, H	
1343	CHIMAPHILA UMBELLATA	A, H	Beta-arbutin is a mandatory component of Chimaphila umbellata. When for oral use, the maximum recommended daily dose must not provide more than 500 mg of beta-arbutin. When for dermal application exclusively to the face: a) the concentration of beta- arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for use other than oral or dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			mg/kg or 10 mg/L or 0.001%.
1344	CHIONANTHUS VIRGINICA	A, H	
1345	CHLORELLA	E	<p>Iodine is a mandatory component of Chlorella.</p> <p>Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less.</p> <p>Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.</p>
1346	CHLORELLA PYRENOIDOSA	E	
1347	CHLORELLA VULGARIS	A, E	<p>Iodine is a mandatory component of Chlorella vulgaris.</p> <p>Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less.</p> <p>Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.</p>
1348	CHLORHEXIDINE ACETATE	E	Only for use in topical medicines for dermal application.
1349	CHLORHEXIDINE GLUCONATE	E	Only for use in topical medicines for dermal application.
1350	CHLOROBUTANOL HEMIHYDRATE	E	<p>Only for use in topical preparations for dermal application.</p> <p>The concentration in the medicine must be no more than 0.5%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1351	CHLOROCRESOL	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 3%.
1352	CHLOROFORM	E	The residual solvent limit must be no more than 0.6 mg per recommended daily dose and the concentration in the medicine must be no more than 0.006%.
1353	CHLOROPHYLL	A, E	Only for use as a colour in oral and topical medicines.
1354	CHLOROPHYLL-COPPER COMPLEXES	E	Only for use as a colour in oral and topical medicines.
1355	CHLOROPHYLLIN-COPPER COMPLEX	E	Only for use as a colour in oral and topical medicines.
1356	CHLOROPHYLLIN-COPPER COMPLEX ALUMINIUM LAKE	E	Only for as a colour in oral and topical medicines.
1357	CHLOROXYLENOL	E	Only for use in topical medicines for dermal application.
1358	CHLORPHENESIN	E	Only for use in topical medicines for dermal application.
1359	CHOCOLATE BROWN HT	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
1360	CHOLESTEROL	E, H	Only for use as an active ingredient in homoeopathic medicines or an excipient ingredient in topical preparations.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1361	CHOLESTERYL HYDROXYSTEARATE	E	Only for use in topical medicines for dermal application.
1362	CHOLESTERYL MACADAMIATE	E	Only for use in topical medicines for dermal application.
1363	CHOLESTERYL/BEHENYL/OCTY LDODECYL LAUROYL GLUTAMATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.5%.
1364	CHOLETH-24	E	Only for use in topical medicines for dermal application.
1365	CHOLINE BITARTRATE	A, E	
1366	CHOLINE DIHYDROGEN CITRATE	A	Only for use in oral medicines.
1367	CHONDRODENDRON TOMENTOSUM	A, H	The concentration of equivalent dry Chondrodendron tomentosum in the product must be no more than 10mg/Kg or 10mg/L or 0.001%.
1368	CHONDRUS CRISPUS	A, E, H	Iodine is a mandatory component of Chondrus crispus. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 2

1369	CHONDRUS DRY	A, E, H	<p>Iodine is a mandatory component of Chondrus dry.</p> <p>Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less.</p> <p>Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.</p>
1370	CHONDRUS EXTRACT	A, E, H	<p>Iodine is a mandatory component of Chondrus extract.</p> <p>Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less.</p> <p>Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.</p>
1371	CHROMIC CHLORIDE HEXAHYDRATE	A, H	<p>When used as an active ingredient in a preparation for mineral supplementation, chromium is a mandatory component of chromic chloride hexahydrate.</p> <p>The amount of chromium in the active ingredient should be calculated based on the molecular weight of chromic chloride hexahydrate.</p> <p>The maximum recommended daily dose must provide 50 micrograms or less of chromium from organic sources (i.e. chromium picolinate, chromium nicotinate and high chromium yeast).</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1372	CHROMIUM NICOTINATE	A	Chromium is a mandatory component of chromium nicotinate. The maximum recommended daily dose must not provide more than 50 micrograms of chromium from organic sources. Chromium nicotinate is considered to be an organic form of chromium.
1373	CHROMIUM PICOLINATE	A	Chromium is a mandatory component of Chromium picolinate. The maximum recommended daily dose must not provide more than 50 micrograms of chromium from organic sources. Chromium picolinate is considered to be an organic form of chromium.
1374	CHRYSANTHEMUM BALSAMITA	A, H	
1375	CHRYSANTHEMUM INDICUM	A, H	
1376	CHRYSANTHEMUM LEUCANTHEMUM	A, H	
1377	CHRYSANTHEMUM MARSHALLII	A, H	
1378	CHRYSANTHEMUM SINENSE	A, H	
1379	CHRYSOPOGON ZIZANIOIDES	A, E, H	
1380	CHRYSOSPORIUM PRUINOSUM	A, H	
1381	CIBOTIUM BAROMETZ	A, H	
1382	CICHORIUM INTYBUS	A, E, H	
1383	CICUTA VIROSA	A, H	The maximum recommended daily dose must be no more than the equivalent of 1mg of the dry herbal material.
1384	CINCHONA BARK DRY	A, H	Quinidine and quinine are mandatory components of Cinchona bark dry.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			The medicine must contain no more than 50 micrograms of quinine and no more than 10 micrograms concentration of quinidine per g or mL.
1385	CINCHONA BARK POWDER	A, H	Quinidine and quinine are mandatory components of Cinchona bark powder. The medicine must contain no more than 50 micrograms of quinine and no more than 10 micrograms concentration of quinidine per g or mL.
1386	CINCHONA OFFICINALIS	A, H	Quinidine and quinine are mandatory components of Cinchona officinalis. The medicine must contain no more than 50 micrograms of quinine and no more than 10 micrograms concentration of quinidine per g or mL.
1387	CINCHONA PUBESCENS	A, H	Quinidine and quinine are mandatory components of Cinchona pubescens. The medicine must contain no more than 50 micrograms of quinine and no more than 10 micrograms concentration of quinidine per g or mL.
1388	CINEOLE	E	In liquid preparations when the concentration of cineole in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>of children' (or words to that effect); and</p> <p>- (NTAKEN) 'Not to be taken'.</p> <p>In liquid preparations, when the concentration of cineole in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.</p>
1389	CINNAMALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1390	CINNAMIC ACID	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1391	CINNAMOMUM CAMPHORA	A, E, H	<p>Camphor, cineole and saffrole are mandatory components of Cinnamomum camphora.</p> <p>In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%.</p> <p>In liquid preparations other than essential oils or distillates, the concentration of camphor</p>

must be no more than 2.5%.

In essential oil preparations or distillates and the concentration of camphor is more than 2.5%, the nominal capacity of the container must be no more than 25 millilitres and the following warning statements must be included on the medicine label:

- (CHILD) 'Keep out of reach of children' (or words to that effect);
 - (NTAKEN) 'Not to be taken';
- and
- Do not apply to infants under 12 months of age except on the advice of a doctor or pharmacist'.

In essential oil preparations or distillates, if the concentration of camphor is more than 2.5% but less than or equal to 10%, and the nominal capacity of the container is less than 25 millilitres, the medicine must have a restricted flow insert fitted on the container.

In essential oil preparations or distillates, if the concentration of camphor is more than 10%, and the nominal capacity of the container is less than 15 millilitres, the medicine must have a restricted flow insert fitted on the container.

In essential oil preparations or distillates, if the concentration of camphor is more than 10%, and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a restricted flow insert and child resistant closure fitted on the container.

In liquid preparations other than essential oils or distillates, when the concentration of cineole in the preparation is

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>more than 25% the nominal capacity of the container must be no more than 25 millilitres and the medicine must include the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. <p>In liquid preparations other than essential oils or distillates, when the concentration of cineole in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a child resistant closure and restricted flow insert fitted on the container.</p> <p>In liquid preparations other than essential oils or distillates, when the concentration of cineole in the preparation is more than 25% and the nominal capacity of the container is no more than 15 millilitres, the medicine must have a restricted flow insert fitted on the container.</p> <p>When for internal use then the concentration of safrole in a medicine must be no more than 0.1%.</p> <p>When for uses other than internal use, the concentration of safrole in a medicine must be no more than 1.0%.</p> <p>When used as an active ingredient, the concentration of coumarin in the medicine must be no more than 0.001%.</p>
1392	CINNAMOMUM CASSIA	A, E	Cassia oil is a mandatory component of Cinnamomum

			<p>cassia if the plant preparation is an essential oil, distillate, fixed oil or infused oil.</p> <p>The concentration of Cassia oil in the medicine must be no more than 2%.</p> <p>When used as an active ingredient, the concentration of coumarin in the medicine must be no more than 0.001%.</p>
1393	CINNAMOMUM VERUM	A, E, H	<p>When used as an active ingredient coumarin is a mandatory component of Cinnamomum verum and the concentration of coumarin in the medicine must be no more than 0.001%.</p> <p>Cinnamon bark oil is a mandatory component of Cinnamomum verum when the plant part is bark and the plant preparation is essential oil, distillate, fixed oil or infused oil.</p> <p>The concentration of cinnamon bark oil in the medicine must be no more than 2%.</p> <p>Cinnamon leaf oil is a mandatory component of Cinnamomum verum when the plant part is leaf.</p> <p>When the concentration of cinnamon leaf oil in the preparation is more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect); and</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>- (NTAKEN) 'Not to be taken'.</p> <p>When the concentration of cinnamon leaf oil in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but no more than 25 millilitres, the medicine must have a child resistant closure and restricted flow insert fitted on the container.</p> <p>When the concentration of cinnamon leaf oil in the preparation is more than 25% and the nominal capacity of the container is no more than 15 millilitres, the container must be fitted with a restricted flow insert.</p>
1394	CINNAMON BARK OIL	A, E, H	<p>The concentration of cinnamon bark oil in the product must be no more than 2%.</p> <p>When used as an active ingredient, the concentration of coumarin in the medicine must be no more than 0.001%.</p>
1395	CINNAMON DRY	A, H	<p>Cinnamon bark oil is a mandatory component of cinnamon dry.</p> <p>The concentration of cinnamon bark oil in the product must be no more than 2%.</p> <p>When used as an active ingredient, the concentration of coumarin in the medicine must be no more than 0.001%.</p>
1396	CINNAMON LEAF OIL	A, E, H	<p>When the concentration of cinnamon leaf oil in the preparation is more than 25%, the nominal capacity of the container must not be more than 25 mL.</p> <p>When the concentration of cinnamon leaf oil in the</p>

			<p>preparation is more than 25% and the nominal capacity of the container is more than 15 mL but no more than 25mL, the medicine must have a child resistant closure and restricted flow insert fitted on the container and requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect). - (NTAKEN) 'Not to be taken'. <p>When the concentration of cinnamon leaf oil in the preparation is more than 25% and the nominal capacity of the container is no more than 15 mL, the container must be fitted with a restricted flow insert and requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect). - (NTAKEN) 'Not to be taken'. <p>When used as an active ingredient, the concentration of coumarin in the medicine must be no more than 0.001%.</p>
1397	CINNAMON POWDER	A, E, H	<p>Cinnamon bark oil is a mandatory component of cinnamon powder.</p> <p>The concentration of cinnamon bark oil in the product must be no more than 2%.</p> <p>When used as an active ingredient, the concentration of coumarin in the medicine must be no more than 0.001%.</p>
1398	CINNAMYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1399	CINNAMYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1400	CINNAMYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1401	CINNAMYL CINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1402	CINNAMYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1403	CINNAMYL ISOBUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
1404	CINNAMYL ISOVALERATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used as a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
1405	CINNAMYL PROPIONATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1406	CINOXATE	A	<p>Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must not be more than 6%.</p> <p>When used in primary sunscreen products, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			words to this effect).
1407	CIS-2-METHYL-4-PROPYL-1,3-OXATHIANE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1408	CIS-3-HEXEN-1-OL	E	<p>cis-3-Hexen-1-ol must only be included in medicines when in combination with other permitted ingredients as a flavour or fragrance proprietary excipient formulation.</p> <p>The total concentration of flavour proprietary excipient formulations containing cis-3-hexen-1-ol must not be more than 5% of the total medicine.</p> <p>The total concentration of fragrance proprietary excipient formulations containing cis-3-hexen-1-ol must not be more than 1% of the total medicine.</p>
1409	CIS-3-HEXENAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
1410	CIS-3-HEXENYL 2-METHYLBUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			5%.
1411	CIS-3-HEXENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1412	CIS-3-HEXENYL BENZOATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1413	CIS-3-HEXENYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1414	CIS-3-HEXENYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1415	CIS-3-HEXENYL HEXANOATE	E	Permitted for use only in combination with other

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1416	CIS-3-HEXENYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1417	CIS-3-HEXENYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1418	CIS-3-HEXENYL LACTATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1419	CIS-3-HEXENYL METHYL CARBONATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 2

1420	CIS-3-HEXENYL SALICYLATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1421	CIS-3-HEXENYL TIGLATE	E	<p>Permitted for use only in combination with other permitted ingredients as part of a flavour or fragrance proprietary excipient formulation.</p> <p>When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.</p> <p>When used in a fragrance, the total fragrance proprietary excipient formulation in a medicine must be no more than 1%.</p>
1422	CIS-4-HEPTENAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
1423	CIS-6-NONEN-1-AL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1424	CIS-6-NONENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1425	CIS-BETA-OCIMENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1426	CIS-HEXAHYDROCUMINYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1427	CIS-JASMONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1428	CISTANCHE DESERTICOLA	A, H	
1429	CISTANCHE SALSA	A, H	
1430	CISTUS LADANIFER	A, E, H	
1431	CITRAL	E	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1432	CITRAL DIETHYL ACETAL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1433	CITRAL DIMETHYL ACETAL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1434	CITRIC ACID	A, E	<p>Where intended for topical use, sponsors should consider the impact of excipients on the sensitivity of the skin to sunlight and should ensure the finished product is safe for its intended purpose.</p> <p>When used as an active ingredient in preparations for topical use, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (SENS) 'Application to skin may increase sensitivity to sunlight.' (or words to that effect) - (SUNPRO) 'Wear protective clothing, hats and eyewear when exposed to the sun.' (or words to that effect) - (IRRIT) 'If irritation develops, discontinue use.' - (SKTEST) 'If you have sensitive skin, test this product on a small area of skin before applying it to a large area.' - (CHILD3) 'Use in children under 12 years is not

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			recommended'
1435	CITRIC ACID DIHYDRATE	A, E	<p>Where intended for topical use, sponsors should consider the impact of excipients on the sensitivity of the skin to sunlight and should ensure the finished product is safe for its intended purpose.</p> <p>When used as an active ingredient in preparations for topical use, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (SENS) 'Application to skin may increase sensitivity to sunlight.' (or words to that effect) - (SUNPRO) 'Wear protective clothing, hats and eyewear when exposed to the sun.' (or words to that effect) - (IRRIT) 'If irritation develops, discontinue use.' - (SKTEST) 'If you have sensitive skin, test this product on a small area of skin before applying it to a large area.' - (CHILD3) 'Use in children under 12 years is not recommended'
1436	CITRIC ACID MONOHYDRATE	A, E	<p>Where intended for topical use, sponsors should consider the impact of excipients on the sensitivity of the skin to sunlight and should ensure the finished product is safe for its intended purpose.</p> <p>When used as an active ingredient in preparations for topical use, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (SENS) 'Application to skin

			<p>may increase sensitivity to sunlight.' (or words to that effect)</p> <p>- (SUNPRO) 'Wear protective clothing, hats and eyewear when exposed to the sun.' (or words to that effect)</p> <p>- (IRRIT) 'If irritation develops, discontinue use.'</p> <p>- (SKTEST) 'If you have sensitive skin, test this product on a small area of skin before applying it to a large area.'</p> <p>- (CHILD3) 'Use in children under 12 years is not recommended.'</p>
1437	CITRIC AND FATTY ACID ESTERS OF GLYCEROL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
1438	CITROL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
1439	CITRON	E	
1440	CITRONELLA OIL	A, E, H	<p>Medicines for topical use containing citronella oil require the following warning statement on the medicine label:</p> <p>- (CITRON) 'Contains citronella oil'.</p>
1441	CITRONELLA TERPENES	E	<p>Permitted for use only in combination with other</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1442	CITRONELLAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1443	CITRONELLIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1444	CITRONELLOL	E	Permitted for use only: (a) in topical medicines for dermal application; and (b) in oral medicines in combination with other permitted ingredients as part of a flavour proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.
1445	CITRONELLYL ACETATE	E	Permitted for use only in

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			<p>combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1446	CITRONELLYL BUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
1447	CITRONELLYL FORMATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1448	CITRONELLYL ISOBUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1449	CITRONELLYL NITRILE	E	<p>Permitted for use only in combination with other</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1450	CITRONELLYL OXYACETALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1451	CITRONELLYL PROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1452	CITRONELLYL TIGLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1453	CITRULLINE	A	Only permitted for use in medicines: (a) limited to oral routes of administration; and (b) when the maximum recommended daily dose does not provide more than 6 g of citrulline.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1454	CITRULLUS COLOCYNTHIS	H	Citrullus colocynthis can only be included in medicines for oral use when the dilution of the mother tincture is 10,000 fold (4X) or more.
1455	CITRULLUS VULGARIS	A, H	
1456	CITRUS AURANTIFOLIA	A, E, H	When the plant preparation is oil or distillate, the warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) in preparations containing 0.5% or less of citrus aurantifolia oil or distillate; or c) for use in soaps or bath or shower gels that are washed off the skin.
1457	CITRUS AURANTIUM	A, E, H	Oxedrine is a mandatory component of Citrus aurantium when intended for internal use. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 mg. When the plant preparation is oil or distillate, the warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) in preparations containing 1.4% or less of citrus aurantium oil or distillate; or c) for use in soaps or bath or shower gels that are washed off the skin.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1458	CITRUS BIOFLAVONOIDS EXTRACT	A, E, H	
1459	CITRUS CHACHIENSIS	A, H	
1460	CITRUS EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1461	CITRUS FIBRE	E	
1462	CITRUS LIMETTA	A, H	When the plant preparation is oil or distillate, the warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) in preparations containing 0.5% or less of citrus limetta oil or distillate; or c) for use in soaps or bath or shower gels that are washed off the skin.
1463	CITRUS LIMON	A, E, H	Oxedrine is a mandatory component of Citrus limon when intended for internal use. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams. When the plant preparation is oil or distillate, the warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) in preparations containing

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			0.05% or less of citrus limon oil or distillate; or c) for use in soaps or bath or shower gels that are washed off the skin.
1464	CITRUS MAXIMA	A, H	
1465	CITRUS MEDICA	A, E, H	When the plant preparation is oil or distillate, the warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) in preparations containing 0.05% or less of citrus medica oil or distillate; or c) for use in soaps or bath or shower gels that are washed off the skin.
1466	CITRUS OIL DISTILLED	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1467	CITRUS OIL TERPENES AND TERPENOIDS	E	Citrus oil terpenes and terpenoids must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total concentration of the fragrance proprietary excipient formulation containing citrus oil terpenes and terpenoids must not be more than 1% of the total medicine.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1468	CITRUS RETICULATA	A, E, H	Oxedrine is a mandatory component of Citrus reticulata when intended for internal use. The quantity of Oxedrine in the recommended daily dose must be no more than 30 mg.
1469	CITRUS SINENSIS	A, E, H	Oxedrine is a mandatory component of Citrus sinensis when intended for internal use. The quantity of Oxedrine in the recommended daily dose must be no more than 30 mg.
1470	CITRUS SINENSIS PEEL MOLASSES EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1471	CITRUS UNSHIU	A, E, H	Oxedrine is a mandatory component of Citrus unshiu when intended for internal use. The quantity of Oxedrine in the recommended daily dose must be no more than 30 mg.
1472	CITRUS X PARADISI	A, E, H	
1473	CITRUS X WILSONII	A, H	
1474	CIVET	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1475	CIVET ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1476	CIVET SYNTHETIC	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1477	CIVETONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1478	CLARY OIL	A, E, H	
1479	CLEMATIS ARMANDII	A, H	
1480	CLEMATIS CHINENSIS	A, E, H	
1481	CLEMATIS RECTA	A, H	
1482	CLEMATIS VITALBA	A, H	
1483	CLERODENDRUM TRICHOTOMUM	A, H	
1484	CLINOPODION POLYCEPHALUM	A, H	
1485	CLINOPODIUM NEPETA SUBSP. GLANDULOSUM	A, H	
1486	CLIVER HERB DRY	A, H	
1487	CLIVER HERB POWDER	A, H	
1488	CLOVE BUD OIL	A, E, H	When the concentration of Clove Bud Oil in the preparation is more than 25%, the nominal capacity of the container must be no more than 25 mL. When the concentration of Clove Bud Oil in the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>preparation is more than 25% and the nominal capacity of the container is more 15 mL but no more than 25mL, a child resistant closure and restricted flow insert must be fitted on the container and requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) ‘Keep out of reach of children’ (or words to that effect) - (NTAKEN) ‘Not to be taken’ <p>When the concentration of clove bud oil in the preparation is more than 25% and the nominal capacity of the container is more than 15 mL , a restricted flow insert must be fitted on the container and requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) ‘Keep out of reach of children’ (or words to that effect) - (NTAKEN) ‘Not to be taken’
1489	CLOVE DRY	A, E, H	
1490	CLOVE LEAF OIL	A, E, H	<p>When the concentration of Clove Leaf Oil in the preparation is more than 25%, the nominal capacity of the container must be no more than 25 mL.</p> <p>When the concentration of Clove Leaf Oil in the preparation is more than 25% and the nominal capacity of the container is more 15 mL but no more than 25mL, a child resistant closure and restricted flow insert must be fitted on the container and requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) ‘Keep out of reach of children’ (or words to that

			<p>effect)</p> <ul style="list-style-type: none"> - (NTAKEN) 'Not to be taken' <p>When the concentration of clove leaf oil in the preparation is more than 25% and the nominal capacity of the container is more than 15 mL, a restricted flow insert must be fitted on the container and requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect) - (NTAKEN) 'Not to be taken'
1491	CLOVE OIL TERPENES	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
1492	CLOVE POWDER	A, E, H	
1493	CLOVE STEM OIL	A, E, H	<p>When the concentration of Clove Stem Oil in the preparation is more than 25%, the nominal capacity of the container must be no more than 25 mL.</p> <p>When the concentration of Clove Stem Oil in the preparation is more than 25% and the nominal capacity of the container is more 15 mL but no more than 25mL, a child resistant closure and restricted flow insert must be fitted on the container requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect)

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>- (NTAKEN) 'Not to be taken'</p> <p>When the concentration of Clove Stem oil in the preparation is more than 25% and the nominal capacity of the container is more than 15 mL , a restricted flow insert must be fitted on the container and requires the following warning statements on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect)</p> <p>- (NTAKEN) 'Not to be taken'</p>
1494	CLUPEA HARENGUS LIPID EXTRACT	A	Only for use in oral medicines. The maximum recommended daily dose must not provide more than 2750 mg EPA, DHA and DPA combined, when used alone or in combination with other sources of omega-3 fatty acids.
1495	CNICUS BENEDICTUS	A, H	
1496	CNICUS JAPONICUS	A, H	
1497	CNIDIUM MONNIERI	A, H	
1498	CNIDIUM OFFICINALE	A, H	
1499	COBALTOUS NITRATE HEXAHYDRATE	H	Only for use as an active homoeopathic ingredient.
1500	COCAMIDE DEA	E	Only for use in topical medicines for dermal application.
1501	COCAMIDE MEA	E	Only for use in topical medicines for dermal application.
1502	COCAMIDOPROPYL BETAINE AMIDE MEA CHLORIDE	E	Only for use in topical medicines for dermal application and not to be included in topical products intended for use in the eye.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			The concentration in the medicine must be no more than 1%.
1503	COCAMIDOPROPYL BETAINE	E	<p>Only for topical, mucous membrane (buccal mucosa) and dental use and not to be included in topical medicines intended for use in the eye.</p> <p>The concentration in the medicine must be:</p> <p>a) no more than 1% in leave on medicines</p> <p>b) no more than 15% in wash on /wash off medicines</p> <p>c) 1.2% for buccal mucosa and dental medicines.</p> <p>Levels of impurities 3-dimethylaminopropylamine (DMAPA) and amidoamine (dimethylaminopropylcocoamide; AA) must be controlled to below the level of detection.</p>
1504	COCCOLOBIA UVIFERA	A, H	
1505	COCCULUS ORBICULATUS	A, H	
1506	COCHINEAL	E, H	Only for use as an active homoeopathic ingredient or for excipient use only as a colour in oral and topical medicines.
1507	COCHLEARIA OFFICINALIS	A, H	
1508	COCILLANA DRY	A, H	
1509	COCILLANA POWDER	A, H	
1510	COCO-BETAINE	E	Only for use in topical medicines for dermal application.
1511	COCO-CAPRYLATE	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration is to be no more than 12.5% in the</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

				medicine.
1512	COCO-GLUCOSIDE	E		Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.025%
1513	COCO-OCTANOATE/DECANOATE	E		Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.
1514	COCOA EXTRACT	E		Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1515	COCOA POWDER	A, E, H		
1516	COCOLYGLYCERIDES	E		
1517	COCONUT	E		
1518	COCONUT ACID	E		Only for use in topical medicines for dermal application.
1519	COCONUT OIL	A, E, H		
1520	COCOS NUCIFERA	A, E, H		
1521	COD-LIVER OIL	A, E		Vitamin A and coledalciferol are mandatory components of Cod-liver oil. When for use in topical medicines, the concentration of Vitamin A in the medicine must be no more than 1%. When for internal use, the maximum daily dose must be no more than 3000 micrograms

			of Retinol Equivalents. When preparations for internal use in adults contain more than 33 micrograms of retinol equivalents per dosage unit in divided preparations or per gram of an undivided preparation, the medicine requires the following warning statements on the medicine label: - (VITA2) ‘WARNING: If you are pregnant - or considering becoming pregnant - do not take vitamin A supplements without consulting your doctor or pharmacist [or words to that effect].’ NOTE: Position this warning at the beginning of the directions for use. - (VITA4) ‘WARNING - When taken in excess of 3000 micrograms retinol equivalents - vitamin A can cause birth defects.’ NOTE: Position this warning at the beginning of the directions for use. - (VITA3) ‘The recommended daily amount of vitamin A from all sources is 700 micrograms retinol equivalents for women and 900 micrograms retinol equivalents for men.’ When for internal use, the maximum recommended daily dose must be no more than 25 micrograms of vitamin D.
1522	CODONOPSIS LANCEOLATA	A, H	
1523	CODONOPSIS PILOSULA	A, H	
1524	CODONOPSIS TANGSHEN	A, H	
1525	COFFEA ARABICA	A, E, H	Caffeine is a mandatory component of Coffea arabica. When the medicine is packaged for supply as a divided preparation and is for

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 33%.

When for internal use or oral application, the maximum recommended daily dose of the medicine must provide no more than 400 mg of total caffeine.

When the medicine is packaged for supply as an undivided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 1%.

When the medicine is for internal use or oral application, a maximum recommended dose of the medicine must not provide more than 100 mg of total caffeine within a 3 hour period.

When the maximum recommended daily dose of the medicine provides greater than 10 mg of total caffeine and the medicine is for internal use or oral application, the following warning statements are required on the label:

- (ADULT) 'Adults only' (or words to that effect).
- (CAFF) 'Contains [state quantity per dosage unit or per mL or per gram of product] total caffeine [per dosage unit or per mL or per gram]. A cup of instant coffee contains approximately 80 mg of caffeine.'
- (CAFFPREG) 'Caffeine intake more than 200 mg per day is not recommended during pregnancy or breastfeeding.'

When the maximum recommended daily dose of the medicine provides greater than

			<p>80 mg of total caffeine and the medicines is for internal use or oral application, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (CAFFLMT) 'Limit the use of caffeine-containing products (including tea and coffee) when taking this product.' - (CAFFCYP) 'Caffeine interacts with enzyme CYP1A2 in the liver. Consult your health professional before taking with other medicines' (or words to that effect).
1526	COFFEA CANEPHORA	A, E, H	<p>Caffeine is a mandatory component of Coffea canephora.</p> <p>When the medicine is packaged for supply as a divided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 33%.</p> <p>When for internal use or oral application, the maximum recommended daily dose of the medicine must provide no more than 400 mg of total caffeine.</p> <p>When the medicine is packaged for supply as an undivided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 1%.</p> <p>When the medicine is for internal use or oral application, a maximum recommended dose of the medicine must not provide more than 100 mg of total caffeine within a 3 hour period.</p> <p>When the maximum recommended daily dose of the</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>medicine provides greater than 10 mg of total caffeine and the medicine is for internal use or oral application, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (ADULT) 'Adults only' (or words to that effect). - (CAFF) 'Contains [state quantity per dosage unit or per mL or per gram of product] total caffeine [per dosage unit or per mL or per gram]. A cup of instant coffee contains approximately 80 mg of caffeine.' - (CAFFPREG) 'Caffeine intake more than 200 mg per day is not recommended during pregnancy or breastfeeding.' <p>When the maximum recommended daily dose of the medicine provides greater than 80 mg of total caffeine and the medicines is for internal use or oral application, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (CAFFLMT) 'Limit the use of caffeine-containing products (including tea and coffee) when taking this product.' - (CAFFCYP) 'Caffeine interacts with enzyme CYP1A2 in the liver. Consult your health professional before taking with other medicines' (or words to that effect).
1527	COFFEE	E, H	<p>Caffeine is a mandatory component of coffee.</p> <p>When the medicine is packaged for supply as a divided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 33%.</p>

When for internal use or oral application, the maximum recommended daily dose of the medicine must provide no more than 400 mg of total caffeine.

When the medicine is packaged for supply as an undivided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 1%.

When the medicine is for internal use or oral application, a maximum recommended dose of the medicine must not provide more than 100 mg of total caffeine within a 3 hour period.

When the maximum recommended daily dose of the medicine provides greater than 10 mg of total caffeine and the medicine is for internal use or oral application, the following warning statements are required on the label:

- (ADULT) 'Adults only' (or words to that effect).

- (CAFF) 'Contains [state quantity per dosage unit or per mL or per gram of product] total caffeine [per dosage unit or per mL or per gram]. A cup of instant coffee contains approximately 80mg of caffeine.'

- (CAFFPREG) 'Caffeine intake more than 200 mg per day is not recommended during pregnancy or breastfeeding.'

When the maximum recommended daily dose of the medicine provides greater than 80 mg of total caffeine and the medicines is for internal use or oral application, the following warning statements are

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			required on the label: - (CAFFLMT) 'Limit the use of caffeine-containing products (including tea and coffee) when taking this product.' - (CAFFCYP) 'Caffeine interacts with enzyme CYP1A2 in the liver. Consult your health professional before taking with other medicines' (or words to that effect).
1528	COFFEE OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1529	COFFEE SOLID EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1530	COGNAC OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1531	COGNAC OIL GREEN	A, E, H	
1532	COGNAC OIL WHITE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicine must be no more than 5%.
1533	COIX LACHRYMA-JOBI	A, H	
1534	COLA ACUMINATA	A, E, H	<p>Caffeine is a mandatory component of Cola acuminata.</p> <p>When the medicine is packaged for supply as a divided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 33%.</p> <p>When for internal use or oral application, the maximum recommended daily dose of the medicine must provide no more than 400 mg of total caffeine.</p> <p>When the medicine is packaged for supply as an undivided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 1%.</p> <p>When the medicine is for internal use or oral application, a maximum recommended dose of the medicine must not provide more than 100 mg of total caffeine within a 3 hour period.</p> <p>When the maximum recommended daily dose of the medicine provides greater than 10 mg of total caffeine and the medicine is for internal use or oral application, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (ADULT) 'Adults only' (or words to that effect). - (CAFF) 'Contains [state quantity per dosage unit or per mL or per gram of product] total caffeine [per dosage unit or per mL or per gram]. A cup

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>of instant coffee contains approximately 80mg of caffeine.'</p> <p>- (CAFFPREG) 'Caffeine intake more than 200 mg per day is not recommended during pregnancy or breastfeeding.'</p> <p>When the maximum recommended daily dose of the medicine provides greater than 80 mg of total caffeine and the medicines is for internal use or oral application, the following warning statements are required on the label:</p> <p>- (CAFFLMT) 'Limit the use of caffeine-containing products (including tea and coffee) when taking this product.'</p> <p>- (CAFFCYP) 'Caffeine interacts with enzyme CYP1A2 in the liver. Consult your health professional before taking with other medicines' (or words to that effect).</p>
1535	COLA NITIDA	A, E, H	<p>Caffeine is a mandatory component of Cola nitida.</p> <p>When the medicine is packaged for supply as a divided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 33%.</p> <p>When for internal use or oral application, the maximum recommended daily dose of the medicine must provide no more than 400 mg of total caffeine.</p> <p>When the medicine is packaged for supply as an undivided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 1%.</p>

When the medicine is for internal use or oral application, a maximum recommended dose of the medicine must not provide more than 100 mg of total caffeine within a 3 hour period.

When the maximum recommended daily dose of the medicine provides greater than 10 mg of total caffeine and the medicine is for internal use or oral application, the following warning statements are required on the label:

- (ADULT) 'Adults only' (or words to that effect).

- (CAFF) 'Contains [state quantity per dosage unit or per mL or per gram of product] total caffeine [per dosage unit or per mL or per gram]. A cup of instant coffee contains approximately 80mg of caffeine.'

- (CAFFPREG) 'Caffeine intake more than 200 mg per day is not recommended during pregnancy or breastfeeding.'

When the maximum recommended daily dose of the medicine provides greater than 80 mg of total caffeine and the medicines is for internal use or oral application, the following warning statements are required on the label:

- (CAFFLMT) 'Limit the use of caffeine-containing products (including tea and coffee) when taking this product.'

- (CAFFCYP) 'Caffeine interacts with enzyme CYP1A2 in the liver. Consult your health professional before taking with other medicines' (or words to that effect).

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1536	COLCHICUM AUTUMNALE	H	Only for use as an active homoeopathic ingredient.
1537	COLECALCIFEROL	A, E	When for internal use, the maximum recommended daily dose must not be more than 25 micrograms of Vitamin D.
1538	COLLAGEN	E	
1539	COLLINSONIA CANADENSIS	A, H	
1540	COLLOIDAL ANHYDROUS SILICA	A, E, H	Only for use when the route of administration is other than inhalation.
1541	COLOPHONY	A, E, H	
1542	COMMIPHORA HABESSINICA	A, H	
1543	COMMIPHORA KATAF	A, H	
1544	COMMIPHORA MYRRHA	A, E, H	
1545	COMMON INDIAN COBRA	H	Only for use as an active homoeopathic ingredient.
1546	CONCENTRATED FISH OMEGA-3 TRIGLYCERIDES	A	Only for oral use.
1547	CONCENTRATED SQUID OMEGA-3 TRIGLYCERIDES	A	<p>Only for oral use.</p> <p>'Concentrated squid omega-3-triglycerides' must be obtained from species of the order Teuthida of the class Cephalopoda AND be in combination with other ingredients in the preparation AND be presented in a therapeutic dosage form for therapeutic use.</p> <p>The requirement specified in paragraph (a) below applies to a medicine that contains the ingredient that is:</p> <ul style="list-style-type: none"> - listed in the Register before 1 March 2022; and - released for supply before 1 March 2023. <p>(a) The medicine requires one of the following warning</p>

			<p>statements on the medicine label:</p> <ul style="list-style-type: none"> - (SFOOD) 'Derived from seafood'; or - (MOLLUSC) 'Contains mollusc' or 'Contains mollusc products'. <p>The requirement specified in paragraph (b) below applies to a medicine that contains the ingredient that is:</p> <ul style="list-style-type: none"> - listed in the Register on or after 1 March 2022; or - released for supply on or after 1 March 2023. <p>(b) The following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> - (MOLLUSC) 'Contains mollusc' or 'Contains mollusc products'.
1548	CONIFER GREEN NEEDLE COMPLEX	A	Only for topical and oral use. Must be made by petroleum ether extraction of needles of the conifer species <i>Pinus sylvestris</i> (Scotch Pine) and <i>Picea abies</i> (Norwegian Spruce).
1549	CONIFER PHYTOSTEROL COMPLEX	A	
1550	CONIOSELIMUM UNIVITTATUM	A, H	
1551	CONIUM MACULATUM	H	Only for use as an active homoeopathic ingredient. The homoeopathic potency of <i>Conium maculatum</i> in the final medicine must be 12X or greater.
1552	CONVALLARIA MAJALIS	A, H	The concentration of equivalent dry <i>Convallaria majalis</i> in the product must be no more than 10mg/Kg or 10mg/L or 0.001%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1553	CONYZA CANADENSIS	A, H	
1554	COPAIBA OIL	A, E, H	
1555	COPAIFERA LANGSDORFFII	A, E, H	
1556	COPERNICIA CERIFERA	A, E, H	
1557	COPOVIDONE	E	
1558	COPPER	H	<p>Only for use as an active homoeopathic ingredient.</p> <p>When for internal use the maximum daily dose must not contain more than 5 mg of copper.</p> <p>When for other than internal use, the concentration of copper compounds must be no more than 5%.</p>
1559	COPPER (II) ASPARTATE	A, H	<p>Copper is a mandatory component of copper (II) aspartate.</p> <p>The percentage of copper from copper (II) aspartate should be calculated based on the molecular weight of copper (II) aspartate.</p> <p>The concentration of copper compounds in products must be no more than 5%.</p> <p>The maximum daily dose must not contain more than 5mg of copper.</p>
1560	COPPER (II) GLYCINATE	A, H	<p>Copper is a mandatory component of copper (II) glycinate.</p> <p>The percentage of copper from copper (II) glycinate should be calculated based on the molecular weight of Copper (II) glycinate.</p> <p>The concentration of copper compounds in products must be no more than 5%.</p> <p>The maximum daily dose must not contain more than 5mg of copper.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1561	COPPER (II) LYSINATE	A, H	<p>Copper is a mandatory component of copper (II) lysinate.</p> <p>The percentage of copper from copper (II) lysinate should be calculated based on the molecular weight of Copper (II) lysinate.</p> <p>The concentration of copper compounds in products must be no more than 5%.</p> <p>The maximum daily dose must not contain more than 5mg of copper.</p>
1562	COPPER ACETYL TYROSINATE METHYLSILANOL	E	<p>Only for use in topical medicines for dermal application.</p>
1563	COPPER CHLOROPHYLL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1564	COPPER CHLOROPHYLLIN	E	<p>Only for use as a colour in oral and topical medicines.</p>
1565	COPPER GLUCONATE	A, E	<p>Copper is a mandatory component of copper gluconate.</p> <p>The percentage of copper from copper gluconate should be calculated based on the molecular weight of copper gluconate.</p> <p>When for internal use the maximum daily dose must not contain more than 5 mg of copper.</p> <p>When for other than internal use, the concentration of</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			copper compounds must be no more than 5%.
1566	COPPER TRIPEPTIDE-1	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 3%.
1567	COPTIS CHINENSIS	A, H	
1568	COPTIS JAPONICA	A, H	
1569	CORALLINA OFFICINALIS	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine is to be no more than 1%.
1570	CORDYCEPS SINENSIS	A, E, H	Must not contain material of animal origin such as insect larvae.
1571	CORIANDER DRY	A, H	
1572	CORIANDER OIL	A, E, H	
1573	CORIANDER POWDER	A, H	
1574	CORIANDRUM SATIVUM	A, E, H	
1575	CORMUS DOMESTICA	A, H	
1576	CORN GLYCERIDES	E	
1577	CORN SILK DRY	A, H	
1578	CORN SILK POWDER	A, H	
1579	CORN SYRUP	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1580	CORN SYRUP SOLIDS	E	Permitted for use only in combination with other

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1581	CORNUS FLORIDA	A, H	
1582	CORNUS OFFICINALIS	A, H	
1583	CORTISONE ACETATE	H	Only available as an active homoeopathic ingredient.
1584	CORYDALIS AMBIGUA	A, E, H	
1585	CORYDALIS BUNGEANA	A, H	
1586	CORYDALIS CAVA	A, H	
1587	CORYDALIS FABACEA	A, H	
1588	CORYDALIS FORMOSA	A, H	
1589	CORYDALIS TURTSCHANINOVII	A, H	
1590	CORYLUS AMERICANA	A, H	
1591	CORYLUS AVELLANA	A, H	
1592	CORYMBIA CITRIODORA	A, E, H	Cineole is a mandatory component of <i>Corymbia citriodora</i> . In liquid preparations when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
1593	CORYMBIA FICIFOLIA	A, H	<p>Cineole is a mandatory component of <i>Corymbia ficifolia</i>.</p> <p>In liquid preparations when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect); and</p> <p>- (NTAKEN) 'Not to be taken'.</p> <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.</p>
1594	COSMOS BIPINNATUS	A, H	
1595	COSTUS ROOT OIL	A, H	
1596	COSTUS SPICATUS	A, H	
1597	COTTONSEED OIL	A, E, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1598	COUCH GRASS RHIZOME DRY	A, H	
1599	COUCH GRASS RHIZOME POWDER	A, H	
1600	COUMARIN	E, H	<p>Only for use as an active homoeopathic ingredient or excipient ingredient.</p> <p>The concentration of coumarin in the medicine must not be more than 0.001%.</p> <p>When used as an excipient:</p> <p>(a) must only be used in topical medicines for dermal application; and</p> <p>(b) the label of the medicine must specify that the product should only be used by adults.</p>
1601	CRANBERRY	E	
1602	CRATAEGUS CUNEATA	A, E, H	
1603	CRATAEGUS GERMANICA	A, H	
1604	CRATAEGUS LAEVIGATA	A, E, H	
1605	CRATAEGUS MONOGYNA	A, E, H	
1606	CRATAEGUS PINNATIFIDA	A, E, H	
1607	CRATEVA MAGNA	A, E, H	
1608	CREATINE	A, E	
1609	CREATINE MONOHYDRATE	A, E	
1610	CREATINE PHOSPHATE	A, E	
1611	CREATININE	E	<p>Only for use in topical medicines for dermal application and not for use in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 0.2%.</p>
1612	CREOSOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1613	CREOSOTE	H	Only for use as an active homoeopathic ingredient.
1614	CRESOL	E	Only for use as a preservative in topical medicines. The concentration of phenols (including cresols and xylenols and any other homologue of phenol) boiling below 220 degrees centigrade must be no more than 3%.
1615	CRESYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1616	CRITHMUM MARITIMUM WHOLE PLANT EXTRACT	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.00341%.
1617	CROCUS SATIVUS	A, E, H	When Crocus sativus is used as an excipient: (a) the ingredient must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation; (b) the plant part must be stigma and/or style; (c) the plant preparation must be fresh or dry; and

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			(d) the total concentration of flavour proprietary excipient formulations containing the ingredient must not be more than 5% of the total medicine.
1618	CROSCARMELLOSE SODIUM	E	
1619	CROSPVIDONE	E	
1620	CROTON CASCARILLA	A, H	The maximum recommended daily dose must be no more than the equivalent of 1mg of the dry herbal material.
1621	CROTON ELUTERIA	A, H	The maximum recommended daily dose must be no more than the equivalent of 1mg of the dry herbal material.
1622	CRYPTOMERIA JAPONICA	A, H	
1623	CUBEB OIL	A, H	
1624	CUBEBENE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1625	CUCUMBER	E	
1626	CUCUMIS MELO	A, H	
1627	CUCUMIS SATIVUS	A, E, H	
1628	CUCURBITA MAXIMA	A, E, H	
1629	CUCURBITA MOSCHATA	A, H	
1630	CUCURBITA PEPO	A, E, H	
1631	CULLEN CORYLIFOLIUM	A, H	
1632	CUMIC ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1633	CUMIN OIL	A, E, H	
1634	CUMINALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1635	CUMINUM CYMINUM	A, H	
1636	CUMINYL NITRILE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1637	CUPRESSUS ARIZONICA	A, H	
1638	CUPRESSUS FUNEBRIS	A, E, H	
1639	CUPRESSUS SEMPERVIRENS	A, E, H	
1640	CUPRIC ACETATE MONOHYDRATE	H	Only for use as an active homoeopathic ingredient.
1641	CUPRIC ARSENITE	H	Only for use as an active homoeopathic ingredient.
1642	CUPRIC CITRATE	A, E, H	When for oral or sublingual use, copper is a mandatory component of cupric citrate. The percentage of copper from cupric citrate should be calculated based on the molecular weight of cupric citrate. The medicine must not contain more than 750 micrograms of copper from cupric citrate per the recommended daily dose or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			the medicine must not contain more than 1.86 milligrams of cupric citrate per the recommended daily dose.
1643	CUPRIC CITRATE HEMIPENTAHYDRATE	A, E, H	<p>When for oral or sublingual use, copper is a mandatory component of cupric citrate hemipentahydrate.</p> <p>The percentage of copper from cupric citrate hemipentahydrate should be calculated based on the molecular weight of cupric citrate hemipentahydrate.</p> <p>The medicine must not contain more than 750 micrograms of copper from cupric citrate hemipentahydrate per the recommended daily dose OR the medicine must not contain more than 2.13 milligrams of cupric citrate hemipentahydrate per the recommended daily dose.</p>
1644	CUPRIC OXIDE	A, E, H	<p>When for oral or sublingual use, copper is a mandatory component of cupric oxide.</p> <p>The percentage of copper from cupric oxide should be calculated based on the molecular weight of cupric oxide.</p> <p>When for internal use the maximum daily dose must not contain more than 5 mg of copper.</p> <p>When for other than internal use, the concentration of copper compounds must be no more than 5%.</p>
1645	CUPRIC SULFATE	A, E, H	<p>When for oral or sublingual use, copper is a mandatory component of cupric sulfate.</p> <p>The percentage of copper from cupric sulfate should be</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>calculated based on the molecular weight of cupric sulfate.</p> <p>When for internal use the maximum daily dose must not contain more than 5 mg of copper.</p> <p>When for other than internal use, the concentration of copper compounds must be no more than 5%.</p>
1646	CUPRIC SULFATE MONOHYDRATE	A, E, H	<p>When for oral or sublingual use, copper is a mandatory component of cupric sulfate monohydrate.</p> <p>The percentage of copper from cupric sulfate monohydrate should be calculated based on the molecular weight of cupric sulfate monohydrate.</p> <p>When for internal use the maximum daily dose must not contain more than 5 mg of copper.</p> <p>When for other than internal use, the concentration of copper compounds must be no more than 5%.</p> <p>When used topically, cupric sulfate is a mandatory component of cupric sulfate monohydrate.</p>
1647	CUPRIC SULFATE PENTAHYDRATE	A, E, H	<p>When for oral or sublingual use, copper is a mandatory component of cupric sulfate pentahydrate.</p> <p>The percentage of copper from cupric sulfate pentahydrate should be calculated based on the molecular weight of cupric sulfate pentahydrate.</p> <p>When for internal use the maximum daily dose must not contain more than 5 mg of copper.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>When for other than internal use, the concentration of copper compounds must be no more than 5%.</p> <p>When used topically cupric sulfate is a mandatory component of cupric sulfate pentahydrate.</p> <p>The percentage of cupric sulfate from cupric sulfate pentahydrate should be calculated based on the molecular weight of cupric sulfate pentahydrate.</p>
1648	CURCULIGO ORCHIOIDES	A, H	
1649	CURCUMA AROMATICA	A, H	
1650	CURCUMA LONGA	A, E, H	
1651	CURCUMA XANTHORRHIZA	A, H	
1652	CURCUMA ZEDOARIA	A, H	
1653	CURCUMIN	A, E, H	When for excipient use, only permitted for use as a colour in topical and oral medicines.
1654	CUSCUTA EPITHYMUM	A, H	
1655	CUSCUTA EUROPAEA	A, H	
1656	CUSCUTA HYGROPHILAE	A, H	
1657	CUSCUTA RACEMOSA	A, H	
1658	CUSPARIA FEBRIFUGA	A, H	
1659	CYAMOPSIS TETRAGONOLOBA	A, E, H	
1660	CYANOCOBALAMIN	A, E, H	
1661	CYANOMETHYLPHENYL MENTHANE CARBOXAMIDE	E	<p>For dental use only in proprietary ingredients.</p> <p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in the medicine must be no more than 5%.</p>
1662	CYATHULA OFFICINALIS	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1663	CYCLAMEN ALDEHYDE	E	Only for use as an excipient ingredient in topical medicines.
1664	CYCLAMEN PURPURASCENS	A, H	
1665	CYCLOHEXADECENONE-8	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1666	CYCLOHEXANE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1667	CYCLOHEXANE, 1-ETHENYL-1-METHYL-2-(1-METHYLETHENYL)-4-(1-METHYLETHYL)-, DIDEHYDRO DERIV.	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1668	CYCLOHEXANEETHANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1669	CYCLOHEXYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 2

			medicine must be no more than 1%.
1670	CYCLOHEXYL BUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as part of a flavour or fragrance proprietary excipient formulation.</p> <p>When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.</p> <p>When used in a fragrance, the total fragrance proprietary excipient formulation in a medicine must be no more than 1%.</p>
1671	CYCLOHEXYL PHENETHYL ETHER	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1672	CYCLOHEXYL SALICYLATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1673	CYCLOHEXYLETHYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as part of a flavour or fragrance proprietary excipient formulation.</p> <p>When used in a flavour, the total flavour proprietary excipient formulation in a</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>medicine must be no more than 5%.</p> <p>When used in a fragrance, the total fragrance proprietary excipient formulation in a medicine must be no more than 1%.</p>
1674	CYCLOMETHICONE	E	Only for use as an excipient ingredient in topical medicines.
1675	CYCLOPENTADECANONE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1676	CYDONIA OBLONGA	A, H	
1677	CYMBOPOGON FLEXUOSUS	A, E, H	When for topical use, aldehydes calculated as citral is a mandatory component of Cymbopogon flexuosus and the concentration of aldehydes calculated as citral in the medicine must not be more than 5%.
1678	CYMBOPOGON MARTINI	A, H	When for topical use, aldehydes calculated as citral is a mandatory component of Cymbopogon martini and the concentration of aldehydes calculated as citral in the medicine must be no more than 5%.
1679	CYMBOPOGON NARDUS	A, H	When for topical use, aldehydes calculated as citral is a mandatory component of Cymbopogon nardus and the concentration of aldehydes calculated as citral in the medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1680	CYMBOPOGON SCHOENANTHUS	A, E, H	When for topical use, aldehydes calculated as citral is a mandatory component of Cymbopogon schoenanthus and the concentration of aldehydes calculated as citral in the medicine must be no more than 5%.
1681	CYNANCHUM ATRATUM	A, H	
1682	CYNANCHUM STAUNTONII	A, E, H	
1683	CYNARA SCOLYMUS	A, E, H	
1684	CYNODON DACTYLON	A, E, H	
1685	CYNOMORIUM COCCINEUM SUBSP. SONGARICUM	A, H	
1686	CYPERUS LONGUS	A, H	
1687	CYPERUS ROTUNDUS	A, H	
1688	CYPRESS OIL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1689	CYPRIPEDIUM PARVIFLORUM VAR. PUBESCENS	A, H	
1690	CYSTEINE	A	The maximum recommended daily dose must not contain more than 450 mg of cysteine. When cysteine, cystine and/or their salts are used in combination, the medicine must not provide more than a total of 450 mg cysteine per maximum recommended daily dose.
1691	CYSTEINE HYDROCHLORIDE	A	The maximum recommended daily dose must contain no more than 585 mg of cysteine hydrochloride. When cysteine, cystine and/or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			their salts are used in combination, the medicine must not provide more than a total of 450 mg cysteine per maximum recommended daily dose.
1692	CYSTEINE HYDROCHLORIDE MONOHYDRATE	A, E	<p>When used as an excipient, permitted for use only in combination with other permitted ingredients as part of a flavour proprietary excipient and the total flavour proprietary excipient formulation concentration in a medicine must not be more than 5%.</p> <p>The maximum recommended daily dose must contain no more than 652 mg of cysteine hydrochloride monohydrate.</p> <p>When cysteine, cystine and/or their salts are used in combination, the medicine must not provide more than a total of 450 mg cysteine per maximum recommended daily dose.</p>
1693	CYSTINE	A	<p>The maximum recommended daily dose must contain no more than 450 mg of cystine.</p> <p>When cysteine, cystine and/or their salts are used in combination, the medicine must not provide more than a total of 450 mg cysteine per maximum recommended daily dose.</p>
1694	CYTISUS SCOPARIUS	A, H	<p>Sparteine is a mandatory component of <i>Cytisus scoparius</i>.</p> <p>The concentration of Sparteine in the medicine must be no more than 0.001%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1695	D-ALPHA-TOCOPHEROL	A, E	
1696	D-ALPHA-TOCOPHERYL ACETATE	A, E, H	
1697	D-ALPHA-TOCOPHERYL ACID SUCCINATE	A, E	
1698	D-ALPHA-TOCOPHERYL PHOSPHATES	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 3%.
1699	D-BORNEOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1700	D-CARVONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1701	D-FENCHONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1702	D-LIMONENE	E	Permitted for use only in

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1703	D-PULEGONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>The concentration of d-pulegone in the medicine must not be more than 4%.</p>
1704	D-RIBOSE-L-CYSTEINE	A	<p>Only for use in oral medicines.</p> <p>Cysteine is a mandatory component of D-Ribose-L-Cysteine.</p> <p>The medicine must provide no more than 450 mg of cysteine per maximum recommended daily dose.</p>
1705	DACTYLIS GLOMERATA	A, H	
1706	DACTYLORHIZA INCARNATA SUBSP. INCARNATA	A, H	
1707	DAEMONOROPS DRACO	A, E, H	
1708	DAHLIA PINNATA	A, H	
1709	DALBERGIA ODORIFERA	A, H	
1710	DAMIANA LEAF POWDER	A	
1711	DANDELION LEAF DRY	A, H	
1712	DANDELION LEAF POWDER	A, H	
1713	DANDELION ROOT DRY	A, H	
1714	DANDELION ROOT POWDER	A, H	
1715	DAPHNE GENKWA	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1716	DAPHNE MEZEREUM	A, H	The maximum recommended daily dose must be no more than the equivalent of 1mg of the dry herbal material.
1717	DATE	E	
1718	DATURA STRAMONIUM	A, H	Only for use in oral medicines. Alkaloids calculated as hyoscyamine is a mandatory component of Datura stramonium. The concentration of alkaloids calculated as hyoscyamine from all ingredients in the product must be no more than 300 micrograms/Kg or 300 micrograms/L or 0.00003%.
1719	DAUCUS CAROTA	A, E, H	
1720	DAVANA OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1721	DEA-OLETH-3 PHOSPHATE	E	Only for use in topical medicines for dermal application and not be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 1%. The medicine requires the following warning statements on the medicine label: - (EYE) 'Avoid contact with eyes' - (EYE2) 'May be irritant to the eyes' (or words to that effect).

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1722	DECAHYDRO-1,1,7-TRIMETHYL-3A,7-METHANO-3AH-CYCLOPENTACYCLOOCT-3-YL FORMATE	E	<p>Decahydro-1,1,7-trimethyl-3a,7-methano-3ah-cyclopentacyclooct-3-yl formate must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation.</p> <p>The total concentration of the fragrance proprietary excipient formulation containing decahydro-1,1,7-trimethyl-3a,7-methano-3ah-cyclopentacyclooct-3-yl formate must not be more than 1% of the total medicine.</p>
1723	DECAHYDRO-2,2,6,6,7,8,8-HEPTAMETHYL-2H-INDENO(4,5-B) FURAN	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1724	DECAHYDRO-BETA-NAPHTHYLACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1725	DECAHYDRO-BETA-NAPHTHYLFORMATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1726	DECAHYDROSPIRO(FURAN-	E	Permitted for use only in

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

	2(3H),5'- (4,7)METHANO(5H)INDENE)		combination with other permitted ingredients as a fragrance. The total fragrance concentration in a medicine must be no more than 1%.
1727	DECALACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1728	DECANAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1729	DECANAL DIMETHYL ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1730	DECARBOXY CARNOISINE DIHYDROCHLORIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.05.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1731	DECENAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1732	DECYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1733	DECYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1734	DECYL GLUCOSIDE	E	Only for use in topical medicines for dermal application.
1735	DECYL OLEATE	E	Only for use in topical medicines for dermal application.
1736	DECYLENE GLYCOL	E	Only for use in topical medicines for dermal application and not to be included in medicines intended

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.5%.
1737	DEER ANTLER CARTILAGE	H	Only for use as an active homoeopathic ingredient.
1738	DEER VELVET ANTLER POWDER	A	Medicines that contain 'deer velvet antler powder' as the therapeutically active ingredient are subject to the following conditions: a) the medicines are for oral use only; b) the antlers (including the velvet) are sourced only from red deer (<i>Cervus elaphus</i>), elk/wapiti (<i>Cervus canadensis</i>), or a crossbreed of these species; c) the deer are sourced only from farmed stock bred and raised in New Zealand; d) the deer are sourced only from herds farmed for food in accordance with the Animal Products Act 1999 (New Zealand) and the regulations made under that Act, as in force or existing from time to time; e) the antlers are removed from the deer only according to the Animal Welfare Act 1999 (New Zealand) and the regulations made under that Act, as in force or existing from time to time.
1739	DEER VELVET ANTLER SLICE	A	Medicines that contain 'deer velvet antler slice' as the therapeutically active ingredient are subject to the following conditions: a) the medicines are for oral

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>use only;</p> <p>b) the antlers (including the velvet) are sourced only from red deer (<i>Cervus elaphus</i>), elk/wapiti (<i>Cervus canadensis</i>), or a crossbreed of these species;</p> <p>c) the deer are sourced only from farmed stock bred and raised in New Zealand;</p> <p>d) the deer are sourced only from herds farmed for food in accordance with the Animal Products Act 1999 (New Zealand) and the regulations made under that Act, as in force or existing from time to time;</p> <p>e) the antlers are removed from the deer only according to the Animal Welfare Act 1999 (New Zealand) and the regulations made under that Act, as in force or existing from time to time.</p>
1740	DEERTONGUE ABSOLUTE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1741	DEHYDROACETIC ACID	E	<p>Only for use in topical medicines for dermal application.</p>
1742	DEHYDROMENTHOFUROLACT ONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1743	DEHYDROXANTHAN GUM	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 2%.</p>
1744	DELPHINIUM STAPHISAGRIA	A, H	<p>The concentration of the equivalent dry Delphinium staphisagria in the medicine must be no more than 0.2%.</p>
1745	DELTA-DAMASCONE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1746	DELTA-DECALACTONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1747	DELTA-DODECALACTONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicine must be no more 1%.
1748	DELTA-NONALACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1749	DELTA-OCTALACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1750	DELTA-TETRADECALACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1751	DELTA-TOCOPHEROL	E	
1752	DELTA-UNDECALACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			medicine must be no more than 1%.
1753	DEMINERALISED FISH PROTEOGLYCAN EXTRACT	A	
1754	DENATONIUM BENZOATE	E	
1755	DENDROBIUM NOBILE	A, H	
1756	DESCURAINIA SOPHIA	A, H	
1757	DESMODIUM STYRACIFOLIUM	A, H	
1758	DESMODIUM TRIQUETUM	A, H	
1759	DEVIL'S CLAW TUBER DRY	A, H	
1760	DEVIL'S CLAW TUBER POWDER	A, H	
1761	DEXPANTHENOL	A, E	
1762	DEXTRAN 20	E	Only for use in topical medicines for dermal application and not be included in topical medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.3%.
1763	DEXTRAN 40	A, E	
1764	DEXTRATES	E	
1765	DEXTRIN	E	
1766	DEXTRIN PALMITATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 3%.
1767	DHA/EPA RICH SCHIZOCHYTRIUM ALGAL OIL	A	Docosahexaenoic acid (DHA) and eicosapentaenoic acid (EPA) are mandatory components of DHA/EPA rich schizochytrium algal oil. Only for use in oral medicines when in combination with other active or excipient ingredients.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			The ratio of DHA to EPA must be 2:1.
1768	DI-C12-13 ALKYL MALATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
1769	DI-C12-15 ALKYL FUMARATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
1770	DI-N-PROPYL ISOCINCHOMERONATE	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 25%.
1771	DI-PPG-3 MYRISTYL ETHER ADIPATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 15%.
1772	DIACETIN	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			fragrance concentration in a medicine must be no more 1%.
1773	DIACETYL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1774	DIACETYL TARTARIC ACID ESTERS OF MONO- AND DIGLYCERIDES	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1775	DIACETYLATED MONOGLYCERIDES	E	Permitted for use only in combination with other permitted ingredients as a coating solution.
1776	DIAMMONIUM LAURYL SULFOSUCCINATE	E	Only for use as an excipient ingredient in topical medicines.
1777	DIANTHUS SUPERBUS	A, H	
1778	DIAZOLIDINYL UREA	E	Only for use in topical medicines for dermal application.
1779	DIBASIC MAGNESIUM CITRATE TETRAHYDRATE	A	Only for use in oral medicines.
1780	DIBASIC MAGNESIUM PHOSPHATE TRIHYDRATE	A, E, H	Magnesium is a mandatory component of dibasic magnesium phosphate trihydrate. The percentage of magnesium from dibasic magnesium

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>phosphate trihydrate should be calculated based on the molecular weight of dibasic magnesium phosphate trihydrate.</p> <p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
1781	DIBASIC POTASSIUM PHOSPHATE	A, E, H	<p>When used as an active ingredient and the medicine is intended as a mineral supplementation, potassium is a mandatory component of dibasic potassium phosphate.</p> <p>When used in a solid</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 2

			<p>preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5.</p> <p>When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.</p>
1782	DIBASIC POTASSIUM PHOSPHATE TRIHYDRATE	A, E, H	<p>When used as an active ingredient and the medicine is intended as a mineral supplementation, potassium is a mandatory component of dibasic potassium phosphate trihydrate.</p> <p>When used in a solid preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5.</p> <p>When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.</p>
1783	DIBASIC SODIUM PHOSPHATE	A, E, H	<p>When used as an active ingredient and the preparation is intended as a mineral supplementation, sodium is a mandatory component of dibasic sodium phosphate.</p> <p>When used in a solid preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5.</p> <p>When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.</p>
1784	DIBASIC SODIUM PHOSPHATE DIHYDRATE	A, E, H	<p>When used as an active ingredient and the preparation is intended as a mineral supplementation, sodium is a mandatory component of dibasic sodium phosphate dihydrate.</p> <p>When used in a solid</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5.</p> <p>When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.</p>
1785	DIBASIC SODIUM PHOSPHATE DODECAHYDRATE	A, E, H	<p>When used as an active ingredient and the preparation is intended as a mineral supplementation, sodium is a mandatory component of dibasic sodium phosphate dodecahydrate.</p> <p>When used in a solid preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5.</p> <p>When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.</p>
1786	DIBASIC SODIUM PHOSPHATE HEPTAHYDRATE	A, E, H	<p>When used as an active ingredient and the preparation is intended as a mineral supplementation, sodium is a mandatory component of dibasic sodium phosphate heptahydrate.</p> <p>When used in a solid preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5.</p> <p>When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.</p>
1787	DIBASIC SODIUM PHOSPHATE MONOHYDRATE	A, E, H	<p>When used as an active ingredient and the preparation is intended as a mineral supplementation, sodium is a mandatory component of dibasic sodium phosphate monohydrate.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			<p>When used in a solid preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5.</p> <p>When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.</p>
1788	DIBENZYL KETONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1789	DIBUTYL ADIPATE	E	<p>Only for use in topical medicines for dermal application.</p>
1790	DIBUTYL SEBACATE	E	
1791	DIBUTYLAMINE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in the medicine must be no more than 5%.</p>
1792	DICAPRYLYL CARBONATE	E	<p>Only for use in topical medicines for dermal application.</p> <p>The concentration in the medicine must be no more than 34%.</p>
1793	DICAPRYLYL ETHER	E	<p>Only for use in topical medicines for dermal application.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1794	DICAPRYLYL MALEATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 10%.
1795	DICETYL PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 2%.
1796	DICHLOROBENZYL ALCOHOL	E	
1797	DICHLOROMETHANE	E	The concentration in the medicine must be no more than 0.06%. The residual solvent limit for Dichloromethane is 6 mg per recommended daily dose.
1798	DICTAMNUS ALBUS	A, H	
1799	DICTAMNUS DASYCARPUS	A, H	
1800	DICYCLOHEXYL DISULFIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1801	DIEFFENBACHIA SEGUINE	H	Only for use as an active homoeopathic ingredient.
1802	DIETHANOLAMINE	E	Only for use in topical medicines for dermal application. The concentration in the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicine must be no more than 5%.
1803	DIETHYL CITRACONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1804	DIETHYL HYDROGEN 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLATE	E	Diethyl hydrogen 2-hydroxypropane-1,2,3-tricarboxylate must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total concentration of the fragrance proprietary excipient formulation containing diethyl hydrogen 2-hydroxypropane-1,2,3-tricarboxylate must not be more than 1% of the total medicine.
1805	DIETHYL MALONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1806	DIETHYL PHTHALATE	E	
1807	DIETHYLAMINE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicine must be no more than 5%.
1808	DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE	A	<p>Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must not be more than 10%.</p> <p>When used in primary sunscreen products, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
1809	DIETHYLAMINOMETHYLCOUM ARIN	E	<p>Only for use in topical medicines for dermal application.</p> <p>The concentration in the medicine must be no more than 0.1%.</p>
1810	DIETHYLDIMETHYL-2- CYCLOHEXENONE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1811	DIETHYLENE GLYCOL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1812	DIETHYLENE GLYCOL MONOETHYL ETHER	E	Only for use in topical medicines for dermal application.
1813	DIETHYLHEXYL CARBONATE	E	Only for use in topical medicines for dermal application and not be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 3%.
1814	DIETHYLHEXYL SEBACATE	E	Only for use in topical medicines for dermal application.
1815	DIETHYLHEXYL SYRINGYLIDENEMALONATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
1816	DIETHYLHEXYL-2,6- NAPHTHALATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 10%. The medicine requires the following warning statement on the medicine label: - (EYE2) 'May be irritant to the eyes' (or words to that effect).
1817	DIETHYLTOLUAMIDE	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			20%. The medicine requires the following warning statement on the medicine label: - (DEET) 'WARNING: May be dangerous; particularly to children, if you use large amounts on the skin, clothes or bedding or on large areas of the body, especially if you keep using it for a long time.'
1818	DIGITALIS LEAF DRY	A, H	The concentration of Digitalis leaf dry in the product must be no more than 10mg/Kg or 10mg/L or 0.001%.
1819	DIGITALIS LEAF POWDER	A, H	The concentration of Digitalis leaf powder in the product must be no more than 10mg/Kg or 10mg/L or 0.001%.
1820	DIGITALIS PURPUREA	A, H	The concentration of equivalent dry Digitalis purpurea in the medicine must be no more than 10mg/Kg or 10mg/L or 0.001%.
1821	DIGLYCOL/CHDM/ISOPHTHALATES/SIP COPOLYMER	E	Only for use in topical medicines for dermal application.
1822	DIHEXYL FUMARATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1823	DIHYDRO JASMONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 2

			fragrance concentration in a medicine must be no more than 1%.
1824	DIHYDRO TERPINYLACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1825	DIHYDRO-ALPHA-TERPINEOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1826	DIHYDRO-BETA-IONONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1827	DIHYDRO-ISOJASMONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1828	DIHYDROACTINIDIOLIDE	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1829	DIHYDROAMBRETTOLIDE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1830	DIHYDROCAPSIATE	A	Only to be used in a medicine where Ajinomoto Co Inc (Client ID 15631), who applied to have the ingredient included in this Determination, is the sponsor of the medicine or has given written authorisation to the sponsor of a medicine to include the ingredient in the medicine. This paragraph ceases to be a requirement for this ingredient after 25 October 2023. The route of administration for medicines that contain dihydrocapsiate must be limited to oral. The maximum recommended daily dose of the medicine must not provide more than 9 mg dihydrocapsiate. The following warning statements (or words to the same effect) are required on the medicine label: - (ADULT) 'Adults only'; and - (PREGNT) 'Not recommended for use by pregnant and lactating women'.
1831	DIHYDROCARVYL ACETATE	E	Permitted for use only in combination with other

			permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1832	DIHYDROCOUMARIN	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1833	DIHYDROCUMINYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
1834	DIHYDROEUGENOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1835	DIHYDROGENATED TALLOW PHTHALIC ACID AMIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1836	DIHYDROINDENYL-2,4-DIOXANE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1837	DIHYDROLINALOOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1838	DIHYDROMYRCENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1839	DIHYDROMYRCENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1840	DIHYDROXYACETONE	E	Only for use in topical medicines for dermal application.
1841	DIISOPROPYL ADIPATE	E	Only for use in topical medicines for dermal

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 15%.
1842	DIISOPROPYL SEBACATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 10%.
1843	DIISOSTEARYL DIMER DILINOLEATE	E	Only for use in topical medicines for dermal application.
1844	DILAURYL THIODIPROPIONATE	E	Only for use in topical medicines for dermal application.
1845	DILL HERB OIL	A, E, H	
1846	DILL SEED OIL	A, E, H	
1847	DIMER DISTEARYLTRICARBONATE	E	Only for use in topical medicines for dermal application and not to be used in medicines intended for use in the eye. The concentration in the medicine must be no more than 4%.
1848	DIMETHICONE 12500	E	
1849	DIMETHICONE 4000	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 3%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1850	DIMETHICONE CROSSPOLYMER	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin.</p> <p>The concentration in the medicine must be no more than 15%.</p>
1851	DIMETHICONE SILYLATE	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 10%.</p>
1852	DIMETHICONE/METHICONE COPOLYMER	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 4%.</p>
1853	DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 1.5%.</p>
1854	DIMETHYL 3-CYCLOHEXENE-1-CARBOXALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

1855	DIMETHYL ANTHRANILATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1856	DIMETHYL BENZYL CARBINOL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1857	DIMETHYL BENZYL CARBINYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1858	DIMETHYL BENZYL CARBINYL BUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1859	DIMETHYL BENZYL CARBINYL	E	Permitted for use only in

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

	ISOBUTYRATE		combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1860	DIMETHYL PHENYLETHYL CARBINOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1861	DIMETHYL PHTHALATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1862	DIMETHYL POLYSILOXANE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1863	DIMETHYL SUCCINATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1864	DIMETHYL SULFIDE	E	Permitted for use only in combination with other

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1865	DIMETHYL SULFONE	A	Only for use in oral and topical medicines.
1866	DIMETHYL SULFOXIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1867	DIMETHYLACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1868	DIMETHYLCYCLOHEXYLETHOXY ISOBUTYLPROPANOATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1869	DIMETHYLGLYCINE HYDROCHLORIDE	A	Only for use in oral medicines.
1870	DIMETHYLOL DIMETHYL HYDANTOIN	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1871	DIMETICONE 1.5	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye or on damaged skin. The concentration in the medicine must not be more than 23%.
1872	DIMETICONE 10	E	
1873	DIMETICONE 100	E	Only for use in topical medicines for dermal application.
1874	DIMETICONE 1000	E	
1875	DIMETICONE 1510	E	Permitted for use only in combination with other permitted ingredients as a printing ink. If used in a printing ink the total printing ink concentration in a medicine must be no more than 0.1%
1876	DIMETICONE 2	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye or on damaged skin. The concentration in the medicine must be no more than 9.602%.
1877	DIMETICONE 20	E	Only for use in topical medicines for dermal application.
1878	DIMETICONE 200	E	Only for use in topical medicines for dermal application.
1879	DIMETICONE 30	E	Only for use in topical medicines for dermal application and not to be included in medicines intended

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			for use in the eye. The concentration in the medicine must be no more than 4%.
1880	DIMETICONE 350	E	Only for use in topical and oral medicines. When used orally, the maximum daily dose must be no more than 7.5mg.
1881	DIMETICONE 360	E	Only for use in topical medicines for dermal application.
1882	DIMETICONE 450	E	Only for use in topical medicines for dermal application.
1883	DIMETICONE 5	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 10%.
1884	DIMETICONE 50	E	Only for use in topical medicines for dermal application.
1885	DIMETICONE 5000	E	Only for use in topical medicines for dermal application.
1886	DIMETICONE 6	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 10%.
1887	DIMETICONE COPOLYOL	E	Only for use in topical medicines for dermal

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			application.
1888	DIMETICONE COPOLYOL PHOSPHATE	E	Only for use in topical medicines for dermal application.
1889	DIMETICONE CROSSPOLYMER-3	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 15%.
1890	DIMETICONE/PEG-10/15 CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
1891	DIMETICONOL	E	Only for use in topical medicines for dermal application.
1892	DIMETICONOL STEARATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2%.
1893	DIMETICONOL/PROPYLSILSESQ UIOXANE/SILICATE CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or damaged skin. The concentration in the medicine must not be more

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			than 10%.
1894	DIMOCARPUS LONGAN	A, H	
1895	DIOCTYL ADIPATE	E	Only for use in topical medicines for dermal application.
1896	DIOCTYL MALEATE	E	Only for use in topical medicines for dermal application.
1897	DIOCTYL SUCCINATE	E	Only for use in topical medicines for dermal application.
1898	DIOCTYL TEREPHTHALATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1899	DIOLAMINE C8-18 PERFLUOROALKYLETHYL PHOSPHATE	E	Only for use in topical medicines for dermal application and not be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 0.7%
1900	DIOLAMINE CETYL PHOSPHATE	E	Only for use in topical medicines for dermal application and not be included in topical medicines intended for use in the eye.
1901	DIOSCOREA COLLETTII	A, H	
1902	DIOSCOREA COLLETTII VAR. HYPOGLAUCA	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1903	DIOSCOREA JAPONICA	A, H	
1904	DIOSCOREA OPPOSITIFOLIA	A, H	
1905	DIOSCOREA POLYSTACHYA	A, H	
1906	DIOSCOREA SEPTEMLOBA	A, H	
1907	DIOSCOREA VILLOSA	A, E, H	
1908	DIOSPYROS KAKI	A, E, H	
1909	DIOXYBENZONE	A	<p>Only for use as an active ingredient in sunscreens for dermal application.</p> <p>The concentration in the medicine must be no more than 3%.</p> <p>When used in primary sunscreen products, the medicine requires the following warning statements on the label:</p> <ul style="list-style-type: none"> - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
1910	DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use on damaged skin.</p> <p>The concentration in the medicine must be no more than 0.5%.</p>
1911	DIPENTAERYTHRITYL TETRAHYDROXYSTEARATE/TE TRAIOSOSTEARATE	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 5%.</p>
1912	DIPENTAERYTHRITYL TRI- POLYHYDROXYSTEARATE	E	<p>Only for use in topical medicines for dermal</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 2%.</p>
1913	DIPHENYL DIMETHICONE	E	Only for use in topical medicines for dermal application.
1914	DIPHENYL METHANE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
1915	DIPHENYL OXIDE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
1916	DIPOTASSIUM GLYCYRRHIZATE	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 0.1%.</p>
1917	DIPROPIONYL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			flavour concentration in a medicine must be no more than 5%.
1918	DIPROPYLENE GLYCOL	E	Only for use in topical medicines for dermal application.
1919	DIPROPYLENE GLYCOL DIBENZOATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 4.2%.
1920	DIPROPYLENE GLYCOL SALICYLATE	E	Only for use in topical medicines for dermal application.
1921	DIPSACUS ASPER	A, H	
1922	DIPSACUS JAPONICUS	A, H	
1923	DIPTERYX ODORATA	A, E, H	When used as an active ingredient coumarin is a mandatory component of <i>Dipteryx odorata</i> and the concentration of coumarin in the medicine must be no more than 0.001%.
1924	DISODIUM ASCORBYL SULFATE	E	Only for use in topical medicines for dermal application.
1925	DISODIUM COCOAMPHODIACETATE	E	Only for use in topical medicines for dermal application.
1926	DISODIUM COCOAMPHODIPROPIONATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			medicine must be no more than 2%.
1927	DISODIUM DIMETICONE COPOLYOL SULFOSUCCINATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 14%.
1928	DISODIUM EDETATE	E	
1929	DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 1%.
1930	DISODIUM GUANYLATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1931	DISODIUM INOSINATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1932	DISODIUM LAURIL SULFOSUCCINATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			The concentration in the medicine must not be more than 0.35%.
1933	DISODIUM LAURIMINODIPROPIONATE TOCOPHERYL PHOSPHATES	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 3%.
1934	DISODIUM NADH	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 0.02%.
1935	DISODIUM OLEAMIDO PEG-2 SULFOSUCCINATE	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye. The concentration in the medicine must be no more than 1%.
1936	DISODIUM PHENYL DIBENZIMIDAZOLE TETRASULFONATE	A	Only for use as an active ingredient in sunscreens for dermal application. The concentration in the medicine must be no more than 10%. When used in primary sunscreen products, the medicine requires the following warning statements on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

				words to this effect).
1937	DISODIUM RICINOLEAMIDO MEA-SULFOSUCCINATE	E		Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 3%.
1938	DISODIUM RUTINYL DISULFATE	E		Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.05%.
1939	DISODIUM STEAROYL GLUTAMATE	E		Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
1940	DISPERSIBLE CELLULOSE	E		
1941	DISTARCH PHOSPHATE	E		Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 4%.
1942	DISTEARDIMONIUM HECTORITE	E		Only for use in topical medicines for dermal application and not to be included for medicines intended for use in the eye. The concentration in the medicine must be no more than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			2%.
1943	DISTEARETH-6 DIMONIUM CHLORIDE	E	Only for use in topical medicines for dermal application.
1944	DISTEARYL PHTHALIC ACID AMIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
1945	DISTEARYLDIMONIUM CHLORIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
1946	DIVINYLDIMETHICONE/DIMETHICONE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1.5%.
1947	DL-ALPHA-TOCOPHEROL	A, E	
1948	DL-ALPHA-TOCOPHERYL ACETATE	A, E, H	
1949	DL-ALPHA-TOCOPHERYL ACID SUCCINATE	A, E, H	
1950	DL-BORNEOL	E	
1951	DL-LIMONENE	E	Only for use in topical medicines for dermal application.
1952	DL-THREONINE	A, E	
1953	DOCOSAHEXAENOIC ACID	A	Only for use in oral medicines

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

	(DHA)-RICH OIL DERIVED FROM MICROALGAE SCHIZOCHYTRIUM SP.		and must be present in combination with other ingredients.
1954	DOCUSATE SODIUM	E	
1955	DODECAHYDRO-3A,6,6,9A-TETRAMETHYLNAPHTHO(2,1-B)FURAN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1956	DODECANENITRILE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
1957	DODECENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1958	DODECENE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.2%.
1959	DODECYL ACETATE	E	Permitted for use only in combination with other

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1960	DODECYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
1961	DOLICHOS LABLAB	A, H	
1962	DOLOMITE	A, E, H	
1963	DRACAENA DRACO	A, H	
1964	DRIED BUTTERMILK	E	
1965	DRIED CALCIUM SULFATE	A, E, H	
1966	DRIED MAGNESIUM SULFATE	A, E, H	When used internally, the maximum recommended daily dose must be no more than 1.5g. Magnesium is a mandatory component of dried magnesium sulfate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or

			(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
1967	DRIMIA INDICA	A, H	
1968	DRIMIA MARITIMA	A, H	
1969	DROMETRIZOLE TRISILOXANE	A	Only for use as an active ingredient in sunscreens for dermal application. The concentration in a medicine must be no more than 10%. When used in primary sunscreen products, the medicine requires the following warning statements on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
1970	DROSERANGLICA	A, H	
1971	DROSERABURMANNI	A, H	
1972	DROSERAINTERMEDIA	A, H	
1973	DROSERARAMENTACIA	A, H	
1974	DROSERAROTUNDIFOLIA	A, E, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1975	DROSERA ROTUNDIFOLIA MIS	A, H	
1976	DRYNARIA FORTUNEI	A, H	
1977	DRYOBALANOPS AROMATICA	A, H	
1978	DRYOPTERIS FILIX-MAS	H	Only for use as an active homoeopathic ingredient.
1979	DULACIA INOPIFLORA	A, H	
1980	DUNALIELLA SALINA	A, E, H	
1981	DURVILLAEA ANTARCTICA EXTRACT	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 0.1%.
1982	DWARF PINE-NEEDLE OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
1983	DYSPHANIA AMBROSIOIDES	A, H	Volatile oil components (of <i>Dysphania ambrosioides</i>) are mandatory components of <i>Dysphania ambrosioides</i> .
1984	ECAMSULE	A	Only for use as an active ingredient in sunscreens for dermal application. The concentration in the medicine must be no more than 10%. When used in primary sunscreen products, the medicine requires the following warning statements on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			to this effect); and
			- (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
1985	ECHINACEA ANGUSTIFOLIA	A, E, H	
1986	ECHINACEA PALLIDA	A, E, H	
1987	ECHINACEA PURPUREA	A, E, H	
1988	ECHINOPA SPINOSISSIMUS	A, H	
1989	ECLIPTA PROSTRATA	A, H	
1990	ECTOINE	E	Only for use as an excipient ingredient in topical medicines for dermal application and not to be used in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 3%.
1991	EDETATE SODIUM	E	Only for use in topical medicines for dermal application and nasal medicines. The concentration in the medicine must be no more than 0.2%.
1992	EDETIC ACID	E	The concentration in the medicine must be no more than 0.25%.
1993	EGG LECITHIN	A, E	
1994	EGGSHELL MEMBRANE HYDROLYSATE	A	
1995	EGGSHELL MEMBRANE POWDER	A	
1996	ELAEAGNUS ANGUSTIFOLIA	A, H	
1997	ELAEIS GUINEENSIS	A, E, H	
1998	ELASTIN	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

1999	ELDER FLOWER ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2000	ELDER FLOWER BLACK DRY	A, E, H	
2001	ELDER FLOWER BLACK POWDER	A, H	
2002	ELECAMPANE RHIZOME DRY	A, H	
2003	ELECAMPANE RHIZOME POWDER	A, H	
2004	ELEMI OIL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2005	ELEMI RESINOID	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2006	ELEMOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2007	ELEOCHARIS DULCIS	A, H	
2008	ELETTARIA CARDAMOMUM	A, E, H	
2009	ELEUTHEROCOCCUS	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

NODIFLORUS			
2010	ELEUTHEROCOCCUS ROOT DRY	A, H	
2011	ELEUTHEROCOCCUS ROOT POWDER	A, H	
2012	ELEUTHEROCOCCUS SENTICOSUS	A, H	
2013	ELSHOLTZIA SPLENDENS	A, H	
2014	ELYMUS REPENS	A, E, H	
2015	EMU OIL	A, E	<p>Emu oil ingredients must meet the following two requirements:</p> <p>1) the manufacturing process is to include steps such as cooking, fat drying or deodorising which ensures the temperature of the oil reaches at least 60 degrees C for a minimum 5 minutes or at least 100 degrees C for a minimum of 1 minute, and</p> <p>2) the sponsor is to hold a veterinary certificate indicating that the emus from which the raw material was extracted were healthy and fit for human consumption.</p>
2016	EMULSIFYING WAX	E	
2017	ENOXOLONE	E	Only for use in topical medicines for dermal application.
2018	ENZYME MODIFIED CREAM	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2019	EPHEDRA DISTACHYA	A, H	Ephedrine and Pseudoephedrine (of Ephedra distachya) are mandatory components of Ephedra

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			distachya and must be declared in the application. The concentration of ephedrine from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
2020	EPHEDRA SINICA	A, H	Ephedrine and Pseudoephedrine (of Ephedra sinica) are mandatory components of Ephedra sinica. The concentration of ephedrine from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
2021	EPIGAEA REPENS	A, H	
2022	EPILOBIUM ANGUSTIFOLIUM	E	Only for use in topical sunscreens for dermal application and not to be included in medicines intended for use in the eye. The extract must be processed from the flower, leaf and stem (herb top flowering) of the plant. The extracts used must be: 1:20 in 100% water or 1:2 in 100% water. The concentrations of Epilobium angustifolium must be no more than 0.75% for a 1:2 extract in 100% water, and 5% for a 1:20 extract in 100% water.
2023	EPILOBIUM PALUSTRE	A, H	
2024	EPILOBIUM PARVIFLORUM	A, H	
2025	EPIMEDIUM BREVICORNU	A, H	
2026	EPIMEDIUM GRANDIFLORUM	A, H	
2027	EPIMEDIUM SAGITTATUM	A, H	
2028	EQUISETUM ARVENSE	A, E, H	
2029	EQUISETUM HIEMALE	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

2030	ERGOCALCIFEROL	A, E	When for internal use, the maximum recommended daily dose must be no more than 25 micrograms of Vitamin D.
2031	ERGOTHIONEINE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.0005%.
2032	ERIGERON BREVISCAPUS	A, H	
2033	ERIOBOTRYA JAPONICA	A, H	Amygdalin and hydrocyanic acid are mandatory components. The concentration of amygdalin in the medicine must be 0%. The concentration of hydrocyanic acid in the medicine must be no more than 1 microgram/kg or 1 microgram/L or 0.0000001%.
2034	ERIOCAULON BUERGERIANUM	A, H	
2035	ERIODICTYON CRASSIFOLIUM	A, H	
2036	ERIODICTYON GLUTINOSUM	A, H	
2037	ERODIUM CICUTARIUM	A, H	
2038	ERUCA SATIVA	A, H	
2039	ERYTHORBIC ACID	E	
2040	ERYTHRITOL	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.1%.
2041	ERYTHROSINE	E	Permitted for use only as a colour in medicines limited to topical and oral routes of

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			administration.
2042	ERYTHROSINE ALUMINIUM LAKE	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
2043	ERYTHRULOSE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2%. The medicine requires the following warning statement on the medicine label: - (EYE) 'Avoid contact with eyes'.
2044	ESCHSCHOLZIA CALIFORNICA	A, H	
2045	ESTRONE	H	Only for use as an active homoeopathic ingredient.
2046	ETHANOL	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
2047	ETHANOL ABSOLUTE	A, E	When ethanol absolute is used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

2048	ETHER	E	The concentration of ether in the medicine must be no more than 10%.
2049	ETHOHEXADIOL	E	Only for use in topical medicines for dermal application. The medicine requires the following warning statement on the medicine label: - (EHEXAD) 'Contains ethohexadiol' (or words to that effect).
2050	ETHOXYLATED HYDROGENATED CASTOR OIL	E	
2051	ETHOXYLATED NONYLPHENOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2052	ETHOXYMETHOXY CYCLODODECANE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2053	ETHYL (2,4-DIMETHYL-[1,3] DIOXOLAN-2-YL) ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

2054	ETHYL (3AR,4S,7R,7AR)-REL-OCTAHYDRO-4,7-METHANO[3AH]INDENE-3A-CARBOXYLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2055	ETHYL 2,3,6,6-TETRAMETHYL-2-CYCLOHEXENECARBOXYLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2056	ETHYL 2,6,6,TRIMETHYL-1,3-CYCLOHEXADIENE-1-CARBOXYLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2057	ETHYL 2-BUTENOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2058	ETHYL 2-ETHYL-6,6-DIMETHYL-2-CYCLOHEXENECARBOXYLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

2059	ETHYL 2-HEXYL ACETOACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2060	ETHYL 2-METHYLBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2061	ETHYL 2-METHYLPENTANOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2062	ETHYL 3-HEXENOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2063	ETHYL 3-HYDROXYBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2064	ETHYL 3-HYDROXYHEXANOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2065	ETHYL 3-MERCAPTOPROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2066	ETHYL 3-METHYLTHIOPROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2067	ETHYL 4,7-OCTADIENOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2068	ETHYL ACETATE	E	The residual solvent limit for ethyl acetate is 50 mg per recommended daily dose. The concentration in the medicine must be no more than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			0.5%.
2069	ETHYL ACETOACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2070	ETHYL ACRYLATE	E	
2071	ETHYL AMYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2072	ETHYL ANTHRANILATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2073	ETHYL BENZOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicine must be no more 1%.
2074	ETHYL BENZOYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2075	ETHYL BUTYLACETYLAMINOPROPIONATE	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 7.5%. The medicine requires the following warning statement on the medicine label: - (EYE2) 'May be irritant to the eyes (or words to that effect)'.
2076	ETHYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2077	ETHYL CAPRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

2078	ETHYL CAPROATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2079	ETHYL CAPRYLATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2080	ETHYL CINNAMATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2081	ETHYL CROTONATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2082	ETHYL ENANTATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2083	ETHYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2084	ETHYL HYDROXYBENZOATE	E	
2085	ETHYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2086	ETHYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2087	ETHYL LACTATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 2

			<p>medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2088	ETHYL LAURATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2089	ETHYL LEVULATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2090	ETHYL LEVULINATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2091	ETHYL LINALOOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			medicine must be no more 1%.
2092	ETHYL LINALYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2093	ETHYL LINOLEATE	E	Only for use in topical medicines for dermal application.
2094	ETHYL LINOLENATE	E	Only for use in topical medicines for dermal application.
2095	ETHYL MACADAMIATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 10%.
2096	ETHYL MALTOL	E	
2097	ETHYL MENTHANE CARBOXAMIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2098	ETHYL METHACRYLATE	E	Only for use in topical medicines for dermal application.
2099	ETHYL METHYLPHENYLGLYCIDATE	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			<p>flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2100	ETHYL METICONE	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 3%.</p>
2101	ETHYL MYRISTATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2102	ETHYL OLEATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2103	ETHYL ORTHO-METHOXYBENZYL ETHER	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2104	ETHYL OXYHYDRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2105	ETHYL PALMITATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2106	ETHYL PARA-ANISATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2107	ETHYL PELARGONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2108	ETHYL PHENYLACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2109	ETHYL PHENYLGLYCIDATE	E	<p>Ethyl phenylglycidate must only be used in medicines in combination with other permitted ingredients as a fragrance proprietary excipient formulation.</p> <p>The concentration of ethyl phenylglycidate in a medicine must not be more than 0.0000024% w/w (equivalent to 24 parts per billion).</p>
2110	ETHYL PROPIONATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2111	ETHYL PYRUVATE	E	Ethyl pyruvate must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			The total concentration of the flavour proprietary excipient formulation containing ethyl pyruvate must not be more than 5% of the total medicine.
2112	ETHYL RICINOLEATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2113	ETHYL SALICYLATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2114	ETHYL SEBACATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2115	ETHYL STEARATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2116	ETHYL SUCCINATE	E	Permitted for use only in

			<p>combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2117	ETHYL TARTRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2118	ETHYL TRANS-2, CIS-4-DECADIENOATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2119	ETHYL TRANS-2-HEXENOATE	E	<p>Ethyl trans-2-hexenoate must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation.</p> <p>The total concentration of flavour proprietary excipient formulations containing ethyl trans-2-hexenoate must not be more than 5% of the total medicine.</p>
2120	ETHYL TRANS-3-HEXENOATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

2121	ETHYL UNDECYLENATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2122	ETHYL VALERATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2123	ETHYL VANILLIN	E	
2124	ETHYL-2-METHYL-1,3-DIOXOLANE-2-ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2125	ETHYL-2-METHYL-4-PENTENOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2126	ETHYL-2-METHYLPENTENOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

			flavour concentration in a medicine must be no more than 5%.
2127	ETHYLBISIMINOMETHYL GUAIACOL MANGANESE CHLORIDE	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 0.002%.
2128	ETHYLCELLULOSE	E	
2129	ETHYLENE BRASSYLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2130	ETHYLENE GLYCOL	E	The residual solvent limit for ethylene glycol is 6.2 mg per recommended daily dose. The concentration in the medicine must be no more than 0.062%.
2131	ETHYLENE GLYCOL MONOPALMITOSTEARATE	E	Only for use in topical medicines for dermal application.
2132	ETHYLENE/ACRYLIC ACID COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 2%.
2133	ETHYLENE/VINYL ACETATE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			for use in the eye. The concentration in the medicine must be no more than 16%.
2134	ETHYLENEDIAMINE	E	Only for use in topical medicines for dermal application.
2135	ETHYLENEDIAMINE/HYDROGENATED DIMER DILINOLEATE COPOLYMER BIS-DI-C14-18 ALKYL AMIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 4%.
2136	ETHYLENEDIAMINE/STEARYL DIMER DILINOLEATE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 6%.
2137	ETHYLHEXYL BENZOATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 3.5%.
2138	ETHYLHEXYL METHOXYCRYLENE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 10%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

2139	ETHYLHEXYL TRIAZONE	A	<p>Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must not be more than 5%.</p> <p>When used in primary sunscreen products, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
2140	ETHYLHEXYLGLYCERIN	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 5%.</p>
2141	ETIDRONIC ACID	E	<p>Only for use in topical medicines for dermal application only.</p> <p>The concentration in the medicine must be no more than 1%.</p>
2142	EUCALYPTUS DIVES	A, E, H	<p>Cineole is a mandatory component of Eucalyptus dives.</p> <p>In liquid preparations when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:</p> <ul style="list-style-type: none"> a) the nominal capacity of the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <ul style="list-style-type: none">- (CHILD) 'Keep out of reach of children' (or words to that effect); and- (NTAKEN) 'Not to be taken'. <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.</p>
2143	EUCALYPTUS FRUTICETORUM	A, E, H	<p>Cineole is a mandatory component of Eucalyptus fruticetorum.</p> <p>In liquid preparations when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <ul style="list-style-type: none">- (CHILD) 'Keep out of reach of children' (or words to that effect); and- (NTAKEN) 'Not to be taken'. <p>In liquid preparations, when the concentration of cineole</p>

			OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
2144	EUCALYPTUS GLOBULUS	A, E, H	<p>Cineole is a mandatory component of Eucalyptus globulus.</p> <p>In liquid preparations when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect); and</p> <p>- (NTAKEN) 'Not to be taken'.</p> <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.</p>
2145	EUCALYPTUS MACRORHYNCHA	A, E, H	<p>Cineole is a mandatory component of Eucalyptus macrorhyncha.</p> <p>In liquid preparations when the</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.</p>
2146	EUCALYPTUS OIL	A, E, H	<p>Cineole is a mandatory component of Eucalyptus oil.</p> <p>When the plant preparation is oil and the total concentration of the oil in the preparation is more than 25%, the nominal capacity of the container must be no more than 25 mL.</p> <p>When the plant preparation is oil and the total concentration of the oil in the preparation is more than 25% and the nominal capacity of the container is more than 15 mL but no more than 25mL, a child resistant closure and restricted flow insert must be fitted on the container. The medicine requires the following warning</p>

			<p>statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect) - (NTAKEN) 'Not to be taken' <p>When the concentration of the oil in the preparation is more than 25% and the nominal capacity of the container is no more than 15 mL, a restricted flow insert must be fitted on the container. The medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect) - (NTAKEN) 'Not to be taken'
2147	EUCALYPTUS RADIATA	A, E, H	<p>Cineole is a mandatory component of Eucalyptus radiata.</p> <p>In liquid preparations when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:</p> <ul style="list-style-type: none"> a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
2148	EUCALYPTUS ROSTRATA	A, E, H	<p>Cineole is a mandatory component of Eucalyptus rostrata.</p> <p>In liquid preparations when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect); and</p> <p>- (NTAKEN) 'Not to be taken'.</p> <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.</p>
2149	EUCALYPTUS TERETICORNIS	A, E, H	<p>Cineole is a mandatory component of Eucalyptus tereticornis.</p> <p>In liquid preparations when the concentration of cineole OR the concentration of oil or distillate in the preparation is</p>

			<p>more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect); and</p> <p>- (NTAKEN) 'Not to be taken'.</p> <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.</p>
2150	EUCOMMIA ULMOIDES	A, H	
2151	EUGENOL	E	<p>When for oral ingestion, eugenol must not comprise more than 0.06% of the formulation.</p> <p>When used in topical medicines for dermal application, the following apply:</p> <p>a) When the concentration of Eugenol in the preparation is more than 25%, the nominal capacity of the container must be no more than 25 mL.</p> <p>b) When the concentration of Eugenol in the preparation is more than 25% and the nominal capacity of the container is more than 15 mL but no more than 25mL, a child resistant closure and restricted</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

			<p>flow insert must be fitted on the container. The medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) ‘Keep out of reach of children’ (or words to that effect) - (NTAKEN) ‘Not to be taken’ <p>c) When the concentration of Eugenol in the preparation is more than 25% and the nominal capacity of the container is no more than 15mL, a restricted flow insert must be fitted on the container. The medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) ‘Keep out of reach of children’ (or words to that effect) - (NTAKEN) ‘Not to be taken’
2152	EUGENYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2153	EUGLENA GRACILIS WHOLE CELL DRY	A	<p>Only to be used in a medicine where Kemin Foods LC (Client ID 29988), who applied to have the ingredient included in this Determination, is the sponsor of the medicine or has given written authorisation to the sponsor of a medicine to include the ingredient in the medicine. This paragraph ceases to be a requirement for this ingredient after 1 March</p>

			2024. The route of administration for medicines that contain <i>Euglena gracilis</i> whole cell dry must be limited to oral. The maximum recommended daily dose of the medicine must not provide more than: (a) 100 mg of <i>Euglena gracilis</i> whole cell dry for children aged between 1 and 3 years (inclusive); (b) 150 mg of <i>Euglena gracilis</i> whole cell dry for children aged between 4 and 8 years (inclusive); (c) 225 mg of <i>Euglena gracilis</i> whole cell dry for individuals aged between 9 and 18 years (inclusive); and (d) 375 mg of <i>Euglena gracilis</i> whole cell dry for adults aged 19 years or older. The following warning statement (or words to the same effect) must be included on the medicine label: - (BABY2) 'Not suitable for infants under the age of twelve months'.
2154	EUONYMUS ATROPURPUREUS	A, H	
2155	EUONYMUS EUROPAEUS	A, H	The maximum recommended daily dose must be no more than the equivalent of 1mg of the dry herbal material.
2156	EUPATORIUM FORTUNEI	A, H	
2157	EUPATORIUM JAPONICUM	A, H	
2158	EUPATORIUM PERFOLIATUM	A, H	
2159	EUPATORIUM PURPUREUM	A, H	
2160	EUPHAUSIA SUPERBA OIL	A	Only for use in oral medicines.
2161	EUPHORBIA CYPARISSIAS	A, H	
2162	EUPHORBIA DRY	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 2

2163	EUPHORBIA HETERODOXA	A, H	
2164	EUPHORBIA HIRTA	A, H	
2165	EUPHORBIA LATHYRIS	A	Levodopa is a mandatory component of Euphorbia lathyris. The concentration of levodopa in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
2166	EUPHORBIA PEKINENSIS	A, H	
2167	EUPHORBIA PEPLUS	H	Only for use as an active homoeopathic ingredient.
2168	EUPHORBIA POWDER	A, H	
2169	EUPHORBIA RESINIFERA	A, H	
2170	EUPHORBIA SIEBOLDIANA	A, H	
2171	EUPHRASIA OFFICINALIS	A, H	
2172	EUROPEAN GARDEN SPIDER	H	Only for use as an active homoeopathic ingredient.
2173	EUROPEAN HORNET	H	Only for use as an active homoeopathic ingredient.
2174	EURYALE FEROX	A, H	
2175	EUTERPE OLERACEA	A, E	The plant part must be derived from the fruit. When used as an excipient: - permitted for use only in combination with other permitted ingredients as a flavour proprietary excipient formulation; - the total flavour proprietary excipient formulation in a medicine must not be more than 5%; and - the following warning statement is required on the medicine label: - (ACAI) 'Contains acai'.
2176	EVENING PRIMROSE OIL	A, E, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 2

2177	EVERNIA PRUNASTRI EXTRACT E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
------	-----------------------------	---
