

Schedule 1—Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Note: See sections 5 and 6.

Permissible ingredients and requirements			
Column 1	Column 2	Column 3	Column 4
Item	Ingredient name	Purpose	Specific requirements
2862	KADSURA COCCINEA	A, H	
2863	KAEMPFERIA GALANGA	A, H	
2864	KALMIA LATIFOLIA	A, H	Beta-arbutin is a mandatory component of <i>Kalmia latifolia</i> . When for oral use, the maximum recommended daily dose must not provide more than 500 mg of beta-arbutin. When for dermal application exclusively to the face: a) the concentration of beta-arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for use other than oral or dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
2865	KAOLIN	E	
2866	KELP DRY	A, H	Iodine is a mandatory component of Kelp dry. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			300 micrograms of iodine per maximum recommended daily dose.
2867	KELP POWDER	A, E, H	Iodine is a mandatory component of Kelp powder. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2868	KERATIN	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
2869	KEROSENE	E, H	Only for use as a homoeopathic ingredient. When used in liquid preparations, the concentration in the medicine must be no more than 25%.
2870	KHAYA SENEGALENSIS	A, E	The maximum daily dose of the medicine must not contain more than the equivalent of 1 g dry bark of <i>Khaya senegalensis</i> . The following warning statements are required on the medicine label: - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect) - (LONGUSE) 'Not for prolonged use. May harm

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			liver'; - (GEN2) 'If symptoms persist, seek the advice of a healthcare professional'; - (CHILD3) 'Use in children under 12 years is not recommended'; and - (7DAYS) 'Do not use for more than 7 days'.
2871	KIDNEY BEAN	E	
2872	KIRSCH	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2873	KIWI FRUIT	E	
2874	KNAUTIA ARVENSIS	A, H	
2875	KOREAN GINSENG ROOT DRY	A, H	
2876	KOREAN GINSENG ROOT POWDER	A, H	
2877	KRAMERIA IXIENA	A, H	
2878	KRAMERIA LAPPACEA	A, H	
2879	KUNZEA AMBIGUA	A	Only for use when the plant preparation is essential oil. Only for use when the route of administration is topical or inhalation. When the dosage form is essential oil, a restricted flow insert must be fitted on the container and the medicine requires the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' - (EXTERN) 'For external use only' - (UNDILU) 'Not to be applied undiluted to the skin except on

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>the advice of a health care practitioner'.</p> <p>When the dosage form is other than essential oil, the maximum concentration in topical medicines must be no more than 25% w/w and the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' - (EXTERN) 'For external use only'.
2880	L-BORNEOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2881	L-BORNYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used as in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2882	L-CARVONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

2883	L-LIMONENE	E	<p>L-limonene must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation or a fragrance proprietary excipient formulation.</p> <p>The total concentration of flavour proprietary excipient formulations containing l-limonene must not be more than 5% of the total medicine.</p> <p>The total concentration of fragrance proprietary excipient formulations containing l-limonene must not be more than 1% of the total medicine.</p>
2884	L-LINALOOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2885	L-MENTHONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2886	L-MENTHYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2887	L-ROSE OXIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2888	LABDANUM ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2889	LABDANUM GUM EXTRACT ETHYL ESTER	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance and the total fragrance concentration in a medicine is no more than 1%.
2890	LABDANUM OIL	A, E, H	
2891	LABURNUM ANAGYROIDES	A, H	Sparteine is a mandatory component of Laburnum anagyroides. The concentration of sparteine in the medicine must be no more than 0.001%.
2892	LACTALBUMIN	E	
2893	LACTIC ACID	A, E, H	When used as an active ingredient, can only be

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			<p>supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing form time to time.</p> <p>Sponsors should consider the impact of excipients containing alpha hydroxy acids on the sensitivity of the skin to sunlight and should ensure the finished medicine is safe for its intended purpose.</p>
2894	LACTITOL	E	
2895	LACTITOL MONOHYDRATE	E	
2896	LACTO-N-NEOTETRAOSE	A	<p>Only to be used in a medicine where Glycom A/S (Client ID 76983), who applied to have the ingredient included in this Determination, is the sponsor of the medicine or has given written authorisation to the sponsor of a medicine to include the ingredient in the medicine. This paragraph ceases to be a requirement for this ingredient after 20 August 2023.</p> <p>Lactose is a mandatory component of lacto-N-neotetraose.</p> <p>The route of administration for medicines that contain lacto-N-neotetraose must be limited to oral.</p> <p>The maximum recommended daily dose of the medicine must not provide more than:</p> <p>(a) 1.5 g of lacto-N-neotetraose to individuals aged 4 years and older; and</p> <p>(b) 0.6 g of lacto-N-neotetraose to individuals aged up to 3</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>years (inclusive). The requirements specified in paragraph (a) below apply to a medicine that contains the ingredient that is released for supply after 20 August 2023: (a) One of the following statements is required on the medicine label: (i) When the medicine is only for use in individuals aged 2 years and above: ‘Not to be taken on the same day with other products containing lacto-N-neotetraose’ (or words to that effect); or (ii) When the medicine is for use in children aged less than 2 years: ‘Not to be taken on the same day with breastmilk or other products containing lacto-N-neotetraose’ (or words to that effect).</p>
2897	LACTO-N-TETRAOSE	A	<p>Only to be used in a medicine where Glycom A/S (Client ID 76983), who applied to have the ingredient included in this Determination, is the sponsor of the medicine or has given written authorisation to the sponsor of a medicine to include the ingredient in the medicine. This paragraph ceases to be a requirement for this ingredient after 24 January 2024.</p> <p>Lactose is a mandatory component of lacto-N-tetraose. The route of administration for medicines that contain lacto-N-tetraose must be limited to oral. The maximum recommended daily dose of the medicine must not provide more than 2 g of lacto-N-tetraose.</p> <p>Not permitted for use in</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			children aged below 1 year. One of the following statements is required on the medicine label: a) When the medicine is only for use in individuals aged above 2 years: 'Not to be taken on the same day with other products containing lacto-N-tetraose' (or words to that effect); or b) When the medicine is for use in children aged less than 2 years: 'Not to be taken on the same day with breastmilk or other products containing lacto-N-tetraose' (or words to that effect).
2898	LACTOBACILLUS ACIDOPHILUS	A	
2899	LACTOBACILLUS AMYLOVORUS	A	
2900	LACTOBACILLUS BREVIS	A	
2901	LACTOBACILLUS CASEI	A	
2902	LACTOBACILLUS CASEI SUBSP. BIOVAR CASEI	A	
2903	LACTOBACILLUS CRISPATUS	A	
2904	LACTOBACILLUS DELBRUECKII SSP BULGARICUS	A	
2905	LACTOBACILLUS DELBRUECKII SSP LACTIS	A	
2906	LACTOBACILLUS FERMENTUM	A	
2907	LACTOBACILLUS GALLINARUM	A	
2908	LACTOBACILLUS GASSERI	A	
2909	LACTOBACILLUS HELVETICUS	A	
2910	LACTOBACILLUS JOHNSONII	A	
2911	LACTOBACILLUS KEFIRANOFACIENS	A	
2912	LACTOBACILLUS KEFIRGRANUM	A	
2913	LACTOBACILLUS KEFIRI	A	
2914	LACTOBACILLUS PARACASEI	A	
2915	LACTOBACILLUS PARACASEI	A	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

SUBSP. PARACASEI			
2916	LACTOBACILLUS PLANTARUM	A	
2917	LACTOBACILLUS REUTERI	A	
2918	LACTOBACILLUS RHAMNOSUS	A	
2919	LACTOBACILLUS SALIVARIUS SSP SALICINIUS	A	
2920	LACTOBACILLUS SALIVARIUS SSP SALIVARIUS	A	
2921	LACTOBIONIC ACID	E	Only for use in topical medicines for dermal application.
2922	LACTOSCATONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2923	LACTOSE	E	
2924	LACTOSE MONOHYDRATE	E	
2925	LACTUCA SATIVA	A, H	
2926	LACTUCA VIROSA	A, H	
2927	LACTULOSE	E	
2928	LACTULOSE SOLUTION	A	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing form time to time.
2929	LAGENARIA VULGARIS	A, H	
2930	LAMINARIA CLOUSTONI	A, E, H	Iodine is a mandatory component of Laminaria cloustoni. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2931	LAMINARIA DIGITATA	A, E, H	Iodine is a mandatory component of Laminaria digitata. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2932	LAMINARIA JAPONICA	A, E, H	Iodine is a mandatory component of Laminaria japonica. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2933	LAMIUM ALBUM	A, H	
2934	LANETH-5	E	Only for use in topical medicines for dermal application.
2935	LANOLIN ALCOHOL	E	Only for use in topical medicines for dermal application.
2936	LANOLIN OIL	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			application.
2937	LANOLIN WAX	E	Only for use in topical medicines for dermal application.
2938	LANTANA CAMARA	A, H	The maximum recommended daily dose must contain no more than 1mg of the equivalent dry herbal material of Lantana camara.
2939	LARIX ARABINOGALACTAN	A, E	The concentration of polysaccharides in the ingredient must be greater than or equal to 85%. The ingredient must be derived from Larix occidentalis or Larix laricina. Only for use in oral medicines or topical medicines for dermal application, and not to be included in topical products intended for use in the eye. The maximum recommended daily dose of Larix arabinogalactan in oral medicines must not be more than 15 grams. The concentration of Larix arabinogalactan in topical medicines for dermal application must not exceed 5.0%.
2940	LARIX DECIDUA	A, H	
2941	LARIX KAEMPFERI	A, H	The maximum recommended daily dose must be no more than 1 mg of the equivalent dry herbal material of Larix kaempferi.
2942	LARREA TRIDENTATA	A, H	The medicine requires the following warning statement on the medicine label: - (CHAP) 'WARNING:

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			Chaparral may harm the liver in some people - use only under supervision of a health care professional'.
2943	LATHYRUS SATIVUS	A, H	The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material of Lathyrus sativus. The medicine must not contain lathyrogenic amino acids.
2944	LAURAMINE OXIDE	E	
2945	LAUREL LEAF OIL	A, H	
2946	LAURETH-10	E	Only for use in topical medicines for dermal application.
2947	LAURETH-12	E	Only for use in topical medicines for dermal application.
2948	LAURETH-2	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.4%. Residual levels of ethylene oxide (and related substances) must be kept below the level of detection.
2949	LAURETH-23	E	Only for use in topical medicines for dermal application.
2950	LAURETH-3	E	Only for use in topical medicines for dermal application.
2951	LAURETH-4	E	Only for use in topical medicines for dermal

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			application.
2952	LAURETH-7	E	Only for use in topical medicines for dermal application.
2953	LAURETH-8	E	
2954	LAURIC ACID	A, E	When for use as an active ingredient is for use in oral medicines only and the maximum recommended daily dose must not exceed 1500 mg.
2955	LAURIL MACROGOL 400 DIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 5%.
2956	LAUROMACROGOL 400	E	Only for use in topical medicines for dermal application.
2957	LAUROYL LYSINE	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye or on damaged skin. The concentration in the medicine must be no more than 5.0%.
2958	LAURUS NOBILIS	A, E, H	When the plant preparation is oil or distillate, the nominal capacity of the container must be no more than 25 millilitres. When the concentration of Laurus nobilis oil or distillate in the preparation is greater than 25% and the nominal capacity of the container is less than or equal to 15 millilitres, a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			<p>restricted flow insert must be fitted on the container.</p> <p>When the concentration of Laurus nobilis oil or distillate in the preparation is greater than 25% and the nominal capacity of the container is greater than 15 millilitres, a child resistant closure must be fitted on the container.</p> <p>When the concentration of Laurus nobilis oil or distillate in the preparation is greater than 25%, the medicine must include the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'.
2959	LAURYL ALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as a coating solution, flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2960	LAURYL BETAINE	E	<p>Only for use in topical medicines for dermal application.</p>
2961	LAURYL GLUCOSIDE	E	<p>Only for use as an excipient ingredient in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			12%.
2962	LAURYL LACTATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 3%. Sponsors should consider the impact of excipients containing alpha hydroxy acids on the sensitivity of the skin to sunlight and should ensure the finished medicine is safe for its intended purpose.
2963	LAURYL PCA	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
2964	LAURYL PEG-10 TRIS(TRIMETHYLSILOXY)SILYL ETHYL DIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 2%.
2965	LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or damaged skin. The concentration in the medicine must be no more than 3.5%.
2966	LAURYL PEG/PPG-18/18	E	Only for use in topical

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 4

	METHICONE		medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 9%. Residual levels of ethylene oxide (and related substances) must be kept below the level of detection.
2967	LAURYL POLYGLUCOSE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration must not exceed 1% in leave-on medicines and 3% in wash-on/wash-off medicines.
2968	LAURYL PYRROLIDONE	E	Only for use in topical medicines for dermal application.
2969	LAURYL DIMONIUM HYDROXYPROPYL HYDROLYSED COLLAGEN	E	Only for use in topical medicines for dermal application.
2970	LAURYL DIMONIUM HYDROXYPROPYL HYDROLYSED SOY PROTEIN	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.007%.
2971	LAURYL METICONE COPOLYOL	E	Only for use in topical medicines for dermal application.
2972	LAVANDIN OIL	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2973	LAVANDIN OIL ABRIAL	A, E, H	
2974	LAVANDIN OIL GROSSO	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2975	LAVANDULA ANGUSTIFOLIA	A, E, H	Camphor is a mandatory component of <i>Lavandula angustifolia</i> . In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%. In liquid preparations other than essential oils or distillates, the concentration of camphor must be no more than 2.5%.
2976	LAVANDULA ANGUSTIFOLIA SUBSP. ANGUSTIFOLIA	A, E, H	Camphor is a mandatory component of <i>Lavandula angustifolia</i> subsp. <i>angustifolia</i> . In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%. In liquid preparations other than essential oils or distillates, the concentration of camphor must be no more than 2.5%.
2977	LAVANDULA X INTERMEDIA	A, E, H	Camphor is a mandatory component of <i>Lavandula x intermedia</i> .

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%.
2978	LAVENDER OIL	A, E, H	
2979	LAWSONIA INERMIS	A, H	
2980	LEAD	H	Only for use as an active homoeopathic ingredient. The concentration in the medicine must be no more than 0.001%.
2981	LEAD ACETATE	H	Only for use as an active homoeopathic ingredient.
2982	LEAF ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used as a flavour the total flavour concentration in a medicine must be no more than 5%.
2983	LECITHIN	A, E	
2984	LEDEBOURIELLA SESELOIDES	A, H	
2985	LEDUM PALUSTRE	A, H	Beta-arbutin is a mandatory component of Ledum palustre. When for dermal application exclusively to the face: a) the concentration of beta-arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for topical use other than dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			When the route of administration is other than topical, the maximum recommended daily dose must not contain more than 0.001 mg of the equivalent dry herbal material of <i>Ledum palustre</i> .
2986	LEMNA MINOR	A, H	
2987	LEMON	E	When used internally, oxedrine is a mandatory component of lemon. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
2988	LEMON BALM LEAF DRY	A, H	
2989	LEMON BALM LEAF POWDER	A, E, H	
2990	LEMON OIL	A, E, H	When used internally, oxedrine is a mandatory component of lemon oil. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams. The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) steam distilled or rectified; or b) for internal use; or c) contains 0.05% or less of lemon oil; or d) for use in soaps or bath or shower gels that are washed off the skin.
2991	LEMON OIL DISTILLED	A, E, H	When used internally, oxedrine is a mandatory component of lemon oil distilled. The quantity of oxedrine in the maximum recommended daily

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			dose must be no more than 30 milligrams.
2992	LEMON OIL TERPENELESS	A, E, H	When used internally, oxedrine is a mandatory component of lemon oil terpeneless. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
2993	LEMON OIL TERPENES AND TERPENOIDS	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2994	LEMON PEEL DRIED	A, E, H	When used internally, oxedrine is a mandatory component of lemon peel dried. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
2995	LEMONGRASS OIL	A, E, H	
2996	LENS CULINARIS	A, H	
2997	LENTIL	E	
2998	LENTINULA EDODES	A, E, H	
2999	LEONTOPODIUM ALPINUM	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
3000	LEONURUS CARDIACA	A, E, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3001	LEONURUS SIBIRICUS	A, E, H	
3002	LEPIDIUM APETALUM	A, H	
3003	LEPIDIUM MEYENII	A	The route of administration for medicines that contain <i>Lepidium meyenii</i> must be limited to oral. The ingredient must consist of the dried tuber of <i>Lepidium meyenii</i> only. The maximum recommended daily dose of the medicine must not provide more than 3.5 g of <i>Lepidium meyenii</i> dried tuber (or its extract equivalent).
3004	LEPTOSPERMUM PETERSONII	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more 5%.
3005	LEPTOSPERMUM SCOPARIUM OIL	A	Only for use as an active ingredient when the route of administration is topical or oral application in a mouthwash preparation. If the concentration is more than 25%, the nominal capacity of the container must be no more than 25mL. When the concentration is more than 25%, and the nominal capacity of the container less than 15mL, a restricted flow insert must be fitted on the container and requires the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or word to that effect) - (NTAKEN) 'Not to be taken' When the concentration is more than 25%, the nominal capacity of the container is

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			more than 15 mL but no more than 25 mL, a child resistant closure and restricted flow insert must be fitted on the container and requires the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or word to that effect) - (NTAKEN) 'Not to be taken'
3006	LESPEDEZA CAPITATA	A, H	
3007	LETTUCE	E	
3008	LEUCINE	A, E	
3009	LEUZEA UNIFLORUM	A, H	
3010	LEVISTICUM OFFICINALE	A, H	
3011	LEVOCARNITINE	A	
3012	LEVOCARNITINE FUMARATE	A	
3013	LEVOCARNITINE HYDROCHLORIDE	A	
3014	LEVOCARNITINE MAGNESIUM CITRATE	A	
3015	LEVOCARNITINE TARTRATE	A	
3016	LEVOMEFOLATE CALCIUM	A	Available for medicines intended for internal use only. Levomefolic acid is a mandatory component of levomefolate calcium. The maximum recommended daily dose must not provide more than 500 micrograms of levomefolic acid from levomefolate calcium. When the medicine contains a combination of folic acid, folinic acid or levomefolic acid, the medicine must not provide more than a combined total of 500 micrograms of folic acid, folinic acid and levomefolic acid per maximum recommended daily dose.
3017	LEVOMEFOLATE	A	Available for medicines

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

	GLUCOSAMINE		intended for internal use only. Levomefolic acid is a mandatory component of levomefolate glucosamine. The maximum recommended daily dose must not provide more than 500 micrograms of levomefolic acid from levomefolate glucosamine. When the medicine contains a combination of folic acid, folinic acid or levomefolic acid, the medicine must not provide more than a combined total of 500 micrograms of folic acid, folinic acid and levomefolic acid per maximum recommended daily dose.
3018	LEVOTHYROXINE SODIUM	H	Only for use as an active homoeopathic ingredient.
3019	LEVULINIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3020	LIGHT KAOLIN	E	
3021	LIGHT LIQUID PARAFFIN	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
3022	LIGHT MAGNESIUM OXIDE	A, E, H	Magnesium is a mandatory component of light magnesium oxide. When used in a medicine:

			<p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3023	LIGUSTICUM SINENSE	A, H	
3024	LIGUSTICUM STRIATUM	A, E, H	
3025	LIGUSTRUM LUCIDUM	A, H	
3026	LILIUM BROWNII	A, H	
3027	LILIUM CANDIDUM	A, E, H	
3028	LILIUM LANCIFOLIUM	A, H	
3029	LILIUM LONGIFLORUM	A, H	
3030	LIME FRUIT	E	
3031	LIME OIL	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3032	LIME OIL COLDPRESSED	A, E, H	The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) contains 0.5% or less of lime oil coldpressed; or c) for use in soaps or bath or shower gels that are washed off the skin.
3033	LIME OIL DISTILLED	A, E, H	The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) contains 0.5% or less of lime oil distilled; or c) for use in soaps or bath or shower gels that are washed off the skin.
3034	LIME OIL TERPENELESS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3035	LIME OIL TERPENES AND TERPENOIDS	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3036	LIME TREE FLOWER DRY	A, H	
3037	LIME TREE FLOWER POWDER	A, H	
3038	LIME, ESSENCE	E	
3039	LIMES TERPENES	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3040	LIMONENE	E	When for oral use, the quantity must be no more than 10 mg per maximum recommended daily dose.
3041	LINALOOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3042	LINALOOL OXIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3043	LINALYL ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3044	LINALYL ACETATE	E	Permitted for use only: (a) in topical medicines for dermal application; and (b) in oral medicines in combination with other permitted ingredients as part of a flavour proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.
3045	LINALYL BENZOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3046	LINALYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

3047	LINALYL CINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3048	LINALYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3049	LINALYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3050	LINALYL PROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3051	LINDERA STRYCHNIFOLIA	A, H	
3052	LINOLEAMIDOPROPYL PG-DIMONIUM CHLORIDE PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.5%.
3053	LINOLEIC ACID	E	
3054	LINOLENIC ACID	E	
3055	LINSEED DRY	A, E, H	
3056	LINSEED OIL	A, E, H	
3057	LINSEED OIL FATTY ACIDS	E	Linseed oil fatty acids must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing linseed oil fatty acids must not be more than 5% of the total medicine.
3058	LINSEED POWDER	A, E, H	
3059	LINUM USITATISSIMUM	A, E, H	
3060	LIPASE	A	Lipase must only be derived from <i>Rhizopus oryzae</i> and must comply with the relevant compositional guideline.
3061	LIPPIA DULCIS	A, H	
3062	LIQUID GLUCOSE	E	
3063	LIQUID PARAFFIN	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3064	LIQUIDAMBAR FORMOSANA	A, H	
3065	LIQUIDAMBAR ORIENTALIS	A, H	
3066	LIQUIDAMBAR STYRACIFLUA	A, E, H	
3067	LIQUIDAMBAR STYRACIFLUA RESIN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3068	LIQUIDAMBAR TAIWANIANA	A, H	
3069	LIQUORICE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3070	LIQUORICE DRY	A, E, H	
3071	LIQUORICE LIQUID EXTRACT	A, E, H	
3072	LIQUORICE POWDER	A, E, H	
3073	LITCHI CHINENSIS	A, H	
3074	LITHIUM CARBONATE	H	Only for use as an active homoeopathic ingredient.
3075	LITHOSPERMUM OFFICINALE	A, H	The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material of Lithospermum officinale.
3076	LITSEA CUBEBA	A, E, H	
3077	LITSEA CUBEBA OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3078	LOBARIA PULMONARIA	A, H	
3079	LOBELIA DRY	A, H	The concentration in the medicine must be no more than 0.001% or 10mg/kg or 10ml/L or 10 ppm unless the medicine is administered by inhalation.
3080	LOBELIA INFLATA	A, H	The concentration in the medicine must be no more than 0.001% or 10mg/kg or 10ml/L or 10 ppm unless the medicine is administered by inhalation.
3081	LOBELIA POWDER	A, H	The concentration in the medicine must be no more than 0.001% or 10mg/kg or 10ml/L or 10 ppm unless the medicine is administered by inhalation.
3082	LOLIUM PERENNE	A, H	
3083	LOLIUM TEMULENTUM	A, H	
3084	LONGIFOLENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total longifolene concentration in a medicine must be no more than 1%.
3085	LONICERA CAPRIFOLIUM	A, E, H	
3086	LONICERA JAPONICA	A, E, H	
3087	LONICERA PERICLYMENUM	A, H	
3088	LOPHATHERUM GRACILE	A, H	
3089	LOQUAT	E	
3090	LORANTHUS PARASITICUS	A, H	
3091	LOROPETALUM CHINENSIS	A, H	
3092	LOTUS CORNICULATUS	A, H	
3093	LOVAGE OIL	A, E, H	
3094	LOVAGE ROOT DRY	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

3095	LOVAGE ROOT POWDER	A, H	
3096	LUDWIGIA PROSTRATA	A, H	
3097	LUFFA CYLINDRICA	A, H	
3098	LUFFA PURGANS	A, H	
3099	LUTEIN	A, E, H	When used as an excipient, permitted for use only as a colour in medicines limited to topical and oral routes of administration.
3100	LYCHEE	E	
3101	LYCIUM BARBARUM	A, H	
3102	LYCIUM CHINENSE	A, E, H	
3103	LYCOPENE	A, E	
3104	LYCOPERSICON ESCULENTUM	A, E, H	Steroidal alkaloids calculated as solanine is a mandatory component of Lycopersicon esculentum. The maximum daily dose must not provide more than 10 mg of steroidal alkaloids calculated as solanine.
3105	LYCOPODIUM ANNOTINUM	A, H	
3106	LYCOPODIUM CLAVATUM	A, H	
3107	LYCOPODIUM COMPLANATUM	A, H	
3108	LYCOPUS EUROPAEUS	A, H	
3109	LYCOPUS LUCIDUS	A, H	
3110	LYCOPUS VIRGINICUS	A, H	Pulegone is a mandatory component of Lycopus virginicus. The concentration of pulegone in the medicine must be no more than 4%.
3111	LYGODIUM JAPONICUM	A, H	
3112	LYSIMACHIA CHRISTINAE	A, H	
3113	LYSIMACHIA VULGARIS	A, H	
3114	LYSINE	A, E	
3115	LYSINE HYDROCHLORIDE	A, E	
3116	LYTHRUM HYSSOPIFOLIA	A, H	
3117	LYTHRUM SALICARIA	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3118	LYTHRUM VERTICILLATUM	A, H	
3119	MACADAMIA INTEGRIFOLIA	A, E	
3120	MACADAMIA NUT	E	
3121	MACADAMIA NUT OIL	E	
3122	MACADAMIA TERNIFOLIA	A, E, H	
3123	MACE	E	Safrole is a mandatory component of Mace. When used internally, the concentration of safrole in the medicine must be no more than 0.1%. When used topically, the concentration of safrole in the medicine must be no more than 1.0%.
3124	MACE OIL	A, H	Safrole is a mandatory component of Mace oil. When used internally, the concentration of safrole in the medicine must be no more than 0.1%. When used topically, the concentration of safrole in the medicine must be no more than 1.0%. When the concentration of mace oil in the preparation is more than 50% and the nominal capacity of the container is 25 mL or less, a restricted flow insert must be fitted on the container.
3125	MACROCYSTIS PYRIFERA	A, E, H	Iodine is a mandatory component of <i>Macrocystis pyrifera</i> . Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			dose.
3126	MACROGOL 1000	E	
3127	MACROGOL 1450	E	Only for use in topical medicines for dermal application.
3128	MACROGOL 1500	E	
3129	MACROGOL 1500 CASTOR OIL	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 2%.
3130	MACROGOL 200	E	Only for use in topical medicines for dermal application.
3131	MACROGOL 20000	E	
3132	MACROGOL 300	E	
3133	MACROGOL 3000	E	
3134	MACROGOL 3350	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing form time to time.
3135	MACROGOL 40	E	Only for use in topical medicines for dermal application.
3136	MACROGOL 400	E	
3137	MACROGOL 4000	E	
3138	MACROGOL 45000	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3139	MACROGOL 600	E	
3140	MACROGOL 6000	E	
3141	MACROGOL 600000	E	
3142	MACROGOL 800	E	
3143	MACROGOL 8000	E	
3144	MACROGOL 900	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.95%.
3145	MACROGOL POLY(VINYL ALCOHOL) GRAFTED POLYMER	E	Only for use in oral medicines. The concentration in the medicine must be no more than 5%.
3146	MACROPIPER EXCELSUM VAR EXCELSUM	A, H	
3147	MAGNESIUM AMINO ACID CHELATE	A, E, H	Only for use in oral medicines. The concentration of magnesium must be no more than 25% of the magnesium amino acid chelate.
3148	MAGNESIUM ASCORBATE	A, E, H	
3149	MAGNESIUM ASCORBATE MONOHYDRATE	A, E, H	
3150	MAGNESIUM ASCORBYL PHOSPHATE	E	Only for use in topical medicines for dermal application.
3151	MAGNESIUM ASPARTATE	A, E, H	
3152	MAGNESIUM ASPARTATE DIHYDRATE	A, E, H	
3153	MAGNESIUM ASPARTATE TETRAHYDRATE	A, E, H	
3154	MAGNESIUM CARBONATE HYDRATE	A, E, H	
3155	MAGNESIUM CHLORIDE 4.5-HYDRATE	A	Magnesium is a mandatory component of magnesium chloride 4.5-hydrate.

			<p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3156	MAGNESIUM CHLORIDE HEXAHYDRATE	A, E, H	<p>Magnesium is a mandatory component of magnesium chloride hexahydrate.</p> <p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3157	MAGNESIUM CITRATE	A, E, H	
3158	MAGNESIUM CITRATE NONAHYDRATE	A, E, H	
3159	MAGNESIUM CITRATE TETRADECAHYDRATE	A, E, H	
3160	MAGNESIUM DIGLUTAMATE	A, E, H	
3161	MAGNESIUM GLUCONATE	A, E, H	
3162	MAGNESIUM GLYCEROPHOSPHATE	A, E, H	
3163	MAGNESIUM GLYCINATE	A	Only for use in oral medicines.
3164	MAGNESIUM GLYCINATE DIHYDRATE	A	<p>Only for use in oral medicines. Magnesium is a mandatory component of Magnesium glycinate dihydrate. The percentage of Magnesium from Magnesium glycinate dihydrate should be calculated based on the molecular weight of Magnesium glycinate</p>

			dihydrate.
3165	MAGNESIUM HYDROGEN PHOSPHATE	H	<p>Magnesium is a mandatory component of magnesium hydrogen phosphate.</p> <p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3166	MAGNESIUM HYDROXIDE	A, E	<p>When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>British Pharmacopoeia, as in force or existing from time to time.</p> <p>Magnesium is a mandatory component of magnesium hydroxide.</p> <p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3167	MAGNESIUM LYSINATE	A	Only for use in oral medicines.
3168	MAGNESIUM METHIONINATE	A	Only for use in oral medicines.
3169	MAGNESIUM NITRATE	E	Only for use in topical medicines for dermal

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			application.
3170	MAGNESIUM OROTATE	A, E, H	
3171	MAGNESIUM OROTATE DIHYDRATE	A, E, H	
3172	MAGNESIUM OXIDE	A, E, H	<p>Magnesium is a mandatory component of magnesium oxide.</p> <p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3173	MAGNESIUM PHOSPHATE PENTAHYDRATE	A, E, H	<p>Magnesium is a mandatory component of magnesium phosphate pentahydrate.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3174	MAGNESIUM PHOSPHATE TRIBASIC	A, E, H	<p>Magnesium is a mandatory component of magnesium phosphate tribasic.</p> <p>The percentage of magnesium from magnesium phosphate tribasic should be calculated based on the molecular weight of magnesium phosphate tribasic.</p> <p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			<p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3175	MAGNESIUM PYRUVATE	A	Only for use in oral medicines. The maximum recommended daily dose must be no more than 7 grams.
3176	MAGNESIUM STEARATE	E	
3177	MAGNESIUM SULFATE DIHYDRATE	A, E, H	When used internally, the maximum recommended daily dose must not be more than 1.5g. Magnesium is a mandatory component of magnesium sulfate dihydrate. When used in a medicine:

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3178	MAGNESIUM SULFATE HEPTAHYDRATE	A, E, H	<p>When used internally, the maximum recommended daily dose must not be more than 1.5 g.</p> <p>Magnesium is a mandatory component of magnesium sulfate heptahydrate.</p> <p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum</p>

			<p>recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3179	MAGNESIUM SULFATE MONOHYDRATE	A, E, H	<p>When used internally, the maximum recommended daily dose must not be more than 1.5 g.</p> <p>Magnesium is a mandatory component of magnesium sulfate monohydrate.</p> <p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3180	MAGNESIUM SULFATE TRIHYDRATE	A, E, H	<p>When used internally, the maximum recommended daily dose must not be more than 1.5 g. Magnesium is a mandatory component of magnesium sulfate trihydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
3181	MAGNESIUM TRISILICATE	E	<p>Magnesium is a mandatory component of magnesium trisilicate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3182	MAGNOLIA GLAUCA	A, H	
3183	MAGNOLIA LILIFLORA	A, H	
3184	MAGNOLIA OBOVATA	A, H	
3185	MAGNOLIA OFFICINALIS	A, E, H	
3186	MAGNOLIA SALICIFOLIA	A, H	
3187	MAIZE	E	
3188	MAIZE BRAN	E	
3189	MAIZE OIL	A, E, H	
3190	MAIZE STARCH	A, E, H	
3191	MALACHITE GREEN	E	Permitted for use only as a colour for topical use.
3192	MALIC ACID	E	Sponsors should consider the impact of excipients on the sensitivity of the skin to sunlight and should ensure the finished medicine is safe for its intended purpose.
3193	MALPIGHIA GLABRA	A, E, H	
3194	MALT EXTRACT	E	
3195	MALTITOL	E	
3196	MALTITOL SOLUTION	E	
3197	MALTODEXTRIN	E	Gluten is a mandatory component of Maltodextrin where the ingredient is derived from gluten containing grains such as wheat, barley, rye and oats.
3198	MALTOL	E	
3199	MALTONE	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3200	MALTOSE	E	
3201	MALUS DOMESTICA	A, E, H	The concentration of amygdalin in the medicine must be no more than 0%.
3202	MALUS SYLVESTRIS	A, H	
3203	MALVA MOSCHATA	A, H	
3204	MALVA SYLVESTRIS	A, E, H	
3205	MALVA VERTICILLATA	A, H	
3206	MANDARIN	E	
3207	MANDARIN OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3208	MANDARIN OIL COLDPRESSED	A, E, H	When used internally, oxedrine is a mandatory component of mandarin oil coldpressed. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3209	MANDARIN OIL TERPENES	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			fragrance concentration in a medicine must be no more 1%.
3210	MANDARIN RESIDUE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3211	MANDARINAL 32048	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3212	MANDRAGORA OFFICINARUM	A, H	Atropine, hyoscine and hyoscyamine are mandatory components of Mandragora officinarum. The concentration in the medicine must be no more than 10 mg/kg or 10 mL/L or 0.001%. The concentration of atropine in the medicine must be no more than 100 micrograms/kg or 100 micrograms/L or 0.00001%. The concentration of hyoscine in the medicine must be no more than 300 micrograms/kg or 300 micrograms/L or 0.00003%. The concentration of hyoscyamine in the medicine must be no more than 300 micrograms/kg or 300 micrograms/L or 0.00003%.
3213	MANGANESE	H	Only for use as an active homoeopathic ingredient.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

3214	MANGANESE (II) DIASPARTATE	A, H	Only for use in oral medicines.
3215	MANGANESE (II) GLYCINATE	A, H	Only for use in oral medicines.
3216	MANGANESE ACETATE TETRAHYDRATE	H	Only for use as an active homoeopathic ingredient.
3217	MANGANESE AMINO ACID CHELATE	A, E, H	Only for use in oral medicines. The concentration of Manganese must be no more than 25% of the manganese amino acid chelate.
3218	MANGANESE CHLORIDE TETRAHYDRATE	A, E, H	
3219	MANGANESE DIASPARTATE	A, E, H	Only for use in oral medicines.
3220	MANGANESE GLUCONATE	A, E, H	
3221	MANGANESE GLYCEROPHOSPHATE	A, E, H	
3222	MANGANESE OXIDE	A, E, H	
3223	MANGANESE SULFATE MONOHYDRATE	A, E, H	
3224	MANGANESE SULFATE TETRAHYDRATE	A, E, H	
3225	MANGIFERA INDICA	A, E, H	
3226	MANGO	E, H	
3227	MANIHOT ESCULENTA	A, H	
3228	MANNITOL	E	
3229	MARANTA ARUNDINACEA	A, H	
3230	MARINE SPONGE	H	Only for use as an active homoeopathic ingredient.
3231	MARJORAM OIL SPANISH	A, E, H	When the concentration in the preparation is more than 50%, the nominal capacity of the container must be no more than 50 mL, the medicine must have a restricted flow insert fitted to the container and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			of children' (or words to that effect).
3232	MARJORAM OIL SWEET	A, E, H	When the concentration in the preparation is more than 50%, the nominal capacity of the container must be no more than 50 mL, the medicine must have a restricted flow insert fitted to the container and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
3233	MARRUBIUM VULGARE	A, E, H	
3234	MARSDENIA CUNDURANGO	A, H	
3235	MARSHMALLOW ROOT DRY	A, H	
3236	MARSHMALLOW ROOT POWDER	A, H	
3237	MASSOIA LACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3238	MASTIC	A, H	
3239	MATE ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3240	MATRICARIA CHAMOMILLA	A, E, H	
3241	MATRICARIA FLOWER DRY	A, E, H	

3242	MEADOWSWEET HERB DRY	A, H	<p>Methyl salicylate is a mandatory component of meadowsweet herb dry.</p> <p>Not to be included in medicines for use in the eye or on damaged skin.</p> <p>When used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if:</p> <ul style="list-style-type: none"> - the delivery device is engaged into the container in such a way that prevents it from being readily removed; - direct suction through the delivery device results in delivery of no more than one dosage unit; and - actuation of the spray device is ergonomically difficult for young children to accomplish. <p>The following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> - (METSAL) 'Contains methyl salicylate' (or words to that effect). <p>When for use in topical medicines for dermal application</p> <ul style="list-style-type: none"> i) the concentration of methyl salicylate in the medicine must not be more than 25% ii) the following warning
------	----------------------	------	--

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>statements are required on the medicine label:</p> <ul style="list-style-type: none"> - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight.' (or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); <p>iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> - (IRRIT) 'If irritation develops, discontinue use'.
3243	MECOBALAMIN (CO-METHYLCOBALAMIN)	A	Only for use in oral medicines.
3244	MEDICAGO SATIVA	A, E, H	<p>The level of l-canavanine must be no more than that of the dried leaf.</p> <p>When fresh leaf extract is used and the extraction ratio is between 34:1 and 46:1, the quantity of l-canavanine in the extract must not be more than that in the fresh leaf.</p>
3245	MEDIUM CHAIN TRIGLYCERIDES	E	
3246	MELALEUCA ALTERNIFOLIA	A, E, H	<p>Cineole is a mandatory component of Melaleuca alternifolia.</p> <p>In liquid preparations when the concentration of cineole OR the concentration of oil or distillate in the preparation is</p>

			<p>more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect); and</p> <p>- (NTAKEN) 'Not to be taken'.</p> <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.</p>
3247	MELALEUCA CAJUPUTI	A, E, H	<p>Cineole is a mandatory component of Melaleuca cajuputi.</p> <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect); and</p> <p>- (NTAKEN) 'Not to be taken'.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3248	MELALEUCA CITRINA	A, H	
3249	MELALEUCA DISSITIFLORA	A, H	Cineole is a mandatory component of Melaleuca dissitiflora. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3250	MELALEUCA ERICIFOLIA	A, E, H	Cineole is a mandatory

			<p>component of Melaleuca ericifolia.</p> <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect); and</p> <p>- (NTAKEN) 'Not to be taken'.</p> <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.</p>
3251	MELALEUCA LINARIIFOLIA	A, H	<p>Cineole is a mandatory component of Melaleuca linariifolia.</p> <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3252	MELALEUCA OIL	A, E, H	Cineole and cajuput oil are a mandatory components of Melaleuca Oil. When the plant preparation is oil and the concentration in the medicine is more than 25%, the nominal capacity of the container must be no more than 25 mL and the medicine requires the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or word to that effect) - (NTAKEN) 'Not to be taken'. When the nominal capacity of the container is 15 mL or less, then a restricted flow insert must be fitted on the container. Where the nominal capacity of the container is more than 15 mL but less than or equal to 25 mL, then a child resistant closure and restricted flow insert must be fitted on the container.
3253	MELALEUCA QUINQUENERVIA	A, E, H	Cineole is a mandatory

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			<p>component of Melaleuca quinquenervia.</p> <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:</p> <p>a) the nominal capacity of the container must be no more than 25 millilitres;</p> <p>b) a restricted flow insert must be fitted on the container; and</p> <p>c) the container must include the following warning statements on the medicine label:</p> <p>- (CHILD) 'Keep out of reach of children' (or words to that effect); and</p> <p>- (NTAKEN) 'Not to be taken'.</p> <p>In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.</p>
3254	MELICOPE PTELEIFOLIA	A, H	
3255	MELILOTUS OFFICINALIS	A, E, H	<p>Coumarin is a mandatory component of Melilotus officinalis.</p> <p>The concentration of coumarin in the medicine must be no more than 0.001%.</p>
3256	MELISSA OFFICINALIS	A, E, H	
3257	MELON	E	
3258	MENADIONE SODIUM BISULFITE	E	
3259	MENAQUINONE 7	A	<p>For oral use only.</p> <p>The medicine must not provide</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			more than 180 micrograms per maximum daily dose in adults, 90 micrograms per maximum daily dose in children between 10-18 years, and 45 micrograms per maximum daily dose in children less than 10 years of age.
3260	MENISPERMUM CANADENSE	A, H	
3261	MENTHA AQUATICA	A, H	Menthol is a mandatory component of <i>Mentha aquatica</i> . When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label:

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>– (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation.</p> <p>When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.</p>
3262	MENTHA ARVENSIS	A, E, H	<p>Menthol is a mandatory component of <i>Mentha arvensis</i>. When the medicine is for topical use for dermal application:</p> <p>(i) the medicine must not be intended for use in the eye or on damaged skin;</p> <p>(ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use;</p> <p>(iii) the following warning statement is required on the medicine label:</p> <p>- (EYE) Avoid contact with eyes (or words to that effect).</p> <p>(iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label:</p> <p>- (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area;</p> <p>- (IRRIT) If irritation develops, discontinue use.</p> <p>(v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label:</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>– (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation.</p> <p>When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.</p>
3263	MENTHA ARVENSIS LEAF OIL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour proprietary excipient formulation or fragrance proprietary excipient formulation.</p> <p>The total flavour proprietary excipient formulation in a medicine must be no more than 5%.</p> <p>The total fragrance proprietary excipient formulation in a medicine must be no more 1%.</p> <p>Menthol is a mandatory component of Mentha arvensis leaf oil.</p> <p>When the medicine is for topical use for dermal application:</p> <p>(i) the medicine must not be intended for use in the eye or on damaged skin;</p> <p>(ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use;</p> <p>(iii) the following warning statement is required on the medicine label:</p> <p>- (EYE) Avoid contact with eyes (or words to that effect).</p> <p>(iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the</p>

			<p>following warning statements are required on the medicine label:</p> <ul style="list-style-type: none"> - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. <p>(v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. <p>When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.</p>
3264	MENTHA ARVENSIS OIL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour proprietary excipient formulation.</p> <p>The total flavour proprietary excipient formulation in a medicine must not be more than 5%.</p> <p>Menthol is a mandatory component of Mentha arvensis oil.</p> <p>When the medicine is for topical use for dermal application:</p> <ul style="list-style-type: none"> (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>use;</p> <p>(iii) the following warning statements is required on the medicine label:</p> <p>- (EYE) Avoid contact with eyes (or words to that effect).</p> <p>(iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label:</p> <p>- (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area;</p> <p>- (IRRIT) If irritation develops, discontinue use.</p> <p>(v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label:</p> <p>– (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation.</p> <p>When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.</p>
3265	MENTHA HAPLOCALYX	A, E, H	<p>Menthol is a mandatory component of Mentha haplocalyx.</p> <p>When the medicine is for topical use for dermal application:</p> <p>(i) the medicine must not be intended for use in the eye or on damaged skin;</p> <p>(ii) the medicine must not deliver more than 25% total menthol when administered</p>

			<p>according to the directions for use;</p> <p>(iii) the following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: <ul style="list-style-type: none"> - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: <ul style="list-style-type: none"> - (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. <p>When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.</p>
3266	MENTHA PULEGIUM	A, H	<p>D-pulegone, menthol and volatile oil components (of <i>Mentha pulegium</i>) are mandatory components of <i>Mentha pulegium</i>.</p> <p>When the nominal capacity of the container is more than 15 millilitres, the concentration of d-pulegone in the medicine must be no more than 4%.</p> <p>When the concentration of d-</p>

pulegone in the preparation is more than 4% and the nominal capacity of the container is 15 millilitres or less, the medicine must have a child resistant closure and restricted flow insert fitted on the container.

The medicine requires the following warning statements on the medicine label:

- (NTAKEN) 'Not to be taken';
- (CHILD) 'Keep out of reach of children' (or words to that effect).

When the medicine is for topical use for dermal application:

a) the maximum recommended daily dose must not contain more than 150 mg of *Mentha pulegium* oil or distillate;

b) the medicine must not be intended for use in the eye or on damaged skin;

c) the medicine must not deliver more than 25% total menthol when administered according to the directions for use;

d) the following warning statement is required on the medicine label:

- (EYE) Avoid contact with eyes (or words to that effect).

e) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label:

- (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area;
 - (IRRIT) If irritation develops, discontinue use.
-

			<p>f) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use: a) the maximum recommended daily dose must not contain more than 50 mg of Mentha pulegium oil or distillate; b) the maximum recommended daily dose must not contain more than 1 gram of menthol.</p>
3267	MENTHA SPICATA	A, E, H	<p>Menthol is a mandatory component of Mentha spicata. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.</p>
3268	MENTHA X CARDIACA	A, E, H	<p>Menthol is a mandatory component of Mentha x cardiaca. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have</p>

			<p>sensitive skin, test this product on a small area of skin before applying it to a large area;</p> <p>- (IRRIT) If irritation develops, discontinue use.</p> <p>(v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label:</p> <p>– (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation.</p> <p>When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.</p>
3269	MENTHA X PIPERITA	A, E, H	<p>Menthol is a mandatory component of Mentha x piperita.</p> <p>When the medicine is for topical use for dermal application:</p> <p>(i) the medicine must not be intended for use in the eye or on damaged skin;</p> <p>(ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use;</p> <p>(iii) the following warning statement is required on the medicine label:</p> <p>- (EYE) Avoid contact with eyes (or words to that effect).</p> <p>(iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label:</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>- (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area;</p> <p>- (IRRIT) If irritation develops, discontinue use.</p> <p>(v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label:</p> <p>– (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation.</p> <p>When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.</p>
3270	MENTHADIENYL ACETATE	E	<p>Menthadienyl acetate must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation.</p> <p>The total concentration of the flavour proprietary excipient formulation containing menthadienyl acetate must not be more than 5% of the total medicine.</p>
3271	MENTHANYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
3272	MENTHOFURAN	E	<p>Permitted for use only in combination with other permitted ingredients as a</p>

			flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3273	MENTHOL	A, E	<p>When the medicine is for topical use for dermal application:</p> <p>(i) the medicine must not be intended for use in the eye or on damaged skin;</p> <p>(ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use;</p> <p>(iii) the following warning statement is required on the medicine label:</p> <p>- (EYE) Avoid contact with eyes (or words to that effect).</p> <p>(iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label:</p> <p>- (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area;</p> <p>- (IRRIT) If irritation develops, discontinue use.</p> <p>(v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label:</p> <p>– (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation.</p> <p>When the medicine is for internal use, the maximum</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			recommended daily dose must not contain more than 1 gram of menthol.
3274	MENTHONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3275	MENTHONE GLYCERINE ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3276	MENTHONE THIOL FRACTION	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3277	MENTHOXYPROPANEDIOL	E	For oral use only. The concentration in the medicine must be no more than 0.04%.
3278	MENTHYL 2-HYDROXYETHYL CARBONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

3279	MENTHYL 2-HYDROXYPROPYL CARBONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3280	MENTHYL ANTHRANILATE	A	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 5%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3281	MENTHYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3282	MENTHYL LACTATE	E	
3283	MENYANTHES TRIFOLIATA	A, H	
3284	MERCURIC CHLORIDE	H	Only for use as an active homoeopathic ingredient. Mercury is a mandatory component of mercuric chloride.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			The total concentration of mercury in the medicine must not be more than 1 mg/kg or 1 mg/L or 0.0001%.
3285	MERCURY	H	Only for use as an active homoeopathic ingredient. The total concentration of mercury in the medicine must not be more than 1 mg/kg or 1 mg/L or 0.0001%.
3286	METACRESOL	E	Only for use in topical medicines for dermal application.
3287	METHACRYLIC ACID COPOLYMER	E	Only for use in oral medicines.
3288	METHANOL	E	The residual solvent limit is 30 mg per recommended daily dose. The concentration in the medicine must be no more than 0.3%.
3289	METHICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
3290	METHIONINE	A, E	
3291	METHYL 2,6,6-TRIMETHYLCYCLOHEX-2-ENE-1-CARBOXYLATE	E	Only for use in medicines in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must not be more than 1%.
3292	METHYL 2-METHYLBUTYRATE	E	Permitted for use only in

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
3293	METHYL 2-OCTYNOATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
3294	METHYL 3,6-DIMETHYLRESORCYLATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
3295	METHYL ACETATE	E	<p>The residual solvent limit is 50 mg per recommended daily dose.</p> <p>The concentration in the medicine must be no more than 0.5%.</p>
3296	METHYL ACETOPHENONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3297	METHYL ACETYL RICINOLEATE	E	Only for use in topical medicines for dermal application.
3298	METHYL ANISATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3299	METHYL ANTHRANILATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3300	METHYL BENZOATE	E	Only for use in topical medicines for dermal application.
3301	METHYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3302	METHYL CAPROATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			flavour concentration in a medicine must be no more than 5%.
3303	METHYL CAPRYLATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3304	METHYL CARBITOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3305	METHYL CEDRYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3306	METHYL CHAVICOL	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The ingredient is not to be included in medicines intended for oral use. The quantity of methyl chavicol in a medicine must be no more than 0.01%. The total fragrance proprietary excipient formulation in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			medicine must be no more than 1%.
3307	METHYL CINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3308	METHYL CIS-5-OCTENOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3309	METHYL CYCLOPENTENOLONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3310	METHYL CYCLOPENTYLIDENEACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3311	METHYL DI-TERT-BUTYL-4- HYDROXYHYDROCINNAMATE	E	Permitted for use only in combination with other

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3312	METHYL DIHYDROABIETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3313	METHYL DIISOPROPYL PROPIONAMIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3314	METHYL ETHER	E	Only for use in topical medicines for dermal application.
3315	METHYL ETHYL KETONE	E	The residual solvent limit is 50 mg per maximum recommended daily dose. The concentration in the medicine must be no more than 0.5%.
3316	METHYL EUGENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			medicine must be no more 1%.
3317	METHYL FUROATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3318	METHYL GLUCETH-10	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 3%. Residue levels of ethylene oxide are to be kept below the level of detection.
3319	METHYL GLUCETH-20	E	Only for use in topical medicines for dermal application.
3320	METHYL GLUCETH-20 BENZOATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3321	METHYL GLUCETH-20 SESQUIHYDRATE	E	Only for use in topical medicines for dermal application.
3322	METHYL GLUCOSE DIOLEATE	E	Only for use in topical medicines for dermal application.
3323	METHYL GLUCOSE SESQUIOLEATE	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 4

3324	METHYL GLUCOSE SESQUISTEARATE	E	Only for use in topical medicines for dermal application.
3325	METHYL HEPTANOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total flavour proprietary excipient formulation in a medicine must not be more than 5%.
3326	METHYL HEPTENONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3327	METHYL HEPTYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3328	METHYL HEXYL CARBINOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			5%.
3329	METHYL HEXYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3330	METHYL HYDROGENATED ROSINATE	E	Only for use in topical medicines for dermal application.
3331	METHYL HYDROJASMONATE	E	Only for use in topical medicines for dermal application.
3332	METHYL HYDROXYBENZOATE	E	
3333	METHYL IONONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3334	METHYL ISOBUTYL KETONE	E	The residual solvent limit is 50 mg per maximum daily dose. The concentration in the medicine must be no more than 0.5%.
3335	METHYL ISOEUGENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3336	METHYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3337	METHYL JASMONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3338	METHYL LAURATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used as a flavour the total flavour concentration in a medicine must be no more than 5%.
3339	METHYL LINOLEATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3340	METHYL LINOLENATE	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
3341	METHYL MAGNESIUM CHLORIDE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
3342	METHYL METHACRYLATE CROSSPOLYMER	E	<p>Methyl methacrylate is a mandatory component of methyl methacrylate crosspolymer. Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. When the concentration of methyl methacrylate crosspolymer is greater than 1%, the medicine must not be intended for use on damaged skin. The total concentration of methyl methacrylate crosspolymer in the medicine must not be more than 4.85%. The total concentration of methyl methacrylate as residual monomer in the medicine must not be more than 1%.</p>
3343	METHYL METHOXY PYRAZINE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3344	METHYL MYRISTATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3345	METHYL NAPHTHYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3346	METHYL NONYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3347	METHYL NONYLENATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3348	METHYL OCTIN CARBONATE	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3349	METHYL PALMITATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3350	METHYL PHENYL CARBINOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3351	METHYL PHENYL CARBINYL-ISO-BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3352	METHYL PHENYL GLYCIDATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3353	METHYL PHENYLACETATE	E	Permitted for use only in combination with other

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3354	METHYL PHENYLCARBINYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3355	METHYL ROSINATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3356	METHYL SALICYLATE	A, E	Not to be included in medicines for use in the eye or on damaged skin. When used internally, the concentration in the medicine must not be more than 0.001%. When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging. When the concentration of methyl salicylate in a liquid preparation is more than 5%

and the dosage form is spray, the medicine does not require child resistant packaging if:

- the delivery device is engaged into the container in such a way that prevents it from being readily removed;
- direct suction through the delivery device results in delivery of no more than one dosage unit; and
- actuation of the spray device is ergonomically difficult for young children to accomplish.

The following warning statement is required on the medicine label:

- (METSAL) 'Contains methyl salicylate' (or words to that effect).

When for use in topical medicines for dermal application:

- i) the concentration of methyl salicylate in the medicine must not be more than 25%;
- ii) the following warning statements are required on the medicine label:
 - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect);
 - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less';
 - (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect);
 - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect);
- iii) if the concentration of methyl salicylate in the medicine is greater than 1%,

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			the following warning statement is required on the medicine label: - (IRRIT) 'If irritation develops, discontinue use'.
3357	METHYL STEARATE	E	
3358	METHYL THIOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3359	METHYL TRIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
3360	METHYL-3-METHYLTHIOPROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3361	METHYL-BETA-METHYL THIOLPROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3362	METHYL-PARA-TERT-BUTYL PHENYLACETATE	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3363	METHYLBENZYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3364	METHYLCELLULOSE	A, E	
3365	METHYLCHLOROISOTHIAZOLI NONE	E	Only for use in topical medicines for dermal application that are rinsed off the skin. The total concentration of methylchloroisothiazolinone and methylisothiazolinone in the medicine must be no more than 0.0015%.
3366	METHYLCYCLOHEXADIENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3367	METHYLENE BIS- BENZOTRIAZOLYL TETRAMETHYLBUTYLPHENOL	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%. When used in primary sunscreen products, the following warning statements are required on the label:

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			<p>- (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and</p> <p>- (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).</p>
3368	METHYLISOTHIAZOLINONE	E	<p>Only for use in topical medicines for dermal application that are rinsed off the skin.</p> <p>The total concentration of methylchloroisothiazolinone and methylisothiazolinone in the medicine must be no more than 0.0015%.</p>
3369	METHYLMERCAPTAN	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
3370	METHYLPROPANEDIOL	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 10%.</p>
3371	METHYLSILANOL/SILICATE CROSSPOLYMER	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin.</p> <p>The concentration in the medicine must be no more than 0.1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3372	METHYLSTYRENE/VINYLTOLUENE COPOLYMER	E	Only for use in topical medicines for dermal application.
3373	MICA	E	Only for use when the route of administration is oral, dental or topical. The concentration in oral medicines must be no more than 2.5%. The concentration in dental toothpastes must be no more than 0.5%.
3374	MICROCALICIUM ARENARIUM	A, H	
3375	MICROCOCCUS LUTEUS LYSATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.005%.
3376	MICROCOS PANICULATA	A, H	
3377	MICROCRYSTALLINE CELLULOSE	E	
3378	MICROCRYSTALLINE WAX	E	Only for use as an excipient in medicines for topical, oral or oral application routes of administration. When microcrystalline wax is used as an excipient ingredient, the route of administration 'oral' is only permitted when the dosage form is 'chewing gum'.
3379	MILK FAT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

3380	MILK THISTLE FRUIT DRY	A, H	
3381	MILK THISTLE FRUIT POWDER	A, H	
3382	MILLET	E	
3383	MILLETTIA DIELSIANA	A, H	
3384	MIMOSA ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3385	MIMULUS GUTTATUS	A, H	
3386	MINT OIL DEMENTHOLISED	A, E, H	Menthol is a mandatory component of mint oil dementholised. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops,

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3387	MINTLACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3388	MITCHELLA REPENS	A, H	
3389	MIXED (HIGH-ALPHA TYPE) TOCOPHEROLS CONCENTRATE	A, E	
3390	MIXED (LOW-ALPHA TYPE) TOCOPHEROLS CONCENTRATE	A, E	
3391	MIXED TERPENES	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3392	MODIFIED FOOD STARCH	E	
3393	MOLASSES	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			flavour concentration in a medicine must be no more than 5%.
3394	MOLYBDENUM	H	Only for use as an active homoeopathic ingredient. When Molybdenum is sourced from Molybdenum trioxide then the maximum daily dose must be no more than 125 micrograms. When Molybdenum is sourced from yeast - high molybdenum then the maximum recommended daily dose must be no more than 62.5 micrograms.
3395	MOLYBDENUM TRIOXIDE	A	Molybdenum is a mandatory component of Molybdenum trioxide. The maximum daily dose of molybdenum from Molybdenum trioxide must be no more than 125 micrograms. The percentage of molybdenum from molybdenum trioxide should be calculated based on the molecular weight of molybdenum trioxide.
3396	MOMORDICA BALSAMINA	A, H	
3397	MOMORDICA CHARANTIA	A, H	
3398	MOMORDICA COCHINCHINENSIS	A, H	
3399	MONARDA DIDYMA	A, H	
3400	MONO- AND DI- GLYCERIDES	E	
3401	MONOBASIC AMMONIUM PHOSPHATE	E	Only for use in topical medicines for dermal application.
3402	MONOBASIC CALCIUM PHOSPHATE	A, E, H	
3403	MONOBASIC POTASSIUM	A, E, H	When used in a solid medicine

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

	PHOSPHATE		containing this ingredient, the pH of a 10 g/L aqueous solution must not be more than 11.5. When used in a liquid or a semi-solid medicine containing this ingredient, the pH of the medicine must be no more than 11.5.
3404	MONOBASIC SODIUM PHOSPHATE	A, E, H	When used in a solid preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5. When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.
3405	MONOBASIC SODIUM PHOSPHATE DIHYDRATE	E	When used in a solid preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5. When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.
3406	MONOETHANOLAMINE	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 5%.
3407	MONOMENTHYL SUCCINATE	E	Monomenthyl succinate must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of the flavour proprietary excipient formulation containing monomenthyl succinate must not be more than 5% of the total medicine.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3408	MONOPHOSPHOTHIAMINE	A	
3409	MONOPHOSPHOTHIAMINE DIHYDRATE	A	
3410	MONOPOTASSIUM GLUTAMATE	A, E	
3411	MONOSODIUM DIHYDROGEN CITRATE	E	
3412	MONOSODIUM GLUTAMATE MONOHYDRATE	A, E	
3413	MONSTERA DELICIOSA	A, H	
3414	MONTAN WAX	E	
3415	MORDANT RED 11	E	Permitted for use only as a colour for topical use. The concentration in the medicine must be no more than 0.05%..
3416	MORINDA CITRIFOLIA	A, H	Only for use when the plant part is fruit and the plant preparation is fruit juice or fruit powder. Fruit powder must be produced by freeze drying the whole fruit (excluding the seeds).
3417	MORINDA OFFICINALIS	A, H	
3418	MORINGA OLEIFERA	A, H	
3419	MORUS ALBA	A, H	
3420	MORUS BOMBYCIS	A, H	
3421	MORUS NIGRA	A, E, H	
3422	MOSKENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3423	MOTHERWORT HERB DRY	A, H	
3424	MOTHERWORT HERB POWDER	A, H	
3425	MUCUNA PRURIENS	A	Levodopa is a mandatory component of Mucuna

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			pruriens. The concentration of levodopa in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
3426	MULBERRY	E	
3427	MUNG BEAN	E	
3428	MURRAYA KOENIGII	A, H	
3429	MURRAYA PANICULATA	A, H	
3430	MUSA X PARADISIACA	A, H	
3431	MUSK KETONE	E	Only for use in topical medicines for dermal application.
3432	MUSK TIBETENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3433	MUSK XYLOL	E	Only for use in topical medicines for dermal application.
3434	MUSKS	H	Only for use as an active homoeopathic ingredient.
3435	MUSTARD	E	Allyl isothiocyanate is a mandatory component of mustard when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
3436	MUSTARD OIL	E	Allyl isothiocyanate is a mandatory component of mustard oil when the plant part is seed. The concentration of allyl

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
3437	MUSTARD SEED OIL	E	Allyl isothiocyanate is a mandatory component of mustard seed oil when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
3438	MYOSOTIS ARVENSIS	A, H	
3439	MYRCENE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3440	MYRCENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3441	MYRICA CERIFERA	A, E, H	
3442	MYRISTIC ACID	E	
3443	MYRISTIC ALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3444	MYRISTICA FRAGRANS	A, E, H	Safrole is a mandatory component of Myristica fragrans. When for internal use then the concentration of safrole in the medicine must be no more than 0.1%. When for topical use then the concentration of safrole in the medicine must be no more than 1%. When the plant preparation is oil or distillate and the concentration in the medicine is more than 50%, the nominal capacity of the container must be no more than 25 millilitres, the medicine must have a restricted flow insert fitted on the container and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or word to that effect).
3445	MYRISTYL ALCOHOL	E	Only for use in topical medicines for dermal application.
3446	MYRISTYL LACTATE	E	Only for use in topical medicines for dermal application.
3447	MYRISTYL MYRISTATE	E	Only for use in topical medicines for dermal application.
3448	MYROXYLON BALSAMUM	A, E, H	
3449	MYROXYLON BALSAMUM VAR. PEREIRAE	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

3450	MYRRH	A, H	
3451	MYRRH OIL	A, E, H	
3452	MYRRH RESIN	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3453	MYRRHIS ODORATA	A, H	
3454	MYRSINE AFRICANA	A, H	
3455	MYRTENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3456	MYRTENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3457	MYRTLE ESSENCE MAX	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3458	MYRTLE OIL	E	Permitted for use only in combination with other permitted ingredients as a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			fragrance. If used as a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3459	MYRTUS COMMUNIS	A, E, H	
3460	N,N'-BIS(SALICYLIDENE)PROPYLENEDIAMINE	E	N,N'-Bis(salicylidene)propylenediamine must only be included in medicines when in combination with other permitted ingredients as a proprietary excipient formulation in medicines with a dermal route of administration for topical application.
3461	N-BUTYL SULFIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3462	N-GLUCONYL ETHANOLAMINE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3463	N-HEXYL 2-BUTENOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			5%.
3464	N-NONYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3465	NAPHTHALENE	H	Only for use as an active homoeopathic ingredient.
3466	NARDOSTACHYS CHINENSIS	A, H	
3467	NARINGIN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3468	NASTURTIUM OFFICINALE	A, E, H	
3469	NATURAL FISH OIL	A, E	When therapeutic indications for this product are made against Vitamin A or colecalciferol (Vitamin D), they are mandatory components of natural fish oil. When for use in topical medicines, the concentration of Vitamin A in the medicine must be no more than 1%. When for internal use, the maximum daily dose must be no more than 3000 micrograms of Retinol Equivalents. When preparations for internal use in adults contain more than 33 micrograms of retinol equivalents per dosage unit in

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			divided preparations or per gram of an undivided preparation, the medicine requires the following warning statements on the medicine label: - (VITA2) 'WARNING: If you are pregnant - or considering becoming pregnant - do not take vitamin A supplements without consulting your doctor or pharmacist [or words to that effect].' NOTE: Position this warning at the beginning of the directions for use. - (VITA4) 'WARNING - When taken in excess of 3000 micrograms retinol equivalents - vitamin A can cause birth defects.' NOTE: Position this warning at the beginning of the directions for use. - (VITA3) 'The recommended daily amount of vitamin A from all sources is 700 micrograms retinol equivalents for women and 900 micrograms retinol equivalents for men.' When for internal use, the maximum recommended daily dose must be no more than 25 micrograms of Vitamin D.
3470	NAUCLEA OFFICINALIS	A, H	
3471	NELUMBO NUCIFERA	A, H	
3472	NELUMBO NUCIFERA FLOWER WAX	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

3473	NEOHESPERIDIN- DIHYDROCHALCONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.1%
3474	NEOMENTHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3475	NEOPENTYL GLYCOL DIHEPTANOATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 25%.
3476	NEOPENTYL GLYCOL DIISOSTEARATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
3477	NEOPENTYL GLYCOL DIOCTANOATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 8.1%. When the concentration of neopentyl glycol dioctanoate is

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			greater than 5%, the medicine must not be intended for use on damaged skin.
3478	NEOPENTYL GLYCOL DIOCTANOATE/DIDECANOATE	E	Only for use in topical medicines for dermal application.
3479	NEOPICRORHIZA SCROPHULARIIFLORA	A, H	
3480	NEPETA CATARIA	A, H	Pulegone is a mandatory component of <i>Nepeta cataria</i> and must be declared in the application. The concentration of pulegone in the medicine must be no more than 4%.
3481	NERAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3482	NERIUM OLEANDER	A, H	The concentration of equivalent dry <i>Nerium oleander</i> in the product must be no more than 1mg/Kg or 1mg/L or 0.0001%.
3483	NEROL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3484	NEROL OXIDE	E	Permitted for use only in

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>combination with other permitted ingredients as part of a flavour or fragrance proprietary excipient formulation.</p> <p>When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.</p> <p>When used in a fragrance, the total fragrance proprietary excipient formulation in a medicine must be no more than 1%.</p>
3485	NEROLIDOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
3486	NERONE	E	<p>Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation.</p> <p>The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.</p>
3487	NERYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			fragrance concentration in a medicine must be no more 1%.
3488	NERYL-ISO-BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3489	NICKEL	H	Only for use as an active homoeopathic ingredient.
3490	NICOTIANA TABACUM	H	Only for use as an active homoeopathic ingredient.
3491	NICOTINAMIDE	A, E, H	
3492	NICOTINAMIDE ASCORBATE	A, E	
3493	NICOTINAMIDE RIBOSIDE CHLORIDE	A	Ribose is a mandatory component of nicotinamide riboside chloride. Only permitted for use in medicines limited to oral routes of administration. The maximum recommended daily dose of the medicine must not provide more than 300 mg of nicotinamide riboside chloride. The following warning statement (or words to the same effect) is required on the medicine label: - (NTAKEN12) 'Not to be taken by children under 12 years old.' When the maximum recommended daily dose of the medicine provides greater than 230 mg of nicotinamide riboside chloride, the following warning statement is required on the medicine label: - (PREG) 'Not recommended

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			for use during pregnancy or lactation’.
3494	NICOTINIC ACID	A, E	The medicine must contain no more than 100 mg of nicotinic acid per dosage unit.
3495	NIGELLA DAMASCENA	A, H	
3496	NIGELLA SATIVA	A, E, H	
3497	NITRIC ACID	E, H	The concentration of nitric acid in the medicine must be no more than 0.5%.
3498	NONADIENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3499	NONANAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3500	NONANOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			fragrance concentration in a medicine must be no more 1%.
3501	NONFAT DRY MILK	E, H	
3502	NONIVAMIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3503	NONOXINOL 10	E	Only for use in topical medicines for dermal application.
3504	NONOXINOL 12	E	For use in hand scrub formulations for healthcare professionals only. Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
3505	NONOXINOL 5	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3506	NONOXINOL 9	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 25%.
3507	NONYL ACETATE	E	Permitted for use only in

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3508	NOOTKATONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3509	NOPYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3510	NORDIHYDROGUAIARETIC ACID	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.3%.
3511	NOTOPTERYGIUM FORBESII	A, H	
3512	NOTOPTERYGIUM INCISIUM	A, H	
3513	NUPHAR JAPONICA	A, H	
3514	NUPHAR LUTEA	A, H	
3515	NUTMEG DRY	A, E, H	Safrole is a mandatory component of Nutmeg Dry. When for internal use then the concentration of safrole from all ingredients in the medicine must be no more than 0.1%. When for topical use then the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			concentration of safrole from all ingredients in the medicine must be no more than 1%.
3516	NUTMEG OIL	A, E, H	<p>Safrole is a mandatory component of Nutmeg oil.</p> <p>When for internal use then the concentration of safrole in the medicine must be no more than 0.1%.</p> <p>When for topical use then the concentration of safrole in the medicine must be no more than 1%.</p> <p>When the concentration of Nutmeg oil in the medicine is more than 50%, the nominal capacity of the container must be no more than 25 mL, the medicine must have a restricted flow insert fitted on the container and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect).</p>
3517	NUTMEG POWDER	A, E, H	<p>Safrole is a mandatory component of Nutmeg powder.</p> <p>When for internal use then the concentration of safrole in the medicine must be no more than 0.1%.</p> <p>When for topical use then the concentration of safrole in the medicine must be no more than 1%.</p>
3518	NUX VOMICA DRY	A, H	<p>Strychnine (of <i>Strychnos</i> spp.) is a mandatory component of Nux Vomica Dry.</p> <p>The concentration of in the medicine must be no more than 1mg/Kg or 1mg/L or 0.0001%.</p>
3519	NUX VOMICA POWDER	H	Only for use as an active

			<p>homoeopathic ingredient. Strychnine (of <i>Strychnos</i> spp.) is a mandatory component of Nux vomica powder. The concentration in the medicine must be no more than 1mg/Kg or 1mg/L or 0.0001%.</p>
3520	NYCTANTHES ARBOR-TRISTIS	A, H	<p>When the plant part is leaf: a) methyl salicylate is a mandatory component of <i>Nyctanthes arbor-tristis</i>; b) not to be included in medicines for use in the eye or on damaged skin; c) when used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%; d) when the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging; e) when the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if: - the delivery device is engaged into the container in such a way that prevents it from being readily removed; - direct suction through the delivery device results in delivery of no more than one dosage unit; and - actuation of the spray device is ergonomically difficult for young children to accomplish; f) the following warning statement is required on the medicine label: - (METSAL) 'Contains methyl</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>salicylate' (or words to that effect); and</p> <p>g) when for use in topical medicines for dermal application:</p> <p>i) the concentration of methyl salicylate in the medicine must not be more than 25%</p> <p>ii) the following warning statements are required on the medicine label:</p> <ul style="list-style-type: none"> - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); <p>iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> - (IRRIT) 'If irritation develops, discontinue use'.
3521	NYLON	E	Only for use in topical medicines for dermal application.
3522	NYLON 6/12	E	Only for use in topical medicines for dermal application.
3523	NYLON-12	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3524	NYMPHAEA ALBA	A, E, H	
3525	NYMPHAEA CAERULEA	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine to be no more than 0.3%. Only for use in liquid extracts where the plant part is the flower and the solvent in 100% water.
3526	NYMPHAEA ODORATA	A, H	
3527	OAK CHIPS EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3528	OAKMOSS ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3529	OAT	E, H	Only for use as an active homoeopathic or excipient ingredient. Gluten is a mandatory component of Oat when the route of administration is other than topical and mucosal.
3530	OAT BRAN	E	Gluten is a mandatory component of Oat bran when

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			the route of administration is other than topical and mucosal.
3531	OATMEAL COLLOIDAL	A, E	Gluten is a mandatory component of Oatmeal colloidal when the route of administration is other than topical and mucosal.
3532	OCIMENE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3533	OCIMENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3534	OCIMUM BASILICUM	A, E, H	When the plant preparation is oil or distillate, Methyl chavicol, eugenol, methyleugenol and cineole are mandatory components of Ocimum basilicum. The concentration of methyleugenol in the medicine must not exceed 1%. When the concentration of Methyl chavicol in the medicine is more than 5%, the nominal capacity of the container must be no more than

25 millilitres.

When the concentration of Methyl chavicol in the medicine is more than 5% and the nominal capacity of the container is 25 millilitres or less, a restricted flow insert must be fitted on the container, and requires the following warning statement on the medicine label:

- (CHILD) 'Keep out of reach of children' (or words to that effect). When the concentration of cineole OR eugenol in the preparation is more than 25%, the nominal capacity of the container must not be more than 25 millilitres and the following warning statements must be included on the medicine label:

- (CHILD) 'Keep out of reach of children' (or words to that effect); and

- (NTAKEN) 'Not to be taken'.

When the concentration of cineole OR eugenol in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a child resistant closure and restricted flow insert fitted on the container.

When the concentration of cineole OR eugenol in the preparation is more than 25% and the nominal capacity of the container is no more than 15 millilitres, the medicine must have a restricted flow insert fitted on the container.

When the preparation is for topical use in the mouth, the preparation may not contain

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			more than 5 millilitres of eugenol and the concentration of eugenol in the product must not be greater than 25%.
3535	OCIMUM KILIMANDSCHARICUM	A, H	<p>Camphor is a mandatory component of Ocimum kilimandscharicum.</p> <p>In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%.</p> <p>In liquid preparations, the nominal capacity of the container must be no more than 25 millilitres.</p> <p>In liquid preparations other than essential oils or distillates, the concentration of camphor must be no more than 2.5%.</p> <p>In essential oil or distillate preparations when the concentration of camphor is more than 2.5%, the medicine must have a restricted flow insert fitted on the container and include the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. <p>In essential oil or distillate preparations, if the concentration of camphor is more than 10%, and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must also have a child resistant closure fitted on the container.</p>
3536	OCIMUM MINIMUM	A, H	
3537	OCIMUM TENUIFLORUM	A, H	When the plant part is oil or distillate, eugenol is a

			<p>mandatory component of <i>Ocimum tenuiflorum</i>. When the concentration of eugenol in the preparation is more than 25%, the nominal capacity of the container must not be more than 25 millilitres and the following warning statements must be included on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. <p>When the concentration of eugenol in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a child resistant closure and restricted flow insert fitted on the container.</p> <p>When the concentration of eugenol in the preparation is more than 25% and the nominal capacity of the container is no more than 15 millilitres, the medicine must have a restricted flow insert fitted on the container.</p> <p>When the preparation is for topical use in the mouth, the preparation may not contain more than 5 mL of eugenol and the concentration of eugenol in the product must not be greater than 25%.</p>
3538	OCOTEA ODORIFERA	A, H	<p>Safrole is a mandatory component of <i>Ocotea odorifera</i>. When for internal use then the concentration of safrole in the medicine must be no more than 0.1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			When for topical use then the concentration of safrole in the medicine must be no more than 1%.
3539	OCTACOSANOL	E	
3540	OCTADECANAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3541	OCTADECENE/MA COPOLYMER	E	Only for use in topical medicines for dermal application.
3542	OCTAHYDRO-4,7-METHANO-3AH-INDENE-3A-CARBOXYLIC ACID, ETHYL ESTER	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3543	OCTAHYDROCOUMARIN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3544	OCTAN-1-OL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
3545	OCTANAL DIMETHYL ACETAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
3546	OCTANOHYDROXAMIC ACID	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 0.5%.</p>
3547	OCTANOIC ACID	A, E	<p>When for topical use, the concentration in the medicine must be no more than 2% (w/w).</p> <p>When for excipient use, permitted for use only in combination with other permitted ingredients as part of a flavour or fragrance proprietary excipient formulation.</p> <p>When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.</p> <p>When used in a fragrance, the total fragrance proprietary excipient formulation in a medicine must be no more than</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			1%.
3548	OCTENE-1	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
3549	OCTOCRYLENE	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3550	OCTOXINOL 10	E	Only for use in topical medicines for dermal application.
3551	OCTYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3552	OCTYL CROTONATE	E	<p>Octyl crotonate must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation.</p> <p>The total concentration of the fragrance proprietary excipient formulation containing octyl crotonate must not be more than 1% of the total medicine.</p>
3553	OCTYL HYDROXYSTEARATE	E	<p>Only for use in topical medicines for dermal application.</p>
3554	OCTYL ISOBUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
3555	OCTYL ISONONANOATE	E	<p>Only for use in topical medicines for dermal application.</p>
3556	OCTYL METHOXYCINNAMATE	A	<p>Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must not be more than 10%.</p> <p>When used in primary sunscreen products, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3557	OCTYL PALMITATE	E	Only for use in topical medicines for dermal application.
3558	OCTYL SALICYLATE	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 5%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3559	OCTYL STEARATE	E	Only for use in topical medicines for dermal application.
3560	OCTYLBICYCLOHEPTENEDICARBOXIMIDE	E	Only for use in topical medicines for dermal application. The total concentration of octylbicycloheptenedicarboximide in the medicine must not be more than 10%.
3561	OCTYLDODECANOL	E	Only for use in topical medicines for dermal application.
3562	OCTYLDODECETH-25	E	Only for use in topical medicines for dermal application and not to be

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%. Residual levels of 1,4-dioxane and ethylene oxide (and related substances) are to be kept below the level of detection.
3563	OCTYLDODECYL CITRATE CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 12%.
3564	OCTYLDODECYL NEOPENTANOATE	E	Only for use in topical medicines for dermal application.
3565	OCTYLDODECYL STEARATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2%.
3566	OCTYLDODECYL XYLOSIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye or on damaged skin. The concentration in the medicine must be no more than 1.5%.
3567	OENANTHATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3568	OENANTHE AQUATICA	H	Only for use as an active homoeopathic ingredient. The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material.
3569	OENANTHE CROCATA	A, H	The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material.
3570	OENOTHERA BIENNIS	A, E, H	
3571	OENOTHERA STRICTA	A, H	
3572	OKOUBAKA AUBREVILLEI	A, H	
3573	OLDENLANDIA DIFFUSA	A, E, H	
3574	OLEA EUROPAEA	A, E, H	
3575	OLEIC ACID	E	
3576	OLETH-10	E	Only for use in topical medicines for dermal application.
3577	OLETH-2	E	Only for use in topical medicines for dermal application. Dioxane and Ethylene oxide are mandatory components of Oleth-2. The concentration of Dioxane in the medicine must be no more than 10 mg/kg or 10 mg/L or 0.001%. The concentration of Ethylene oxide in the medicine must be no more than 1 mg/kg or 1 mg/L or 0.0001%.
3578	OLETH-20	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

3579	OLETH-3	E	Only for use in topical medicines for dermal application.
3580	OLETH-3 PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.12%.
3581	OLETH-5	E	Only for use in topical medicines for dermal application.
3582	OLEYL ALCOHOL	E	Only for use in topical medicines for dermal application.
3583	OLIBANUM OIL	A, E, H	
3584	OLIVE	E	
3585	OLIVE OIL	A, E, H	
3586	OMEGA-3 FISH OIL PHYTOSTEROL ESTERS	A	The medicine requires the following warning statement on the medicine label: - (PREGNT) 'Not recommended for use by pregnant and lactating women (or words to that effect).'
3587	OMEGA-3-ACID ETHYL ESTERS 60	A	Docosahexaenoic acid, docosapentaenoic acid and eicosapentaenoic acid are mandatory components of omega-3-acid ethyl esters 60. Only permitted for use in medicines that are for oral routes of administration. The maximum recommended daily dose of the medicine must not provide more than 3750 milligrams of docosahexaenoic acid,

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>docosapentaenoic acid and eicosapentaenoic acid combined.</p> <p>The following warning statements are required on the medicine label:</p> <ul style="list-style-type: none"> - (PREGNT) 'Not recommended for use by pregnant and lactating women' (or words to that effect); - (ACOAG) 'Individuals taking anticoagulants should seek medical advice before taking this product' (or words to that effect); - (CHILD3) 'Use in children under 12 years is not recommended'; - (FOOD) 'To be taken with food' (or words to that effect).
3588	OMEGA-3-ACID ETHYL ESTERS 90	A	<p>Only for use in oral medicines. The maximum recommended daily dose of the medicine must not provide more than:</p> <ul style="list-style-type: none"> a) 4000 mg of omega-3-acid ethyl esters 90; and b) 3750 mg EPA, DHA and DPA combined, when used alone or in combination with other sources of omega-3 fatty acids. <p>The following warning statements (or words to the same effect) are required on the medicine label:</p> <ul style="list-style-type: none"> - (ACOAG) 'Individuals taking anticoagulants should seek medical advice before taking this product.' - (FOOD) 'To be taken with food.' - (PREG) 'Not recommended for use during pregnancy or lactation.' - (CHILD3) 'Use in children under 12 years is not

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			recommended.'
3589	ONION	E	
3590	ONION OIL	A, H	
3591	ONONIS SPINOSA	A, E, H	
3592	ONOPORDUM ACANTHIUM	A, H	
3593	ONOSMODIUM VIRGINIANUM	A, H	
3594	OPHIOPOGON JAPONICUS	A, H	
3595	OPOPANAX CHIRONIUM	A, E, H	When used as an excipient, permitted for use only in combination with other permitted ingredients as part of a flavour or a fragrance proprietary excipient formulation. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3596	OPOPANAX OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3597	OPUNTIA FICUS-INDICA	A, H	
3598	ORANGE	E	
3599	ORANGE FLOWER ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3600	ORANGE FLOWER OIL	A, E, H	When used internally, oxedrine is a mandatory component of orange flower oil. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3601	ORANGE JUICE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3602	ORANGE JUICE OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3603	ORANGE OIL	A, E, H	When used internally, oxedrine is a mandatory component of orange oil. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3604	ORANGE OIL BITTER	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavor, the total flavour concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			<p>medicine must be no more than 5%.</p> <p>If used in a fragrance, the total fragrance concentration in a medicine must be no more 1%.</p> <p>The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' or words to that effect must be included on the medicine label unless the medicine is:</p> <p>a) for internal use;</p> <p>b) in preparations containing 1.4% or less of orange oil bitter;</p> <p>c) for use in soaps or bath or shower gels that are washed off the skin.</p>
3605	ORANGE OIL BITTER COLDPRESSED	A, E, H	<p>When used internally, oxdrine is a mandatory component of orange oil bitter coldpressed. The quantity of oxdrine in the maximum recommended daily dose must be no more than 30 milligrams.</p> <p>The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is:</p> <p>a) for internal use; or</p> <p>b) in preparations containing 1.4% or less of orange oil bitter coldpressed; or</p> <p>c) for use in soaps or bath or shower gels that are washed off the skin.</p>
3606	ORANGE OIL COLD PRESSED	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3607	ORANGE OIL DISTILLED	A, E, H	When used internally, oxedrine is a mandatory component of orange oil distilled. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3608	ORANGE OIL SWEET	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3609	ORANGE OIL TERPENELESS	A, E, H	When used internally, oxedrine is a mandatory component of orange oil terpeneless. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3610	ORANGE PEEL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3611	ORANGE PEEL DRIED BITTER	A, E, H	When used internally, oxedrine is a mandatory component of orange peel dried bitter. The quantity of oxedrine in the maximum recommended daily

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

			dose must be no more than 30 milligrams.
3612	ORANGE PEEL OIL SWEET TERPENELESS	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3613	ORANGE ROUGHY OIL	E	Only for use in topical medicines for dermal application.
3614	ORIGANUM MAJORANA	A, H	Beta-arbutin is a mandatory component of Origanum majorana. When for oral use, the maximum recommended daily dose must not provide more than 500 mg of beta-arbutin. When for dermal application exclusively to the face: a) the concentration of beta-arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for use other than oral or dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%. When the plant preparation is oil or distillate, and the concentration of Origanum majorana oil or distillate within

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			the medicine is more than 50%: a) the nominal capacity of the container must not be more than 50 mL; b) a restricted flow insert must be fitted on the container; and c) the following warning statement is required on the label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
3615	ORIGANUM OIL	E	Permitted for use only in combination with other ingredients as a fragrance. If used as a fragrance the total concentration in the medicine must be no more than 1%.
3616	ORIGANUM OIL SPANISH	A, E, H	
3617	ORIGANUM VULGARE	A, E, H	
3618	ORNITHINE	A, E	
3619	ORNITHINE ASPARTATE	A, E	
3620	ORNITHINE MONOHYDROCHLORIDE	A, E	
3621	ORNITHOGALUM UMBELLATUM	A, H	
3622	OROSTACHYS FIMBRIATA	A, H	
3623	OROXYLUM INDICUM	A, H	
3624	ORRIS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3625	ORRIS CONCRETE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			medicine must be no more than 5%.
3626	ORRIS ROOT EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3627	ORRIS ROOT OIL	A, E, H	
3628	ORRIS ROOT RESIN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3629	ORTHO-TERT-BUTYLCYCLOHEXYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3630	ORTHOSIPHON ARISTATUS	A, H	
3631	ORYZA SATIVA	A, E, H	
3632	ORYZANOL	E	
3633	OSBECKIA CHINENSIS	A, H	
3634	OSMANTHUS ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			5%.
3635	OSMANTHUS FRAGRANS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3636	OTTELIA ALISMOIDES	A, H	
3637	OXACYCLOHEPTADEC-11-EN-2-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3638	OXACYCLOHEXADECAN-2-ONE	E	Only for use in topical medicines for dermal application.
3639	OXACYCLOHEXADECEN-2-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3640	OXALIC ACID	H	Only for use as an active homeopathic ingredient. The total concentration of oxalic acid in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
3641	OXALIS ACETOSELLA	A, H	
3642	OXIDISED MAIZE STARCH	E	Permitted for use only in combination with other permitted ingredients as a flavour.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3643	OXIDISED TAPIOCA STARCH	E	
3644	OXYBENZONE	A	<p>Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%.</p> <p>When used in primary sunscreen products, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3645	OYSTER	E	<p>The requirement specified in paragraph (a) below applies to a medicine that contains the ingredient that is:</p> <ul style="list-style-type: none"> - listed in the Register on or after 1 March 2022; or - released for supply on or after 1 March 2023. <p>(a) The following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> - (MOLLUSC) 'Contains mollusc' or 'Contains mollusc products'.
3646	OYSTER SHELL	A, E, H	<p>The requirement specified in paragraph (a) below applies to a medicine that contains the ingredient that is:</p> <ul style="list-style-type: none"> - listed in the Register on or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

after 1 March 2022; or
- released for supply on or after
1 March 2023.
(a) The following warning
statement is required on the
medicine label:
- (MOLLUSC) 'Contains
mollusc' or 'Contains mollusc
products'.
