


**Food Standards (Proposal M1019 – Review of Schedule 22 – Foods and classes of foods – Consequential Amendments) Variation**

---

The Board of Food Standards Australia New Zealand gives notice of the making of this Variation under section 92 of the *Food Standards Australia New Zealand Act 1991*. The Variation commences on the date specified in clause 3 of this Variation.

Dated 26 August 2022



Christel Leemhuis  
Delegate of the Board of Food Standards Australia New Zealand

**Note:**

This Variation will be published in the Commonwealth of Australia Gazette No. FSC 151 on 1 September 2022.

## 1 Name

This instrument is the *Food Standards (Proposal M1019 – Review of Schedule 22 – Foods and classes of foods – Consequential Amendments) Variation*.

## 2 Variation to Standards in the *Australia New Zealand Food Standards Code*

The Schedule varies Standards in the *Australia New Zealand Food Standards Code*.

## 3 Commencement

- (1) Each provision of this instrument specified in column 1 of the table commences, or is taken to have commenced, in accordance with column 2 of the table. Any other statement in column 2 has effect according to its terms.

Commencement information		
Column 1	Column 2	Column 3
1. The whole of this instrument	<p>The later of:</p> <p>(a) the day after this instrument is registered; and</p> <p>(b) the day the <i>Food Standards (Proposal M1019 – Review of Schedule 22 – Foods and classes of foods) Variation</i> commences.</p> <p>However, the provisions do not commence at all if the event mentioned in paragraph (b) does not occur.</p>	

Note: This table relates only to the provisions of this instrument as originally made. It will not be amended to deal with any later amendments of this instrument.

- (2) Any information in column 3 of the table is not part of this instrument. Information may be inserted in this column, or information in it may be edited, in any published version of this instrument.

## SCHEDULE

### Standard 1.4.1 — Contaminants and natural toxicants

#### [1] Subsection 1.4.1—2(2)

Repeal the subsection, substitute

- (2) In this Standard and Schedule 19, a reference to:
- (a) vegetables is to:
    - (i) a vegetable described in Schedule 22; and
    - (ii) sweet corns described in Schedule 22; and
  - (b) any other particular food is to the food as described in Schedule 22.

### Standard 1.5.3 — Irradiation of food

#### [2] Subsection 1.5.3—3(2) (definition of *vegetables*)

Repeal the definition, substitute

**vegetables** includes (but is not limited to):

- (a) sweet corns as described in Schedule 22; and
- (b) a vegetable described in Schedule 22.

**[3] Subsection 1.5.3—4(3)**

Repeal the subsection, substitute

(3) In this section:

**herbs and spices** includes (but is not limited to):

- (a) a herb or a spice described in Schedule 22; and
- (b) chives.

**Schedule 5 — Nutrient profiling scoring method**

**[4] Subsection S5—4(2)**

Omit “Schedule 22”, substitute “Schedule 22 other than sweet corns”.

**Schedule 19 — Maximum levels of contaminants and natural toxicants**

**[5] The table to section S19—4 (entry for *Arsenic (total)*)**

Omit “Cereal grains and milled cereal products (as specified in Schedule 22)”, substitute “Cereal grains and milled cereal products (as specified in Schedule 22 - except sweet corns)”

**[6] The table to section S19—4 (entry for *Cadmium*)**

Omit

Cadmium	Chocolate and cocoa products	0.5
substitute		
Cadmium	Amaranth, grain	0.1
	Chinese cabbage (Pe-tsai)	0.1
	Chocolate and cocoa products	0.5

**[7] The table to section S19—4 (entry for *Lead*)**

Omit “Cereals”, substitute “Cereals (except sweet corns)”

**[8] The table to section S19—4 (entry for *Lead*)**

Insert

Sweet corns	0.1
-------------	-----

**Schedule 20 — Maximum residue limits**

**[9] Section S20—3**

Omit from each of the following chemicals, the foods and associated MRLs

---

**Agvet chemical: *Abamectin***

**Permitted residue: *Avermectin B1a***

---

Bulb vegetables 0.05

Cane berries (= Blackberries; Dewberries (including Boysenberry; Loganberry and Youngberry); Raspberries, red, black)	0.2
Citrus fruits	0.02
Fruiting vegetables, other than cucurbits [except mushrooms, sweet corn (corn-on-the-cob)]	0.1
Pome fruits	0.02
Stone fruits	0.09

---

**Agvet chemical: Acephate**

*Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
---	---

---

**Agvet chemical: Acequinocyl**

*Permitted residue: Sum of acequinocyl and its  
metabolite 2-dodecyl-3-hydroxy-1,4-  
naphthoquinone, expressed as acequinocyl*

Citrus fruits	0.2
Pome fruits	0.7
Stone fruits	0.7

---

**Agvet chemical: Acetamiprid**

*Permitted residue—commodities of plant origin:  
Acetamiprid*

*Permitted residue—commodities of animal origin:  
Sum of acetamiprid and N-demethyl acetamiprid  
((E)-N<sup>1</sup>-[(6-chloro-3-pyridyl)methyl]-N<sup>2</sup>-  
cyanoacetamide), expressed as acetamiprid*

Assorted tropical and sub-tropical fruits – inedible peel	0.2
Citrus fruits	1
Fruiting vegetables, other than cucurbits [except mushrooms; sweetcorn; tomato]	0.2
Peppers, chili (dry)	2
Spices	0.1
Stone fruits [except cherries; plums]	1

---

**Agvet chemical: Afidopyropen**

*Permitted residue: commodities of plant origin:  
Afidopyropen*

*Permitted residue: commodities of animal origin:  
Afidopyropen and the carnitine conjugate of  
cyclopropanecarboxylic acid (M4401060), expressed  
as afidopyropen*

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Cane berries (= Blackberries; Dewberries (including Boysenberry; Loganberry and Youngberry))	T0.3
Citrus fruits	0.15
Leafy vegetables	5
Stone fruits	0.03

---

---

**Agvet chemical: Ametoctradin**

*Permitted residue—commodities of plant origin:  
Ametoctradin*

*Permitted residue—commodities of animal origin:  
Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4]  
triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid*

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	9
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob); tomato]	1.5
Leafy vegetables	50
Peppers, chili (dry)	15

---

---

**Agvet chemical: Ametryn**

*Permitted residue: Ametryn*

---

Pome fruits	0.1
-------------	-----

---

---

**Agvet chemical: Aminoethoxyvinylglycine**

*Permitted residue: Aminoethoxyvinylglycine*

---

Stone fruits [except cherries]	0.2
--------------------------------	-----

---

---

**Agvet chemical: Aminopyralid**

*Permitted residue—commodities of plant origin:  
Sum of aminopyralid and conjugates, expressed as  
aminopyralid*

*Permitted residue—commodities of animal origin:  
Aminopyralid*

---

Cereal grains	0.1
---------------	-----

---

---

**Agvet chemical: Amisulbrom**

Permitted residue: Amisulbrom

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
---	---

---

---

**Agvet chemical: Amitrole**

Permitted residue: Amitrole

---

Cereal grains	*0.01
Citrus fruits	*0.01
Pome fruits	*0.01
Stone fruits	*0.02

---

---

**Agvet chemical: Atrazine**

Permitted residue: Atrazine

---

Sorghum	*0.1
---------	------

---

---

**Agvet chemical: Azamethiphos**

Permitted residue: Azamethiphos

---

Cereal grains	0.1
---------------	-----

---

---

**Agvet chemical: Azoxystrobin**

Permitted residue: Azoxystrobin

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Bulb vegetables [except onion, bulb]	5
Citrus fruits	10
Leafy vegetables	15
Peppers, chilli (dry)	30
Spices	*0.1
Stone fruits	1.5

---

---

**Agvet chemical: Benzovindiflupyr**

Permitted residue: Benzovindiflupyr

---

Pome fruits	0.2
-------------	-----

---

---

**Agvet chemical: Bifenazate**

Permitted residue: Sum of bifenazate and bifenazate diazene (diazene carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate

---

Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	1
Fungi, edible	1
Pome fruits	2

---

---

**Agvet chemical: Bifenthrin**

Permitted residue: Bifenthrin

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Bulb vegetables [except onion, bulb]	T5
Cereal grains	*0.02
Citrus fruits	*0.05
Leafy vegetables [except chervil; mizuna; rucola (rocket)]	*0.01
Peppers chilli (dry)	5
Stone fruits [except cherries]	1

---

---

**Agvet chemical: Bixafen**

Permitted residue—commodities of plant origin:

Bixafen

Permitted residue—commodities of animal origin:

Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen

---

Cereal grains	*0.01
---------------	-------

---

---

**Agvet chemical: Boscalid**

Permitted residue—commodities of plant origin:

Boscalid

Permitted residue—commodities of animal origin:

Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Bulb vegetables	5
Citrus fruits	2
Fruiting vegetables, other than cucurbits [except fungi; mushrooms; sweet corn (corn-on-the-cob)]	3
Fungi	1
Leafy vegetables	40
Mushrooms	1
Pome fruits	2
Stone fruits [except cherries]	3.5

---

---

**Agvet chemical: Bromacil**

Permitted residue: Bromacil

---

Citrus fruits	*0.04
---------------	-------

---

---

**Agvet chemical: Bromoxynil**

Permitted residue: Bromoxynil

---

Cereal grains	*0.2
---------------	------

---

---

**Agvet chemical: Buprofezin***Permitted residue: Buprofezin*

---

Cereal grains	*0.01
Citrus fruits	2
Stone fruits [except apricot; nectarine; peach]	1.9

---

---

**Agvet chemical: Butafenacil***Permitted residue: Butafenacil*

---

Cereal grains [except rice]	*0.02
Pome fruits	T*0.02
Stone fruits	T*0.02

---

---

**Agvet chemical: Cadusafos***Permitted residue: Cadusafos*

---

Citrus fruits	*0.01
---------------	-------

---

---

**Agvet chemical: Captan***Permitted residue: Captan*

---

Pome fruits	10
Stone fruits	15

---

---

**Agvet chemical: Carbaryl***Permitted residue: Carbaryl*

---

Cereal grains [except barley; rice; sorghum]	5
Pome fruits	0.2
Sorghum	10
Stone fruits [except cherries]	0.5

---

---

**Agvet chemical: Carbendazim***Permitted residue: Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim*

---

Peppers, chili (dry)	20
Spices	*0.1

---

---

**Agvet chemical: Carbon disulphide***Permitted residue: Carbon disulfide*

---

Cereal grains	10
---------------	----

---



---

**Agvet chemical: Carbonyl sulphide**

Permitted residue: Carbonyl sulphide

---

Cereal grains	T0.2
---------------	------

---

---

**Agvet chemical: Carboxin**

Permitted residue: Carboxin

---

Cereal grains	0.1
---------------	-----

---

---

**Agvet chemical: Carfentrazone-ethyl**

Permitted residue: Carfentrazone-ethyl

---

Cereal grains	*0.05
---------------	-------

---

---

**Agvet chemical: Chlorantraniliprole**

Permitted residue—plant commodities and animal commodities other than milk: Chlorantraniliprole

Permitted residue—milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Citrus fruits	1.4
Fruiting vegetables, other than cucurbits [except peppers, chili; peppers, chili (dry); sweet corn (corn-on-the-cob)]	0.6
Leafy vegetables [except lettuce, head; rucola]	15
Peppers, chili (dry)	5
Pome fruits	1.2
Stone fruits [except cherries and plums]	4

---

---

**Agvet chemical: Chlorfenapyr**

Permitted residue: Chlorfenapyr

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Brassica leafy vegetables [except Chinese cabbage]	T3
Chinese cabbage	3
Peppers, chili (dry)	3
Pome fruits	0.5
Spices	0.05

---

---

**Agvet chemical: Chloropicrin**

Permitted residue: Chloropicrin

---

Cereal grains	*0.1
---------------	------

---

---

**Agvet chemical: Chlorothalonil**

Permitted residue—commodities of plant origin:  
Chlorothalonil

Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil

---

Egg plant	T10
Leafy vegetables [except lettuce]	T100
Vegetables [except asparagus; Brussels sprouts; carrot; celery; egg plant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7

---

---

**Agvet chemical: Chlorpyrifos**

Permitted residue: Chlorpyrifos

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.5
Cereal grains [except sorghum]	T0.1
Citrus fruits	1
Peppers, chili (dry)	20
Pome fruits	T0.5
Sorghum	T3
Spices	5
Stone fruits [except cherries]	T1
Vegetables [except asparagus; bean, dry, seed; brassica vegetables; cassava; celery; leek; peppers, chili (dry); peppers, sweet; potato; swede; sweet potato; taro; tomato]	T*0.01

---

---

**Agvet chemical: Chlorpyrifos-methyl**

Permitted residue: Chlorpyrifos-methyl

---

Cereal grains [except rice]	10
Peppers, chili (dry)	10

---

---

**Agvet chemical: Chlorsulfuron**

Permitted residue: Chlorsulfuron

---

Cereal grains	*0.05
---------------	-------

---

---

**Agvet chemical: Clofentezine**

Permitted residue: Clofentezine

---

Pome fruits	0.1
-------------	-----

---

Stone fruits [except plums (including prunes)]	1
--	---

---

**Agvet chemical: Clopyralid**

*Permitted residue: Clopyralid*

Cereal grains	2
---------------	---

---

**Agvet chemical: Cloquintocet-mexyl**

*Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxycetic acid, expressed as cloquintocet mexyl*

Cereal grains	*0.1
---------------	------

---

**Agvet chemical: Clothianidin**

*Permitted residue: Clothianidin*

see also *Thiamethoxam*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Cereal grains [except maize, popcorn, sorghum]	*0.02
Citrus fruits	0.5
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	T0.7
Leafy vegetables	0.7
Persimmon, Japanese	2
Sorghum	*0.01
Stone fruits	3

---

**Agvet chemical: Cyanazine**

*Permitted residue: Cyanazine*

Bulb vegetables	*0.02
Cereal grains	*0.01

---

**Agvet chemical: Cyantraniliprole**

*Permitted residue: Cyantraniliprole*

Bulb vegetables [except onion, bulb]	7
Citrus fruits	0.7

---

**Agvet chemical: Cyazofamid**

*Permitted residue: Cyazofamid*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
--	---

---

**Agvet chemical: Cyclanilprole**

Permitted residue: Cyclanilprole

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Pome fruit	0.3
Stone fruits	1

---

---

**Agvet chemical: Cycloxydim**

Permitted residue: Cycloxydim, metabolites and degradation products which can be oxidized to 3-(3-thianyl) glutaric acid S-dioxide and 3-hydroxy-3-(3-thianyl) glutaric acid S-dioxide, expressed as cycloxydim

---

Stone fruits	0.09
--------------	------

---

---

**Agvet chemical: Cyflumetofen**

Permitted residue: Cyflumetofen

---

Citrus fruits	0.3
Pome fruits	0.4

---

---

**Agvet chemical: Cyfluthrin**

Permitted residue: Cyfluthrin, sum of isomers

---

Citrus fruits	0.2
Hops, dry	20
Stone fruits	0.3

---

---

**Agvet chemical: Cyhalothrin**

Permitted residue: Cyhalothrin, sum of isomers

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.1
Cereal grains [except barley; sorghum; wheat]	*0.01
Citrus fruits	*0.01
Fruiting vegetables, other than cucurbits [except mushrooms]	0.3
Peppers, chili (dry)	3
Sorghum	0.5
Stone fruits	0.5

---

---

**Agvet chemical: Cypermethrin**

Permitted residue: Cypermethrin, sum of isomers

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Cereal grains [except wheat]	1
Citrus fruits [except kumquats]	0.3
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob); tomato]	T1
Leafy vegetables [except lettuce, head]	T5

---

Peppers, chili (dry)	10
Pome fruits	1
Stone fruits [except cherries]	1

---

**Agvet chemical: Cyprodinil**

*Permitted residue: Cyprodinil*

Bulb vegetables [except fennel, bulb; onion, bulb]	3
Herbs [except basil; chives]	T50
Leafy vegetables	10
Pome fruits	2
Stone fruits	2

---

**Agvet chemical: Cyromazine**

*Permitted residue: Cyromazine*

Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	T1
Stalk and stem vegetables	T7

---

**Agvet chemical: 2,4-D**

*Permitted residue: 2,4-D*

Cereal grains	0.2
Citrus fruits	5

---

**Agvet chemical: 2,4-DB**

*Permitted residue: 2,4-DB*

Cereal grains	*0.02
---------------	-------

---

**Agvet chemical: Deltamethrin**

*Permitted residue: Deltamethrin*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
Cereal grains	2

---

**Agvet chemical: Diazinon**

*Permitted residue: Diazinon*

Cereal grains	0.1
Citrus fruits	0.7

---

**Agvet chemical: Dicamba**

*Permitted residue: Dicamba*

Cereal grains [except maize]	*0.05
------------------------------	-------

---

**Agvet chemical: Dichlobenil**

Permitted residue: *Dichlobenil*

---

Cereal grains [except maize]	*0.05
Citrus fruits	0.1
Pome fruits	0.1
Stone fruits	0.1

---

---

**Agvet chemical: Dichlorprop-P**

Permitted residue: *Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid*

---

Citrus fruits	0.2
---------------	-----

---

---

**Agvet chemical: Dichlorvos**

Permitted residue: *Dichlorvos*

---

Cereal grains	*0.01
---------------	-------

---

---

**Agvet chemical: Diclofop-methyl**

Permitted residue: *Diclofop-methyl*

---

Cereal grains	0.1
---------------	-----

---

---

**Agvet chemical: Didecyldimethylammonium chloride**

Permitted residue: *Didecyldimethylammonium chloride*

---

Assorted tropical and sub-tropical fruits – inedible peel	20
---	----

---

---

**Agvet chemical: Difenoconazole**

Permitted residue: *Difenoconazole*

---

Cereal grains	*0.01
Peppers, chili (dry)	5
Pome fruits	0.3
Stone fruits	2.5

---

---

**Agvet chemical: Diflubenzuron**

Permitted residue: *Diflubenzuron*

---

Citrus fruits	3
Stone fruits [except cherries]	0.07

---

---

**Agvet chemical: Dimethoate**

*Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate*

see also *Omethoate*

---

Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango]	5
Cereal grains	T0.05
Citrus fruits	5
Santols	5

---

---

**Agvet chemical: Dimethomorph**

*Permitted residue: Sum of E and Z isomers of dimethomorph*

---

Brassica (cole or cabbage) vegetables, Head cabbage, flowerhead brassicas	6
Leafy vegetables	30

---

---

**Agvet chemical: Diquat**

*Permitted residue: Diquat cation*

---

Sorghum	2
---------	---

---

---

**Agvet chemical: Dithiocarbamates**

*Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food*

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Bulb vegetables [except garlic; onion, bulb]	T10
Cereal grains	0.5
Citrus fruits	T7
Leafy vegetables	5
Persimmon, Japanese	3
Stone fruits	3

---

---

**Agvet chemical: Diuron**

*Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron*

---

Cereal grains	0.1
---------------	-----

---

---

**Agvet chemical: Dodine**

*Permitted residue: Dodine*

---

Pome fruits	5
Stone fruits [except cherries]	*0.05

---

---

**Agvet chemical: 2,2-DPA**

Permitted residue: 2,2-dichloropropionic acid

---

Cereal grains	*0.1
Citrus fruits	*0.1
Pome fruits	*0.1
Stone fruits	1

---

---

**Agvet chemical: Emamectin**

Permitted residue: Sum of emamectin B1a and emamectin B1b

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.02
Fruiting vegetables, other than cucurbits [except mushrooms and sweet corn (corn-on-the-cob)]	0.1
Leafy vegetables [except lettuce, head and lettuce, leaf]	T0.5

---

---

**Agvet chemical: Epoxiconazole**

Permitted residue: Epoxiconazole

---

Cereal grains	0.05
---------------	------

---

---

**Agvet chemical: Ethion**

Permitted residue: Ethion

---

Citrus fruits	1
Pome fruits	1
Stone fruits	1

---

---

**Agvet chemical: Ethofumesate**

Permitted residue: Ethofumesate

---

Bulb vegetables	*0.1
-----------------	------

---

---

**Agvet chemical: Ethoprophos**

Permitted residue: Ethoprophos

---

Cereal grains	*0.005
---------------	--------

---

---

**Agvet chemical: Ethylene dichloride (EDC)**

Permitted residue: 1,2-dichloroethane

---

Cereal grains	*0.1
---------------	------

---

---

**Agvet chemical: Etofenprox**

Permitted residue: Etofenprox

---

Stone fruits [except cherries]	5
--------------------------------	---

---



---

**Agvet chemical: Etoxazole**  
 Permitted residue: Etoxazole

---

Citrus fruits	0.5
Fruiting vegetables, cucurbits	T0.1
Pome fruits	0.2
Stone fruits [except cherries]	0.3

---



---

**Agvet chemical: Fenazaquin**  
 Permitted residue: Fenazaquin

---

Citrus fruits	0.4
Stone fruits	2

---



---

**Agvet chemical: Fenbutatin oxide**  
 Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide

---

Assorted tropical and sub-tropical fruits – inedible peel	5
Citrus fruits	5
Pome fruits	3

---



---

**Agvet chemical: Fenhexamid**  
 Permitted residue: Fenhexamid

---

Stone fruits [except plums]	10
-----------------------------	----

---



---

**Agvet chemical: Fenitrothion**  
 Permitted residue: Fenitrothion

---

Cereal grains	10
---------------	----

---



---

**Agvet chemical: Fenoxycarb**  
 Permitted residue: Fenoxycarb

---

Pome fruits	2
-------------	---

---



---

**Agvet chemical: Fenpropathrin**  
 Permitted residue: Fenpropathrin

---

Citrus fruits	2
Stone fruits [except cherries]	1.4

---



---

**Agvet chemical: Fenpyroximate**  
 Permitted residue: Fenpyroximate

---

Citrus fruits	0.6
---------------	-----

---

---

**Agvet chemical: Fenvalerate**

Permitted residue: Fenvalerate, sum of isomers

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Cereal grains	2

---

---

**Agvet chemical: Fipronil**

Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)

Assorted tropical and sub-tropical fruit – inedible peel [except banana; custard apple]	T*0.01
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.05
Citrus fruits	T*0.01
Sorghum	0.01
Stone fruits	0.01

---

---

**Agvet chemical: Flonicamid**

Permitted residue: Flonicamid [N-(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N-(4-trifluoromethylnicotinoyl)glycine]

Bulb vegetables	T0.2
Pome fruits	0.7

---

---

**Agvet chemical: Florasulam**

Permitted residue: Florasulam

Cereal grains	*0.01
---------------	-------

---

---

**Agvet chemical: Florpyrauxifen-benzyl**

Permitted residue: Sum of florpyrauxifen-benzyl and the XDE-848 acid metabolite [4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylic acid] expressed as florpyrauxifen-benzyl

Sorghum	T*0.02
---------	--------

---

---

**Agvet chemical: Fluazifop-p-butyl**

*Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop*

---

Assorted tropical and sub-tropical fruits – inedible peel [except avocado; banana]	0.05
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Citrus fruits	*0.02
Leafy vegetables [except lettuce, head]	T2
Pome fruits	*0.01
Stone fruits	0.05

---

---

**Agvet chemical: Fluazinam**

*Permitted residue: Fluazinam*

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.01
Pome fruits	*0.01

---

---

**Agvet chemical: Flubendiamide**

*Permitted residue—commodities of plant origin: Flubendiamide*

*Permitted residue—commodities of animal origin: Sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide*

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	2
Leafy vegetables [except lettuce, head]	10
Peppers, chili (dry)	7
Spices	0.02
Stalk and stem vegetables	5
Stone fruits	1.6

---

---

**Agvet chemical: Fludioxonil**

*Permitted residue—commodities of animal origin: Sum of fludioxonil and oxidisable metabolites, expressed as fludioxonil*

*Permitted residue—commodities of plant origin: Fludioxonil*

---

Bulb vegetables [except fennel, bulb; onion, bulb]	3
Citrus fruits	10
Leafy vegetables	15
Pome fruits	5
Sorghum	*0.01
Stone fruits [except apricot; peach]	5

---

---

**Agvet chemical: Fluensulfone**

Permitted residue—commodities of plant origin: Sum of fluensulfone and 3,4,4-trifluorobut-3-ene-1-sulfonic acid (M-3627), expressed as fluensulfone

Permitted residue—commodities of animal origin: Fluensulfone

---

Cereal grains	0.05
---------------	------

---

---

**Agvet chemical: Flumioxazin**

Permitted residue: Flumioxazin

---

Cereal grains	*0.05
Citrus fruits	*0.05
Pome fruits	*0.02
Stone fruits	*0.02

---

---

**Agvet chemical: Fluometuron**

Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron

---

Cereal grains	*0.1
Citrus fruits	0.5

---

---

**Agvet chemical: Fluopicolide**

Permitted residue: Fluopicolide

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
Bulb vegetables [except onion, bulb]	3
Leafy vegetables	30

---

---

**Agvet chemical: Fluopyram**

Permitted residue—commodities of plant origin: Fluopyram

Permitted residue—commodities of animal origin: Sum of fluopyram and 2-(trifluoromethyl)-benzamide, expressed as fluopyram

---

Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple]	2
Cereal grains	0.03
Citrus fruits	1
Pome fruits	1
Stone fruits [except cherries]	2

---

---

**Agvet chemical: Flupyradifurone**

Permitted residue: Flupyradifurone

---

Citrus fruits	3
Fruiting vegetables, other than cucurbits [except mushroom; sweet corn (corn-on-the-cob)]	1.5
Stone fruits	1.5

---

---

**Agvet chemical: Fluquinconazole**  
 Permitted residue: Fluquinconazole

---

Pome fruits	0.3
-------------	-----

---



---

**Agvet chemical: Fluroxypyr**  
 Permitted residue: Fluroxypyr

---

Sweet corn (corn-on-the-cob)	0.2
------------------------------	-----

---



---

**Agvet chemical: Flutriafol**  
 Permitted residue: Flutriafol

---

Cereal grains [except barley]	0.1
Pome fruits	0.4
Stone fruits	1.5

---



---

**Agvet chemical: Fluvalinate**  
 Permitted residue: Fluvalinate, sum of isomers

---

Stone fruits	0.05
--------------	------

---



---

**Agvet chemical: Fluxapyroxad**  
 Permitted residue: Fluxapyroxad

---

Bulb vegetables	1.5
Citrus fruits	0.2
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	0.6
Peppers, chili (dry)	6
Pome fruits	0.8
Sorghum	3

---



---

**Agvet chemical: Fosetyl**  
 Permitted residue: Fosetyl

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.1
Leafy vegetables [except rucola (rocket); spinach]	T0.2
Stone fruits [except cherries;peach]	T1

---



---

**Agvet chemical: Fosetyl-aluminium**  
 Permitted residue: Fosetyl-aluminium

---

Citrus fruits	5
---------------	---

---

---

**Agvet chemical: Glufosinate and Glufosinate-ammonium**

*Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)*

---

Assorted tropical and sub-tropical fruits – inedible peel	0.2
Cereal grains	*0.1
Citrus fruits	0.1
Pome fruits	*0.1

---

---

**Agvet chemical: Glyphosate**

*Permitted residue: Sum of glyphosate, N-acetyl-glyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate*

---

Bulb vegetables	*0.1
Cereal grains [except barley; maize; popcorn, sorghum;wheat]	T*0.1
Citrus fruits	0.5
Leafy vegetables	*0.1
Persimmon, Japanese	*0.05
Sorghum	15
Stalk and stem vegetables	*0.01
Stone fruits	0.2

---

---

**Agvet chemical: Guazatine**

*Permitted residue: Guazatine*

---

Citrus fruits	5
---------------	---

---

---

**Agvet chemical: Halauxifen-methyl**

*Permitted residue—commodities of plant origin: Halauxifen-methyl*

*Permitted residue—commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl*

---

Cereal grains	*0.01
---------------	-------

---

---

**Agvet chemical: Halosulfuron-methyl**

*Permitted residue: Halosulfuron-methyl*

---

Sorghum	*0.05
---------	-------

---

---

**Agvet chemical: Haloxyfop**

*Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop*

---

Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Citrus fruits	*0.05

---

Leafy vegetables [except mizuna]	T0.5
Persimmon, Japanese	*0.05
Stone fruits	*0.05

---

**Agvet chemical: Hexythiazox**

*Permitted residue: Hexythiazox*

Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	T1
Pome fruits	1
Stone fruits	1

---

**Agvet chemical: Imazalil**

*Permitted residue: Imazalil*

Citrus fruits [except citron; lemon; lime]	10
Pome fruits	5

---

**Agvet chemical: Imazamox**

*Permitted residue: Imazamox*

Beans (dry) [except soya bean (dry)]	0.05
Sorghum	*0.02

---

**Agvet chemical: Imazapyr**

*Permitted residue: Imazapyr*

Sorghum	0.02
---------	------

---

**Agvet chemical: Imidacloprid**

*Permitted residue: Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Cereal grains [except maize; popcorn; sorghum]	*0.05
Citrus fruits	2
Fruiting vegetables, other than cucurbits [except peppers, chili (dry); peppers; sweet corn (corn-on-the-cob)]	0.5
Leafy vegetables [except lettuce, head]	20
Peppers, chilli (dry)	10
Sorghum	*0.02
Spices [except ginger root]	0.05
Stone fruits [except cherries]	0.5

---

**Agvet chemical: Indoxacarb**

Permitted residue: Sum of indoxacarb and its R-isomer

---

Brassica (cole or cabbage) vegetables, head cabbages and flowerhead brassicas	2
Leafy vegetables [except lettuce, head]	5
Pome fruits	2
Stone fruits [except cherries]	2

---

---

**Agvet chemical: Inorganic bromide**

Permitted residue: Bromide ion

---

Cereal grains	50
Citrus fruits	30

---

---

**Agvet chemical: Ipconazole**

Permitted residue: Ipconazole

---

Cereal grains	*0.01
---------------	-------

---

---

**Agvet chemical: Iprodione**

Permitted residue: Iprodione

---

Pome fruits	3
Stone fruits	10

---

---

**Agvet chemical: Isofetamid**

Permitted residue: commodities of plant origin:  
Isofetamid

Permitted residue: commodities of animal origin:  
Sum of isofetamid and 2-[3-methyl-4-[2-methyl-2-(3-methylthiophene-2- carboxamido)propanoyl]phenoxy]propanoic acid (PPA), expressed as isofetamid

---

Pome fruits	0.6
-------------	-----

---

---

**Agvet chemical: Isoxaflutole**

Permitted residue: Sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole

---

Cereal grains	*0.02
---------------	-------

---

---

**Agvet chemical: Lufenuron**

Permitted residue: Lufenuron

---

Pome fruits	1
-------------	---

---



---

**Agvet chemical: Maldison**

Permitted residue: Maldison

---

Beans (dry)	8
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except cauliflower; kohlrabi]	2
Cereal grains	8
Citrus fruits	4
Fruits [except berries and other small fruits; citrus fruits; dried fruits; stone fruits]	2
Stone fruits	5

---

---

**Agvet chemical: Mandestrobin**

Permitted residue: Mandestrobin

---

Stone fruits	3
--------------	---

---

---

**Agvet chemical: Mandipropamid**

Permitted residue: Mandipropamid

---

Leafy vegetables	30
------------------	----

---

---

**Agvet chemical: MCPA**

Permitted residue: MCPA

---

Cereal grains	*0.02
---------------	-------

---

---

**Agvet chemical: MCPB**

Permitted residue: MCPB

---

Cereal grains	*0.02
---------------	-------

---

---

**Agvet chemical: Mefenpyr-diethyl**

Permitted residue—commodities of plant origin:  
Sum of mefenpyr-diethyl and metabolites hydrolysed  
to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-  
dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-  
methyl-pyrazole-3-carboxylic acid, expressed as  
mefenpyr-diethyl

Permitted residue—commodities of animal origin:  
Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-  
5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic  
acid, expressed as mefenpyr-diethyl

---

Cereal grains	*0.01
---------------	-------

---

---

**Agvet chemical: Mefentrifluconazole**

Permitted residue: Mefentrifluconazole

---

Pome fruits	1.5
-------------	-----

---

---

**Agvet chemical: Metaflumizone**

Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl) phenyl]ethyl}-benzotrile expressed as metaflumizone

---

Citrus fruits	2
---------------	---

---

---

**Agvet chemical: Metalaxyl**

Permitted residue: Metalaxyl

---

Bulb vegetables	0.1
Cereal grains	*0.01
Leafy vegetables	0.3
Pome fruits	0.2
Spices	*0.1
Stone fruits	0.2

---

---

**Agvet chemical: Metamitron**

Permitted residue: Metamitron

---

Pome fruits	0.01
-------------	------

---

---

**Agvet chemical: Metazachlor**

Permitted residue—commodities of plant origin: Sum of metabolites 479M04 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)oxalamide), 479M08 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfonic acid) and 479M16 (3-[N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfinyl]-2-hydroxypropanoic acid), expressed as metazachlor

Permitted residue—commodities of animal origin: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor

---

Cereal grains	*0.03
---------------	-------

---

---

**Agvet chemical: Metcamifen**

Permitted residue—commodities of plant origin: metcamifen

Permitted residue—commodities of animal origin: Sum of metcamifen and 4-(3-methyl-ureido)-benzensulfonamide, expressed as metcamifen

---

Sorghum	*0.01
---------	-------

---

---

**Agvet chemical: Methamidophos**

Permitted residue: Methamidophos

see also Acephate

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
--	---

---

---

**Agvet chemical: Methiocarb**

*Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb*

---

Citrus fruits	0.1
---------------	-----

---

---

**Agvet chemical: Methomyl**

*Permitted residue: Methomyl*

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Cereal grains	*0.1
Citrus fruits	1
Fruiting vegetables, other than cucurbits [except peppers; sweet corn (corn-on-the-cob)]	1
Stone fruits [except cherries]	1

---

---

**Agvet chemical: Methoprene**

*Permitted residue: Methoprene, sum of cis- and trans-isomers*

---

Cereal grains	2
---------------	---

---

---

**Agvet chemical: Methoxyfenozide**

*Permitted residue: Methoxyfenozide*

---

Citrus fruits	3
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	3
Pome fruits	0.5
Stone fruits [except plums (including prunes)]	3

---

---

**Agvet chemical: Methyl bromide**

*Permitted residue: Methyl bromide*

---

Cereal grains	50
---------------	----

---

---

**Agvet chemical: Metolachlor**

*Permitted residue: Metolachlor*

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.02
Cereal grains [except maize; sorghum]	*0.02
Sorghum	*0.05

---

---

**Agvet chemical: Metosulam**  
 Permitted residue: Metosulam

---

Cereal grains	*0.02
---------------	-------

---



---

**Agvet chemical: Metrafenone**  
 Permitted residue: Metrafenone

---

Peppers, chili (dry)	20
----------------------	----

---



---

**Agvet chemical: Metribuzin**  
 Permitted residue: Metribuzin

---

Cereal grains	*0.05
---------------	-------

---



---

**Agvet chemical: Metsulfuron-methyl**  
 Permitted residue: Metsulfuron-methyl

---

Cereal grains	*0.02
---------------	-------

---



---

**Agvet chemical: Mevinphos**  
 Permitted residue: Mevinphos

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.05
---	------

---



---

**Agvet chemical: Milbemectin**  
 Permitted residue: Sum of milbemycin MA<sub>3</sub> and  
 milbemycin MA<sub>4</sub> and their photoisomers, milbemycin  
 (Z) 8,9-MA<sub>3</sub> and (Z) 8,9Z-MA<sub>4</sub>

---

Pome fruits	0.03
Stone fruits	0.1

---



---

**Agvet chemical: Myclobutanil**  
 Permitted residue: Myclobutanil

---

Peppers, chilli (dry)	20
Pome fruits	0.5
Stone fruits [except cherries]	2

---



---

**Agvet chemical: Napropamide**  
 Permitted residue: Napropamide

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T*0.1
Stone fruits	*0.1

---



---

**Agvet chemical: Norflurazon**  
 Permitted residue: Norflurazon

---

Citrus fruits	0.2
---------------	-----

---

Pome fruits	*0.2
Stone fruits	*0.2

---

**Agvet chemical: Novaluron**

*Permitted residue: Novaluron*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.3
Leafy vegetables	5
Peppers, chilli, sweet	0.7

---

**Agvet chemical: Oryzalin**

*Permitted residue: Oryzalin*

Cereal grains	*0.01
---------------	-------

---

**Agvet chemical: Oxadixyl**

*Permitted residue: Oxadixyl*

Leafy vegetables	T5
------------------	----

---

**Agvet chemical: Oxamyl**

*Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl*

Cereal grains	*0.02
---------------	-------

---

**Agvet chemical: Oxathiapiprolin**

*Permitted residue: Oxathiapiprolin*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Bulb vegetables [except onion, bulb]	2
Cane berries (= Blackberries; Dewberries (including Boysenberry; Loganberry and Youngberry); Raspberries, red, black)	0.5
Citrus fruits	0.06
Leafy vegetables (including brassica leafy vegetables) [except lettuce, head]	15

---

**Agvet chemical: Oxyfluorfen**

*Permitted residue: Oxyfluorfen*

Assorted tropical and sub-tropical fruits – inedible peel	*0.01
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
Bulb vegetables	*0.05
Cereal grains	*0.05
Pome fruits	0.05
Stone fruits	0.05

---

**Agvet chemical: Paclobutrazol***Permitted residue: Paclobutrazol*

---

Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango]	*0.01
Fruiting vegetables, other than cucurbits [except fungi; mushrooms; sweet corn (corn-on-the-cob)]	T*0.01
Pome fruits	1
Stone fruits	*0.01

---

---

**Agvet chemical: Penconazole***Permitted residue: Penconazole*

---

Pome fruits	0.1
-------------	-----

---

---

**Agvet chemical: Pendimethalin***Permitted residue: Pendimethalin*

---

Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Brassica leafy vegetables	0.2
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
Bulb vegetables	*0.05
Citrus fruits	*0.05
Leafy vegetables [except brassica leafy vegetables; lettuce, leaf]	*0.05
Pome fruits	*0.05
Sorghum	0.1
Stone fruits	*0.05

---

---

**Agvet chemical: Penflufen***Permitted residue: Penflufen*

---

Cereal grains	*0.01
---------------	-------

---

---

**Agvet chemical: Penthioopyrad***Permitted residue—commodities of plant origin:  
Penthioopyrad**Permitted residue—commodities of animal origin:  
Sum of penthiopyrad and 1-methyl-3-  
(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide,  
expressed as penthiopyrad*

---

Brassica leafy vegetables	70
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	7
Leafy vegetables [except brassica leafy vegetables; lettuce, head]	50
Pome fruits	0.5
Stone fruits	5

---

---

**Agvet chemical: Permethrin**

Permitted residue: Permethrin, sum of isomers

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except Brussels sprouts]	1
Cereal grains	2
Peppers, chili (dry)	10

---

**Agvet chemical: Phenmedipham**

Permitted residue—commodities of plant origin: Phenmedipham

Permitted residue—commodities of animal origin: 3-methyl-N-(3-hydroxyphenyl)carbamate

Leafy vegetables [except chard (silver beet)]	T1
---	----

---

---

**Agvet chemical: 2-Phenylphenol**

Permitted residue: Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol

Citrus fruits	10
---------------	----

---

---

**Agvet chemical: Phorate**

Permitted residue: Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate

Brassica (cole or cabbage) vegetables, flowerhead brassicas [except Brussels sprouts; broccoli; cauliflower; head cabbages]	T*0.01
Leafy vegetables	T*0.01

---

---

**Agvet chemical: Phosmet**

Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet

Cereal grains	*0.05
Stone fruits [except cherries]	5

---

---

**Agvet chemical: Phosphine**

Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)

Cereal grains	*0.1
Citrus fruits	*0.01

---

---

**Agvet chemical: Phosphorous acid**

Permitted residue: Phosphorous acid

Assorted tropical and sub-tropical fruits – inedible peel [except avocado; passionfruit]	T100
--	------

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except flowerhead brassicas]	T1
Bulb vegetables	T10
Citrus fruits	100
Leafy vegetables	T150
Stone fruits [except cherries; peach]	T100

---

**Agvet chemical: Picloram**

*Permitted residue: Picloram*

Cereal grainss	0.2
----------------	-----

---

**Agvet chemical: Picolinafen**

*Permitted residue—commodities of plant origin:  
Picolinafen*

*Permitted residue—commodities of animal origin:  
Sum of picolinafen and 6-[3-trifluoromethyl  
phenoxy]-2-pyridine carboxylic acid*

Cereal grains	*0.02
---------------	-------

---

**Agvet chemical: Piperonyl butoxide**

*Permitted residue: Piperonyl butoxide*

Cereal grains	20
---------------	----

---

**Agvet chemical: Pirimicarb**

*Permitted residue: Sum of pirimicarb, demethyl-  
pirimicarb and the N-formyl-(methylamino) analogue  
(demethylformamido-pirimicarb), expressed as  
pirimicarb*

Cereal grains	*0.02
Leafy vegetables	7
Vegetables [except celeriac; celery; leafy vegetables; onion, Welsh; shallot; spring onion; sweet corn (corn-on-the- cob)]	1

---

**Agvet chemical: Pirimiphos-methyl**

*Permitted residue: Pirimiphos-methyl*

Sorghum	10
---------	----

---

**Agvet chemical: Procymidone**

*Permitted residue: Procymidone*

Stone fruits	T10
--------------	-----



---

**Agvet chemical: Profenofos**

Permitted residue: Profenofos

---

Peppers, chili (dry)	20
----------------------	----

---

---

**Agvet chemical: Propachlor**

Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.6
Cereal grains [except sorghum]	0.05
Leafy vegetables [except lettuce, head; lettuce, leaf]	T1
Sorghum	0.2

---

---

**Agvet chemical: Propamocarb**

Permitted residue: Propamocarb (base)

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	30
Bulb vegetables [except onion, bulb]	30
Leafy vegetables	70

---

---

**Agvet chemical: Propargite**

Permitted residue: Propargite

---

Stone fruits	3
--------------	---

---

---

**Agvet chemical: Propiconazole**

Permitted residue: Propiconazole

---

Cereal grains	*0.05
Citrus fruits	10
Gai lum	T1

---

---

**Agvet chemical: Propyzamide**

Permitted residue: Propyzamide

---

Pulses	*0.01
--------	-------

---

---

**Agvet chemical: Proquinazid**

Permitted residue—commodities of plant origin:  
Proquinazid

Permitted residue—commodities of animal origin:  
Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yloxy)propionic acid, expressed as proquinazid

---

Pome Fruits	0.3
-------------	-----

---

---

**Agvet chemical: Prosulfocarb**

Permitted residue: Prosulfocarb

---

Pulses	*0.01
--------	-------

---

---

**Agvet chemical: Prothioconazole**

Permitted residue—commodities of plant origin:  
Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

Permitted residue—commodities of animal origin:  
Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

---

Cereal grains	0.3
Pulses	T0.7

---

---

**Agvet chemical: Prothiofos**

Permitted residue: Prothiofos

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
--	-----

---

---

**Agvet chemical: Pydiflumetofen**

Permitted residue: Pydiflumetofen

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Brassica leafy vegetables ( except )	15
Cereal grains [except maize and popcorn]	T3
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	T0.7
Leafy vegetables (except brassica leafy vegetables)	T30
Pome fruits	T0.2

---

---

**Agvet chemical: Pymetrozine**

Permitted residue: Pymetrozine

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Fruiting vegetables, other than cucurbits [except mushroom; sweet corn]	0.5
Leafy vegetables	5
Stone fruits	*0.05

---

---

**Agvet chemical: Pyraclostrobin**

*Permitted residue—commodities of plant origin:  
Pyraclostrobin*

*Permitted residue—commodities of animal origin:  
Sum of pyraclostrobin and metabolites hydrolysed to  
1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as  
pyraclostrobin*

---

Beans (dry)	0.3
Broccoli, Chinese	T1
Cereal grains [except barley; oats; rice; rye; triticale; wheat]	*0.01
Flowerhead brassicas (including broccoli; broccoli, Chinese; cauliflower)	0.1
Pome fruits	1
Sorghum	0.5
Stone fruits	2.5

---

---

**Agvet chemical: Pyraflufen-ethyl**

*Permitted residue: Sum of pyraflufen-ethyl and its  
acid metabolite (2-chloro-5-(4-chloro-5-  
difluoromethoxy-1-methylpyrazol-3-yl)-4-  
fluorophenoxyacetic acid)*

---

Cereal grains	*0.02
Pulses	*0.02

---

---

**Agvet chemical: Pyrasulfotole**

*Permitted residue: Sum of pyrasulfotole and (5-  
hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesy-4-  
(trifluoromethyl)phenyl]methanone, expressed as  
pyrasulfotole*

---

Cereal grains	*0.02
---------------	-------

---

---

**Agvet chemical: Pyrethrins**

*Permitted residue: Sum of pyrethrins i and ii,  
Cinerins i and ii and jasmolins i and ii, determined  
after calibration by means of the International  
Pyrethrum Standard*

---

Cereal grains	3
---------------	---

---

---

**Agvet chemical: Pyridaben**

*Permitted residue: Pyridaben*

---

Citrus fruits	0.5
Pome fruits	0.5
Stone fruits	0.5

---

---

**Agvet chemical: Pyrimethanil**

*Permitted residue: Pyrimethanil*

---

Citrus fruits [except lemon]	10
------------------------------	----

---

Leafy vegetables [except lettuce, head; lettuce, leaf]	T5
Pome fruits	15
Stone fruits	10

---

**Agvet chemical: Pyriofenone**

*Permitted residue: Pyriofenone*

Berries and other small fruit [except Cane berries (= Blackberries; Dewberries (including Boysenberry; Loganberry and Youngberry); Raspberries, red, black); cloudberry; cranberry; strawberry]	1.5
Cane berries (= Blackberries; Dewberries (including Boysenberry; Loganberry and Youngberry); Raspberries, red, black)	0.9

---

**Agvet chemical: Pyriproxyfen**

*Permitted residue: Pyriproxyfen*

Assorted tropical and sub-tropical fruits – inedible peel	0.3
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.7
Citrus fruits	0.5
Fruiting vegetables, other than cucurbits [except peppers, chili (dry)]	1
Peppers, chili (dry)	6
Stone fruits	1

---

**Agvet chemical: Pyroxasulfone**

*Permitted residue—commodities of plant origin: Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone*

*Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone*

Cereal grains [except maize; popcorn]	*0.01
Pulses	*0.01

---

**Agvet chemical: Quinoxifen**

*Permitted residue: Quinoxifen*

Stone fruits	0.7
--------------	-----

---

**Agvet chemical: Quintozene**

*Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
--	-----

---

**Agvet chemical: Saflufenacil**

*Permitted residue—commodities of plant origin:  
Sum of saflufenacil, N'-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-({[(isopropylamino)sulfonyl]amino} carbonyl)phenyl]urea, expressed as saflufenacil equivalents*

*Permitted residue—commodities of animal origin:  
Saflufenacil*

---

Cereal grains [except rice]	0.2
Citrus fruits	*0.03
Pome fruits	*0.03
Stone fruits	*0.03

---

---

**Agvet chemical: Sedaxane**

*Permitted residue: Sedaxane, sum of isomers*

---

Cereal grains	*0.01
---------------	-------

---

---

**Agvet chemical: Sethoxydim**

*Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim*

---

Beans (dry)	25
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Citrus fruits	0.5
Leafy vegetables [except lettuce, head; lettuce, leaf]	T0.5
Pulses [except beans (dry); lupin (dry)]	*0.1
Stone fruits [except plum]	0.2

---

---

**Agvet chemical: Simazine**

*Permitted residue: Simazine*

---

Citrus fruits	0.25
Fruit [except citrus fruits]	*0.1

---

---

**Agvet chemical: Spinetoram**

*Permitted residue: Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L*

---

Assorted tropical and sub-tropical fruits – inedible peel	0.3
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
Bulb vegetables (alliums)	0.1
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.1

---

Leafy vegetables	0.7
Pome fruits	0.1
Stalk and stem vegetables	2

---

**Agvet chemical: Spinosad**

*Permitted residue: Sum of spinosyn A and spinosyn D*

Assorted tropical and sub-tropical fruits – inedible peel	0.3
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Cereal grains	1
Citrus fruits	0.3
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.2
Leafy vegetables	5
Pome fruits	0.5
Stone fruits	1

---

**Agvet chemical: Spirodiclofen**

*Permitted residue: Spirodiclofen*

Citrus fruits	0.5
Stone fruits	1

---

**Agvet chemical: Spirotetramat**

*Permitted residue: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except Brussels sprouts]	7
Bulb vegetables	0.5
Citrus fruits	1
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	7
Leafy vegetables [except brassica leafy vegetables; lettuce, head; lettuce, leaf]	5
Pome fruits	0.5
Sorghum	T*0.02
Stone fruits	4.5

---

**Agvet chemical: Sulfoxaflor**

*Permitted residue: Sulfoxaflor*

Beans (dry)	0.7
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except cauliflower]	3

Cane berries (Blackberries; Dewberries (including Boysenberry; Loganberry and Youngberry); Raspberries, red, black)	T1
Citrus fruits	0.7
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on- the-cob)]	1
Leafy vegetables [except lettuce, head]	5
Pome fruits	0.5
Sorghum	0.2
Stone fruits [except cherries]	1
Sweetcorn (corn-on-the-cob)	*0.01

---

**Agvet chemical: Sulfuryl fluoride**

*Permitted residue: Sulfuryl fluoride*

Cereal grains	0.05
---------------	------

---

**Agvet chemical: Tebuconazole**

*Permitted residue: Tebuconazole*

Bulb vegetables [except garlic]	*0.01
Cereal grains [except barley; oats]	0.2
Citrus fruits	T0.05
Peppers, chili (dry)	10
Pome fruits [except pear]	*0.01
Spices	1
Stone fruits [except cherries]	1

---

**Agvet chemical: Tebufenozide**

*Permitted residue: Tebufenozide*

Citrus fruits	1
Pome fruits	1

---

**Agvet chemical: Tebufenpyrad**

*Permitted residue: Tebufenpyrad*

Pome fruits	1
-------------	---

---

**Agvet chemical: Teflubenzuron**

*Permitted residue: Teflubenzuron*

Citrus fruits	0.5
---------------	-----

---

**Agvet chemical: Terbufos**

*Permitted residue: Sum of terbufos, its oxygen  
analogue and their sulfoxides and sulfones,  
expressed as terbufos*

Cereal grains	*0.01
---------------	-------

---

**Agvet chemical: Terbutylazine**

Permitted residue: Terbutylazine

---

Cereal grains	*0.01
---------------	-------

---

---

**Agvet chemical: Terbutryn**

Permitted residue: Terbutryn

---

Cereal grains	*0.1
---------------	------

---

---

**Agvet chemical: Tetraniliprole**

Permitted residue: Tetraniliprole

---

Pome fruits	0.5
Stone fruits [except cherries]	0.7

---

---

**Agvet chemical: Thiabendazole**

Permitted residue—commodities of plant origin:  
Thiabendazole

Permitted residue—commodities of animal origin:  
Sum of thiabendazole and 5-hydroxythiabendazole,  
expressed as thiabendazole

---

Citrus fruits	10
---------------	----

---

---

**Agvet chemical: Thiacloprid**

Permitted residue: Thiacloprid

---

Pome fruits	1
Stone fruits	2

---

---

**Agvet chemical: Thiamethoxam**

See also *Clothianidin*

Permitted residue—commodities of plant origin:  
Thiamethoxam

Commodities of animal origin: Sum of thiamethoxam  
and *N*-(2-chloro-thiazol-5-ylmethyl)-*N*'-methyl-*N*'-  
nitro-guanidine, expressed as Thiamethoxam

(Note: the metabolite *clothianidin* has separate  
MRLs)

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	3
Cereal grains [except maize; sorghum]	*0.01
Citrus fruits	1
Leafy vegetables	2
Peppers, chili (dry)	7
Sorghum	*0.02
Stone fruits	0.5

---



---

**Agvet chemical: Thiodicarb**

Permitted residue: Sum of thiodicarb and methomyl, expressed as thiodicarb

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
--	---

---

---

**Agvet chemical: Tiafenacil**

Permitted residue—commodities of plant origin: Tiafenacil

Permitted residue—Sum of tiafenacil and 3-(2-(2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)phenylthio)propanamido)propanoic acid (M-01), expressed as tiafenacil

---

Cereal grains	*0.01
---------------	-------

---

---

**Agvet chemical: Tralkoxydim**

Permitted residue: Tralkoxydim

---

Cereal grains	*0.02
---------------	-------

---

---

**Agvet chemical: Triadimefon**

Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon

see also Triadimenol

---

Cereal grains	0.5
---------------	-----

---

---

**Agvet chemical: Triadimenol**

Permitted residue: Triadimenol

see also Triadimefon

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Cereal grains [except sorghum]	*0.01
Sorghum	0.5

---

---

**Agvet chemical: Triallate**

Permitted residue: Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate

---

Cereal grains	*0.05
---------------	-------

---

---

**Agvet chemical: Triasulfuron**

Permitted residue: Triasulfuron

---

Cereal grains	*0.02
---------------	-------

---

---

**Agvet chemical: Tribenuron-methyl**

Permitted residue: Tribenuron-methyl

---

Sorghum	*0.01
---------	-------

---

---

**Agvet chemical: Trichlorfon**

Permitted residue: Trichlorfon

---

Assorted tropical and sub-tropical fruits – inedible peel	T3
Cereal grains	0.1
Fruit [except achachairu; assorted tropical and sub-tropical fruits – edible peel; assorted tropical and sub-tropical fruits – inedible peel; babaco; berries and other small fruits; dried fruits; loquat; medlar; miracle fruit; quince; rollinia; shaddock (pomelo); stone fruits]	T0.1
Vegetables [except beetroot; Brussels sprouts; cape gooseberry (ground cherry); cauliflower; celery; egg plant; kale; pepino; peppers; pulses (dry); sugar beet; sweet corn (corn-on-the-cob); Thai egg plant]	0.1

---

---

**Agvet chemical: Triclopyr**

Permitted residue: Triclopyr

---

Citrus fruits	0.2
---------------	-----

---

---

**Agvet chemical: Trifloxystrobin**

Permitted residue: Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminoxymethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents

---

Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple]	2
Pome fruits	0.7
Stone fruits	5

---

---

**Agvet chemical: Triflumuron**

Permitted residue: Triflumuron

---

Cereal grains	*0.05
---------------	-------

---

---

**Agvet chemical: Trifluralin**

Permitted residue: Trifluralin

---

Cereal grains	*0.05
---------------	-------

---

---

**Agvet chemical: Triforine**

Permitted residue: Triforine

Pome fruits	1
Stone fruits	10

---

---

**Agvet chemical: Trinexapac-ethyl**

Permitted residue: Trinexapac acid

Cereal grains	0.2
---------------	-----

---

---

**Agvet chemical: Triticonazole**

Permitted residue: Triticonazole

Cereal grains	*0.05
---------------	-------

---

**[10] Section S20—3**

For each of the following chemicals, insert the foods and associated MRLs in alphabetical order

---

**Agvet chemical: Abamectin**

Permitted residue: Avermectin B1a

Bulb vegetables [except chives]	0.05
Cane berries	0.2
Chinese cabbage (Pe-tsai)	T0.5
Citrus fruits [except kumquats]	0.02
Fennel, bulb	0.05
Fruiting vegetables, other than cucurbits	0.1
Fungi, edible (except mushrooms)	0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, leaf; whitloof chicory]	T0.5
Pome fruits [except Persimmon, Japanese]	0.02
Stone fruits [except jujube, Chinese]	0.09

---

---

**Agvet chemical: Acephate**

Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	5
Broccoli, Chinese (Gai lan)	5

---

---

**Agvet chemical: Acequinocyl**

Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl

Citrus fruits [except kumquats]	0.2
Pome fruits [except Persimmon, Japanese]	0.7

Stone fruits [except jujube, Chinese]	0.7
---------------------------------------	-----

---

**Agvet chemical: Acetamiprid**

*Permitted residue—commodities of plant origin:*  
Acetamiprid

*Permitted residue—commodities of animal origin:*  
Sum of acetamiprid and N-demethyl acetamiprid  
(*(E)*-N<sup>1</sup>-[(6-chloro-3-pyridyl)methyl]-N<sup>2</sup>-  
cyanoacetamide), expressed as acetamiprid

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.2
Chives	3
Citrus fruits [except kumquats]	1
Fruiting vegetables other than cucurbits [except tomato]	0.2
Fungi, edible (except mushrooms)	0.2
Peppers, chili, dried	2
Sentul	0.2
Spices [except peppers, chili, dried]	0.1
Stone fruits [except cherries; jujube, Chinese; plums]	1

---

**Agvet chemical: Afidopyropen**

*Permitted residue: commodities of plant origin:*  
Afidopyropen

*Permitted residue: commodities of animal origin:*  
Afidopyropen and the carnitine conjugate of  
cyclopropanecarboxylic acid (M4401060), expressed  
as afidopyropen

Brassica vegetables (except Brassica leafy vegetables), [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Cane berries	T0.3
Chinese cabbage (Pe-tsai)	5
Citrus fruits [except kumquats]	0.15
Fungi, edible (except mushrooms)	0.2
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Mushrooms	0.2
Stone fruits [except jujube, Chinese]	0.03

---

**Agvet chemical: Ametoctradin**

*Permitted residue—commodities of plant origin:*  
Ametoctradin

*Permitted residue—commodities of animal origin:*  
Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4]  
triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	9
Broccoli, Chinese (Gai lan)	9
Chinese cabbage (Pe-tsai)	50

Fruiting vegetables, other than cucurbits [except tomato]	1.5
Fungi, edible (except mushrooms)	1.5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	50
Peppers, chili, dried	15

---

**Agvet chemical: Ametryn**

*Permitted residue: Ametryn*

Pome fruits [except persimmon, Japanese]	0.1
--	-----

---

**Agvet chemical: Aminoethoxyvinylglycine**

*Permitted residue: Aminoethoxyvinylglycine*

Stone fruits [except cherries; jujube, Chinese]	0.2
---	-----

---

**Agvet chemical: Aminopyralid**

*Permitted residue—commodities of plant origin:  
Sum of aminopyralid and conjugates, expressed as aminopyralid*

*Permitted residue—commodities of animal origin:  
Aminopyralid*

Cereal grains [except sweet corns]	0.1
------------------------------------	-----

---

**Agvet chemical: Amisulbrom**

*Permitted residue: Amisulbrom*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2

---

**Agvet chemical: Amitrole**

*Permitted residue: Amitrole*

Cereal grains [except sweet corns]	*0.01
Citrus fruits [except kumquats]	*0.01
Palm nuts	*0.01
Peanut	*0.01
Pome fruits [except Persimmon, Japanese]	*0.01
Stone fruits [except jujube, Chinese]	*0.02

---

**Agvet chemical: Atrazine**

*Permitted residue: Atrazine*

Sorghum, grain	*0.1
----------------	------

---

**Agvet chemical: Azamethiphos***Permitted residue: Azamethiphos*

---

Cereal grains [except sweet corns]	0.1
------------------------------------	-----

---

---

**Agvet chemical: Azoxystrobin***Permitted residue: Azoxystrobin*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Bulb vegetables [except chives; onion, bulb]	5
Chinese cabbage (Pe-tsai)	15
Chives	70
Citrus fruits [except kumquats]	10
Fennel, bulb	5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	15
Peppers, chili, dried	30
Spices [except galangal; peppers, chili, dried]	*0.1
Stone fruits [except jujube, Chinese]	1.5

---

---

**Agvet chemical: Benzovindiflupyr***Permitted residue: Benzovindiflupyr*

---

Pome fruits [except Persimmon, Japanese]	0.2
--	-----

---

---

**Agvet chemical: Bifenazate***Permitted residue: Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate*

---

Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Pome fruits [except Persimmon, Japanese]	2

---

---

**Agvet chemical: Bifenthrin***Permitted residue: Bifenthrin*

---

Brassica vegetables (except Brassica leafy vegetables), [except cabbages, head; Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Bulb vegetables [except chives; onion, bulb]	T5
Cereal grains [except sweet corns]	*0.02
Chinese cabbage (Pe-tsai)	*0.01
Chives	T0.5
Citrus fruits [except kumquats]	*0.05

Fennel, bulb	T5
Fungi, edible (except mushrooms)	0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); chervil; mizuna; rucola (rocket); witloof chicory]	*0.01
Mushrooms	0.5
Peppers chili, dry	5
Stone fruits [except cherries; jujube, Chinese]	1
Sweet corns	0.5

---

**Agvet chemical: Bixafen**

*Permitted residue—commodities of plant origin:*

*Bixafen*

*Permitted residue—commodities of animal origin:*

*Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen*

Cereal grains [except sweet corns]	*0.01
Palm nuts	*0.01
Peanut	*0.01

---

**Agvet chemical: Boscalid**

*Permitted residue—commodities of plant origin:*

*Boscalid*

*Permitted residue—commodities of animal origin:*

*Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives]	5
Citrus fruits [except kumquats]	2
Chinese cabbage (Pe-tsai)	40
Fennel, bulb	5
Fruiting vegetables, other than cucurbits	3
Edible Fungi	1
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	40
Palm nuts	3.5
Pome fruits [except Persimmon, Japanese]	2
Stone fruits [except cherries; jujube, Chinese]	3.5

---

**Agvet chemical: Bromacil**

*Permitted residue: Bromacil*

Citrus fruits [except kumquats]	*0.04
---------------------------------	-------

---

**Agvet chemical: Bromoxynil***Permitted residue: Bromoxynil*

---

Cereal grains [except sweet corns]	*0.2
------------------------------------	------

---

---

**Agvet chemical: Buprofezin***Permitted residue: Buprofezin*

---

Cereal grains [except sweet corns]	*0.01
Citrus fruits [except kumquats]	2
Fungi, edible (except mushrooms)	T2
Mushrooms	T2
Palm nuts	*0.01
Peanut	*0.01
Stone fruits [except apricot; jujube, Chinese; nectarine; peach]	1.9
Sweet corns	T2

---

---

**Agvet chemical: Butafenacil***Permitted residue: Butafenacil*

---

Cereal grains [except rice; sweet corns]	*0.02
Pome fruits [except Persimmon, Japanese]	T*0.02
Stone fruits [except jujube, Chinese]	T*0.02

---

---

**Agvet chemical: Butroxydim***Permitted residue: Butroxydim*

---

Palm nuts	*0.01
Peanut	*0.01

---

---

**Agvet chemical: Cadusafos***Permitted residue: Cadusafos*

---

Citrus fruits [except kumquats]	*0.01
---------------------------------	-------

---

---

**Agvet chemical: Captan***Permitted residue: Captan*

---

Pome fruits [except Persimmon, Japanese]	10
Stone fruits [except jujube, Chinese]	15

---

---

**Agvet chemical: Carbaryl***Permitted residue: Carbaryl*

---

Cereal grains [except barley; rice; sorghum, grain; sweet corns]	5
Pome fruits [except Persimmon, Japanese]	0.2
Palm nuts	0.1

---



Peanut	0.1
Sorghum, grain	10
Stone fruits [except cherries; jujube, Chinese]	0.5

---

**Agvet chemical: Carbendazim**

*Permitted residue: Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim*

Peppers, chili, dried	20
Spices [except peppers, chili, dried]	*0.1

---

**Agvet chemical: Carbon disulphide**

*Permitted residue: Carbon disulfide*

Cereal grains [except sweet corns]	10
------------------------------------	----

---

**Agvet chemical: Carbonyl sulphide**

*Permitted residue: Carbonyl sulphide*

Cereal grains [except sweet corns]	T0.2
------------------------------------	------

---

**Agvet chemical: Carboxin**

*Permitted residue: Carboxin*

Cereal grains [except sweet corns]	0.1
------------------------------------	-----

---

**Agvet chemical: Carfentrazone-ethyl**

*Permitted residue: Carfentrazone-ethyl*

Cereal grains [except sweet corns]	*0.05
------------------------------------	-------

---

**Agvet chemical: Chlorantraniliprole**

*Permitted residue—plant commodities and animal commodities other than milk: Chlorantraniliprole*

*Permitted residue—milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Chinese cabbage (Pe-tsai)	15
Chives	T20
Citrus fruits [except kumquats]	1.4
Fruiting vegetables, other than cucurbits [except peppers, chili]	0.6

Edible, fungi	0.6
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; rucola; witloof chicory]	15
Mushrooms	0.6
Peppers, chili, dried	5
Pome fruits [except Persimmon, Japanese]	1.2
Stone fruits [except cherries; jujube, Chinese and plums]	4

---

**Agvet chemical: Chlorfenapyr**

*Permitted residue: Chlorfenapyr*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Brassica leafy vegetables [except Chinese cabbage (Pak-choi)]	T3
Chinese cabbage (Pak-choi)	3
Peppers, chili, dried	3
Pome fruits [except Persimmon, Japanese]	0.5
Spices [except peppers, chili, dried]	0.05

---

**Agvet chemical: Chloropicrin**

*Permitted residue: Chloropicrin*

---

Cereal grains [except sweet corns]	*0.1
------------------------------------	------

---

**Agvet chemical: Chlorothalonil**

*Permitted residue—commodities of plant origin:  
Chlorothalonil*

*Permitted residue—commodities of animal origin: 4-  
hydroxy-2,5,6-trichloroisophthalonitrile metabolite,  
expressed as chlorothalonil*

---

Chinese cabbage (Pe-tsai)	T100
Eggplant	T10
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce; witloof chicory]	T100
Sweet corns	T7
Vegetables [except asparagus; Brussels sprouts; carrot; celery; eggplant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7

---

---

**Agvet chemical: Chlorpyrifos**

Permitted residue: Chlorpyrifos

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.5
Broccoli, Chinese (Gai lan)	T0.5
Cereal grains [except sorghum, grain; sweet corns]	T0.1
Chives	*0.01
Citrus fruits [except kumquats]	1
Peppers, chili, dried	20
Pome fruits [except Persimmon, Japanese]	T0.5
Sorghum, grain	T3
Spices [except peppers, chili, dried]	5
Stone fruits [except cherries; jujube, Chinese]	T1
Sweet corns	T*0.01
Vegetables [except asparagus; bean, dry, seed; brassica vegetables; cassava; celery; leek; peppers, sweet; potato; swede; sweet potato; taro; tomato]	T*0.01

---

---

**Agvet chemical: Chlorpyrifos-methyl**

Permitted residue: Chlorpyrifos-methyl

---

Cereal grains [except rice; sweet corns]	10
Chives	*0.01
Palm nuts	0.15
Peanut	0.15
Peppers, chili, dried	10

---

---

**Agvet chemical: Chlorsulfuron**

Permitted residue: Chlorsulfuron

---

Cereal grains [except sweet corns]	*0.05
------------------------------------	-------

---

---

**Agvet chemical: Chlorthal-dimethyl**

Permitted residue: Chlorthal-dimethyl

---

Sweet corns	5
-------------	---

---

---

**Agvet chemical: Clofentezine**

Permitted residue: Clofentezine

---

Pome fruits [except Persimmon, Japanese]	0.1
Stone fruits [except jujube, Chinese; plums (including prunes)]	1

---

---

**Agvet chemical: Clopyralid**

Permitted residue: Clopyralid

---

Cereal grains [except sweet corns]	2
------------------------------------	---

---

---

**Agvet chemical: Cloquintocet-mexyl**

Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxycetic acid, expressed as cloquintocet mexyl

---

Cereal grains [except sweet corns]	*0.1
------------------------------------	------

---

---

**Agvet chemical: Clothianidin**

Permitted residue: Clothianidin

see also Thiamethoxam

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Cereal grains [except maize, popcorn, sorghum, grain; sweet corns]	*0.02
Chinese cabbage (Pe-tsai)	0.7
Citrus fruits [except kumquats]	0.5
Fruiting vegetables, other than cucurbits	T0.7
Fungi, edible (except mushrooms)	T0.7
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.7
Sorghum, grain	*0.01
Stone fruits [except jujube, Chinese]	3

---

---

**Agvet chemical: Cyanazine**

Permitted residue: Cyanazine

---

Bulb vegetables [except chives]	*0.02
Cereal grains [except sweet corns]	*0.01
Fennel, bulb	*0.02

---

---

**Agvet chemical: Cyantraniliprole**

Permitted residue: Cyantraniliprole

---

Bulb vegetables [except chives; onion, bulb]	7
Citrus fruits [except kumquats]	0.7
Fennel, bulb	7
Fungi, edible (except mushrooms)	2
Mushrooms	2
Palm nuts	1.5
Peanut	1.5
Sweet corns	2

---

---

**Agvet chemical: Cyazofamid**

*Permitted residue: Cyazofamid*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2

---

---

**Agvet chemical: Cyclaniliprole**

*Permitted residue: Cyclaniliprole*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Fungi, edible (except mushrooms)	0.2
Mushrooms	0.2
Pome fruit [except persimmon, Japanese]	0.3
Stone fruits [except jujube, Chinese]	1
Sweet corns	0.2

---

---

**Agvet chemical: Cycloxydim**

*Permitted residue: Cycloxydim, metabolites and degradation products which can be oxidized to 3-(3-thianyl) glutaric acid S-dioxide and 3-hydroxy-3-(3-thianyl) glutaric acid S-dioxide, expressed as cycloxydim*

---

Stone fruits [except jujube, Chinese]	0.09
---------------------------------------	------

---

---

**Agvet chemical: Cyflumetofen**

*Permitted residue: Cyflumetofen*

---

Citrus fruits [except kumquats]	0.3
Pome fruits [except persimmon, Japanese]	0.4

---

---

**Agvet chemical: Cyfluthrin**

*Permitted residue: Cyfluthrin, sum of isomers*

---

Citrus fruits [except kumquats]	0.2
Hops, dry	20
Stone fruits [except jujube, Chinese]	0.3

---

---

**Agvet chemical: Cyhalothrin**

*Permitted residue: Cyhalothrin, sum of isomers*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.1
Broccoli, Chinese (Gai lan)	0.1
Cereal grains [except barley; sorghum, grain; sweet corns; wheat]	*0.01
Citrus fruits [except kumquats]	*0.01

---

Fruiting vegetables, other than cucurbits	0.3
Fungi, edible (except mushrooms)	0.3
Peppers, chili, dried	3
Sorghum, grain	0.5
Stone fruits [except jujube, Chinese]	0.5
Sweet corns	0.3

---

**Agvet chemical: Cypermethrin**

*Permitted residue: Cypermethrin, sum of isomers*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Cereal grains [except sweet corns; wheat]	1
Chinese cabbage (Pe-tsai)	T5
Chives	T5
Citrus fruits [except kumquats]	0.3
Fruiting vegetables, other than cucurbits [except; tomato]	T1
Fungi, edible (except mushrooms)	T1
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	T5
Mushrooms	T1
Peppers, chili, dried	10
Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except cherries; jujube, Chinese]	1

---

**Agvet chemical: Cyprodinil**

*Permitted residue: Cyprodinil*

Bulb vegetables [except chives;; onion, bulb]	3
Chinese cabbage (Pe-tsai)	10
Herbs [except basil]	T50
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	10
Pome fruits [except Persimmon, Japanese]	2
Stone fruits [except jujube, Chinese]	2

---

**Agvet chemical: Cyromazine**

*Permitted residue: Cyromazine*

Fruiting vegetables, other than cucurbits	T1
Fungi, edible (except mushrooms)	T1
Stalk and stem vegetables [except fennel, bulb]	T7
Witloof chicory	T7

---

**Agvet chemical: 2,4-D**

Permitted residue: 2,4-D

---

Cereal grains [except sweet corns]	0.2
Citrus fruits [except kumquats]	5
Palm nuts	*0.05
Peanut	*0.05

---

---

**Agvet chemical: 2,4-DB**

Permitted residue: 2,4-DB

---

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

---

---

**Agvet chemical: Deltamethrin**

Permitted residue: Deltamethrin

---

Brassica vegetables (except Brassica leafy vegetables [except Chinese cabbage (Pe-tsai)])	*0.05
Broccoli, Chinese (Gai lan)	*0.05
Cereal grains [except sweet corns]	2
Fungi, edible (except mushrooms)	0.1
Mushrooms	0.1
Palm nuts	0.1
Peanut	0.1

---

---

**Agvet chemical: Diafenthiuron**

Permitted residue: Sum of diafenthiuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron

---

Fungi, edible (except mushrooms)	0.5
Mushrooms	0.5

---

---

**Agvet chemical: Diazinon**

Permitted residue: Diazinon

---

Cereal grains [except sweet corns]	0.1
Citrus fruits [except kumquats]	0.7

---

---

**Agvet chemical: Dicamba**

Permitted residue: Dicamba

---

Cereal grains [except maize; sweet corns]	*0.05
---	-------

---

---

**Agvet chemical: Dichlobenil**

Permitted residue: Dichlobenil

---

Cereal grains [except maize and sweet corns]	*0.05
Citrus fruits [except kumquats]	0.1

---

Pome fruits [except Persimmon, Japanese]	0.1
Stone fruits [except jujube, Chinese]	0.1

---

**Agvet chemical: Dichlorprop-P**

*Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid*

Citrus fruits [except kumquats]	0.2
---------------------------------	-----

---

**Agvet chemical: Dichlorvos**

*Permitted residue: Dichlorvos*

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

---

**Agvet chemical: Diclofop-methyl**

*Permitted residue: Diclofop-methyl*

Cereal grains [except sweet corns]	0.1
Palm nuts	0.1
Peanut	0.1

---

**Agvet chemical: Dicofol**

*Permitted residue: Sum of dicofol and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol*

Sweet corns	5
-------------	---

---

**Agvet chemical: Didecyldimethylammonium chloride**

*Permitted residue: Didecyldimethylammonium chloride*

Assorted tropical and sub-tropical fruits – inedible peel (except tamarillo (tree tomato))	20
Sentul	20

---

**Agvet chemical: Difenoconazole**

*Permitted residue: Difenoconazole*

Cereal grains [except sweet corns]	*0.01
Peppers, chili, dried	5
Pome fruits [except Persimmon, Japanese]	0.3
Stone fruits [except jujube, Chinese]	2.5

---

**Agvet chemical: Diflubenzuron**

*Permitted residue: Diflubenzuron*

Citrus fruits [except kumquats]	3
---------------------------------	---



Stone fruits [except cherries; jujube, Chinese]	0.07
---	------

---

**Agvet chemical: Dimethoate**

*Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate*

see also *Omethoate*

Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango; tamarillo (tree tomato)]	5
Cereal grains [except sweet corns]	T0.05
Citrus fruits [except kumquats]	5
Santols (Sentul)	5

---

**Agvet chemical: Dimethomorph**

*Permitted residue: Sum of E and Z isomers of dimethomorph*

Brassica (vegetables [except Brassica leafy vegetables] [except Chinese cabbage (Pe-tsai)])	6
Chinese cabbage (Pe-tsai)	30
Chives	10
Fungi, edible (except mushrooms)	1.5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	30
Mushrooms	1.5
Sweet corns	1.5

---

**Agvet chemical: Diquat**

*Permitted residue: Diquat cation*

Palm nuts	5
Peanut	5
Sorghum, grain	2
Sweet corns	*0.05

---

**Agvet chemical: Dithiocarbamates**

*Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives; garlic; onion, bulb]	T10
Cereal grains [except sweet corns]	0.5
Chinese cabbage (Pe-tsai)	5
Citrus fruits [except kumquats]	T7
Fennel, bulb	T10
Fungi, edible (except mushrooms)	3

Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Mushrooms	3
Stone fruits [except jujube, Chinese]	3
Sweet corns	3

---

**Agvet chemical: Diuron**

*Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron*

Cereal grains [except sweet corns]	0.1
Palm nuts	0.5
Peanut	0.5

---

**Agvet chemical: Dodine**

*Permitted residue: Dodine*

Pome fruits [except Persimmon, Japanese]	5
Stone fruits [except cherries; jujube, Chinese]	*0.05

---

**Agvet chemical: 2,2-DPA**

*Permitted residue: 2,2-dichloropropionic acid*

Cereal grains [except sweet corns]	*0.1
Citrus fruits [except kumquats]	*0.1
Pome fruits [except Persimmon, Japanese]	*0.1
Stone fruits [except jujube, Chinese]	1

---

**Agvet chemical: Emamectin**

*Permitted residue: Sum of emamectin B1a and emamectin B1b*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.02
Broccoli, Chinese (Gai lan)	0.02
Chinese cabbage (Pe-tsai)	T0.5
Fruiting vegetables, other than cucurbits	0.1
Fungi, edible (except mushrooms)	0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head and lettuce, leaf; witloof chicory]	T0.5

---

**Agvet chemical: Epoxiconazole**

*Permitted residue: Epoxiconazole*

Cereal grains [except sweet corns]	0.05
------------------------------------	------

---

**Agvet chemical: EPTC**

Permitted residue: EPTC

---

Palm nuts	0.1
Peanut	0.1

---

---

**Agvet chemical: Ethion**

Permitted residue: Ethion

---

Citrus fruits [except kumquats]	1
Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except jujube, Chinese]	1

---

---

**Agvet chemical: Ethofumesate**

Permitted residue: Ethofumesate

---

Bulb vegetables [except chives]	*0.1
Fennel, bulb	*0.1

---

---

**Agvet chemical: Ethoprophos**

Permitted residue: Ethoprophos

---

Cereal grains [except sweet corns]	*0.005
------------------------------------	--------

---

---

**Agvet chemical: Ethylene dichloride (EDC)**

Permitted residue: 1,2-dichloroethane

---

Cereal grains [except sweet corns]	*0.1
------------------------------------	------

---

---

**Agvet chemical: Etofenprox**

Permitted residue: Etofenprox

---

Stone fruits [except cherries; jujube, Chinese]	5
---	---

---

---

**Agvet chemical: Etoxazole**

Permitted residue: Etoxazole

---

Chives	T1
Citrus fruits [except kumquats]	0.5
Fruiting vegetables, cucurbits	T0.1
Fungi, edible (except mushrooms)	0.05
Mushrooms	0.05
Pome fruits [except Persimmon, Japanese]	0.2
Stone fruits [except cherries; jujube, Chinese]	0.3

---

---

**Agvet chemical: Fenazaquin**

Permitted residue: Fenazaquin

---

Citrus fruits [except kumquats]	0.4
---------------------------------	-----

---

Stone fruits [except jujube, Chinese]	2
---------------------------------------	---

---

**Agvet chemical: Fenbutatin oxide**

*Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide*

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	5
Citrus fruits [except kumquats]	5
Pome fruits [except Persimmon, Japanese]	3
Sentul	5

---

**Agvet chemical: Fenhexamid**

*Permitted residue: Fenhexamid*

Stone fruits [except jujube, Chinese; plums]	10
--	----

---

**Agvet chemical: Fenitrothion**

*Permitted residue: Fenitrothion*

Cereal grains [except sweet corns]	10
Palm nuts	0.1
Peanut	0.1

---

**Agvet chemical: Fenoxycarb**

*Permitted residue: Fenoxycarb*

Pome fruits [except Persimmon, Japanese]	2
--	---

---

**Agvet chemical: Fenpropathrin**

*Permitted residue: Fenpropathrin*

Citrus fruits [except kumquats]	2
Stone fruits [except cherries; jujube, Chinese]	1.4

---

**Agvet chemical: Fenpyroximate**

*Permitted residue: Fenpyroximate*

Citrus fruits [except kumquats]	0.6
---------------------------------	-----

---

**Agvet chemical: Fenvalerate**

*Permitted residue: Fenvalerate, sum of isomers*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Cereal grains [except sweet corns]	2

---

**Agvet chemical: Fipronil**

*Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)*

---

Assorted tropical and sub-tropical fruit – inedible peel [except banana; custard apple; tamarillo (tree tomato)]	T*0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.05
Broccoli, Chinese (Gai lan)	T0.05
Citrus fruits [except kumquats]	T*0.01
Palm nuts	*0.01
Peanut	*0.01
Sentul	*T0.01
Sorghum, grain	0.01
Stone fruits [except jujube, Chinese]	0.01

---

---

**Agvet chemical: Flonicamid**

*Permitted residue: Flonicamid [N-(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N-(4-trifluoromethylnicotinoyl)glycine]*

---

Bulb vegetables [except chives]	T0.2
Fennel, bulb	T0.2
Fungi, edible (except mushrooms)	T0.5
Mushrooms	T0.5
Pome fruits [except Persimmon, Japanese]	0.7
Sweet corns	T0.5

---

---

**Agvet chemical: Florasulam**

*Permitted residue: Florasulam*

---

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

---

---

**Agvet chemical: Florpyrauxifen-benzyl**

*Permitted residue: Sum of florpyrauxifen-benzyl and the XDE-848 acid metabolite [4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylic acid] expressed as florpyrauxifen-benzyl*

---

Sorghum, grain	T*0.02
----------------	--------

---

---

**Agvet chemical: Fluazaindolizine**

---

**Agvet chemical: Fluazaindolizine**

*Permitted residue: Fluazaindolizine*

Fungi, edible (except mushrooms)	0.2
Mushrooms	0.2
Sweet corns	0.2

---

---

**Agvet chemical: Fluazifop-p-butyl**

*Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop*

Assorted tropical and sub-tropical fruits – inedible peel [except avocado; banana; tamarillo (tree tomato)]	0.05
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Chinese cabbage (Pe-tsai)	T2
Citrus fruits [except kumquats]	*0.02
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	T2
Pome fruits [except Persimmon, Japanese]	*0.01
Sentul	0.05
Stone fruits [except jujube, Chinese]	0.05

---

---

**Agvet chemical: Fluazinam**

*Permitted residue: Fluazinam*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.01
Broccoli, Chinese (Gai lan)	*0.01
Pome fruits (except Persimmon, Japanese)	*0.01

---

---

**Agvet chemical: Flubendiamide**

*Permitted residue—commodities of plant origin: Flubendiamide*

*Permitted residue—commodities of animal origin: Sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	5
Broccoli, Chinese (Gai lan)	5
Chinese cabbage (Pe-tsai)	10
Chives	20
Fruiting vegetables, other than cucurbits	2
Fungi, edible (except mushrooms)	2

Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof, chicory]	10
Mushrooms	2
Peppers, chili, dried	7
Spices [except peppers, chili, dried]	0.02
Stalk and stem vegetables [except fennel, bulb]	5
Stone fruits [except jujube, Chinese]	1.6
Witloof, chicory	5

---

**Agvet chemical: Fludioxonil**

*Permitted residue—commodities of animal origin: Sum of fludioxonil and oxidisable metabolites, expressed as fludioxonil*

*Permitted residue—commodities of plant origin: Fludioxonil*

Bulb vegetables [except chives; onion, bulb]	3
Chinese cabbage (Pe-tsai)	15
Chives	T20
Citrus fruits [except kumquats]	10
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	15
Pome fruits [except Persimmon, Japanese]	5
Sorghum, grain	*0.01
Stone fruits [except apricot; jujube, Chinese; peach]	5

---

**Agvet chemical: Fluensulfone**

*Permitted residue—commodities of plant origin: Sum of fluensulfone and 3,4,4-trifluorobut-3-ene-1-sulfonic acid (M-3627), expressed as fluensulfone*

*Permitted residue—commodities of animal origin: Fluensulfone*

Cereal grains [except sweet corns]	0.05
Fungi, edible (except mushrooms)	1
Mushrooms	1
Palm nuts	0.05
Peanut	0.05
Sweet corns	1

---

**Agvet chemical: Flumioxazin**

*Permitted residue: Flumioxazin*

Cereal grains [except sweet corns]	*0.05
Citrus fruits [except kumquats]	*0.05
Palm nuts	*0.1
Peanut	*0.1
Pome fruits [except Persimmon, Japanese]	*0.02
Stone fruits [except jujube, Chinese]	*0.02

---

**Agvet chemical: Fluometuron**

*Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron*

---

Cereal grains [except sweet corns]	*0.1
Citrus fruits [except kumquats]	0.5

---

---

**Agvet chemical: Fluopicolide**

*Permitted residue: Fluopicolide*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	5
Broccoli, Chinese (Gai lan)	5
Bulb vegetables [except chives; onion, bulb]	3
Chinese cabbage (Pe-tsai)	30
Fennel, bulb	3
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	30

---

---

**Agvet chemical: Fluopyram**

*Permitted residue—commodities of plant origin: Fluopyram*

*Permitted residue—commodities of animal origin: Sum of fluopyram and 2-(trifluoromethyl)-benzamide, expressed as fluopyram*

---

Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)]	2
Cereal grains [except sweet corns]	0.03
Citrus fruits [except kumquats]	1
Palm nuts	0.03
Pome fruits [except Persimmon, Japanese]	1
Sentul	2
Stone fruits [except cherries; jujube, Chinese]	2

---

---

**Agvet chemical: Flupyradifurone**

*Permitted residue: Flupyradifurone*

---

Citrus fruits [except kumquats]	3
Fruiting vegetables, other than cucurbits	1.5
Fungi, edible (except mushrooms)	1.5
Stone fruits [except jujube, Chinese]	1.5

---

---

**Agvet chemical: Fluquinconazole**

*Permitted residue: Fluquinconazole*

---

Pome fruits [except Persimmon, Japanese]	0.3
--	-----

---



---

**Agvet chemical: Fluroxypyr***Permitted residue: Fluroxypyr*

---

Cereal grains (except sweet corns)	0.2
------------------------------------	-----

---

---

**Agvet chemical: Flutriafol***Permitted residue: Flutriafol*

---

Cereal grains [except barley and sweet corns]	0.1
Pome fruits (except Persimmon, Japanese)	0.4
Stone fruits [except jujube, Chinese]	1.5

---

---

**Agvet chemical: Fluvalinate***Permitted residue: Fluvalinate, sum of isomers*

---

Stone fruits [except jujube, Chinese]	0.05
---------------------------------------	------

---

---

**Agvet chemical: Fluxapyroxad***Permitted residue: Fluxapyroxad*

---

Bulb vegetables [except chives]	1.5
Citrus fruits [except kumquats]	0.2
Fennel, bulb	1.5
Fruiting vegetables, other than cucurbits	0.6
Fungi, edible (except mushrooms)	0.6
Peppers, chili, dried	6
Pome fruits (except Persimmon, Japanese)	0.8
Sorghum, grain	3

---

---

**Agvet chemical: Fosetyl***Permitted residue: Fosetyl*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.1
Broccoli, Chinese (Gai lan)	T0.1
Chinese cabbage (Pe-tsai)	T0.2
Fungi, edible (except mushrooms)	T0.02
Leafy vegetables [except broccoli, Chinese (Gai lan); rucola (rocket); spinach; witloof chicory]	T0.2
Mushrooms	T0.02
Stone fruits [except cherries; jujube, Chinese; peach]	T1
Sweet corns	T0.02

---

---

**Agvet chemical: Fosetyl-aluminium***Permitted residue: Fosetyl-aluminium*

---

Citrus fruits [except kumquats]	5
---------------------------------	---

---

---

**Agvet chemical: Glufosinate and Glufosinate-ammonium**

*Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)*

---

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.2
Cereal grains [except sweet corns]	*0.1
Citrus fruits [except kumquats]	0.1
Palm nuts	*0.1
Peanut	*0.1
Pome fruits [except Persimmon, Japanese]	*0.1
Sentul	0.2

---

---

**Agvet chemical: Glyphosate**

*Permitted residue: Sum of glyphosate, N-acetyl-glyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate*

---

Bulb vegetables [except chives]	*0.1
Cereal grains [except barley; maize; popcorn, sorghum, grain; sweet corns; wheat]	T*0.1
Chinese cabbage (Pe-tsai)	*0.1
Citrus fruits [except kumquats]	0.5
Fennel, bulb	*0.1
Fungi, edible (except mushrooms)	*0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	*0.1
Mushrooms	*0.1
Sorghum, grain	15
Stalk and stem vegetables [except fennel, bulb]	*0.01
Stone fruits [except jujube, Chinese]	0.2
Sweet corns	*0.1
Witloof, chicory	*0.01

---

---

**Agvet chemical: Guazatine**

*Permitted residue: Guazatine*

---

Citrus fruits [except kumquats]	5
---------------------------------	---

---

---

**Agvet chemical: Halauxifen-methyl**

*Permitted residue—commodities of plant origin: Halauxifen-methyl*

*Permitted residue—commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl*

---

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

---

---

**Agvet chemical: Halosulfuron-methyl**

Permitted residue: Halosulfuron-methyl

---

Sorghum, grain	*0.05
----------------	-------

---

---

**Agvet chemical: Haloxyfop**

Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop

---

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.05
Chinese cabbage (Pe-tsai)	T0.5
Citrus fruits [except kumquats]	*0.05
Leafy vegetables [except broccoli, Chinese (Gai lan); mizuna; witloof chicory]	T0.5
Sentul	*0.05
Stone fruits [except jujube, Chinese]	*0.05

---

---

**Agvet chemical: Hexythiazox**

Permitted residue: Hexythiazox

---

Fruiting vegetables, other than cucurbits	T1
Fungi, edible (except mushrooms)	T1
Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except jujube, Chinese]	1

---

---

**Agvet chemical: Imazalil**

Permitted residue: Imazalil

---

Citrus fruits [except kumquats; citron; lemon; lime]	10
Pome fruits [except Persimmon, Japanese]	5

---

---

**Agvet chemical: Imazamox**

Permitted residue: Imazamox

---

Dry beans [except soya bean (dry)]	0.05
Sorghum, grain	*0.02

---

---

**Agvet chemical: Imazapyr**

Permitted residue: Imazapyr

---

Sorghum, grain	0.02
----------------	------

---

---

**Agvet chemical: Imidacloprid**

*Permitted residue: Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Cereal grains [except maize; popcorn; sorghum, grain; sweet corns]	*0.05
Chinese cabbage (Pe-tsai)	20
Citrus fruits [except kumquats]	2
Fruiting vegetables, other than cucurbits [except peppers]	0.5
Fungi, edible (except mushrooms)	0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	20
Mushrooms	0.5
Peppers, chili (dry)	10
Sorghum, grain	*0.02
Spices [except galangal; ginger root; [except Peppers, chili, dried]]	0.05
Stone fruits [except cherries; jujube, Chinese]	0.5

---

---

**Agvet chemical: Indoxacarb**

*Permitted residue: Sum of indoxacarb and its R-isomer*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Chinese cabbage (Pe-tsai)	5
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	5
Pome fruits [except Persimmon, Japanese]	2
Stone fruits [except cherries; jujube, Chinese]	2

---

---

**Agvet chemical: Inorganic bromide**

*Permitted residue: Bromide ion*

---

Cereal grains [except sweet corns]	50
Citrus fruits [except kumquats]	30
Sweet corns	20

---

---

**Agvet chemical: Ipconazole**

*Permitted residue: Ipconazole*

---

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

---

---

**Agvet chemical: Iprodione**

Permitted residue: Iprodione

---

Pome fruits [except Persimmon, Japanese]	3
Stone fruits [except jujube, Chinese]	10

---

---

**Agvet chemical: Isofetamid**

Permitted residue: commodities of plant origin:  
Isofetamid

Permitted residue: commodities of animal origin:  
Sum of isofetamid and 2-[3-methyl-4-[2-methyl-2-(3-methylthiophene-2- carboxamido)propanoyl]phenoxy]propanoic acid (PPA), expressed as isofetamid

---

Pome fruits [except Persimmon, Japanese]	0.6
--	-----

---

---

**Agvet chemical: Isoxaflutole**

Permitted residue: Sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole

---

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

---

---

**Agvet chemical: Lufenuron**

Permitted residue: Lufenuron

---

Pome fruits [except Persimmon, Japanese]	1
--	---

---

---

**Agvet chemical: Maldison**

Permitted residue: Maldison

---

Dry beans	8
Brassica (vegetables (except Brassica leafy vegetables) [except cauliflower; kohlrabi])	2
Cereal grains [except sweet corns]	8
Citrus fruits [except kumquats]	4
Fruits [except berries and other small fruits; citrus fruits [except kumquats]; dried fruits; stone fruits (except jujube, Chinese)]	2
Stone fruits [except jujube, Chinese]	5
Sweet corns	3

---

---

**Agvet chemical: Mandestrobin**

Permitted residue: Mandestrobin

---

Stone fruits [except jujube, Chinese]	3
---------------------------------------	---

---

---

**Agvet chemical: Mandipropamid**

Permitted residue: Mandipropamid

Chinese cabbage (Pe-tsai)	30
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	30

---

**Agvet chemical: MCPA**

Permitted residue: MCPA

Cereal grains [except sweet corns]	*0.02
Chives	*0.05

---

**Agvet chemical: MCPB**

Permitted residue: MCPB

Cereal grains [except sweet corns]	*0.02
Chives	*0.05

---

**Agvet chemical: Mefenpyr-diethyl**

Permitted residue—commodities of plant origin:  
Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl

Permitted residue—commodities of animal origin:  
Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

---

**Agvet chemical: Mefentrifluconazole**

Permitted residue: Mefentrifluconazole

Pome fruits [except Persimmon, Japanese]	1.5
---	-----

---

**Agvet chemical: Metaflumizone**

Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl) phenyl]ethyl}-benzotrile expressed as metaflumizone

Citrus fruits [except kumquats]	2
---------------------------------	---

---

**Agvet chemical: Metalaxyl**

Permitted residue: Metalaxyl

Bulb vegetables [except chives]	0.1
Cereal grains [except sweet corns]	*0.01
Chinese cabbage (Pe-tsai)	0.3
Chives	3
Fennel, bulb	0.1

Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.3
Pome fruits [except Persimmon, Japanese]	0.2
Spices [except ginger, root]	*0.1
Stone fruits [except jujube, Chinese]	0.2
Sweet corns	T0.1

---

**Agvet chemical: Metaldehyde**

*Permitted residue: Metaldehyde*

Chives	1
Palm nuts	1
Peanut	1

---

**Agvet chemical: Metamitron**

*Permitted residue: Metamitron*

Pome fruits [except Persimmon, Japanese]	0.01
--	------

---

**Agvet chemical: Metazachlor**

*Permitted residue—commodities of plant origin: Sum of metabolites 479M04 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)oxalamide), 479M08 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfonic acid) and 479M16 (3-[N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfinyl]-2-hydroxypropanoic acid), expressed as metazachlor*

*Permitted residue—commodities of animal origin: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor*

Cereal grains [except sweet corns]	*0.03
Palm nuts	*0.03
Peanut	*0.03

---

**Agvet chemical: Metcamifen**

*Permitted residue—commodities of plant origin: metcamifen*

*Permitted residue—commodities of animal origin: Sum of metcamifen and 4-(3-methyl-ureido)-benzensulfonamide, expressed as metcamifen*

Sorghum, grain	*0.01
----------------	-------

---

**Agvet chemical: Methamidophos**

Permitted residue: Methamidophos

see also Acephate

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1

---

---

**Agvet chemical: Methiocarb**

Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb

---

Citrus fruits [except kumquats]	0.1
Sweet corns	0.1

---

---

**Agvet chemical: Methomyl**

Permitted residue: Methomyl

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Cereal grains [except sweet corn (corn-on-the-cob)]	*0.1
Citrus fruits [except kumquats]	1
Fruiting vegetables, other than cucurbits [except peppers]	1
Fungi, edible (except mushrooms)	1
Mushrooms	1
Stone fruits [except cherries; jujube, Chinese]	1

---

---

**Agvet chemical: Methoprene**

Permitted residue: Methoprene, sum of cis- and trans-isomers

---

Cereal grains [except sweet corns]	2
------------------------------------	---

---

---

**Agvet chemical: Methoxyfenozide**

Permitted residue: Methoxyfenozide

---

Citrus fruits [except kumquats]	3
Fruiting vegetables, other than cucurbits	3
Fungi, edible (except mushrooms)	3
Mushrooms	3
Pome fruits [except Persimmon, Japanese]	0.5
Stone fruits [except jujube, Chinese; plums (including prunes)]	3

---



---

**Agvet chemical: Methyl bromide**

Permitted residue: Methyl bromide

---

Cereal grains [except sweet corns]	50
Chives	*0.05
Sweet corns	T*0.05

---

---

**Agvet chemical: Metolachlor**

Permitted residue: Metolachlor

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.02
Broccoli, Chinese (Gai lan)	*0.02
Cereal grains [except maize; sorghum, grain; sweet corns]	*0.02
Chives	T*0.05
Sorghum, grain	*0.05

---

---

**Agvet chemical: Metosulam**

Permitted residue: Metosulam

---

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

---

---

**Agvet chemical: Metrafenone**

Permitted residue: Metrafenone

---

Peppers, chili, dried	20
-----------------------	----

---

---

**Agvet chemical: Metribuzin**

Permitted residue: Metribuzin

---

Cereal grains [except sweet corns]	*0.05
------------------------------------	-------

---

---

**Agvet chemical: Metsulfuron-methyl**

Permitted residue: Metsulfuron-methyl

---

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

---

---

**Agvet chemical: Mevinphos**

Permitted residue: Mevinphos

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.05
Broccoli, Chinese (Gai lan)	0.05

---

---

**Agvet chemical: Milbemectin**

Permitted residue: Sum of milbemycin MA<sub>3</sub> and milbemycin MA<sub>4</sub> and their photoisomers, milbemycin (Z) 8,9-MA<sub>3</sub> and (Z) 8,9Z-MA<sub>4</sub>

---

Fungi, edible (except mushrooms)	0.02
----------------------------------	------

---

Mushrooms	0.02
Pome fruits [except Persimmon, Japanese]	0.03
Stone fruits [except jujube, Chinese]	0.1
Sweet corns	0.02

---

**Agvet chemical: Myclobutanil**

*Permitted residue: Myclobutanil*

Peppers, chili (dry)	20
Pome fruits [except Persimmon, Japanese]	0.5
Stone fruits [except cherries; jujube, Chinese]	2

---

**Agvet chemical: Napropamide**

*Permitted residue: Napropamide*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T*0.1
Broccoli, Chinese (Gai lan)	T*0.1
Stone fruits [except jujube, Chinese]	*0.1

---

**Agvet chemical: Norflurazon**

*Permitted residue: Norflurazon*

Citrus fruits [except kumquats]	0.2
Pome fruits [except Persimmon, Japanese]	*0.2
Stone fruits [except jujube, Chinese]	*0.2

---

**Agvet chemical: Novaluron**

*Permitted residue: Novaluron*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.3
Broccoli, Chinese (Gai lan)	0.3
Chinese cabbage (Pe-tsai)	5
Fungi, edible (except mushrooms)	0.2
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Mushrooms	0.2
Peppers, chili, sweet	0.7
Sweet corns	0.2

---

**Agvet chemical: Omethoate**

*Permitted residue: Omethoate*

*See also Dimethoate*

Palm nuts	0.05
-----------	------

---

**Agvet chemical: Oryzalin***Permitted residue: Oryzalin*

---

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

---

---

**Agvet chemical: Oxadixyl***Permitted residue: Oxadixyl*

---

Chinese cabbage (Pe-tsai)	T5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T5

---

---

**Agvet chemical: Oxamyl***Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl*

---

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

---

---

**Agvet chemical: Oxathiapiprolin***Permitted residue: Oxathiapiprolin*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives; onion, bulb]	2
Cane berries	0.5
Citrus fruits [except kumquats]	0.06
Fennel, bulb	2
Fungi, edible (except mushrooms)	0.5
Leafy vegetables (including brassica leafy vegetables) [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	15
Mushrooms	0.5
Sweet corn	0.5

---

---

**Agvet chemical: Oxyfluorfen***Permitted residue: Oxyfluorfen*

---

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.05
Broccoli, Chinese (Gai lan)	*0.05
Bulb vegetables [except chives]	*0.05
Cereal grains [except sweet corns]	*0.05
Fennel, bulb	*0.05
Pome fruits [except Persimmon, Japanese]	0.05
Stone fruits [except jujube, Chinese]	0.05

---

---

**Agvet chemical: Paclobutrazol***Permitted residue: Paclobutrazol*

---

Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango; tamarillo (tree tomato)]	*0.01
Fruiting vegetables, other than cucurbits	T*0.01
Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except jujube, Chinese]	*0.01

---

---

**Agvet chemical: Paraquat***Permitted residue: Paraquat cation*

---

Palm nuts	*0.05
Peanut	*0.05

---

---

**Agvet chemical: Penconazole***Permitted residue: Penconazole*

---

Chives	0.05
Pome fruits [except Persimmon, Japanese]	0.1

---

---

**Agvet chemical: Pendimethalin***Permitted residue: Pendimethalin*

---

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.05
Brassica leafy vegetables (except Broccoli, Chinese (Gai lan)	0.2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.05
Broccoli, Chinese (Gai lan)	*0.05
Bulb vegetables [except chives]	*0.05
Chinese cabbage (Pe-tsai)	*0.05
Citrus fruits [except kumquats]	*0.05
Fennel, bulb	*0.05
Leafy vegetables [except brassica leafy vegetables; lettuce, leaf; witloof chicory]	*0.05
Palm nuts	*0.05
Pome fruits [except Persimmon, Japanese]	*0.05
Sorghum, grain	0.1
Stone fruits [except jujube, Chinese]	*0.05

---

---

**Agvet chemical: Penflufen***Permitted residue: Penflufen*

---

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

---

---

**Agvet chemical: Penthopyrad**

*Permitted residue—commodities of plant origin:  
Penthopyrad*

*Permitted residue—commodities of animal origin:  
Sum of penthiopyrad and 1-methyl-3-  
(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide,  
expressed as penthiopyrad*

---

Brassica leafy vegetables (except broccoli, Chinese (Gai lan)	70
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	7
Broccoli, Chinese (Gai lan)	7
Chinese cabbage (Pe-tsai)	50
Fungi, edible (except mushrooms)	5
Leafy vegetables [except brassica leafy vegetables; lettuce, head; witloof chicory]	50
Mushrooms	5
Pome fruits [except Persimmon, Japanese]	0.5
Stone fruits [except jujube, Chinese]	5
Sweet corns	5

---

---

**Agvet chemical: Permethrin**

*Permitted residue: Permethrin, sum of isomers*

---

Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Cereal grains [except sweet corn]	2
Peppers, chili, dried	10

---

---

**Agvet chemical: Phenmedipham**

*Permitted residue—commodities of plant origin:  
Phenmedipham*

*Permitted residue—commodities of animal origin: 3-  
methyl-N-(3-hydroxyphenyl)carbamate*

---

Chinese cabbage (Pe-tsai)	T1
Leafy vegetables [except broccoli, Chinese (Gai lan); chard (silver beet); witloof chicory]	T1

---

---

**Agvet chemical: 2-Phenylphenol**

*Permitted residue: Sum of 2-phenylphenol and 2-  
phenylphenate, expressed as 2-phenylphenol*

---

Citrus fruits [except kumquats]	10
---------------------------------	----

---

---

**Agvet chemical: Phorate**

*Permitted residue: Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate*

---

Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; broccoli; cauliflower; Chinese cabbage (Pe-tsai); head cabbages]	T*0.01
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T*0.01

---

---

**Agvet chemical: Phosmet**

*Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet*

---

Cereal grains [except sweet corns]	*0.05
Stone fruits [except cherries; jujube, Chinese]	5

---

---

**Agvet chemical: Phosphine**

*Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)*

---

Cereal grains [except sweet corns]	*0.1
Citrus fruits [except kumquats]	*0.01

---

---

**Agvet chemical: Phosphorous acid**

*Permitted residue: Phosphorous acid*

---

Assorted tropical and sub-tropical fruits – inedible peel [except avocado; passionfruit; tamarillo (tree tomato)]	T100
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai); flowerhead brassicas]	T1
Broccoli, Chinese (Gai lan)	T1
Bulb vegetables [except chives]	T10
Chinese cabbage (Pe-tsai)	T150
Citrus fruits [except kumquats]	100
Fennel, bulb	T10
Fungi, edible (except mushrooms)	T100
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T150
Mushrooms	T100
Stone fruits [except cherries; jujube, Chinese; peach]	T100
Sweet corns	T100

---

---

**Agvet chemical: Picloram**

*Permitted residue: Picloram*

---

Cereal grains [except sweet corns]	0.2
------------------------------------	-----

---

---

**Agvet chemical: Picolinafen**

Permitted residue—commodities of plant origin:  
*Picolinafen*

Permitted residue—commodities of animal origin:  
Sum of *picolinafen* and 6-[3-trifluoromethyl  
phenoxy]-2-pyridine carboxylic acid

---

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

---

---

**Agvet chemical: Piperonyl butoxide**

Permitted residue: *Piperonyl butoxide*

---

Cereal grains [except sweet corns]	20
Chives	8
Palm nuts	8
Peanut	8
Sweet corns	8

---

---

**Agvet chemical: Pirimicarb**

Permitted residue: Sum of *pirimicarb*, *demethyl-  
pirimicarb* and the N-formyl-(methylamino) analogue  
(*demethylformamido-pirimicarb*), expressed as  
*pirimicarb*

---

Cereal grains [except sweet corns]	*0.02
Chinese cabbage (Pe-tsai)	7
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	7
Vegetables [except celeriac; celery; leafy vegetables; onion, Welsh; shallot; spring onion;]	1

---

---

**Agvet chemical: Pirimiphos-methyl**

Permitted residue: *Pirimiphos-methyl*

---

Sorghum, grain	10
----------------	----

---

---

**Agvet chemical: Procymidone**

Permitted residue: *Procymidone*

---

Chives	T3
Stone fruits [except jujube, Chinese]	T10

---

---

**Agvet chemical: Profenofos**

Permitted residue: *Profenofos*

---

Peppers, chili, dried	20
-----------------------	----

---

---

**Agvet chemical: Propachlor**

*Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.6
Broccoli, Chinese (Gai lan)	0.6
Cereal grains [except sorghum, grain; sweet corns]	0.05
Chinese cabbage (Pe-tsai)	T1
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] lettuce, head; lettuce, leaf]	T1
Sorghum, grain	0.2

---

---

**Agvet chemical: Propamocarb**

*Permitted residue: Propamocarb (base)*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	30
Broccoli, Chinese (Gai lan)	30
Bulb vegetables [except chives; onion, bulb]	30
Chinese cabbage (Pe-tsai)	70
Chives	30
Fennel, bulb	30
Fungi, edible (except mushrooms)	T0.3
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	70
Mushrooms	T0.3
Sweet corns	T0.3

---

---

**Agvet chemical: Propaquizafop**

*Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop*

---

Palm nuts	*0.05
Peanut	*0.05

---

---

**Agvet chemical: Propargite**

*Permitted residue: Propargite*

---

Stone fruits [except jujube, Chinese]	3
Sweet corns	3

---

---

**Agvet chemical: Propazine**

*Permitted residue: Propazine*

---

Sweet corns	*0.1
-------------	------

---



---

**Agvet chemical: Propiconazole**

Permitted residue: Propiconazole

Cereal grains [except sweet corns]	*0.05
Citrus fruits [except kumquats]	10
Gai lan	T1

---

---

**Agvet chemical: Proquinazid**

Permitted residue—commodities of plant origin:  
Proquinazid

Permitted residue—commodities of animal origin:  
Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yl)oxypropionic acid, expressed as proquinazid

Pome Fruits [except Persimmon, Japanese]	0.3
--	-----

---

---

**Agvet chemical: Prothioconazole**

Permitted residue—commodities of plant origin:  
Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

Permitted residue—commodities of animal origin:  
Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

Cereal grains [except sweet corns]	0.3
------------------------------------	-----

---

---

**Agvet chemical: Prothiofos**

Permitted residue: Prothiofos

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2
Broccoli, Chinese (Gai lan)	0.2

---

---

**Agvet chemical: Pydiflumetofen**

Permitted residue: Pydiflumetofen

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Brassica leafy vegetables ( except broccoli, Chinese (Gai lan))	15
Broccoli, Chinese (Gai lan)	0.5
Cereal grains [except Maize cereals; Sweet corns ]	T3
Chinese cabbage (Pe-tsai)	T30

Fruiting vegetables, other than cucurbits	T0.7
Fungi, edible (except mushrooms)	T0.7
Leafy vegetables (except brassica leafy vegetables) [except witloof chicory]	T30
Pome fruits [except Persimmon, Japanese]	T0.2

---

**Agvet chemical: Pymetrozine**

*Permitted residue: Pymetrozine*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Chinese cabbage (Pe-tsai)	5
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Stone fruits [except jujube, Chinese]	*0.05

---

**Agvet chemical: Pyraclostrobin**

*Permitted residue—commodities of plant origin: Pyraclostrobin*

*Permitted residue—commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin*

Dry beans	0.3
Broccoli, Chinese (Gai lan)	T1
Cereal grains [except barley; oats; rice; rye; sweet corns; triticale; wheat]	*0.01
Chives	2
Flowerhead brassicas (including broccoli; broccoli, Chinese (Gai lan); cauliflower)	0.1
Fungi, edible (except mushrooms)	0.3
Mushrooms	0.3
Pome fruits [except Persimmon, Japanese]	1
Sorghum, grain	0.5
Stone fruits [except jujube, Chinese]	2.5
Sweet corns	0.3

---

**Agvet chemical: Pyraflufen-ethyl**

*Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)*

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

---

**Agvet chemical: Pyrasulfotole**

*Permitted residue: Sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesy-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole*

---

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

---

---

**Agvet chemical: Pyrethrins**

*Permitted residue: Sum of pyrethrins i and ii, Cinerins i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard*

---

Cereal grains [except sweet corns]	3
Chives	1
Palm nuts	1
Peanut	1

---

---

**Agvet chemical: Pyridaben**

*Permitted residue: Pyridaben*

---

Citrus fruits [except kumquats]	0.5
Pome fruits [except Persimmon, Japanese]	0.5
Stone fruits [except jujube, Chinese]	0.5

---

---

**Agvet chemical: Pyrimethanil**

*Permitted residue: Pyrimethanil*

---

Chives	3
Citrus fruits [except kumquats; lemon]	10
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory]	T5
Pome fruits [except Persimmon, Japanese]	15
Stone fruits [except jujube, Chinese]	10

---

---

**Agvet chemical: Pyriofenone**

*Permitted residue: Pyriofenone*

---

Berries and other small fruit [except Cane berries; cloudberry; cranberry; strawberry]	1.5
Cane berries	0.9

---

---

**Agvet chemical: Pyriproxyfen**

*Permitted residue: Pyriproxyfen*

---

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.7
Broccoli, Chinese (Gai lan)	T0.7

---

Chives	T5
Citrus fruits [except kumquats]	0.5
Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Mushrooms	1
Peppers, chili, dried	6
Stone fruits [except jujube, Chinese]	1
Sweet corns	1

---

**Agvet chemical: Pyroxasulfone**

*Permitted residue—commodities of plant origin:  
Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone*

*Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone*

Cereal grains [except maize; popcorn and sweet corns]	*0.01
---	-------

---

**Agvet chemical: Quinoxifen**

*Permitted residue: Quinoxifen*

Stone fruits [except jujube, Chinese]	0.7
---------------------------------------	-----

---

**Agvet chemical: Quintozene**

*Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene*

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2
Broccoli, Chinese (Gai lan)	0.2

---

**Agvet chemical: Saflufenacil**

*Permitted residue—commodities of plant origin:  
Sum of saflufenacil, N'-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-({[(isopropylamino)sulfonyl]amino} carbonyl)phenyl]urea, expressed as saflufenacil equivalents*

*Permitted residue—commodities of animal origin:  
Saflufenacil*

Cereal grains [except rice and sweet corns]	0.2
Citrus fruits [except kumquats]	*0.03
Pome fruits [except Persimmon, Japanese]	*0.03

Palm nuts	*0.03
Peanut	*0.03
Stone fruits [except jujube, Chinese]	*0.03

---

**Agvet chemical: Sedaxane**

*Permitted residue: Sedaxane, sum of isomers*

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

---

**Agvet chemical: Sethoxydim**

*Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim*

Dry beans	25
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Chinese cabbage (Pe-tsai)	T0.5
Citrus fruits [except kumquats]	0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory]	T0.5
Stone fruits [except jujube, Chinese; plum]	0.2

---

**Agvet chemical: Simazine**

*Permitted residue: Simazine*

Citrus fruits [except kumquats]	0.25
Kumquats	*0.1
Fruit [except citrus fruits]	*0.1

---

**Agvet chemical: Spinetoram**

*Permitted residue: Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L*

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2
Broccoli, Chinese (Gai lan)	0.2
Bulb vegetables (alliums) [except chives]	0.1
Chinese cabbage (Pe-tsai)	0.7
Chives	1
Fennel, bulb	0.1
Fruiting vegetables, other than cucurbits	0.1
Fungi, edible (except mushrooms)	0.1

Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.7
Mushrooms	0.1
Pome fruits [except Persimmon, Japanese]	0.1
Stalk and stem vegetables [except fennel, bulb]	2
Witloof, chicory	2

---

**Agvet chemical: Spinosad**

*Permitted residue: Sum of spinosyn A and spinosyn D*

Assorted tropical and sub-tropical fruits – inedible peel (except tamarillo (tree tomato))	0.3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Cereal grains [except sweet corns]	1
Chinese cabbage (Pe-tsai)	5
Chives	5
Citrus fruits [except kumquats]	0.3
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Mushrooms	0.2
Pome fruits [except Persimmon, Japanese]	0.5
Stone fruits [except jujube, Chinese]	1

---

**Agvet chemical: Spirodiclofen**

*Permitted residue: Spirodiclofen*

Citrus fruits [except kumquats]	0.5
Stone fruits [except jujube, Chinese]	1

---

**Agvet chemical: Spirotetramat**

*Permitted residue: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat*

Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)]	7
Broccoli, Chinese (Gai lan)	7
Bulb vegetables [except chives]	0.5
Chinese cabbage (Pe-tsai)	5
Chives	15
Citrus fruits [except kumquats]	1
Fennel, bulb	0.5
Fruiting vegetables, other than cucurbits	7

Fungi, edible (except mushrooms)	7
Leafy vegetables [except brassica leafy vegetables; broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory]	5
Mushrooms	7
Pome fruits [except Persimmon, Japanese]	0.5
Sorghum, grain	T*0.02
Stone fruits [except jujube, Chinese]	4.5

---

**Agvet chemical: Sulfoxaflor**

*Permitted residue: Sulfoxaflor*

Dry beans	0.7
Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; Chinese cabbage (Pe-tsai)]	3
Broccoli, Chinese (Gai lan)	3
Cane berries	T1
Chinese cabbage (Pe-tsai)	5
Citrus fruits [except kumquats]	0.7
Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	5
Mushrooms	1
Pome fruits [except Persimmon, Japanese]	0.5
Sorghum, grain	0.2
Stone fruits [except cherries; jujube, Chinese]	1

---

**Agvet chemical: Sulfuryl fluoride**

*Permitted residue: Sulfuryl fluoride*

Cereal grains [except sweet corns]	0.05
------------------------------------	------

---

**Agvet chemical: Tebuconazole**

*Permitted residue: Tebuconazole*

Bulb vegetables [except chives; garlic]	*0.01
Cereal grains [except barley; oats; sweet corns]	0.2
Citrus fruits [except kumquats]	T0.05
Fennel, bulb	*0.01
Peppers, chili, dried	10
Pome fruits [except pear; Persimmon, Japanese]	*0.01
Spices [except peppers, chili, dried]	1
Stone fruits [except cherries; jujube, Chinese]	1

---

**Agvet chemical: Tebufenozide**

Permitted residue: Tebufenozide

---

Citrus fruits [except kumquats]	1
Pome fruits [except Persimmon, Japanese]	1

---

---

**Agvet chemical: Tebufenpyrad**

Permitted residue: Tebufenpyrad

---

Pome fruits [except Persimmon, Japanese]	1
--	---

---

---

**Agvet chemical: Teflubenzuron**

Permitted residue: Teflubenzuron

---

Citrus fruits [except kumquats]	0.5
---------------------------------	-----

---

---

**Agvet chemical: Terbufos**

Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos

---

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

---

---

**Agvet chemical: Terbutylazine**

Permitted residue: Terbutylazine

---

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

---

---

**Agvet chemical: Terbutryn**

Permitted residue: Terbutryn

---

Cereal grains [except sweet corns]	*0.1
------------------------------------	------

---

---

**Agvet chemical: Tetraniliprole**

Permitted residue: Tetraniliprole

---

Pome fruits [except Persimmon, Japanese]	0.5
Stone fruits [except cherries; jujube, Chinese]	0.7

---

---

**Agvet chemical: Thiabendazole**

Permitted residue—commodities of plant origin:  
Thiabendazole

Permitted residue—commodities of animal origin:  
Sum of thiabendazole and 5-hydroxythiabendazole,  
expressed as thiabendazole

---

Citrus fruits [except kumquats]	10
---------------------------------	----

---



---

**Agvet chemical: Thiacloprid**

Permitted residue: *Thiacloprid*

---

Chives	5
Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except jujube, Chinese]	2

---

---

**Agvet chemical: Thiamethoxam**

See also *Clothianidin*

Permitted residue—commodities of plant origin:  
*Thiamethoxam*

Commodities of animal origin: *Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as Thiamethoxam*

(Note: the metabolite *clothianidin* has separate MRLs)

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	3
Broccoli, Chinese (Gai lan)	3
Cereal grains [except maize; sorghum, grain; sweet corns]	*0.01
Chinese cabbage (Pe-tsai)	2
Citrus fruits [except kumquats]	1
Fungi, edible (except mushrooms)	0.7
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	2
Mushrooms	0.7
Peppers, chili, dried	7
Sorghum, grain	*0.02
Stone fruits [except jujube, Chinese]	0.5

---

---

**Agvet chemical: Thiodicarb**

Permitted residue: *Sum of thiodicarb and methomyl, expressed as thiodicarb*

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2

---

---

**Agvet chemical: Tiafenacil**

Permitted residue—commodities of plant origin:  
Tiafenacil

Permitted residue—Sum of tiafenacil and 3-(2-(2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)phenylthio)propanamido)propanoic acid (M-01), expressed as tiafenacil

---

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

---

---

**Agvet chemical: Tralkoxydim**

Permitted residue: Tralkoxydim

---

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

---

---

**Agvet chemical: Triadimefon**

Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon

see also Triadimenol

---

Cereal grains [except sweet corns]	0.5
Fungi, edible (except mushrooms)	0.2
Mushrooms	0.2
Sweet corns	0.2

---

---

**Agvet chemical: Triadimenol**

Permitted residue: Triadimenol

see also Triadimefon

---

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Cereal grains [except sorghum, grain; sweet corns]	*0.01
Fungi, edible (except mushrooms)	1
Mushrooms	1
Sorghum, grain	0.5
Sweet corns	1

---

---

**Agvet chemical: Triallate**

Permitted residue: Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate

---

Cereal grains [except sweet corns]	*0.05
Palm nuts	0.1
Peanut	0.1

---

---

**Agvet chemical: Triasulfuron**

Permitted residue: Triasulfuron

---

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

---

---

**Agvet chemical: Tribenuron-methyl**

Permitted residue: Tribenuron-methyl

---

Sorghum, grain	*0.01
----------------	-------

---

---

**Agvet chemical: Trichlorfon**

Permitted residue: Trichlorfon

---

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	T3
Cereal grains [except sweet corn, corn-on-the-cob]	0.1
Kumquats	T3
Fruit [except achachairu; assorted tropical and sub-tropical fruits – edible peel; assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]; babaco; berries and other small fruits; dried fruits; loquat; medlar; miracle fruit; quince; rollinia; pomelo; stone fruits (except jujube, Chinese)]	T0.1
Persimmon, Japanese	T3
Tamarillo (tree tomato)	T3
Vegetables [except beetroot; Brussels sprouts; cape gooseberry (ground cherry); cauliflower; celery; eggplant; kale; pepino; peppers; pulses (dry); sugar beet; Thai eggplant]	0.1

---

---

**Agvet chemical: Triclopyr**

Permitted residue: Triclopyr

---

Citrus fruits [except kumquats]	0.2
---------------------------------	-----

---

---

**Agvet chemical: Trifloxystrobin**

Permitted residue: Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminoxy]methyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents

---

Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)]	2
Pome fruits [except Persimmon, Japanese]	0.7
Stone fruits [except jujube, Chinese]	5

---

---

**Agvet chemical: Triflumuron**

Permitted residue: Triflumuron

---

Cereal grains [except sweet corns]	*0.05
Palm nuts	*0.05
Peanut	*0.05

---

---

**Agvet chemical: Trifluralin**

Permitted residue: Trifluralin

---

Cereal grains [except sweet corns]	*0.05
Chives	T*0.05
Sweet corns	0.05

---

---

**Agvet chemical: Triforine**

Permitted residue: Triforine

---

Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except jujube, Chinese]	10

---

---

**Agvet chemical: Trinexapac-ethyl**

Permitted residue: Trinexapac acid

---

Cereal grains [except sweet corns]	0.2
------------------------------------	-----

---

---

**Agvet chemical: Triticonazole**

Permitted residue: Triticonazole

---

Cereal grains (except sweet corns)	*0.05
------------------------------------	-------

---

**Schedule 21 — Extraneous residue limits****[11] Section S21—3**

After “Citrus fruits” (wherever occurring), insert “(except kumquats)”

**[12] Section S21—3**

After “Cereal grains” (wherever occurring), insert “(except sweet corns)”

**[13] Section S21—3 (Agvet chemical: Aldrin and Dieldrin)**

Omit “Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas”, substitute “Brassica vegetables (except Brassica leafy vegetables)”

**[14] Section S21—3 (Agvet chemical: Aldrin and Dieldrin)**

Insert

Broccoli, Chinese E0.01

**[15] Section S21—3 (Agvet chemical: Chlordane)**

Insert

Sweet corns E0.02

**[16] Section S21—3 (Agvet chemical: DDT)**

Insert

Sweet corns E1

**[17] Section S21—3 (Agvet chemical: Heptachlor)**

Insert

Sweet corns E0.05

**[18] Section S21—3 (Agvet chemical: Lindane)**

Omit “1 and 2”, substitute “21 and 22”

**[19] Section S21—3 (Agvet chemical: Lindane)**

Insert

Sweet corns

E2