Schedule 1—Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Note: See sections 5 and 6.

Permissible ingredients and requirements

Column 1	Column 2	Column 3	Column 4
Item	**Ingredient Name**	**Purpose**	**Specific requirements**
2851	KADSURA COCCINEA	A, H	
2852	KAEMPFERIA GALANGA	A, H	
2853	KALMIA LATIFOLIA	A, H	Beta-arbutin is a mandatory component of Kalmia latifolia. When for oral use, the maximum recommended daily dose must not provide more than 500 mg of beta-arbutin. When for dermal application exclusively to the face: a) the concentration of beta-arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for use other than oral or dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
2854	KAOLIN	E	
2855	KELP DRY	A, H	Iodine is a mandatory component of Kelp dry. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2856	KELP POWDER	A, E, H	Iodine is a mandatory component of Kelp powder. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2857	KERATIN	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
2858	KEROSENE	E, H	Only for use as a homoeopathic ingredient. When used in liquid preparations, the concentration in the medicine must be no more than 25%.
2859	KHAYA SENEGALENSIS	A, E	The maximum daily dose of the medicine must not contain more than the equivalent of 1 g dry bark of Khaya senegalensis. The following warning statements are required on the medicine label: - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (LONGUSE) ‘Not for prolonged use. May harm liver';

			- (GEN2) ‘If symptoms persist, seek the advice of a healthcare professional’; - (CHILD3) ‘Use in children under 12 years is not recommended’; and - (7DAYS) 'Do not use for more than 7 days'.
2860	KIDNEY BEAN	E	
2861	KIRSCH	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2862	KIWI FRUIT	E	
2863	KNAUTIA ARVENSIS	A, H	
2864	KOREAN GINSENG ROOT DRY	A, H	
2865	KOREAN GINSENG ROOT POWDER	A, H	
2866	KRAMERIA IXINE	A, H	
2867	KRAMERIA LAPPACEA	A, H	
2868	KUNZEA AMBIGUA	A	Only for use when the plant preparation is essential oil. Only for use when the route of administration is topical or inhalation. When the dosage form is essential oil, a restricted flow insert must be fitted on the container and the medicine requires the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' - (EXTERN) 'For external use only' - (UNDILU) 'Not to be applied undiluted to the skin except on the

Volume 4

			advice of a health care practitioner'. When the dosage form is other than essential oil, the maximum concentration in topical medicines must be no more than 25% w/w and the medicine requires the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' - (EXTERN) 'For external use only'.
2869	L-BORNEOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2870	L-BORNYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used as in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2871	L-CARVONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a

			medicine must be no more 1%.
2872	L-LIMONENE	E	L-limonene must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation or a fragrance proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing l-limonene must not be more than 5% of the total medicine. The total concentration of fragrance proprietary excipient formulations containing l-limonene must not be more than 1% of the total medicine.
2873	L-LINALOOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2874	L-MENTHONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2875	L-MENTHYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total

Volume 4

			flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2876	L-ROSE OXIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2877	LABDANUM ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2878	LABDANUM GUM EXTRACT ETHYL ESTER	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance and the total fragrance concentration in a medicine is no more than 1%.
2879	LABDANUM OIL	A, E, H	
2880	LABURNUM ANAGYROIDES	A, H	Sparteine is a mandatory component of Laburnum anagyroides. The concentration of sparteine in the medicine must be no more than 0.001%.
2881	LACTALBUMIN	E	

2882	LACTIC ACID	A, E, H	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing form time to time. Sponsors should consider the impact of excipients containing alpha hydroxy acids on the sensitivity of the skin to sunlight and should ensure the finished medicine is safe for its intended purpose.
2883	LACTITOL	E	
2884	LACTITOL MONOHYDRATE	E	
2885	LACTO-N-NEOTETRAOSE	A	Only to be used in a medicine where Glycom A/S (Client ID 76983), who applied to have the ingredient included in this Determination, is the sponsor of the medicine or has given written authorisation to the sponsor of a medicine to include the ingredient in the medicine. This paragraph ceases to be a requirement for this ingredient after 20 August 2023. Lactose is a mandatory component of lacto-N-neotetraose. The route of administration for medicines that contain lacto-N-neotetraose must be limited to oral. The maximum recommended daily dose of the medicine must not provide more than: (a) 1.5 g of lacto-N-neotetraose to individuals aged 4 years and older; and (b) 0.6 g of lacto-N-neotetraose to individuals aged up to 3 years (inclusive).

Volume 4

			The requirements specified in paragraph (a) below apply to a medicine that contains the ingredient that is released for supply after 20 August 2023: (a) One of the following statements is required on the medicine label: (i) When the medicine is only for use in individuals aged 2 years and above: 'Not to be taken on the same day with other products containing lacto-N-neotetraose' (or words to that effect); or (ii) When the medicine is for use in children aged less than 2 years: 'Not to be taken on the same day with breastmilk or other products containing lacto-N-neotetraose' (or words to that effect).
2886	LACTO-N-TETRAOSE	A	Only to be used in a medicine where Glycom A/S (Client ID 76983), who applied to have the ingredient included in this Determination, is the sponsor of the medicine or has given written authorisation to the sponsor of a medicine to include the ingredient in the medicine. This paragraph ceases to be a requirement for this ingredient after 24 January 2024. Lactose is a mandatory component of lacto-N-tetraose. The route of administration for medicines that contain lacto-N-tetraose must be limited to oral. The maximum recommended daily dose of the medicine must not provide more than: a) 2 g of lacto-N-tetraose to individuals aged 1 year and older; and b) 0.6 g of lacto-N-tetraose to individuals aged more than 6

			months to 11 months (inclusive); and c) 0.8 g of lacto-N-tetraose to individuals aged up to 6 months (inclusive). One of the following statements (or words to that effect) is required on the medicine label: a) When the medicine is only for use in individuals aged 2 years and above: 'Not to be taken on the same day with other products containing lacto-N-tetraose'; or b) When the medicine is for use in children aged less than 2 years: 'Not to be taken on the same day with breastmilk or other products containing lacto-N-tetraose'.
2887	LACTOBACILLUS ACIDOPHILUS	A	
2888	LACTOBACILLUS AMYLOVORUS	A	
2889	LACTOBACILLUS BREVIS	A	
2890	LACTOBACILLUS CASEI	A	
2891	LACTOBACILLUS CASEI SUBSP. BIOVAR CASEI	A	
2892	LACTOBACILLUS CRISPATUS	A	
2893	LACTOBACILLUS DELBRUECKII SSP BULGARICUS	A	
2894	LACTOBACILLUS DELBRUECKII SSP LACTIS	A	
2895	LACTOBACILLUS FERMENTUM	A	
2896	LACTOBACILLUS GALLINARUM	A	
2897	LACTOBACILLUS GASSERI	A	
2898	LACTOBACILLUS HELVETICUS	A	
2899	LACTOBACILLUS JOHNSONII	A	
2900	LACTOBACILLUS KEFIRANOFACIENS	A	
2901	LACTOBACILLUS KEFIRGRANUM	A	
2902	LACTOBACILLUS KEFIRI	A	

Volume 4

2903	LACTOBACILLUS PARACASEI	A	
2904	LACTOBACILLUS PARACASEI SUBSP. PARACASEI	A	
2905	LACTOBACILLUS PLANTARUM	A	
2906	LACTOBACILLUS REUTERI	A	
2907	LACTOBACILLUS RHAMNOSUS	A	
2908	LACTOBACILLUS SALIVARIUS SSP SALICINIUS	A	
2909	LACTOBACILLUS SALIVARIUS SSP SALIVARIUS	A	
2910	LACTOBIONIC ACID	E	Only for use in topical medicines for dermal application.
2911	LACTOSCATONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2912	LACTOSE	E	
2913	LACTOSE MONOHYDRATE	E	
2914	LACTUCA SATIVA	A, H	
2915	LACTUCA VIROSA	A, H	
2916	LACTULOSE	E	
2917	LACTULOSE SOLUTION	A	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing form time to time.
2918	LAGENARIA VULGARIS	A, H	
2919	LAMINARIA CLOUSTONI	A, E, H	Iodine is a mandatory component of Laminaria cloustoni. Only for external use when the concentration of iodine in the medicine (excluding salts

			derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2920	LAMINARIA DIGITATA	A, E, H	Iodine is a mandatory component of Laminaria digitata. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2921	LAMINARIA JAPONICA	A, E, H	Iodine is a mandatory component of Laminaria japonica. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2922	LAMIUM ALBUM	A, H	
2923	LANETH-5	E	Only for use in topical medicines for dermal application.
2924	LANOLIN ALCOHOL	E	Only for use in topical medicines for dermal application.
2925	LANOLIN OIL	E	Only for use in topical medicines for dermal application.

Volume 4

2926	LANOLIN WAX	E	Only for use in topical medicines for dermal application.
2927	LANTANA CAMARA	A, H	The maximum recommended daily dose must contain no more than 1mg of the equivalent dry herbal material of Lantana camara.
2928	LARIX ARABINOGALACTAN	A, E	The concentration of polysaccharides in the ingredient must be greater than or equal to 85%. The ingredient must be derived from Larix occidentalis or Larix larcinia. Only for use in oral medicines or topical medicines for dermal application, and not to be included in topical products intended for use in the eye. The maximum recommended daily dose of Larix arabinogalactan in oral medicines must not be more than 15 grams. The concentration of Larix arabinogalactan in topical medicines for dermal application must not exceed 5.0%.
2929	LARIX DECIDUA	A, H	
2930	LARIX KAEMPFERI	A, H	The maximum recommended daily dose must be no more than 1 mg of the equivalent dry herbal material of Larix kaempferi.
2931	LARREA TRIDENTATA	A, H	The requirement specified in paragraph (a) below applies to a medicine that contains the ingredient that is: - listed in the Register before 1 March 2023; and - released for supply before 1

			March 2024: (a) One of the following warning statements is required on the medicine label: (i) (CHAP) 'WARNING: Chaparral may harm the liver in some people - use only under supervision of a health care professional'; or (ii) (CHAP1) 'In rare cases, Larrea tridentata may harm the liver. Stop use and see a doctor if you have yellowing skin/eyes or unusual: fatigue, nausea, appetite loss, abdominal pain or dark urine.' The requirement specified in paragraph (b) below applies to a medicine that contains the ingredient that is: - listed in the Register on or after 1 March 2023; or - released for supply on or after 1 March 2024. (b) The following warning statement is required on the medicine label: (CHAP1) 'In rare cases, Larrea tridentata may harm the liver. Stop use and see a doctor if you have yellowing skin/eyes or unusual: fatigue, nausea, appetite loss, abdominal pain or dark urine.'
2932	LATHYRUS SATIVUS	A, H	The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material of Lathyrus sativus. The medicine must not contain lathyrogenic amino acids.
2933	LAURAMINE OXIDE	E	
2934	LAUREL LEAF OIL	A, H	When the total concentration of bay oil in the medicine is more

Volume 4

			than 25%: (a) the nominal capacity of the container must not be more than 25 mL; (b) the container must be fitted with a restricted flow insert; (c) the following warning statements are required on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); - (NTAKEN) 'Not to be taken'; and (d) when the nominal capacity of the container is greater than 15 mL, the container must also be fitted with a child resistant closure.
2935	LAURETH-10	E	Only for use in topical medicines for dermal application.
2936	LAURETH-12	E	Only for use in topical medicines for dermal application.
2937	LAURETH-2	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.4%. Residual levels of ethylene oxide (and related substances) must be kept below the level of detection.
2938	LAURETH-23	E	Only for use in topical medicines for dermal application.
2939	LAURETH-3	E	Only for use in topical medicines for dermal application.
2940	LAURETH-4	E	Only for use in topical medicines for dermal application.

2941	LAURETH-7	E	Only for use in topical medicines for dermal application.
2942	LAURETH-8	E	
2943	LAURIC ACID	A, E	When for use as an active ingredient is for use in oral medicines only and the maximum recommended daily dose must not exceed 1500 mg.
2944	LAURIL MACROGOL 400 DIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 5%.
2945	LAUROMACROGOL 400	E	Only for use in topical medicines for dermal application.
2946	LAUROYL LYSINE	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye or on damaged skin. The concentration in the medicine must be no more than 5.0%.
2947	LAURUS NOBILIS	A, E, H	When the plant preparation is oil or distillate, and the concentration of bay oil or distillate in the medicine is greater than 25%: (a) the nominal capacity of the container must not be more than 25 mL; (b) the container must be fitted with a restricted flow insert; (c) the following warning statements are required on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect);

Volume 4

			- (NTAKEN) 'Not to be taken'; and (d) when the nominal capacity of the container is greater than 15 mL, the container must also be fitted with a child resistant closure.
2948	LAURYL ALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a coating solution, flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2949	LAURYL BETAINE	E	Only for use in topical medicines for dermal application.
2950	LAURYL GLUCOSIDE	E	Only for use as an excipient ingredient in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 12%.
2951	LAURYL LACTATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 3%. Sponsors should consider the impact of excipients containing alpha hydroxy acids on the sensitivity of the skin to sunlight and should ensure the finished medicine is safe for its intended purpose.

2952	LAURYL PCA	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
2953	LAURYL PEG-10 TRIS(TRIMETHYLSILOXY)SILYL ETHYL DIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 2%.
2954	LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or damaged skin. The concentration in the medicine must be no more than 3.5%.
2955	LAURYL PEG/PPG-18/18 METHICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 9%. Residual levels of ethylene oxide (and related substances) must be kept below the level of detection.
2956	LAURYL POLYGLUCOSE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration must not exceed 1% in leave-on medicines and 3% in wash-on/wash-off medicines.

Volume 4

2957	LAURYL PYRROLIDONE	E	Only for use in topical medicines for dermal application.
2958	LAURYLDIMONIUM HYDROXYPROPYL HYDROLYSED COLLAGEN	E	Only for use in topical medicines for dermal application.
2959	LAURYLDIMONIUM HYDROXYPROPYL HYDROLYSED SOY PROTEIN	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.007%.
2960	LAURYLMETICONE COPOLYOL	E	Only for use in topical medicines for dermal application.
2961	LAVANDIN OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2962	LAVANDIN OIL ABRIAL	A, E, H	
2963	LAVANDIN OIL GROSSO	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2964	LAVANDULA ANGUSTIFOLIA	A, E, H	Camphor is a mandatory component of Lavandula angustifolia. In solid and semi solid preparations, the concentration of camphor must be no more than

			12.5%. In liquid preparations other than essential oils or distillates, the concentration of camphor must be no more than 2.5%.
2965	LAVANDULA ANGUSTIFOLIA SUBSP. ANGUSTIFOLIA	A, E, H	Camphor is a mandatory component of Lavandula angustifolia subsp. angustifolia. In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%. In liquid preparations other than essential oils or distillates, the concentration of camphor must be no more than 2.5%.
2966	LAVANDULA X INTERMEDIA	A, E, H	Camphor is a mandatory component of Lavandula x intermedia. In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%.
2967	LAVENDER OIL	A, E, H	
2968	LAWSONIA INERMIS	A, H	
2969	LEAD	H	Only for use as an active homoeopathic ingredient. The concentration in the medicine must be no more than 0.001%.
2970	LEAD ACETATE	H	Only for use as an active homoeopathic ingredient.
2971	LEAF ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used as a flavour the total flavour concentration in a medicine must be no more than 5%.

Volume 4

2972	LECITHIN	A, E	
2973	LEDEBOURIELLA SESELOIDES	A, H	
2974	LEDUM PALUSTRE	A, H	Beta-arbutin is a mandatory component of Ledum palustre. When for dermal application exclusively to the face: a) the concentration of beta-arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for topical use other than dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%. When the route of administration is other than topical, the maximum recommended daily dose must not contain more than 0.001 mg of the equivalent dry herbal material of Ledum palustre.
2975	LEMNA MINOR	A, H	
2976	LEMON	E	When used internally, oxedrine is a mandatory component of lemon. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
2977	LEMON BALM LEAF DRY	A, H	
2978	LEMON BALM LEAF POWDER	A, E, H	
2979	LEMON OIL	A, E, H	When used internally, oxedrine is a mandatory component of lemon oil. The quantity of oxedrine in the

			maximum recommended daily dose must be no more than 30 milligrams. The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) steam distilled or rectified; or b) for internal use; or c) contains 0.05% or less of lemon oil; or d) for use in soaps or bath or shower gels that are washed off the skin.
2980	LEMON OIL DISTILLED	A, E, H	When used internally, oxedrine is a mandatory component of lemon oil distilled. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
2981	LEMON OIL TERPENELESS	A, E, H	When used internally, oxedrine is a mandatory component of lemon oil terpeneless. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
2982	LEMON OIL TERPENES AND TERPENOIDS	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

Volume 4

2983	LEMON PEEL DRIED	A, E, H	When used internally, oxedrine is a mandatory component of lemon peel dried. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
2984	LEMONGRASS OIL	A, E, H	
2985	LENS CULINARIS	A, H	
2986	LENTIL	E	
2987	LENTINULA EDODES	A, E, H	
2988	LEONTOPODIUM ALPINUM	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
2989	LEONURUS CARDIACA	A, E, H	
2990	LEONURUS SIBIRICUS	A, E, H	
2991	LEPIDIUM APETALUM	A, H	
2992	LEPIDIUM MEYENII	A	The route of administration for medicines that contain Lepidium meyenii must be limited to oral. The ingredient must consist of the dried tuber of Lepidium meyenii only. The maximum recommended daily dose of the medicine must not provide more than 3.5 g of Lepidium meyenii dried tuber (or its extract equivalent).
2993	LEPTOSPERMUM PETERSONII	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more 5%.
2994	LEPTOSPERMUM SCOPARIUM OIL	A	Only for use as an active ingredient when the route of

			administration is topical or oral application in a mouthwash preparation. If the concentration is more than 25%, the nominal capacity of the container must be no more than 25mL. When the concentration is more than 25%, and the nominal capacity of the container less than 15mL, a restricted flow insert must be fitted on the container and requires the following warning statements on the medicine label: - (CHILD) ‘Keep out of reach of children' (or word to that effect) - (NTAKEN) ‘Not to be taken’ When the concentration is more than 25%, the nominal capacity of the container is more than 15 mL but no more than 25 mL, a child resistant closure and restricted flow insert must be fitted on the container and requires the following warning statements on the medicine label: - (CHILD) ‘Keep out of reach of children' (or word to that effect) - (NTAKEN) ‘Not to be taken’
2995	LESPEDEZA CAPITATA	A, H	
2996	LETTUCE	E	
2997	LEUCINE	A, E	
2998	LEUZEA UNIFLORA	A, H	
2999	LEVISTICUM OFFICINALE	A, H	
3000	LEVOCARNITINE	A	
3001	LEVOCARNITINE FUMARATE	A	
3002	LEVOCARNITINE HYDROCHLORIDE	A	
3003	LEVOCARNITINE MAGNESIUM CITRATE	A	
3004	LEVOCARNITINE TARTRATE	A	

Volume 4

3005	LEVOMEFOLATE CALCIUM	A	Available for medicines intended for internal use only. Levomefolic acid is a mandatory component of levomefolate calcium. The maximum recommended daily dose must not provide more than 500 micrograms of levomefolic acid from levomefolate calcium. When the medicine contains a combination of folic acid, folinic acid or levomefolic acid, the medicine must not provide more than a combined total of 500 micrograms of folic acid, folinic acid and levomefolic acid per maximum recommended daily dose.
3006	LEVOMEFOLATE GLUCOSAMINE	A	Available for medicines intended for internal use only. Levomefolic acid is a mandatory component of levomefolate glucosamine. The maximum recommended daily dose must not provide more than 500 micrograms of levomefolic acid from levomefolate glucosamine. When the medicine contains a combination of folic acid, folinic acid or levomefolic acid, the medicine must not provide more than a combined total of 500 micrograms of folic acid, folinic acid and levomefolic acid per maximum recommended daily dose.
3007	LEVOTHYROXINE SODIUM	H	Only for use as an active homoeopathic ingredient.
3008	LEVULINIC ACID	E	Permitted for use only in

			combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3009	LIGHT KAOLIN	E	
3010	LIGHT LIQUID PARAFFIN	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
3011	LIGHT MAGNESIUM OXIDE	A, E, H	Magnesium is a mandatory component of light magnesium oxide. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect

			or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3012	LIGUSTICUM SINENSE	A, H	
3013	LIGUSTICUM STRIATUM	A, E, H	
3014	LIGUSTRUM LUCIDUM	A, H	
3015	LILIUM BROWNII	A, H	
3016	LILIUM CANDIDUM	A, E, H	
3017	LILIUM LANCIFOLIUM	A, H	
3018	LILIUM LONGIFLORUM	A, H	
3019	LIME FRUIT	E	
3020	LIME OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3021	LIME OIL COLDPRESSED	A, E, H	The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) contains 0.5% or less of lime oil coldpressed; or c) for use in soaps or bath or shower gels that are washed off the skin.
3022	LIME OIL DISTILLED	A, E, H	The warning statement (SENS) 'Application to skin may increase

			sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) contains 0.5% or less of lime oil distilled; or c) for use in soaps or bath or shower gels that are washed off the skin.
3023	LIME OIL TERPENELESS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3024	LIME OIL TERPENES AND TERPENOIDS	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3025	LIME TREE FLOWER DRY	A, H	
3026	LIME TREE FLOWER POWDER	A, H	
3027	LIME, ESSENCE	E	
3028	LIMES TERPENES	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3029	LIMONENE	E	When for oral use, the quantity

Volume 4

			must be no more than 10 mg per maximum recommended daily dose.
3030	LINALOOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3031	LINALOOL OXIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3032	LINALYL ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3033	LINALYL ACETATE	E	Permitted for use only: (a) in topical medicines for dermal application; and (b) in oral medicines in

			combination with other permitted ingredients as part of a flavour proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.
3034	LINALYL BENZOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3035	LINALYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3036	LINALYL CINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3037	LINALYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

Volume 4

3038	LINALYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3039	LINALYL PROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3040	LINDERA STRYCHNIFOLIA	A, H	
3041	LINOLEAMIDOPROPYL PG-DIMONIUM CHLORIDE PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.5%.
3042	LINOLEIC ACID	E	
3043	LINOLENIC ACID	E	
3044	LINSEED DRY	A, E, H	
3045	LINSEED OIL	A, E, H	
3046	LINSEED OIL FATTY ACIDS	E	Linseed oil fatty acids must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations

			containing linseed oil fatty acids must not be more than 5% of the total medicine.
3047	LINSEED POWDER	A, E, H	
3048	LINUM USITATISSIMUM	A, E, H	
3049	LIPASE	A	Lipase must only be derived from Rhizopus oryzae and must comply with the relevant compositional guideline.
3050	LIPPIA DULCIS	A, H	
3051	LIQUID GLUCOSE	E	
3052	LIQUID PARAFFIN	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
3053	LIQUIDAMBAR FORMOSANA	A, H	
3054	LIQUIDAMBAR ORIENTALIS	A, H	
3055	LIQUIDAMBAR STYRACIFLUA	A, E, H	
3056	LIQUIDAMBAR STYRACIFLUA RESIN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3057	LIQUIDAMBAR TAIWANIANA	A, H	
3058	LIQUORICE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Volume 4

3059	LIQUORICE DRY	A, E, H	
3060	LIQUORICE LIQUID EXTRACT	A, E, H	
3061	LIQUORICE POWDER	A, E, H	
3062	LITCHI CHINENSIS	A, H	
3063	LITHIUM CARBONATE	H	Only for use as an active homoeopathic ingredient.
3064	LITHOSPERMUM OFFICINALE	A, H	The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material of Lithospermum officinale.
3065	LITSEA CUBEBA	A, E, H	
3066	LITSEA CUBEBA OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3067	LOBARIA PULMONARIA	A, H	
3068	LOBELIA DRY	A, H	The concentration in the medicine must be no more than 0.001% or 10mg/kg or 10ml/L or 10 ppm unless the medicine is administered by inhalation.
3069	LOBELIA INFLATA	A, H	The concentration in the medicine must be no more than 0.001% or 10mg/kg or 10ml/L or 10 ppm unless the medicine is administered by inhalation.
3070	LOBELIA POWDER	A, H	The concentration in the medicine must be no more than 0.001% or

			10mg/kg or 10ml/L or 10 ppm unless the medicine is administered by inhalation.
3071	LOLIUM PERENNE	A, H	
3072	LOLIUM TEMULENTUM	A, H	
3073	LONGIFOLENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total longifolene concentration in a medicine must be no more than 1%.
3074	LONICERA CAPRIFOLIUM	A, E, H	
3075	LONICERA JAPONICA	A, E, H	
3076	LONICERA PERICLYMENUM	A, H	
3077	LOPHATHERUM GRACILE	A, H	
3078	LOQUAT	E	
3079	LORANTHUS PARASITICUS	A, H	
3080	LOROPETALUM CHINENSE	A, H	
3081	LOTUS CORNICULATUS	A, H	
3082	LOVAGE OIL	A, E, H	
3083	LOVAGE ROOT DRY	A, H	
3084	LOVAGE ROOT POWDER	A, H	
3085	LUDWIGIA PROSTRATA	A, H	
3086	LUFFA CYLINDRICA	A, H	
3087	LUFFA PURGANS	A, H	
3088	LUTEIN	A, E, H	When used as an excipient, permitted for use only as a colour in medicines limited to topical and oral routes of administration.
3089	LYCHEE	E	
3090	LYCIUM BARBARUM	A, H	
3091	LYCIUM CHINENSE	A, E, H	
3092	LYCOPENE	A, E	
3093	LYCOPERSICON ESCULENTUM	A, E, H	Steroidal alkaloids calculated as solanine is a mandatory component of Lycopersicon

Volume 4

			esculentum. The maximum daily dose must not provide more than 10 mg of steroidal alkaloids calculated as solanine.
3094	LYCOPODIUM ANNOTINUM	A, H	
3095	LYCOPODIUM CLAVATUM	A, H	
3096	LYCOPODIUM COMPLANATUM	A, H	
3097	LYCOPUS EUROPAEUS	A, H	
3098	LYCOPUS LUCIDUS	A, H	
3099	LYCOPUS VIRGINICUS	A, H	Pulegone is a mandatory component of Lycopus virginicus. The concentration of pulegone in the medicine must be no more than 4%.
3100	LYGODIUM JAPONICUM	A, H	
3101	LYSIMACHIA CHRISTINAE	A, H	
3102	LYSIMACHIA VULGARIS	A, H	
3103	LYSINE	A, E	
3104	LYSINE HYDROCHLORIDE	A, E	
3105	LYTHRUM HYSSOPIFOLIA	A, H	
3106	LYTHRUM SALICARIA	A, H	
3107	LYTHRUM VERTICILLATUM	A, H	
3108	MACADAMIA INTEGRIFOLIA	A, E	
3109	MACADAMIA NUT OIL	E	
3110	MACADAMIA TERNIFOLIA	A, E, H	
3111	MACE	E	Safrole is a mandatory component of Mace. When used internally, the concentration of safrole in the medicine must be no more than 0.1%. When used topically, the concentration of safrole in the medicine must be no more than 1.0%.
3112	MACE OIL	A, H	Safrole is a mandatory component of Mace oil.

			When used internally, the concentration of safrole in the medicine must be no more than 0.1%. When used topically, the concentration of safrole in the medicine must be no more than 1.0%. When the concentration of mace oil in the preparation is more than 50% and the nominal capacity of the container is 25 mL or less, a restricted flow insert must be fitted on the container.
3113	MACROCYSTIS PYRIFERA	A, E, H	Iodine is a mandatory component of Macrocystis pyrifera. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
3114	MACROGOL 1000	E	
3115	MACROGOL 1450	E	Only for use in topical medicines for dermal application.
3116	MACROGOL 1500	E	
3117	MACROGOL 1500 CASTOR OIL	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 2%.
3118	MACROGOL 200	E	Only for use in topical medicines for dermal application.

Volume 4

3119	MACROGOL 20000	E	
3120	MACROGOL 300	E	
3121	MACROGOL 3000	E	
3122	MACROGOL 3350	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing form time to time.
3123	MACROGOL 40	E	Only for use in topical medicines for dermal application.
3124	MACROGOL 400	E	
3125	MACROGOL 4000	E	
3126	MACROGOL 45000	E	Only for use in topical medicines for dermal application.
3127	MACROGOL 600	E	
3128	MACROGOL 6000	E	
3129	MACROGOL 600000	E	
3130	MACROGOL 800	E	
3131	MACROGOL 8000	E	
3132	MACROGOL 900	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.95%.
3133	MACROGOL POLY(VINYL ALCOHOL) GRAFTED POLYMER	E	Only for use in oral medicines. The concentration in the medicine must be no more than 5%.
3134	MACROPIPER EXCELSUM VAR EXCELSUM	A, H	
3135	MAGNESIUM AMINO ACID	A, E, H	Only for use in oral medicines.

	CHELATE		The concentration of magnesium must be no more than 25% of the magnesium amino acid chelate.
3136	MAGNESIUM ASCORBATE	A, E, H	
3137	MAGNESIUM ASCORBATE MONOHYDRATE	A, E, H	
3138	MAGNESIUM ASCORBYL PHOSPHATE	E	Only for use in topical medicines for dermal application.
3139	MAGNESIUM ASPARTATE	A, E, H	
3140	MAGNESIUM ASPARTATE DIHYDRATE	A, E, H	
3141	MAGNESIUM ASPARTATE TETRAHYDRATE	A, E, H	
3142	MAGNESIUM CARBONATE HYDRATE	A, E, H	
3143	MAGNESIUM CHLORIDE 4.5-HYDRATE	A	Magnesium is a mandatory component of magnesium chloride 4.5-hydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium,

			which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3144	MAGNESIUM CHLORIDE HEXAHYDRATE	A, E, H	Magnesium is a mandatory component of magnesium chloride hexahydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3145	MAGNESIUM CITRATE	A, E, H	
3146	MAGNESIUM CITRATE NONAHYDRATE	A, E, H	

3147	MAGNESIUM CITRATE TETRADECAHYDRATE	A, E, H	
3148	MAGNESIUM DIGLUTAMATE	A, E, H	
3149	MAGNESIUM GLUCONATE	A, E, H	
3150	MAGNESIUM GLYCEROPHOSPHATE	A, E, H	
3151	MAGNESIUM GLYCINATE	A	Only for use in oral medicines.
3152	MAGNESIUM GLYCINATE DIHYDRATE	A	Only for use in oral medicines. Magnesium is a mandatory component of Magnesium glycinate dihydrate. The percentage of Magnesium from Magnesium glycinate dihydrate should be calculated based on the molecular weight of Magnesium glycinate dihydrate.
3153	MAGNESIUM HYDROGEN PHOSPHATE	H	Magnesium is a mandatory component of magnesium hydrogen phosphate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label:

			- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3154	MAGNESIUM HYDROXIDE	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time. Magnesium is a mandatory component of magnesium hydroxide. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect

			or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3155	MAGNESIUM LYSINATE	A	Only for use in oral medicines.
3156	MAGNESIUM METHIONINATE	A	Only for use in oral medicines.
3157	MAGNESIUM NITRATE	E	Only for use in topical medicines for dermal application.
3158	MAGNESIUM OROTATE	A, E, H	
3159	MAGNESIUM OROTATE DIHYDRATE	A, E, H	
3160	MAGNESIUM OXIDE	A, E, H	Magnesium is a mandatory component of magnesium oxide. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect

			or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3161	MAGNESIUM PHOSPHATE PENTAHYDRATE	A, E, H	Magnesium is a mandatory component of magnesium phosphate pentahydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3162	MAGNESIUM PHOSPHATE TRIBASIC	A, E, H	Magnesium is a mandatory component of magnesium phosphate tribasic. The percentage of magnesium

			from magnesium phosphate tribasic should be calculated based on the molecular weight of magnesium phosphate tribasic. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3163	MAGNESIUM PYRUVATE	A	Only for use in oral medicines. The maximum recommended daily dose must be no more than 7 grams.
3164	MAGNESIUM STEARATE	E	
3165	MAGNESIUM SULFATE DIHYDRATE	A, E, H	When used internally, the maximum recommended daily dose must not be more than 1.5g.

			Magnesium is a mandatory component of magnesium sulfate dihydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3166	MAGNESIUM SULFATE HEPTAHYDRATE	A, E, H	When used internally, the maximum recommended daily dose must not be more than 1.5 g. Magnesium is a mandatory component of magnesium sulfate heptahydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or

			related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3167	MAGNESIUM SULFATE MONOHYDRATE	A, E, H	When used internally, the maximum recommended daily dose must not be more than 1.5 g. Magnesium is a mandatory component of magnesium sulfate monohydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;

			(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3168	MAGNESIUM SULFATE TRIHYDRATE	A, E, H	When used internally, the maximum recommended daily dose must not be more than 1.5 g. Magnesium is a mandatory component of magnesium sulfate trihydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;

			the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3169	MAGNESIUM TRISILICATE	E	Magnesium is a mandatory component of magnesium trisilicate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.

Volume 4

3170	MAGNOLIA GLAUCA	A, H	
3171	MAGNOLIA LILIFLORA	A, H	
3172	MAGNOLIA OBOVATA	A, H	
3173	MAGNOLIA OFFICINALIS	A, E, H	
3174	MAGNOLIA SALICIFOLIA	A, H	
3175	MAIZE OIL	A, E, H	
3176	MAIZE STARCH	A, E, H	
3177	MALACHITE GREEN	E	Permitted for use only as a colour for topical use.
3178	MALIC ACID	E	Sponsors should consider the impact of excipients on the sensitivity of the skin to sunlight and should ensure the finished medicine is safe for its intended purpose.
3179	MALPIGHIA GLABRA	A, E, H	
3180	MALT EXTRACT	E	
3181	MALTITOL	E	
3182	MALTITOL SOLUTION	E	
3183	MALTODEXTRIN	E	Gluten is a mandatory component of Maltodextrin where the ingredient is derived from gluten containing grains such as wheat, barley, rye and oats.
3184	MALTOL	E	
3185	MALTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3186	MALTOSE	E	
3187	MALUS DOMESTICA	A, E, H	The concentration of amygdalin in the medicine must be no more than 0%.

3188	MALUS SYLVESTRIS	A, H	
3189	MALVA MOSCHATA	A, H	
3190	MALVA SYLVESTRIS	A, E, H	
3191	MALVA VERTICILLATA	A, H	
3192	MANDARIN	E	
3193	MANDARIN OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3194	MANDARIN OIL COLDPRESSED	A, E, H	When used internally, oxedrine is a mandatory component of mandarin oil coldpressed. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3195	MANDARIN OIL TERPENES	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3196	MANDARIN RESIDUE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total

Volume 4

			flavour concentration in a medicine must be no more than 5%.
3197	MANDARINAL 32048	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3198	MANDRAGORA OFFICINARUM	A, H	Atropine, hyoscine and hyoscyamine are mandatory components of Mandragora officinarum. The concentration in the medicine must be no more than 10 mg/kg or 10 mL/L or 0.001%. The concentration of atropine in the medicine must be no more than 100 micrograms/kg or 100 micrograms/L or 0.00001%. The concentration of hyoscine in the medicine must be no more than 300 micrograms/kg or 300 micrograms/L or 0.00003%. The concentration of hyoscyamine in the medicine must be no more than 300 micrograms/kg or 300 micrograms/L or 0.00003%.
3199	MANGANESE	H	Only for use as an active homoeopathic ingredient.
3200	MANGANESE (II) DIASPARTATE	A, H	Only for use in oral medicines.
3201	MANGANESE (II) GLYCINATE	A, H	Only for use in oral medicines.
3202	MANGANESE ACETATE TETRAHYDRATE	H	Only for use as an active homoeopathic ingredient.
3203	MANGANESE AMINO ACID	A, E, H	Only for use in oral medicines.

	CHELATE		The concentration of Manganese must be no more than 25% of the manganese amino acid chelate.
3204	MANGANESE CHLORIDE TETRAHYDRATE	A, E, H	
3205	MANGANESE DIASPARTATE	A, E, H	Only for use in oral medicines.
3206	MANGANESE GLUCONATE	A, E, H	
3207	MANGANESE GLYCEROPHOSPHATE	A, E, H	
3208	MANGANESE OXIDE	A, E, H	
3209	MANGANESE SULFATE MONOHYDRATE	A, E, H	
3210	MANGANESE SULFATE TETRAHYDRATE	A, E, H	
3211	MANGIFERA INDICA	A, E, H	
3212	MANGO	E, H	
3213	MANIHOT ESCULENTA	A, H	
3214	MANNITOL	E	
3215	MARANTA ARUNDINACEA	A, H	
3216	MARINE SPONGE	H	Only for use as an active homoeopathic ingredient.
3217	MARJORAM OIL SPANISH	A, E, H	When the concentration in the preparation is more than 50%, the nominal capacity of the container must be no more than 50 mL, the medicine must have a restricted flow insert fitted to the container and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
3218	MARJORAM OIL SWEET	A, E, H	When the concentration in the preparation is more than 50%, the nominal capacity of the container must be no more than 50 mL, the medicine must have a restricted flow insert fitted to the container

Volume 4

			and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
3219	MARRUBIUM VULGARE	A, E, H	
3220	MARSDENIA CUNDURANGO	A, H	
3221	MARSHMALLOW ROOT DRY	A, H	
3222	MARSHMALLOW ROOT POWDER	A, H	
3223	MASSOIA LACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3224	MASTIC	A, H	
3225	MATE ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3226	MATRICARIA CHAMOMILLA	A, E, H	
3227	MATRICARIA FLOWER DRY	A, E, H	
3228	MEADOWSWEET HERB DRY	A, H	Methyl salicylate is a mandatory component of meadowsweet herb dry. Not to be included in medicines for use in the eye or on damaged skin. When used internally, the concentration of methyl salicylate in the medicine must not be more

	than 0.001%. When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging. When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if: - the delivery device is engaged into the container in such a way that prevents it from being readily removed; - direct suction through the delivery device results in delivery of no more than one dosage unit; and - actuation of the spray device is ergonomically difficult for young children to accomplish. The following warning statement is required on the medicine label: - (METSAL) 'Contains methyl salicylate' (or words to that effect). When for use in topical medicines for dermal application i) the concentration of methyl salicylate in the medicine must not be more than 25% ii) the following warning statements are required on the medicine label: - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight.'

			(or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label: - (IRRIT) 'If irritation develops, discontinue use'.
3229	MECOBALAMIN	A	Only for use in oral medicines.
3230	MEDICAGO SATIVA	A, E, H	The level of l-canavanine must be no more than that of the dried leaf. When fresh leaf extract is used and the extraction ratio is between 34:1 and 46:1, the quantity of l-canavanine in the extract must not be more than that in the fresh leaf.
3231	MEDIUM CHAIN TRIGLYCERIDES	E	
3232	MELALEUCA ALTERNIFOLIA	A, E, H	Cineole is a mandatory component of Melaleuca alternifolia. In liquid preparations when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the

			concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3233	MELALEUCA CAJUPUTI	A, E, H	Cineole is a mandatory component of Melaleuca cajuputi. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3234	MELALEUCA CITRINA	A, H	
3235	MELALEUCA DISSITIFLORA	A, H	Cineole is a mandatory component of Melaleuca dissitiflora. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%:

			a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3236	MELALEUCA ERICIFOLIA	A, E, H	Cineole is a mandatory component of Melaleuca ericifolia. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%

			and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3237	MELALEUCA LINARIIFOLIA	A, H	Cineole is a mandatory component of Melaleuca linariifolia. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3238	MELALEUCA OIL	A, E, H	Cineole and cajuput oil are a mandatory components of Melaleuca Oil. When the plant preparation is oil and the concentration in the medicine is more than 25%, the nominal capacity of the container must be no more than 25 mL and the medicine requires the following warning statements on

			the medicine label: - (CHILD) ‘Keep out of reach of children’ (or word to that effect) - (NTAKEN) ‘Not to be taken’. When the nominal capacity of the container is 15 mL or less, then a restricted flow insert must be fitted on the container. Where the nominal capacity of the container is more than 15 mL but less than or equal to 25 mL, then a child resistant closure and restricted flow insert must be fitted on the container.
3239	MELALEUCA QUINQUENERVIA	A, E, H	Cineole is a mandatory component of Melaleuca quinquenervia. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3240	MELICOPE PTELEIFOLIA	A, H	

3241	MELILOTUS OFFICINALIS	A, E, H	Coumarin is a mandatory component of Melilotus officinalis. The concentration of coumarin in the medicine must be no more than 0.001%.
3242	MELISSA OFFICINALIS	A, E, H	
3243	MELON	E	
3244	MENADIONE SODIUM BISULFITE	E	
3245	MENAQUINONE 7	A	For oral use only. The medicine must not provide more than 180 micrograms per maximum daily dose in adults, 90 micrograms per maximum daily dose in children between 10-18 years, and 45 micrograms per maximum daily dose in children less than 10 years of age.
3246	MENISPERMUM CANADENSE	A, H	
3247	MENTHA AQUATICA	A, H	Menthol is a mandatory component of Mentha aquatica. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required

Volume 4

			on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3248	MENTHA ARVENSIS	A, E, H	Menthol is a mandatory component of Mentha arvensis. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive

			skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3249	MENTHA ARVENSIS LEAF OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour proprietary excipient formulation or fragrance proprietary excipient formulation. The total flavour proprietary excipient formulation in a medicine must be no more than 5%. The total fragrance proprietary excipient formulation in a medicine must be no more 1%. Menthol is a mandatory component of Mentha arvensis leaf oil. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use;

			(iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3250	MENTHA ARVENSIS OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total flavour proprietary excipient formulation in a medicine must not be more than 5%. Menthol is a mandatory component of Mentha arvensis oil. When the medicine is for topical use for dermal application: (i) the medicine must not be

			intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statements is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3251	MENTHA HAPLOCALYX	A, E, H	Menthol is a mandatory component of Mentha haplocalyx. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin;

			(ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3252	MENTHA PULEGIUM	A, H	D-pulegone, menthol and volatile oil components (of Mentha pulegium) are mandatory components of Mentha pulegium. When the nominal capacity of the container is more than 15 millilitres, the concentration of d-pulegone in the medicine must be no more than 4%.

	When the concentration of d-pulegone in the preparation is more than 4% and the nominal capacity of the container is 15 millilitres or less, the medicine must have a child resistant closure and restricted flow insert fitted on the container. The medicine requires the following warning statements on the medicine label: - (NTAKEN) 'Not to be taken'; - (CHILD) 'Keep out of reach of children' (or words to that effect). When the medicine is for topical use for dermal application: a) the maximum recommended daily dose must not contain more than 150 mg of Mentha pulegium oil or distillate; b) the medicine must not be intended for use in the eye or on damaged skin; c) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; d) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). e) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use.

			f) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use: a) the maximum recommended daily dose must not contain more than 50 mg of Mentha pulegium oil or distillate; b) the maximum recommended daily dose must not contain more than 1 gram of menthol.
3253	MENTHA SPICATA	A, E, H	Menthol is a mandatory component of Mentha spicata. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a

			large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3254	MENTHA X CARDIACA	A, E, H	Menthol is a mandatory component of Mentha x cardiaca. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops,

			discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3255	MENTHA X PIPERITA	A, E, H	Menthol is a mandatory component of Mentha x piperita. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more

			than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3256	MENTHADIENYL ACETATE	E	Menthadienyl acetate must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of the flavour proprietary excipient formulation containing menthadienyl acetate must not be more than 5% of the total medicine.
3257	MENTHANYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3258	MENTHOFURAN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3259	MENTHOL	A, E	When the medicine is for topical use for dermal application: (i) the medicine must not be

Volume 4

			intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3260	MENTHONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3261	MENTHONE GLYCERINE ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3262	MENTHONE THIOL FRACTION	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3263	MENTHOXYPROPANEDIOL	E	For oral use only. The concentration in the medicine must be no more than 0.04%.
3264	MENTHYL 2-HYDROXYETHYL CARBONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3265	MENTHYL 2-HYDROXYPROPYL CARBONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3266	MENTHYL ANTHRANILATE	A	Only for use in topical medicines for dermal application and not to be included in medicines intended

			for use in the eye. The concentration in the medicine must not be more than 5%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3267	MENTHYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3268	MENTHYL LACTATE	E	
3269	MENYANTHES TRIFOLIATA	A, H	
3270	MERCURIC CHLORIDE	H	Only for use as an active homoeopathic ingredient. Mercury is a mandatory component of mercuric chloride. The total concentration of mercury in the medicine must not be more than 1 mg/kg or 1 mg/L or 0.0001%.
3271	MERCURY	H	Only for use as an active homoeopathic ingredient. The total concentration of mercury in the medicine must not be more than 1 mg/kg or 1 mg/L or 0.0001%.
3272	METACRESOL	E	Only for use in topical medicines for dermal application.

3273	METHACRYLIC ACID COPOLYMER	E	Only for use in oral medicines.
3274	METHANOL	E	The residual solvent limit is 30 mg per recommended daily dose. The concentration in the medicine must be no more than 0.3%.
3275	METHICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
3276	METHIONINE	A, E	
3277	METHYL 2,6,6-TRIMETHYLCYCLOHEX-2-ENE-1-CARBOXYLATE	E	Only for use in medicines in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must not be more than 1%.
3278	METHYL 2-METHYLBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3279	METHYL 2-OCTYNOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a

Volume 4

			medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3280	METHYL 3,6-DIMETHYLRESORCYLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3281	METHYL ACETATE	E	The residual solvent limit is 50 mg per recommended daily dose. The concentration in the medicine must be no more than 0.5%.
3282	METHYL ACETOPHENONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3283	METHYL ACETYL RICINOLEATE	E	Only for use in topical medicines for dermal application.
3284	METHYL ANISATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3285	METHYL ANTHRANILATE	E	Permitted for use only in

			combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3286	METHYL BENZOATE	E	Only for use in topical medicines for dermal application.
3287	METHYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3288	METHYL CAPROATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3289	METHYL CAPRYLATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3290	METHYL CARBITOL	E	Permitted for use only in

			combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3291	METHYL CEDRYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3292	METHYL CHAVICOL	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The ingredient is not to be included in medicines intended for oral use. The quantity of methyl chavicol in a medicine must be no more than 0.01%. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
3293	METHYL CINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3294	METHYL CIS-5-OCTENOATE	E	Permitted for use only in combination with other permitted

			ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3295	METHYL CYCLOPENTENOLONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3296	METHYL CYCLOPENTYLIDENEACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3297	METHYL DI-TERT-BUTYL-4-HYDROXYHYDROCINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3298	METHYL DIHYDROABIETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3299	METHYL DIISOPROPYL	E	Permitted for use only in

Volume 4

	PROPIONAMIDE		combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3300	METHYL ETHER	E	Only for use in topical medicines for dermal application.
3301	METHYL ETHYL KETONE	E	The residual solvent limit is 50 mg per maximum recommended daily dose. The concentration in the medicine must be no more than 0.5%.
3302	METHYL EUGENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3303	METHYL FUROATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3304	METHYL GLUCETH-10	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 3%. Residue levels of ethylene oxide

			are to be kept below the level of detection.
3305	METHYL GLUCETH-20	E	Only for use in topical medicines for dermal application.
3306	METHYL GLUCETH-20 BENZOATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3307	METHYL GLUCETH-20 SESQUIHYDRATE	E	Only for use in topical medicines for dermal application.
3308	METHYL GLUCOSE DIOLEATE	E	Only for use in topical medicines for dermal application.
3309	METHYL GLUCOSE SESQUIOLEATE	E	Only for use in topical medicines for dermal application.
3310	METHYL GLUCOSE SESQUISTEARATE	E	Only for use in topical medicines for dermal application.
3311	METHYL HEPTANOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total flavour proprietary excipient formulation in a medicine must not be more than 5%.
3312	METHYL HEPTENONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3313	METHYL HEPTYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3314	METHYL HEXYL CARBINOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3315	METHYL HEXYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3316	METHYL HYDROGENATED ROSINATE	E	Only for use in topical medicines for dermal application.
3317	METHYL HYDROJASMONATE	E	Only for use in topical medicines for dermal application.
3318	METHYL HYDROXYBENZOATE	E	

3319	METHYL IONONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3320	METHYL ISOBUTYL KETONE	E	The residual solvent limit is 50 mg per maximum daily dose. The concentration in the medicine must be no more than 0.5%.
3321	METHYL ISOEUGENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3322	METHYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3323	METHYL JASMONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than

Volume 4

			5%.
3324	METHYL LAURATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used as a flavour the total flavour concentration in a medicine must be no more than 5%.
3325	METHYL LINOLEATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3326	METHYL LINOLENATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3327	METHYL MAGNESIUM CHLORIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3328	METHYL METHACRYLATE CROSSPOLYMER	E	Methyl methacrylate is a mandatory component of methyl methacrylate crosspolymer. Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. When the concentration of methyl methacrylate crosspolymer is greater than 1%, the medicine

			must not be intended for use on damaged skin. The total concentration of methyl methacrylate crosspolymer in the medicine must not be more than 4.85%. The total concentration of methyl methacrylate as residual monomer in the medicine must not be more than 1%.
3329	METHYL METHOXY PYRAZINE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3330	METHYL MYRISTATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3331	METHYL NAPHTHYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3332	METHYL NONYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total

Volume 4

			fragrance concentration in a medicine must be no more 1%.
3333	METHYL NONYLENATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3334	METHYL OCTIN CARBONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3335	METHYL PALMITATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3336	METHYL PHENYL CARBINOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3337	METHYL PHENYL CARBINYL-	E	Permitted for use only in

	ISO-BUTYRATE		combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3338	METHYL PHENYL GLYCIDATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3339	METHYL PHENYLACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3340	METHYL PHENYLCARBINYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3341	METHYL ROSINATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a

Volume 4

			medicine must be no more than 1%.
3342	METHYL SALICYLATE	A, E	Not to be included in medicines for use in the eye or on damaged skin. When used internally, the concentration in the medicine must not be more than 0.001%. When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging. When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if: - the delivery device is engaged into the container in such a way that prevents it from being readily removed; - direct suction through the delivery device results in delivery of no more than one dosage unit; and - actuation of the spray device is ergonomically difficult for young children to accomplish. The following warning statement is required on the medicine label: - (METSAL) 'Contains methyl salicylate' (or words to that effect). When for use in topical medicines for dermal application: i) the concentration of methyl salicylate in the medicine must not be more than 25%; ii) the following warning statements are required on the medicine label:

			- (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label: - (IRRIT) 'If irritation develops, discontinue use'.
3343	METHYL STEARATE	E	
3344	METHYL THIOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3345	METHYL TRIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
3346	METHYL-3-METHYLTHIOPROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Volume 4

3347	METHYL-BETA-METHYL THIOLPROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3348	METHYL-PARA-TERT-BUTYL PHENYLACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3349	METHYLBENZYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3350	METHYLCELLULOSE	A, E	
3351	METHYLCHLOROISOTHIAZOLINONE	E	Only for use in topical medicines for dermal application that are rinsed off the skin. The total concentration of methylchloroisothiazolinone and methylisothiazolinone in the medicine must be no more than 0.0015%.
3352	METHYLCYCLOHEXADIENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

3353	METHYLENE BIS-BENZOTRIAZOLYL TETRAMETHYLBUTYLPHENOL	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3354	METHYLISOTHIAZOLINONE	E	Only for use in topical medicines for dermal application that are rinsed off the skin. The total concentration of methylchloroisothiazolinone and methylisothiazolinone in the medicine must be no more than 0.0015%.
3355	METHYLMERCAPTAN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3356	METHYLPROPANEDIOL	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 10%.

Volume 4

3357	METHYLSILANOL/SILICATE CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.1%.
3358	METHYLSTYRENE/VINYLTOLUENE COPOLYMER	E	Only for use in topical medicines for dermal application.
3359	MICA	E	Only for use when the route of administration is oral, dental or topical. The concentration in oral medicines must be no more than 2.5%. The concentration in dental toothpastes must be no more than 0.5%.
3360	MICROCALICIUM ARENARIUM	A, H	
3361	MICROCOCCUS LUTEUS LYSATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.005%.
3362	MICROCOS PANICULATA	A, H	
3363	MICROCRYSTALLINE CELLULOSE	E	
3364	MICROCRYSTALLINE WAX	E	Only for use as an excipient in medicines for topical, oral or oral application routes of administration. When microcrystalline wax is used as an excipient ingredient, the route of administration 'oral' is only permitted when the dosage form is 'chewing gum'.
3365	MILK FAT	E	Permitted for use only in

			combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3366	MILK THISTLE FRUIT DRY	A, H	
3367	MILK THISTLE FRUIT POWDER	A, H	
3368	MILLET	E	
3369	MILLETTIA DIELSIANA	A, H	
3370	MIMOSA ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3371	MIMULUS GUTTATUS	A, H	
3372	MINT OIL DEMENTHOLISED	A, E, H	Menthol is a mandatory component of mint oil dementholised. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label:

Volume 4

			- (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3373	MINTLACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3374	MITCHELLA REPENS	A, H	
3375	MIXED (HIGH-ALPHA TYPE) TOCOPHEROLS CONCENTRATE	A, E	
3376	MIXED (LOW-ALPHA TYPE) TOCOPHEROLS CONCENTRATE	A, E	
3377	MIXED TERPENES	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3378	MODIFIED FOOD STARCH	E	
3379	MOLASSES	E	Permitted for use only in

			combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3380	MOLYBDENUM	H	Only for use as an active homoeopathic ingredient. When Molybdenum is sourced from Molybdenum trioxide then the maximum daily dose must be no more than 125 micrograms. When Molybdenum is sourced from yeast - high molybdenum then the maximum recommended daily dose must be no more than 62.5 micrograms.
3381	MOLYBDENUM TRIOXIDE	A	Molybdenum is a mandatory component of Molybdenum trioxide. The maximum daily dose of molybdenum from Molybdenum trioxide must be no more than 125 micrograms. The percentage of molybdenum from molybdenum trioxide should be calculated based on the molecular weight of molybdenum trioxide.
3382	MOMORDICA BALSAMINA	A, H	
3383	MOMORDICA CHARANTIA	A, H	
3384	MOMORDICA COCHINCHINENSIS	A, H	
3385	MONARDA DIDYMA	A, H	
3386	MONO- AND DI- GLYCERIDES	E	
3387	MONOBASIC AMMONIUM PHOSPHATE	E	Only for use in topical medicines for dermal application.
3388	MONOBASIC CALCIUM PHOSPHATE	A, E, H	

Volume 4

3389	MONOBASIC POTASSIUM PHOSPHATE	A, E, H	When used in a solid medicine containing this ingredient, the pH of a 10 g/L aqueous solution must not be more than 11.5. When used in a liquid or a semi-solid medicine containing this ingredient, the pH of the medicine must be no more than 11.5.
3390	MONOBASIC SODIUM PHOSPHATE	A, E, H	When used in a solid preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5. When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.
3391	MONOBASIC SODIUM PHOSPHATE DIHYDRATE	E	When used in a solid preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5. When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.
3392	MONOETHANOLAMINE	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 5%.
3393	MONOMENTHYL GLUTARATE	E	Monomenthyl glutarate must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing monomenthyl glutarate must not be more than 5% of the total medicine. The maximum recommended daily dose of the medicine must not provide more than 1.8mg of monomenthyl glutarate.

3394	MONOMENTHYL SUCCINATE	E	Monomenthyl succinate must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of the flavour proprietary excipient formulation containing monomenthyl succinate must not be more than 5% of the total medicine.
3395	MONOPHOSPHOTHIAMINE	A	
3396	MONOPHOSPHOTHIAMINE DIHYDRATE	A	
3397	MONOPOTASSIUM GLUTAMATE	A, E	
3398	MONOSODIUM DIHYDROGEN CITRATE	E	
3399	MONOSODIUM GLUTAMATE MONOHYDRATE	A, E	
3400	MONSTERA DELICIOSA	A, H	
3401	MONTAN WAX	E	
3402	MORDANT RED 11	E	Permitted for use only as a colour for topical use. The concentration in the medicine must be no more than 0.05%..
3403	MORINDA CITRIFOLIA	A, H	Only for use when the plant part is fruit and the plant preparation is fruit juice or fruit powder. Fruit powder must be produced by freeze drying the whole fruit (excluding the seeds).
3404	MORINDA OFFICINALIS	A, H	
3405	MORINGA OLEIFERA	A, H	
3406	MORUS ALBA	A, H	
3407	MORUS BOMBYCIS	A, H	
3408	MORUS NIGRA	A, E, H	

Volume 4

3409	MOSKENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3410	MOTHERWORT HERB DRY	A, H	
3411	MOTHERWORT HERB POWDER	A, H	
3412	MUCUNA PRURIENS	A	Levodopa is a mandatory component of Mucuna pruriens. The concentration of levodopa in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
3413	MULBERRY	E	
3414	MUNG BEAN	E	
3415	MURRAYA KOENIGII	A, H	
3416	MURRAYA PANICULATA	A, H	
3417	MUSA X PARADISIACA	A, H	
3418	MUSK KETONE	E	Only for use in topical medicines for dermal application.
3419	MUSK TIBETENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3420	MUSK XYLOL	E	Only for use in topical medicines for dermal application.
3421	MUSKS	H	Only for use as an active homoeopathic ingredient.
3422	MUSTARD	E	Allyl isothiocyanate is a mandatory component of mustard when the plant part is seed.

			The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
3423	MUSTARD OIL	E	Allyl isothiocyanate is a mandatory component of mustard oil when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
3424	MUSTARD SEED OIL	E	Allyl isothiocyanate is a mandatory component of mustard seed oil when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
3425	MYOSOTIS ARVENSIS	A, H	
3426	MYRCENE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3427	MYRCENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than

Volume 4

			1%.
3428	MYRICA CERIFERA	A, E, H	
3429	MYRISTIC ACID	E	
3430	MYRISTIC ALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3431	MYRISTICA FRAGRANS	A, E, H	Safrole is a mandatory component of Myristica fragrans. When for internal use then the concentration of safrole in the medicine must be no more than 0.1%. When for topical use then the concentration of safrole in the medicine must be no more than 1%. When the plant preparation is oil or distillate and the concentration in the medicine is more than 50%, the nominal capacity of the container must be no more than 25 millilitres, the medicine must have a restricted flow insert fitted on the container and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or word to that effect).
3432	MYRISTYL ALCOHOL	E	Only for use in topical medicines for dermal application.
3433	MYRISTYL LACTATE	E	Only for use in topical medicines for dermal application.

3434	MYRISTYL MYRISTATE	E	Only for use in topical medicines for dermal application.
3435	MYROXYLON BALSAMUM	A, E, H	
3436	MYROXYLON BALSAMUM VAR. PEREIRAE	A, H	
3437	MYRRH	A, H	
3438	MYRRH OIL	A, E, H	
3439	MYRRH RESIN	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3440	MYRRHIS ODORATA	A, H	
3441	MYRSINE AFRICANA	A, H	
3442	MYRTENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3443	MYRTENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3444	MYRTLE ESSENCE MAX	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3445	MYRTLE OIL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used as a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3446	MYRTUS COMMUNIS	A, E, H	
3447	N,N'-BIS(SALICYLIDENE)PROPYLENEDIAMINE	E	N,N'-Bis(salicylidene)propylenediamine must only be included in medicines when in combination with other permitted ingredients as a proprietary excipient formulation in medicines with a dermal route of administration for topical application.
3448	N-(2-(PYRIDIN-2-YL)ETHYL)-P-MENTHANE-3-CARBOXAMIDE	E	N-(2-(pyridin-2-yl)ethyl)-p-menthane-3-carboxamide must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing N-(2-(pyridin-2-yl)ethyl)-p-menthane-3-carboxamide must not be more than 5% of the total medicine. The maximum recommended daily dose of the medicine must not provide more than 90 micrograms of N-(2-(pyridin-2-yl)ethyl)-p-menthane-3-carboxamide.
3449	N-BUTYL SULFIDE	E	Permitted for use only in

			combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3450	N-GLUCONYL ETHANOLAMINE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3451	N-HEXYL 2-BUTENOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3452	N-NONYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3453	NAPHTHALENE	H	Only for use as an active homoeopathic ingredient.
3454	NARDOSTACHYS CHINENSIS	A, H	

Volume 4

3455	NARINGIN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3456	NASTURTIUM OFFICINALE	A, E, H	
3457	NATURAL FISH OIL	A, E	When therapeutic indications for this product are made against Vitamin A or colecalciferol (Vitamin D), they are mandatory components of natural fish oil. When for use in topical medicines, the concentration of Vitamin A in the medicine must be no more than 1%. When for internal use, the maximum daily dose must be no more than 3000 micrograms of Retinol Equivalents. When preparations for internal use in adults contain more than 33 micrograms of retinol equivalents per dosage unit in divided preparations or per gram of an undivided preparation, the medicine requires the following warning statements on the medicine label: - (VITA2) 'WARNING: If you are pregnant - or considering becoming pregnant - do not take vitamin A supplements without consulting your doctor or pharmacist [or words to that effect].' NOTE: Position this warning at the beginning of the directions for use. - (VITA4) 'WARNING - When taken in excess of 3000 micrograms retinol equivalents - vitamin A can cause birth defects.' NOTE: Position this warning at

			the beginning of the directions for use. - (VITA3) 'The recommended daily amount of vitamin A from all sources is 700 micrograms retinol equivalents for women and 900 micrograms retinol equivalents for men.' When for internal use, the maximum recommended daily dose must be no more than 25 micrograms of Vitamin D.
3458	NAUCLEA OFFICINALIS	A, H	
3459	NELUMBO NUCIFERA	A, H	
3460	NELUMBO NUCIFERA FLOWER WAX	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.1%.
3461	NEOHESPERIDIN-DIHYDROCHALCONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.1%
3462	NEOMENTHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3463	NEOPENTYL GLYCOL DIHEPTANOATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.

Volume 4

			The concentration in the medicine must be no more than 25%.
3464	NEOPENTYL GLYCOL DIISOSTEARATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
3465	NEOPENTYL GLYCOL DIOCTANOATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 8.1%. When the concentration of neopentyl glycol dioctanoate is greater than 5%, the medicine must not be intended for use on damaged skin.
3466	NEOPENTYL GLYCOL DIOCTANOATE/DIDECANOATE	E	Only for use in topical medicines for dermal application.
3467	NEOPICRORHIZA SCROPHULARIIFLORA	A, H	
3468	NEPETA CATARIA	A, H	Pulegone is a mandatory component of Nepeta cataria and must be declared in the application. The concentration of pulegone in the medicine must be no more than 4%.
3469	NERAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

3470	NERIUM OLEANDER	A, H	The concentration of equivalent dry Nerium oleander in the product must be no more than 1mg/Kg or 1mg/L or 0.0001%.
3471	NEROL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3472	NEROL OXIDE	E	Permitted for use only in combination with other permitted ingredients as part of a flavour or fragrance proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%. When used in a fragrance, the total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
3473	NEROLIDOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3474	NERONE	E	Permitted for use only in

Volume 4

			combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
3475	NERYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3476	NERYL-ISO-BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3477	NICKEL	H	Only for use as an active homoeopathic ingredient.
3478	NICOTIANA TABACUM	H	Only for use as an active homoeopathic ingredient.
3479	NICOTINAMIDE	A, E, H	
3480	NICOTINAMIDE ASCORBATE	A, E	
3481	NICOTINAMIDE RIBOSIDE CHLORIDE	A	Ribose is a mandatory component of nicotinamide riboside chloride. Only permitted for use in medicines limited to oral routes of administration. The maximum recommended daily dose of the medicine must

			not provide more than 300 mg of nicotinamide riboside chloride. The following warning statement (or words to the same effect) is required on the medicine label: - (NTAKEN12) 'Not to be taken by children under 12 years old.' When the maximum recommended daily dose of the medicine provides greater than 230 mg of nicotinamide riboside chloride, the following warning statement is required on the medicine label: - (PREG) 'Not recommended for use during pregnancy or lactation'.
3482	NICOTINIC ACID	A, E	The medicine must contain no more than 100 mg of nicotinic acid per dosage unit.
3483	NIGELLA DAMASCENA	A, H	
3484	NIGELLA SATIVA	A, E, H	
3485	NITRIC ACID	E, H	The concentration of nitric acid in the medicine must be no more than 0.5%.
3486	NONADIENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3487	NONANAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.

Volume 4

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3488	NONANOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3489	NONFAT DRY MILK	E, H	
3490	NONIVAMIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3491	NONOXINOL 10	E	Only for use in topical medicines for dermal application.
3492	NONOXINOL 12	E	For use in hand scrub formulations for healthcare professionals only. Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
3493	NONOXINOL 5	E	Permitted for use only in combination with other permitted

			ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3494	NONOXINOL 9	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 25%.
3495	NONYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3496	NOOTKATONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3497	NOPYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3498	NORDIHYDROGUAIARETIC ACID	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.3%.
3499	NOTOPTERYGIUM FORBESII	A, H	

Volume 4

3500	NOTOPTERYGIUM INCISIUM	A, H	
3501	NUPHAR JAPONICA	A, H	
3502	NUPHAR LUTEA	A, H	
3503	NUTMEG DRY	A, E, H	Safrole is a mandatory component of Nutmeg Dry. When for internal use then the concentration of safrole from all ingredients in the medicine must be no more than 0.1%. When for topical use then the concentration of safrole from all ingredients in the medicine must be no more than 1%.
3504	NUTMEG OIL	A, E, H	Safrole is a mandatory component of Nutmeg oil. When for internal use then the concentration of safrole in the medicine must be no more than 0.1%. When for topical use then the concentration of safrole in the medicine must be no more than 1%. When the concentration of Nutmeg oil in the medicine is more than 50%, the nominal capacity of the container must be no more than 25 mL, the medicine must have a restricted flow insert fitted on the container and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
3505	NUTMEG POWDER	A, E, H	Safrole is a mandatory component of Nutmeg powder. When for internal use then the concentration of safrole in the medicine must be no more than 0.1%. When for topical use then the concentration of safrole in the

			medicine must be no more than 1%.
3506	NUX VOMICA DRY	A, H	Strychnine (of Strychnos spp.) is a mandatory component of Nux Vomica Dry. The concentration of in the medicine must be no more than 1mg/Kg or 1mg/L or 0.0001%.
3507	NUX VOMICA POWDER	H	Only for use as an active homoeopathic ingredient. Strychnine (of Strychnos spp.) is a mandatory component of Nux vomica powder. The concentration in the medicine must be no more than 1mg/Kg or 1mg/L or 0.0001%.
3508	NYCTANTHES ARBOR-TRISTIS	A, H	When the plant part is leaf: a) methyl salicylate is a mandatory component of Nyctanthes arbor-tristis; b) not to be included in medicines for use in the eye or on damaged skin; c) when used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%; d) when the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging; e) when the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if: - the delivery device is engaged into the container in such a way

			that prevents it from being readily removed; - direct suction through the delivery device results in delivery of no more than one dosage unit; and - actuation of the spray device is ergonomically difficult for young children to accomplish; f) the following warning statement is required on the medicine label: - (METSAL) ‘Contains methyl salicylate’ (or words to that effect); and g) when for use in topical medicines for dermal application: i) the concentration of methyl salicylate in the medicine must not be more than 25% ii) the following warning statements are required on the medicine label: - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label: - (IRRIT) 'If irritation develops, discontinue use'.
3509	NYLON	E	Only for use in topical medicines for dermal application.

3510	NYLON 6/12	E	Only for use in topical medicines for dermal application.
3511	NYLON-12	E	Only for use in topical medicines for dermal application.
3512	NYMPHAEA ALBA	A, E, H	
3513	NYMPHAEA CAERULEA	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine to be no more than 0.3%. Only for use in liquid extracts where the plant part is the flower and the solvent in 100% water.
3514	NYMPHAEA ODORATA	A, H	
3515	OAK CHIPS EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3516	OAKMOSS ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3517	OAT	E, H	Only for use as an active homoeopathic or excipient ingredient.

			Gluten is a mandatory component of Oat when the route of administration is other than topical and mucosal.
3518	OAT BRAN	E	Gluten is a mandatory component of Oat bran when the route of administration is other than topical and mucosal.
3519	OATMEAL COLLOIDAL	A, E	Gluten is a mandatory component of Oatmeal colloidal when the route of administration is other than topical and mucosal.
3520	OCIMENE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3521	OCIMENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3522	OCIMUM BASILICUM	A, E, H	When the plant preparation is oil or distillate, Methyl chavicol, eugenol, methyleugenol and cineole are mandatory components of Ocimum basilicum.

	The concentration of methyleugenol in the medicine must not exceed 1%. When the concentration of Methyl chavicol in the medicine is more than 5%, the nominal capacity of the container must be no more than 25 millilitres. When the concentration of Methyl chavicol in the medicine is more than 5% and the nominal capacity of the container is 25 millilitres or less, a restricted flow insert must be fitted on the container, and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect). When the concentration of cineole OR eugenol in the preparation is more than 25%, the nominal capacity of the container must not be more than 25 millilitres and the following warning statements must be included on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. When the concentration of cineole OR eugenol in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a child resistant closure and restricted flow insert fitted on the container. When the concentration of cineole OR eugenol in the preparation is more than 25% and the nominal capacity of the container is no more than 15 millilitres, the medicine must have a restricted

			flow insert fitted on the container. When the preparation is for topical use in the mouth, the preparation may not contain more than 5 millilitres of eugenol and the concentration of eugenol in the product must not be greater than 25%.
3523	OCIMUM KILIMANDSCHARICUM	A, H	Camphor is a mandatory component of Ocimum kilimandscharicum. In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%. In liquid preparations, the nominal capacity of the container must be no more than 25 millilitres. In liquid preparations other than essential oils or distillates, the concentration of camphor must be no more than 2.5%. In essential oil or distillate preparations when the concentration of camphor is more than 2.5%, the medicine must have a restricted flow insert fitted on the container and include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In essential oil or distillate preparations, if the concentration of camphor is more than 10%, and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must also have a child resistant closure fitted on the container.

3524	OCIMUM MINIMUM	A, H	
3525	OCIMUM TENUIFLORUM	A, H	When the plant part is oil or distillate, eugenol is a mandatory component of Ocimum tenuiflorum. When the concentration of eugenol in the preparation is more than 25%, the nominal capacity of the container must not be more than 25 millilitres and the following warning statements must be included on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. When the concentration of eugenol in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a child resistant closure and restricted flow insert fitted on the container. When the concentration of eugenol in the preparation is more than 25% and the nominal capacity of the container is no more than 15 millilitres, the medicine must have a restricted flow insert fitted on the container. When the preparation is for topical use in the mouth, the preparation may not contain more than 5 mL of eugenol and the concentration of eugenol in the product must not be greater than 25%.
3526	OCOTEA ODORIFERA	A, H	Safrole is a mandatory component of Ocotea odorifera. When for internal use then the concentration of safrole in the medicine must be no more than

Volume 4

			0.1%. When for topical use then the concentration of safrole in the medicine must be no more than 1%.
3527	OCTACOSANOL	E	
3528	OCTADECANAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3529	OCTADECENE/MA COPOLYMER	E	Only for use in topical medicines for dermal application.
3530	OCTAHYDRO-4,7-METHANO-3AH-INDENE-3A-CARBOXYLIC ACID, ETHYL ESTER	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3531	OCTAHYDROCOUMARIN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3532	OCTAN-1-OL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total

			flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3533	OCTANAL DIMETHYL ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3534	OCTANOHYDROXAMIC ACID	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.5%.
3535	OCTANOIC ACID	A, E	When for topical use, the concentration in the medicine must be no more than 2% (w/w). When for excipient use, permitted for use only in combination with other permitted ingredients as part of a flavour or fragrance proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%. When used in a fragrance, the total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
3536	OCTENE-1	E	Permitted for use only in

			combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
3537	OCTOCRYLENE	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3538	OCTOXINOL 10	E	Only for use in topical medicines for dermal application.
3539	OCTYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3540	OCTYL CROTONATE	E	Octyl crotonate must only be included in medicines when in

			combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total concentration of the fragrance proprietary excipient formulation containing octyl crotonate must not be more than 1% of the total medicine.
3541	OCTYL HYDROXYSTEARATE	E	Only for use in topical medicines for dermal application.
3542	OCTYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3543	OCTYL ISONONANOATE	E	Only for use in topical medicines for dermal application.
3544	OCTYL METHOXYCINNAMATE	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3545	OCTYL PALMITATE	E	Only for use in topical medicines

Volume 4

			for dermal application.
3546	OCTYL SALICYLATE	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 5%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3547	OCTYL STEARATE	E	Only for use in topical medicines for dermal application.
3548	OCTYLBICYCLOHEPTENEDICARBOXIMIDE	E	Only for use in topical medicines for dermal application. The total concentration of octylbicycloheptenedicarboximide in the medicine must not be more than 10%.
3549	OCTYLDODECANOL	E	Only for use in topical medicines for dermal application.
3550	OCTYLDODECETH-25	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%. Residual levels of 1,4-dioxane and ethylene oxide (and related substances) are to be kept below

			the level of detection.
3551	OCTYLDODECYL CITRATE CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 12%.
3552	OCTYLDODECYL NEOPENTANOATE	E	Only for use in topical medicines for dermal application.
3553	OCTYLDODECYL STEARATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2%.
3554	OCTYLDODECYL XYLOSIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye or on damaged skin. The concentration in the medicine must be no more than 1.5%.
3555	OENANTHATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3556	OENANTHE AQUATICA	H	Only for use as an active homoeopathic ingredient. The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material.
3557	OENANTHE CROCATA	A, H	The maximum recommended

			daily dose must be no more than 1mg of the equivalent dry herbal material.
3558	OENOTHERA BIENNIS	A, E, H	
3559	OENOTHERA STRICTA	A, H	
3560	OKOUBAKA AUBREVILLEI	A, H	
3561	OLDENLANDIA DIFFUSA	A, E, H	
3562	OLEA EUROPAEA	A, E, H	
3563	OLEIC ACID	E	
3564	OLETH-10	E	Only for use in topical medicines for dermal application.
3565	OLETH-2	E	Only for use in topical medicines for dermal application. Dioxane and Ethylene oxide are mandatory components of Oleth-2. The concentration of Dioxane in the medicine must be no more than 10 mg/kg or 10 mg/L or 0.001%. The concentration of Ethylene oxide in the medicine must be no more than 1 mg/kg or 1 mg/L or 0.0001%.
3566	OLETH-20	E	Only for use in topical medicines for dermal application.
3567	OLETH-3	E	Only for use in topical medicines for dermal application.
3568	OLETH-3 PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.12%.
3569	OLETH-5	E	Only for use in topical medicines for dermal application.

3570	OLEYL ALCOHOL	E	Only for use in topical medicines for dermal application.
3571	OLIBANUM OIL	A, E, H	
3572	OLIVE OIL	A, E, H	
3573	OMEGA-3 FISH OIL PHYTOSTEROL ESTERS	A	The medicine requires the following warning statement on the medicine label: - (PREGNT) 'Not recommended for use by pregnant and lactating women (or words to that effect).'
3574	OMEGA-3-ACID ETHYL ESTERS 60	A	Docosahexaenoic acid, docosapentaenoic acid and eicosapentaenoic acid are mandatory components of omega-3-acid ethyl esters 60. Only permitted for use in medicines that are for oral routes of administration. The maximum recommended daily dose of the medicine must not provide more than 3750 milligrams of docosahexaenoic acid, docosapentaenoic acid and eicosapentaenoic acid combined. The following warning statements are required on the medicine label: - (PREGNT) ‘Not recommended for use by pregnant and lactating women’ (or words to that effect); - (ACOAG) ‘Individuals taking anticoagulants should seek medical advice before taking this product’ (or words to that effect); - (CHILD3) 'Use in children under 12 years is not recommended’; - (FOOD) 'To be taken with food’ (or words to that effect).
3575	OMEGA-3-ACID ETHYL ESTERS 90	A	Only for use in oral medicines. The maximum recommended

			daily dose of the medicine must not provide more than: a) 4000 mg of omega-3-acid ethyl esters 90; and b) 3750 mg EPA, DHA and DPA combined, when used alone or in combination with other sources of omega-3 fatty acids. The following warning statements (or words to the same effect) are required on the medicine label: - (ACOAG) 'Individuals taking anticoagulants should seek medical advice before taking this product.' - (FOOD) 'To be taken with food.' - (PREG) 'Not recommended for use during pregnancy or lactation.' - (CHILD3) 'Use in children under 12 years is not recommended.'
3576	ONION	E	
3577	ONION OIL	A, H	
3578	ONONIS SPINOSA	A, E, H	
3579	ONOPORDUM ACANTHIUM	A, H	
3580	ONOSMODIUM VIRGINIANUM	A, H	
3581	OPHIOPOGON JAPONICUS	A, H	
3582	OPOPANAX CHIRONIUM	A, E, H	When used as an excipient, permitted for use only in combination with other permitted ingredients as part of a flavour or a fragrance proprietary excipient formulation. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3583	OPOPANAX OIL	E	Permitted for use only in combination with other permitted

			ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3584	OPUNTIA FICUS-INDICA	A, H	
3585	ORANGE	E	
3586	ORANGE FLOWER ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3587	ORANGE FLOWER OIL	A, E, H	When used internally, oxedrine is a mandatory component of orange flower oil. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3588	ORANGE JUICE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3589	ORANGE JUICE OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a

			fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3590	ORANGE OIL	A, E, H	When used internally, oxedrine is a mandatory component of orange oil. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3591	ORANGE OIL BITTER	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavor, the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance, the total fragrance concentration in a medicine must be no more 1%. The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' or words to that effect must be include on the medicine label unless the medicine is: a) for internal use; b) in preparations containing 1.4% or less of orange oil bitter; c) for use in soaps or bath or shower gels that are washed off the skin.
3592	ORANGE OIL BITTER COLDPRESSED	A, E, H	When used internally, oxedrine is a mandatory component of orange oil bitter coldpressed.

			The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams. The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) in preparations containing 1.4% or less of orange oil bitter coldpressed; or c) for use in soaps or bath or shower gels that are washed off the skin.
3593	ORANGE OIL COLD PRESSED	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3594	ORANGE OIL DISTILLED	A, E, H	When used internally, oxedrine is a mandatory component of orange oil distilled. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3595	ORANGE OIL SWEET	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a

Volume 4

			medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3596	ORANGE OIL TERPENELESS	A, E, H	When used internally, oxedrine is a mandatory component of orange oil terpeneless. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3597	ORANGE PEEL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3598	ORANGE PEEL DRIED BITTER	A, E, H	When used internally, oxedrine is a mandatory component of orange peel dried bitter. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3599	ORANGE PEEL OIL SWEET TERPENELESS	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3600	ORANGE ROUGHY OIL	E	Only for use in topical medicines for dermal application.

3601	ORIGANUM MAJORANA	A, H	Beta-arbutin is a mandatory component of Origanum majorana. When for oral use, the maximum recommended daily dose must not provide more than 500 mg of beta-arbutin. When for dermal application exclusively to the face: a) the concentration of beta-arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for use other than oral or dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%. When the plant preparation is oil or distillate, and the concentration of Origanum majorana oil or distillate within the medicine is more than 50%: a) the nominal capacity of the container must not be more than 50 mL; b) a restricted flow insert must be fitted on the container; and c) the following warning statement is required on the label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
3602	ORIGANUM OIL	E	Permitted for use only in combination with other ingredients as a fragrance.

Volume 4

			If used as a fragrance the total concentration in the medicine must be no more than 1%.
3603	ORIGANUM OIL SPANISH	A, E, H	
3604	ORIGANUM VULGARE	A, E, H	
3605	ORNITHINE	A, E	
3606	ORNITHINE ASPARTATE	A, E	
3607	ORNITHINE MONOHYDROCHLORIDE	A, E	
3608	ORNITHOGALUM UMBELLATUM	A, H	
3609	OROSTACHYS FIMBRIATA	A, H	
3610	OROXYLUM INDICUM	A, H	
3611	ORRIS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3612	ORRIS CONCRETE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3613	ORRIS ROOT EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3614	ORRIS ROOT OIL	A, E, H	
3615	ORRIS ROOT RESIN	E	Permitted for use only in combination with other permitted ingredients as a flavour.

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3616	ORTHO-TERT-BUTYLCYCLOHEXYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3617	ORTHOSIPHON ARISTATUS	A, H	
3618	ORYZA SATIVA	A, E, H	
3619	ORYZANOL	E	
3620	OSBECKIA CHINENSIS	A, H	
3621	OSMANTHUS ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3622	OSMANTHUS FRAGRANS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3623	OTTELIA ALISMOIDES	A, H	
3624	OXACYCLOHEPTADEC-11-EN-2-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3625	OXACYCLOHEXADECAN-2-ONE	E	Only for use in topical medicines for dermal application.
3626	OXACYCLOHEXADECEN-2-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3627	OXALIC ACID	H	Only for use as an active homoeopathic ingredient. The total concentration of oxalic acid in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
3628	OXALIS ACETOSELLA	A, H	
3629	OXIDISED MAIZE STARCH	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3630	OXIDISED TAPIOCA STARCH	E	
3631	OXYBENZONE	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%. When used in primary sunscreen products, the following warning statements are required on the

			label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3632	OYSTER	E	The following warning statement is required on the medicine label: - (MOLLUSC) ‘Contains mollusc’ or ’Contains mollusc products’.
3633	OYSTER SHELL	A, E, H	The following warning statement is required on the medicine label: - (MOLLUSC) ‘Contains mollusc’ or ’Contains mollusc products’.