



Therapeutic Goods (Permissible Ingredients) Determination (No. 2) 2024

I, Gaelene Pyke, as delegate of the Minister for Health and Aged Care, make the following determination.

Dated 4 June 2024

Gaelene Pyke
Acting Assistant Secretary
Complementary and Over the Counter Medicines Branch
Health Products Regulation Group
Department of Health and Aged Care

Contents

1 Name	2
2 Commencement.....	2
3 Authority	2
4 Interpretation	2
5 Permissible ingredients.....	3
6 Requirements in relation to permissible ingredients being contained in medicine.....	3
7 Repeals	4
Schedule 1—Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine.....	5

Note: This instrument is in 6 volumes:

Volume 1:	Sections 1–7 (pages 2-4)
	Schedule 1 (+)-NARINGENIN–AZULENE
Volume 2:	Schedule 1 BACILLUS COAGULANS–EVERNIA PRUNASTRI EXTRACT
Volume 3:	Schedule 1 FABIANA IMBRICATA–JUSTICIA ADHATODA
Volume 4:	Schedule 1 KADSURA COCCINEA–OYSTER SHELL
Volume 5:	Schedule 1 P-ALPHA-DIMETHYL STYRENE–TYROSINE
Volume 6:	Schedule 1 UBIDECARENONE–ZOSTERA MARINA

1 Name

This instrument is the *Therapeutic Goods (Permissible Ingredients) Determination (No. 2) 2024*.

2 Commencement

- (1) Each provision of this instrument specified in column 1 of the table commences, or is taken to have commenced, in accordance with column 2 of the table. Any other statement in column 2 has effect according to its terms.

Commencement information		
Column 1	Column 2	Column 3
Provisions	Commencement	Date/Details
1. The whole of this instrument	14 June 2024.	14 June 2024

Note: This table relates only to the provisions of this instrument as originally made. It will not be amended to deal with any later amendments of this instrument.

- (2) Any information in column 3 of the table is not part of this instrument. Information may be inserted in this column, or information in it may be edited, in any published version of this instrument.

3 Authority

This instrument is made under subsection 26BB(1) of the *Therapeutic Goods Act 1989*.

4 Interpretation

Note: A number of expressions used in this instrument are defined in subsection 3(1) of the Act, including the following:

- (a) British Pharmacopoeia;
- (b) European Pharmacopoeia;
- (c) medicine;
- (d) Register;
- (e) United States Pharmacopoeia-National Formulary.

- (1) In this instrument:

Act means the *Therapeutic Goods Act 1989*.

active ingredient, or *A*, for a medicine, has the same meaning as in the Regulations.

code tables means the tables accessed via the *Code Tables* item in the *Public TGA Information* menu in TGA eBusiness Services.

excipient or **E**, for a medicine, means an ingredient that is not an active ingredient or a homoeopathic preparation ingredient.

Note: An excipient includes an ingredient that provides flavour, fragrance or colour to the medicine.

homoeopathic preparation has the same meaning as in the Regulations.

homoeopathic preparation ingredient or **H**, means an ingredient that is a constituent of a homoeopathic preparation.

Regulations means the *Therapeutic Goods Regulations 1990*.

TGA eBusiness Services means TGA eBusiness Services on the Therapeutic Goods Administration website, which may be accessed on the internet at www.ebs.tga.gov.au.

Therapeutic Goods Administration has the same meaning as in the Regulations.

- (2) To avoid doubt, the terms set out in closed brackets in column 4 of the table in Schedule 1, which are associated with warning statements in relation to particular ingredients, are:
- (a) terms from the code tables under the heading *Product Warning*; and
 - (b) not required to be reproduced in a warning statement on the label of a medicine.

Note: Examples of these terms include the following:

- (a) (ARGIN1);
- (b) (CHILD3);
- (c) (GLUTEN);
- (d) (PEANUT);
- (e) (PREGNT).

5 Permissible ingredients

The ingredients specified in column 2 of the table in Schedule 1 are specified for the purposes of paragraph 26BB(1)(a) of the Act.

6 Requirements in relation to permissible ingredients being contained in medicine

For an ingredient mentioned in column 2 of an item in the table in Schedule 1, the following requirements are specified for the purposes of paragraph 26BB(1)(b) of the Act:

- (a) the ingredient must only be used in a medicine for a purpose specified in relation to the ingredient in column 3 of that item; and
- (b) the ingredient must comply with the requirements specified in relation to the ingredient in column 4 of that item; and
- (c) if the ingredient is derived from animal origin—the safety of the ingredient must have been assessed against, and comply with, the principles and requirements in the European Pharmacopoeia general monograph 1483 *Products with risk of transmitting agents of animal spongiform*

encephalopathies, including General Text 5.2.8: Minimising the risk of transmitting animal spongiform encephalopathy agents via human and veterinary medicinal products.

7 Repeals

The *Therapeutic Goods (Permissible Ingredients) Determination (No. 1) 2024* is repealed.

Schedule 1—Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Note: See sections 5 and 6.

Permissible ingredients and requirements			
Column 1	Column 2	Column 3	Column 4
Item	Ingredient name	Purpose	Specific requirements
1	(+)-NARINGENIN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2	(-)-MENTHYL METHYL ETHER	E	(-)-Menthyl methyl ether must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing (-)-menthyl methyl ether must not be more than 5% of the total medicine. When the medicine is for internal use, the maximum recommended daily dose of the medicine must not provide more than 53 micrograms of (-)-menthyl methyl ether.
3	(1,7,7-TRIMETHYLBICYCLO(2.2.1)HEPT-2-YL)-CYCLOHEXANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
4	(1R,2S,5R)-N-(4-METHOXYPHENYL)-5-METHYL-2-(1-METHYLETHYL)CYCLOHEXANECARBOXAMIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			If used in a flavour the total flavour concentration in the medicine must be no more than 5%.
5	(5E)-3-METHYL-5-CYCLOTETRADECEN-1-ONE	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
6	(5Z)-3-METHYL-5-CYCLOTETRADECEN-1-ONE	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
7	(E)-2-(3,5-DIMETHYLHEX-3-EN-2-YLOXY)-2-METHYLPROPYL CYCLOPROPANECARBOXYLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
8	(E)-3-METHYLCYCLOPENTADEC-5-EN-1-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
9	(E, E)-2,6-NONADIENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
10	(R)-ALPHA-TERPINYL ACETATE	E	(R)-alpha-terpinyl acetate must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total concentration of the fragrance proprietary excipient formulation containing (R)-alpha-terpinyl acetate must not be more than 1% of the total medicine.
11	(S)-LACTIC ACID	A, E, H	
12	(S)-S-ADENOSYLMETHIONINE DISULFATE DITOSYLATE DIHYDRATE	A	(S)-S-Adenosylmethionine is a mandatory component of (S)-S-Adenosylmethionine disulfate ditosylate dihydrate. (S)-S-Adenosylmethionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
13	(S)-S-ADENOSYLMETHIONINE DISULFATE TOSYLATE	A	(S)-S-Adenosylmethionine is a mandatory component of (S)-S-Adenosylmethionine disulfate tosylate. (S)-S-Adenosylmethionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			under the supervision of a healthcare practitioner (or words to that effect)'
14	(S)-S-ADENOSYLMETHIONINE DISULFATE TRITOSYLATE DIHYDRATE	A	(S)-S-Adenosylmethionine is a mandatory component of (S)-S-Adenosylmethionine disulfate tritosylate dihydrate. (S)-S-Adenosylmethionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
15	(S)-S-ADENOSYLMETHIONINE HEXASULFATE DIHYDRATE	A	(S)-S-Adenosylmethionine is a mandatory component of (S)-S-Adenosylmethionine hexasulfate dihydrate. (S)-S-Adenosylmethionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
16	(S)-S-ADENOSYLMETHIONINE HEXATOSYLATE DIHYDRATE	A	(S)-S-Adenosylmethionine is a mandatory component of (S)-S-Adenosylmethionine hexatosylate dihydrate and must be declared in the application. (S)-S-Adenosylmethionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label:

			- (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
17	(S)-S-ADENOSYLMETHIONINE PENTASULFATE DIHYDRATE	A	(S)-S-Adenosylmethionine is a mandatory component of (S)-S-Adenosylmethionine pentasulfate dihydrate. (S)-S-Adenosylmethionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: -(SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
18	(S)-S-ADENOSYLMETHIONINE PENTATOSYLATE DIHYDRATE	A	(S)-S-Adenosylmethionine is a mandatory component of (S)-S-Adenosylmethionine pentatosylate dihydrate. (S)-S-Adenosylmethionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
19	(S)-S-ADENOSYLMETHIONINE TETRASULFATE DIHYDRATE	A	(S)-S-Adenosylmethionine is a mandatory component of (S)-S-Adenosylmethionine tetrasulfate dihydrate. (S)-S-Adenosylmethionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			<p>following warning statement on the medicine label:</p> <p>- (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'</p>
20	(S)-S-ADENOSYLMETHIONINE TETRATOSYLATE DIHYDRATE	A	<p>(S)-S-Adenosylmethionine is a mandatory component of (S)-S-Adenosylmethionine tetratosylate dihydrate.</p> <p>(S)-S-Adenosylmethionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label:</p> <p>- (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'</p>
21	(S)-S-ADENOSYLMETHIONINE TRISULFATE DITOSYLATE DIHYDRATE	A	<p>(S)-S-Adenosylmethionine is a mandatory component of (S)-S-Adenosylmethionine trisulfate ditosylate dihydrate.</p> <p>(S)-S-Adenosylmethionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label:</p> <p>- (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'</p>
22	(Z)-HEX-3-ENYL 2-ETHYLBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
23	(Z, Z)-3,6-NONADIEN-1-OL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
24	1,2,3,4,4A,5,8,8A-OCTAHYDRO-2,2,6,8-TETRAMETHYL-1-NAPHTHALENOL	E	Only for use in medicines in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must not be more than 1%.
25	1,2-HEXANEDIOL	E	Only for use in topical medicines for dermal application and not to be included in topical products intended for use in the eye. The concentration in the medicine must be no more than 1%.
26	1,3,4,6,7,8A-HEXAHYDRO-1,1,5,5-TETRAMETHYL-2H-2,4A-METHANONAPHTHALEN-8(5H)-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
27	1,3,5-UNDECATRIENE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

				If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
28	1,3-BUTYLENE GLYCOL	E		
29	1,3-NONANEDIOL ACETATE, MIXED ESTERS	E		Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
30	1,3-NONANEDIOL, DIACETATE	E		Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
31	1,4-CINEOLE	E		Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%
32	1,4-DIOXACYCLOHEXADECANE-5,16-DIONE	E		Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

33	1,5,9-TRIMETHYL-13- OXABICYCLO[10.1.0]TRIDECA-4,8- DIENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
34	1,7,7- TRIMETHYLBICYCLO[4.4.0]DECAN-3- YL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
35	1,8,12-BISABOLATRIENE	E	1,8,12-bisabolatriene must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing 1,8,12-bisabolatriene must not be more than 5% of the total medicine.
36	1-(2,2,6-TRIMETHYLCYCLOHEXYL)-3- HEXANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
37	1-(2,6,6-TRIMETHYL-2-CYCLOHEXEN- 1-YL)-1-PENTEN-3-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
38	1-(3,3- DIMETHYLCYCLOHEXYL)ETHYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

39	1-(4-ISOPROPYLCYCLOHEXYL)ETHANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
40	1-(5,5-DIMETHYL-1-CYCLOHEXEN-1-YL)-4-PENTEN-1-ONE	E	If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%. Permitted for use only in combination with other permitted ingredients as a fragrance.
41	1-DODECANOL	E	Permitted for use: (a) only in combination with other permitted ingredients as a flavour; and (b) in topical medicines for dermal application. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
42	1-HEPTANOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
43	1-HEXEN-3-OL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

44	1-METHOXY-4-PROPENYLBENZENE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
45	1-METHYL-2-[(1,2,2-TRIMETHYLBICYCLO[3.1.0]HEX-3-YL)METHYL]-CYCLOPROPANEMETHANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
46	1-METHYL-3-(2-METHYLPROPYL)-CYCLOHEXANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
47	1-METHYL-4-(4-METHYL-3-PENTENYL)-3-CYCLOHEXENE-1-CARBOXALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
48	1-OCTEN-3-ONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
49	1-P-MENTHENE-8-THIOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

50	1-PENTEN-3-OL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
51	10-UNDECEN-1-OL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
52	10-UNDECENAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
53	16-HYDROXY-12-OXAHEXADECANOIC ACID, OMEGA-LACTONE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
54	2'-FUCOSYLLACTOSE	A	<p>The route of administration for medicines that contain 2'-fucosyllactose must be limited to oral.</p> <p>Lactose is a mandatory component of 2'-fucosyllactose.</p> <p>The maximum recommended daily dose of the medicine must not provide more than:</p> <p>a) 12 g of 2'-fucosyllactose to individuals aged 13 years and older;</p>

			<p>b) 4 g of 2'-fucosyllactose to individuals aged between 1 and 12 years (inclusive); and</p> <p>c) 1.2 g of 2'-fucosyllactose to individuals aged between 1 and 11 months (inclusive).</p> <p>2'-fucosyllactose is not permitted for use in children under the age of 1 month.</p> <p>One of the following statements is required on the medicine label:</p> <p>a) When the medicine is only for use in individuals aged above 2 years: 'Not to be taken on the same day with other products containing 2'-fucosyllactose' (or words to that effect); or</p> <p>b) When the medicine is for use in individuals up to and including 2 years of age: 'Not to be taken on the same day with breastmilk or other products containing 2'-fucosyllactose' (or words to that effect).</p>
55	2,2'-METHYLENEBIS(4-METHYL-6-TERT-BUTYLPHENOL)	E	2,2'-methylenebis(4-methyl-6-tert-butylphenol) must only be included in medicines when in combination with other permitted ingredients as a proprietary excipient formulation in medicines with a dermal route of administration for topical application.
56	2,2,3-TRIMETHYLCYCLOPENT-3-ENE-1-ETHYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
57	2,2,5-TRIMETHYL-5-PENTYLCYCLOPENTANONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
58	2,2-DIMETHYL-3-(3-METHYL-2,4-PENTADIENYL)-OXIRANE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
59	2,2-DIMETHYL-3-PHENYLPROPANOLL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
60	2,2-DIMETHYL-5-(1-METHYLPROPEN-1-YL) TETRAHYDROFURAN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
61	2,2-DIMETHYL-P-ETHYLPHENYL-PROPANENITRILE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
62	2,3,4-TRIMETHYL-3-PENTANOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
63	2,3,5,6-TETRAMETHYLPYRAZINE	E	If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			Permitted for use only in combination with other permitted ingredients as a flavour.
64	2,3,5-TRIMETHYLPYRAZINE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
65	2,3-DIETHYLPYRAZINE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used as a flavour the total flavour concentration in a medicine must be no more than 5%.
66	2,3-DIHYDRO-1,1-DIMETHYL-1H-INDENE-AR-PROPANAL	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient. The total fragrance proprietary excipient formulation concentration in a medicine must not be more than 1%.
67	2,3-DIHYDRO-2,5-DIMETHYL-1H-INDENE-2-METHANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
68	2,3-DIMETHYLPYRAZINE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
69	2,3-HEXADIONE	E	Permitted for use only in combination with other permitted ingredients as a flavour.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
70	2,3-HEXANEDIONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
71	2,3-PENTANEDIONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
72	2,4,5-TRIMETHYLTHIAZOLE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
73	2,4,6-TRIMETHYL-4-PHENYL-1,3-DIOXANE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
74	2,4-DECADIENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			<p>If used in a fragrance the total fragrance concentration in the medicine must be no more than 1%.</p> <p>The maximum daily dose must provide no more than 3 mg of 2,4-Decadienal.</p>
75	2,4-DIMETHYL BUTADIENEACROLEIN	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
76	2,4-DIMETHYL THIAZOLE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
77	2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
78	2,4-DIMETHYL-4,4A,5,9B-TETRAHYDROINDENO[1,2-D]-1,3-DIOXIN	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
79	2,4-DIMETHYL-4-PHENYL TETRAHYDROFURAN	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
80	2,4-HEPTADIENAL	E	<p>Permitted for use only in combination with other permitted</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			<p>ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in the medicine must be no more than 1%.</p> <p>The maximum daily dose must provide no more than 3 mg of 2,4-Heptadienal.</p>
81	2,4-HEXADIENOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in the medicine must be no more than 1%.</p> <p>The maximum daily dose must provide no more than 13.5 mg of 2,4-Hexadienol.</p>
82	2,5-DIETHYLTETRAHYDROFURAN	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
83	2,5-DIMETHYL-2-OCTEN-6-ONE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
84	2,5-DIMETHYL-4-ETHOXY-3(2H)-FURANONE	E	<p>Only for use in medicines in combination with other permitted ingredients as a flavour proprietary excipient formulation.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			The total flavour proprietary excipient formulation in a medicine must not be more than 5%.
85	2,5-DIMETHYL-4-HYDROXY-3(2H)-FURANONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or fragrance. If used in a flavour the total flavour concentration in the medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
86	2,5-DIMETHYL-4-METHOXY-3(2H)-FURANONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
87	2,5-DIMETHYLPYRAZINE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance, or a printing ink. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%. If used in a printing ink the total printing ink concentration in a medicine must be no more than 0.1%
88	2,6,6,TRIMETHYL-2-CYCLOHEXENE-1,4-DIONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

89	2,6,9,10-TETRAMETHYL-1-OXASPIRO(4.5)DECA-3,6-DIENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
90	2,6-DIMETHOXYPHENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
91	2,6-DIMETHYL HEPTAN-2-OL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
92	2,6-DIMETHYL-2-HEPTENAL-(7)	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
93	2,6-DIMETHYL-3,5-OCTADIEN-2-OL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
94	2,6-DIMETHYL-4-HEPTYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
95	2,6-DIMETHYLPYRAZINE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
96	2,6-NONADIEN-1-OL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
97	2,6-OCTADIENOIC ACID, 3,7-DIMETHYL-, METHYL ESTER, (2E)-	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
98	2-(1,1-DIMETHYLETHYL)-1,4-DIMETHOXY-BENZENE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
99	2-(2-(4-METHYL-3-CYCLOHEXEN-1-YL)PROPYL CYCLOPENTANONE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
100	2-(2-METHYLPHENYL)ETHANOL	E	<p>Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation.</p> <p>The ingredient is not to be included in medicines intended for use in the eye.</p> <p>The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.</p>
101	2-(4-METHYLPHENOXY)-N-1H-PYRAZOL-3-YL-N-(2-THIENYLMETHYL)ACETAMIDE	E	<p>The route of administration of a medicine containing 2-(4-methylphenoxy)-n-1h-pyrazol-3-yl-n-(2-thienylmethyl)acetamide must be limited to dental.</p> <p>The total concentration of 2-(4-methylphenoxy)-N-1H-pyrazol-3-yl-N-(2-thienylmethyl)acetamide in the medicine must not be more than 0.015%.</p> <p>2-(4-Methylphenoxy)-N-1H-pyrazol-3-yl-N-(2-thienylmethyl)acetamide must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation</p> <p>The total concentration of flavour proprietary excipient formulations containing 2-(4-methylphenoxy)-N-1H-pyrazol-3-yl-N-(2-thienylmethyl)acetamide must not be more than 5% of the total medicine.</p>
102	2-(6-METHYL-8-ISOPROPYL BICYCLO(2.2.2)OCT-5-ENE-2-YL-1,3-DIOXOLANE	E	<p>2-(6-methyl-8-isopropyl bicyclo(2.2.2)oct-5-ene-2-yl)-1,3-dioxolane must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			The total concentration of the fragrance proprietary excipient formulation containing 2-(6-methyl-8-isopropyl bicyclo(2.2.2)oct-5-ene-2-yl)-1,3-dioxolane must not be more than 1% of the total medicine.
103	2-[(3,7-DIMETHYL-6-OCTEN-1-YLIDENE)AMINO]BENZOIC ACID, METHYL ESTER	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
104	2-[1-(3,3-DIMETHYLCYCLOHEXYL)ETHOXY]-2-METHYLPROPYL] CYCLOPROPANECARBOXYLATE	E	If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%. Permitted for use only in combination with other permitted ingredients as a fragrance.
105	2-[1-(3,3-DIMETHYLCYCLOHEXYL)ETHOXY]-2-OXOETHYL PROPANOATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
106	2-ACETYLFURAN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
107	2-ACETYLPYRAZINE	E	If used in a flavour the total flavour concentration in a medicine must be no more than 5%. Permitted for use only in combination with other permitted ingredients as a flavour.
108	2-ACETYLPYRIDINE	E	Permitted for use only in combination with other permitted

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			<p>ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
109	2-AMINO-2-METHYL-1-PROPANOL	E	Only for use in topical medicines for dermal application.
110	2-BENZYL-4,4,6-TRIMETHYL-1,3-DIOXANE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
111	2-BUTEN-1-OL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
112	2-BUTYL-4,4,6-TRIMETHYL-1,3-DIOXANE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
113	2-CYCLOHEXYLIDENE-2-O-TOLYL-ACETONITRILE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
114	2-DECENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
115	2-DODECANOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
116	2-DODECENAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
117	2-ETHOXY-4-(METHOXYMETHYL)-PHENOL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
118	2-ETHOXY-9-METHYLENE-2,6,6-TRIMETHYLBICYCLO[3.3.1]NONANE	E	<p>2-ethoxy-9-methylene-2,6,6-trimethylbicyclo[3.3.1]nonane must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation.</p> <p>The total concentration of the fragrance proprietary excipient formulation containing 2-ethoxy-9-methylene-2,6,6-trimethylbicyclo[3.3.1]nonane must not be more than 1% of the total medicine.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

119	2-ETHOXYETHANOL	E	The residual solvent limit for 2-Ethoxyethanol is 1.6 mg per maximum recommended daily dose. The concentration in the medicine must be no more than 0.016%.
120	2-ETHYL-1-HEXANOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
121	2-ETHYL-3,5-DIMETHYLPYRAZINE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
122	2-ETHYL-3,6-DIMETHYLPYRAZINE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
123	2-ETHYL-3-METHYLPYRAZINE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

124	2-ETHYL-4-(2,2,3-TRIMETHYL-3-CYCLOPENTEN-1-YL)-2-BUTEN-1-OL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
125	2-ETHYL-4-HYDROXY-5-METHYL-3(2H)-FURANONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
126	2-ETHYL-4-METHYLTHIAZOLE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
127	2-ETHYL-ALPHA,ALPHA-DIMETHYL-BENZENEPROPANAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
128	2-ETHYL-N-METHYL-N-(3-METHYLPHENYL) BUTANAMIDE	E	<p>Only for use in medicines in combination with other permitted ingredients as a fragrance proprietary excipient formulation.</p> <p>The total fragrance proprietary excipient formulation in a medicine must not be more than 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

129	2-ETHYLBUTYRIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
130	2-HEPTANOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
131	2-HEPTANONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
132	2-HEPTYL CYCLOPENTANONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
133	2-HEXYNYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

134	2-HYDROXYACETOPHENONE	E	<p>Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye or on damaged skin.</p> <p>The concentration in the medicine must be no more than 1%.</p>
135	2-ISOBUTYL-3-METHOXYPIRAZINE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
136	2-ISOBUTYL-4-METHYLTETRAHYDRO-2H-PYRAN-4-OL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
137	2-ISOPROPOXYETHYL SALICYLATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
138	2-ISOPROPYL-4-METHYLTHIAZOLE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
139	2-ISOPROPYLPHENOL	E	<p>2-Isopropylphenol must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			The total concentration of flavour proprietary excipient formulations containing 2-isopropylphenol must not be more than 5% of the total medicine.
140	2-MERCAPTOPROPIONIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
141	2-METHOXY-3-(1-METHYLPROPYL)PYRAZINE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
142	2-METHOXY-4-VINYLPHENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
143	2-METHYL HEPTANOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
144	2-METHYL-2-PENTENOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 1

145	2-METHYL-2-VINYL-5-ISOPROPENYLTETRAHYDROFURAN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
146	2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
147	2-METHYL-3-(4-METHOXYPHENYL)PROPANAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
148	2-METHYL-3-[4-(2-METHYLPROPYL)PHENYL]PROPANAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
149	2-METHYL-3-BUTEN-2-OL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
150	2-METHYL-3-FURANTHIOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

151	2-METHYL-4-(2,2,3-TRIMETHYL-3-CYCLOPENTEN-1-YL)BUTANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
152	2-METHYL-4-(2,2,3-TRIMETHYL-3-CYCLOPENTENYL)-2-BUTEN-1-OL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%. Only for use in topical medicines for dermal application.
153	2-METHYL-4-(2,2,3-TRIMETHYLCYCLOPENT-3-EN-1-YL)PENT-4-EN-1-OL	E	2-Methyl-4-(2,2,3-trimethylcyclopent-3-en-1-yl)pent-4-en-1-ol must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total concentration of the fragrance proprietary excipient formulation containing 2-methyl-4-(2,2,3-trimethylcyclopent-3-en-1-yl)pent-4-en-1-ol must not be more than 1% of the total medicine.
154	2-METHYL-4-(2,6,6-TRIMETHYL-1-CYCLOHEXEN-1-YL)-2-BUTENAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
155	2-METHYL-4-(CAMPHENYL-8)-CYCLOHEXANONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

156	2-METHYL-4-PROPYL-1,3-OXTHIANE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
157	2-METHYL-5-(METHYLTHIO)FURAN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
158	2-METHYL-5-PHENYLPENTANOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
159	2-METHYLBUTYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
160	2-METHYLBUTYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
161	2-METHYLBUTYL PHENYLETHYL ETHER	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

162	2-METHYLBUTYL SALICYLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
163	2-METHYLDECANAL	E	Only for use in medicines in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must not be more than 1%.
164	2-METHYLHEXANOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
165	2-METHYLPYRAZINE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
166	2-METHYLTETRAHYDROFURAN-3-ONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
167	2-METHYLUNDECANAL	E	Permitted for use only in combination with other permitted

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			<p>ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
168	2-METHYLVALERIC ACID	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
169	2-NONENAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
170	2-NONENENITRILE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
171	2-OXOBUTYRIC ACID	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
172	2-PENTADECANONE	E	<p>Permitted for use only in combination with other permitted ingredients as part of a flavour proprietary excipient formulation.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			The total flavour proprietary excipient formulation in a medicine must be no more than 5%.
173	2-PENTANOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
174	2-PENTANONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
175	2-PENTENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
176	2-PENTYL FURAN	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
177	2-PHENYLPROPIONALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
178	2-PHENYLPROPIONALDEHYDE DIMETHYL ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
179	2-PROPENOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
180	2-SEC-BUTYL CYCLOHEXANONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
181	2-TERT-BUTYLCYCLOHEXANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
182	2-TERT-BUTYLCYCLOHEXYLOXY-2-BUTANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

183	2-TRANS-6-CIS-NONADIENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
184	2-TRIDECANONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
185	2-TRIDECENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
186	2-TRIDECENENITRILE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
187	2-UNDECENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
188	3'-SIALYLLACTOSE SODIUM	A	Lactose and sodium are mandatory components of 3'-sialyllactose sodium. The route of administration for medicines that contain 3'-sialyllactose sodium must be limited to oral. The maximum recommended daily dose of the medicine must not provide more than: (a) 0.2 g 3'-sialyllactose sodium in infants under 12 months; (b) 0.15 g 3'-sialyllactose sodium in children aged 12-35 months; or (c) 0.5 g 3'-sialyllactose sodium in individuals aged 3 years and older.
189	3,3-DIMETHYL-5-(2,2,3-TRIMETHYL-3-CYCLOPENTEN-1-YL)-4-PENTEN-2-OL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
190	3,3-DIMETHYLACRYLIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
191	3,4,4A,5,8,8A-HEXAHYDRO-3',7-DIMETHYLSPIRO-1,4-METHANONAPHALENE-2(1H),2'-OXIRANE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
192	3,4-DIMETHYL PHENYLACETALDEHYDE	E	3,4-Dimethyl phenylacetaldehyde must only be included in medicines when in combination with other

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			permitted ingredients as a fragrance proprietary excipient formulation. The total concentration of the fragrance proprietary excipient formulation containing 3,4-dimethyl phenylacetaldehyde must not be more than 1% of the total medicine.
193	3,4-DIMETHYL-1,2-CYCLOPENTADIONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
194	3,5,5-TRIMETHYL HEXANAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
195	3,5,5-TRIMETHYLHEXYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
196	3,5,6,6-TETRAMETHYL-4-METHYLENEHEPTAN-2-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
197	3,5-DIMETHOXYTOLUENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

198	3,5-DIMETHYL-3-CYCLOHEXENE-1-CARBOXALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
199	3,6-DIMETHYL-3-CYCLOHEXENE-1-CARBOXALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
200	3,7-DIMETHYL OCTANAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
201	3,7-DIMETHYL-1-OCTANOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
202	3,7-DIMETHYL-1-OCTEN-3-OL	E	Only for use in medicines in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must not be more than 1%.
203	3,7-DIMETHYL-2,6-NONADIENENITRILE	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
204	3,7-DIMETHYL-2,6-OCTADIENAL REACTION PRODUCTS WITH ETHANOL	E	Only for use in medicines in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must not be more than 1%.
205	3,7-DIMETHYL-7-METHOXYOCTAN-2-OL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
206	3-(1-BUTENYL)-PYRIDINE	E	3-(1-Butenyl)-pyridine must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total concentration of the fragrance proprietary excipient formulation containing 3-(1-butenyl)-pyridine must not be more than 1% of the total medicine.
207	3-(3-ISOPROPYLPHENYL)BUTANAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
208	3-(4-ETHYLPHENYL)-2,2-DIMETHYLPROPANAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

209	3-(4-HYDROXYPHENYL)-1-(2,4,6- TRIHYDROXYPHENYL)-1-PROPANONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
210	3-(4-TERT-BUTYLPHENYL)-PROPANAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
211	3-(ISO-CAMPHYL-5)-CYCLOHEXANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
212	3-(METHYLTHIO) PROPIONALDEHYDE	E	3-(Methylthio) propionaldehyde must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing 3-(methylthio) propionaldehyde must not be more than 5% of the total medicine.
213	3-(METHYLTHIO)-1-HEXYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
214	3-CARENE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			<p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
215	3-DODECENAL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
216	3-ETHYLPYRIDINE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
217	3-FUCOSYLLACTOSE	A	<p>Only to be used in a medicine where Glycom A/S (Client ID 76983), who applied to have the ingredient included in this Determination, is the sponsor of the medicine or has given written authorisation to the sponsor of a medicine to include the ingredient in the medicine. This paragraph ceases to be a requirement for this ingredient after 13 December 2024.</p> <p>Lactose is a mandatory component of 3-fucosyllactose.</p> <p>The route of administration for medicines that contain 3-fucosyllactose must be limited to oral.</p> <p>The maximum recommended daily dose of the medicine must not provide more than:</p> <p>(a) 2 g of 3-fucosyllactose to individuals aged 0 to 3 years (inclusive); and</p>

				<p>(b) 5 g of 3-fucosyllactose to individuals aged 4 years and older.</p> <p>One of the following statements is required on the medicine label:</p> <p>(i) When the medicine is only for use in individuals aged 2 years and above: 'Not to be taken on the same day with other products containing 3-fucosyllactose' (or words to that effect); or</p> <p>(ii) When the medicine is for use in children aged less than 2 years: 'Not to be taken on the same day with breastmilk, or other products containing 3-fucosyllactose' (or words to that effect).</p>
218	3-HEPTYLDIHYDRO-5-METHYL-2(3H)-FURANONE	E		<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
219	3-HEXANONE	E		<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
220	3-HEXEN-1-OL	E		<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
221	3-ISO-CAMPHYL-5-CYCLOHEXAN-1-OL	E		<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
222	3-METHYL THIOPROPIONALDEHYDE ETHANOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
223	3-METHYL-2-(PENTYLOXY)CYCLOPENT-2-EN-1-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
224	3-METHYL-5-(2,2,3-TRIMETHYL-3-CYCLOPENTEN-1-YL)-4-PENTEN-2-OL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
225	3-METHYL-5-PHENYL PENT-2-ENENITRILE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
226	3-METHYL-5-PHENYLPENTANAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
227	3-METHYL-5-PHENYLPENTANENITRILE	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
228	3-METHYL-5-PHENYLPENTANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
229	3-METHYL-5-PROPYL-2-CYCLOHEXEN-1-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
230	3-METHYLCYCLOPENTADECANONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
231	3-METHYLCYCLOPENTADECENONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
232	3-METHYLPENTANOIC ACID	E	3-Methylpentanoic acid must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of the flavour proprietary excipient formulation containing 3-methylpentanoic acid must not be more than 5% of the total medicine.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

233	3-METHYLTHIOHEXANOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
234	3-OCTANOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
235	3-OCTYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as part of a flavour proprietary excipient formulation.</p> <p>The total flavour proprietary excipient formulation in a medicine must be no more than 5%.</p>
236	3-PENTYLTETRAHYDRO-2H-PYRAN-4-OL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
237	3-PHENYLPROPIONALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

238	3-PHENYLPROPYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
239	3-PHENYLPROPYL PROPIONATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
240	3-PROPYLIDENE PHTHALIDE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
241	3-TRANS- ISOCAMPHYLCYCLOHEXANOL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
242	3A,6,6,9A- TETRAMETHYLDODECAHYDRONAPH THO[2,1-B] FURAN	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

243	4,4A,5,9B-TETRAHYDRO-2,4-DIMETHYL-INDENO(1,2-D)-1,3-DIOXIN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
244	4,4A,5,9B-TETRAHYDROINDENO(1,2-D)-1,3-DIOXIN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
245	4,5-DIMETHYL-3-HYDROXY-2(5H)FURANONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
246	4,7-METHANO-1H-INDENEMETHANOL, OCTAHYDRO-, ACETATE	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
247	4,7-METHANO-3A,4,5,6,7,7A-HEXAHYDRO-5 (OR 6) -INDENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
248	4,8-DIMETHYL-3,7-NONADIEN-2-OL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

249	4-(1-ETHOXYVINYL)-3,3,5,5-TETRAMETHYLCYCLOHEXANONE	E	<p>4-(1-Ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation.</p> <p>The total concentration of the fragrance proprietary excipient formulation containing 4-(1-ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone must not be more than 1% of the total medicine.</p>
250	4-(4-METHYL-3-PENTEN-1-YL)-3-CYCLOHEXENE-1-CARBOXALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
251	4-(5,5,6-TRIMETHYLBICYCLO(2.2.1)HEPT-2-YL)-CYCLOHEXANOL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
252	4-(METHYLTHIO)-4-METHYL-2-PENTANONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
253	4-(OCTAHYDRO-4,7-METHANO-5H-INDEN-5-YLIDENE)-BUTANAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

254	4-(PARA-HYDROXYPHENYL)-2-BUTANONE	E	<p>4-(para-hydroxyphenyl)-2-butanone must only be included in medicines when:</p> <p>(a) in combination with other permitted ingredients as a flavour proprietary excipient formulation;</p> <p>(b) in combination with other permitted ingredients as a fragrance proprietary excipient formulation; and/or</p> <p>(c) in topical medicines for dermal application that are not intended for use in the eye or on damaged skin.</p> <p>The total concentration of flavour proprietary excipient formulations containing 4-(para-hydroxyphenyl)-2-butanone must not be more than 5% of the total medicine.</p> <p>The total concentration of fragrance proprietary excipient formulations containing 4-(para-hydroxyphenyl)-2-butanone must not be more than 1% of the total medicine.</p> <p>The concentration of 4-(para-hydroxyphenyl)-2-butanone in a topical medicine for dermal application must not be more than 1% of the total medicine.</p>
255	4-(PARA-METHOXYPHENYL)-2-BUTANONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
256	4-ACETYL-6-TERTIARY-BUTYL-1,1-DIMETHYLINDAN	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
257	4-CYCLOHEXYL-2-METHYL-2-BUTANOL	E	<p>Only for use in medicines in combination with other permitted ingredients as a fragrance proprietary excipient formulation.</p> <p>The total fragrance proprietary excipient formulation in a medicine must not be more than 1%.</p>
258	4-ETHYL GUAIACOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
259	4-HEPTANONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used as a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
260	4-HYDROXYBENZALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
261	4-HYDROXYBENZYL ALCOHOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

262	4-ISOPROPYL-3-METHYLPHENOL	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 0.1%.</p>
263	4-METHOXY-2-METHYL-2-BUTANETHIOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
264	4-METHYL-3-DECEN-5-OL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
265	4-METHYL-4-MERCAPTOPENTAN-2-ONE	E	<p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>Permitted for use only in combination with other permitted ingredients as a flavour.</p>
266	4-METHYL-4-PHENYL-2-PENTYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
267	4-METHYL-5-THIAZOLETHANOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
268	4-METHYLBENZYLIDENE CAMPHOR	A	<p>Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must not be more than 4%.</p> <p>The following warning statements are required on the label:</p> <ul style="list-style-type: none"> - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
269	4-METHYLPENTANOIC ACID	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
270	4-METHYLPHENYL OCTANOATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
271	4-PARA METHOXYPHENYL-3-BUTANONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

272	4-PENTENOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
273	4-TERT-BUTYL-2,6-DIMETHYL ACETOPHENONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
274	4-TERT-BUTYLCYCLOHEXANOL	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.1%.
275	4-TERT-PENTYLCYCLOHEXANONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
276	5,6,7,8-TETRAHYDROQUINOXALINE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
277	5,7-DIHYDRO-2-METHYLTHIENO (3,4D) PYRIMIDINE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

278	5-(2,2,3-TRIMETHYL-3-CYCLOPENTEN-1-YL)-3-METHYLPENTAN-2-OL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
279	5-ACETYL-1,1,2,3,3,6-HEXAMETHYL INDAN	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
280	5-CYCLOHEXADECEN-1-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
281	5-ETHYL-2,3-DIMETHYLPYRAZINE	E	5-Ethyl-2,3,dimethylpyrazine must not be included in medicines for oral administration. 5-Ethyl-2,3,dimethylpyrazine must only be included in topical medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total concentration of the fragrance proprietary excipient formulation containing 5-ethyl-2,3,dimethylpyrazine must not be more than 1% of the total medicine.
282	5-ETHYL-3-HYDOXY-4-METHYL-2(5H)-FURANONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

283	5-ETHYL-4-HYDROXY-2-METHYL-3(2H)-FURANONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
284	5-HYDROXY-4-METHYLHEXANOIC ACID DELTA-LACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
285	5-METHOXYPSORALEN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
286	5-METHYL 2-PHENYL HEXEN-2-AL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
287	5-METHYL-2-THIOPHENE CARBOXALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
288	5-METHYL-3-BUTYL TETRAHYDRO PYRAN-4-YL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

289	5-METHYL-3-HEPTANONE OXIME	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
290	5-PENTYL-2(5H)-FURANONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
291	6'-SIALYLLACTOSE SODIUM	A	Lactose and sodium are mandatory components of 6'-sialyllactose sodium. The route of administration for medicines that contain 6'-sialyllactose sodium must be limited to oral. The maximum recommended daily dose of the medicine must not provide more than: (a) 0.4 g 6'-sialyllactose sodium in infants under 12 months; (b) 0.3 g 6'-sialyllactose sodium in children aged 12-35 months; or (c) 1.0 g 6'-sialyllactose sodium in individuals aged 3 years and older.
292	6,6-DIMETHOXY-2,5,5-TRIMETHYL-2-HEXENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
293	6,6-DIMETHYL-2-NORPINENEPROPIONALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

294	6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
295	6-BUTYL-3,6-DIHYDRO-2,4-DIMETHYL-2H-PYRAN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
296	6-ETHYLIDENEOCTAHYDRO 5,8-METHANO-2H-1-BENZOPYRAN	E	6-Ethylideneoctahydro 5,8-methano-2H-1-benzopyran must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total concentration of the fragrance proprietary excipient formulation containing 6-ethylideneoctahydro 5,8-methano-2H-1-benzopyran must not be more than 1% of the total medicine.
297	6-METHOXY-2,6-DIMETHYLHEPTAN-1-AL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
298	6-METHOXYDICYCLOPENTADIENECARBOXALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. When included in a medicine for use on the lips the concentration of 6-methoxydicyclopentadiene carboxaldehyde must be no more than 0.1%.

			<p>When included in dermal creams for infant use the concentration of 6-methoxydicyclopentadienecarboxaldehyde must be no more than 0.5%.</p> <p>When for dermal use or use on the hair the concentration of 6-methoxydicyclopentadienecarboxaldehyde must be no more than 0.5%.</p> <p>The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.</p>
299	6-METHYL COUMARIN	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
300	6-METHYLQUINOLINE	E	<p>6-Methylquinoline must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation.</p> <p>The total concentration of the flavour proprietary excipient formulation containing 6-methylquinoline must not be more than 5% of the total medicine.</p>
301	7-ACETYL-1,1,3,4,4,6-HEXAMETHYL TETRAHYDRONAPHTHALENE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
302	7-METHYL-2H-1,5-BENZODIOXEPIN-3(4H)-ONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
303	7-OCTENE-1,6-DIOL, 3,7-DIMETHYL-	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
304	7-PROPYL-2H-1,5-BENZODIOXEPIN-3(4H)-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
305	8,13:13,20-DIEPOXY-14,15-BISNORLABDANE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
306	8-METHYL-1-OXASPIRO(4,5)DECAN-2-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
307	8-OCIMENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
308	9-DECEN-1-OL	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
309	ABELMOSCHUS MOSCHATUS	A, H	
310	ABELMOSCHUS MOSCHATUS SUBSP. MOSCHATUS	A, H	
311	ABIES BALSAMEA	A, H	
312	ABIES NIGRA	A, H	
313	ABIES PECTINATA	A, H	
314	ABIES SIBIRICA	A, H	
315	ABRUS CANTONIENSIS	A, H	If the herbal substance is derived from the seed, the maximum recommended daily dose of Abrus cantoniensis must be no more than 1mg of the dry seed.
316	ABUTILON THEOPHRASTI	A, H	
317	ACACIA	A, E, H	
318	ACACIA BAILEYANA	A, H	
319	ACACIA CATECHU	A, H	
320	ACACIA DEALBATA	A, H	
321	ACACIA DECURRENS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
322	ACACIA FARNESIANA	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
323	ACACIA LONGIFOLIA	A, E, H	
324	ACACIA NILOTICA	A, E, H	
325	ACACIA SENEGAL	A, E, H	
326	ACALYPHA INDICA	A, H	
327	ACANTHUS MOLLIS	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

328	ACER CAMPESTRE	A, H	
329	ACER NEGUNDO	A, H	
330	ACER SACCHARINUM	A, H	
331	ACER SACCHARUM	A, E, H	
332	ACEROLA	E	
333	ACESULFAME POTASSIUM	E	
334	ACETAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
335	ACETALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
336	ACETALDEHYDE ETHYL LINALYL ACETAL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
337	ACETALDEHYDE ETHYL PHENYLETHYL ACETAL	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 1

338	ACETALDEHYDE PHENYLETHYL PROPYL ACETAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
339	ACETANISOLE	E	Permitted for use only: (a) in topical medicines for dermal application; and (b) in oral medicines in combination with other permitted ingredients as part of a flavour proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.
340	ACETIC ACID	E, H	The concentration in the medicine must be no more than 80%.
341	ACETOIN	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
342	ACETOMENAPHTHONE	A, E	
343	ACETONE	E	The residual solvent limit for Acetone is 50 mg per maximum recommended daily dose. The concentration in the medicine must be no more than 0.5%.
344	ACETOPHENONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			<p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
345	ACETOVANILLONE	E	<p>Only for use in topical medicines for dermal application.</p> <p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used as a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
346	ACETOXYDIHYDRODICYCLOPENTADIENE	E	<p>Only for use in medicines in combination with other permitted ingredients as a fragrance proprietary excipient formulation.</p> <p>The total fragrance proprietary excipient formulation in a medicine must not be more than 1%.</p>
347	ACETYL DIPEPTIDE-1 CETYL ESTER	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 0.01%.</p>
348	ACETYL GLUCOSAMINE	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 0.5%.</p>
349	ACETYL HEXAMETHYL TETRALIN	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
350	ACETYL LEVOCARNITINE HYDROCHLORIDE	A, E	
351	ACETYL TRIFLUOROMETHYLPHENYL VALYLGLYCINE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.5%.
352	ACETYLATED LANOLIN	E	Only for use in topical medicines for dermal application.
353	ACETYLATED LANOLIN ALCOHOL	E	Only for use in topical medicines for dermal application.
354	ACETYLATED MONOGLYCERIDES	E	
355	ACETYLATED VETIVER OIL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
356	ACETYLCYSTEINE	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 0.001%.
357	ACHILLEA ERBA-ROTTA SUBSP. MOSCHATA	A, H	
358	ACHILLEA MILLEFOLIUM	A, E, H	Beta-arbutin is a mandatory component of Achillea millefolium. When for oral use, the maximum recommended daily dose must not provide more than 500 mg of beta-arbutin. When for dermal application exclusively to the face:

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			<p>a) the concentration of beta-arbutin in the medicine must not be more than 7%;</p> <p>b) hydroquinone is a mandatory component; and</p> <p>c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%.</p> <p>When for use other than oral or dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.</p>
359	ACHILLEA PTARMICA	A, H	
360	ACHYRANTHES ASPERA	A, H	
361	ACHYRANTHES BIDENTATA	A, H	
362	ACHYRANTHES FAURIEI	A, H	
363	ACID GREEN 25	E	Permitted for use only as a colour for topical use.
364	ACID RED 33	E	Permitted for use only as a colour for topical use.
365	ACID RED 87	E, H	Only for use as an active homoeopathic ingredient or for excipient use as a colour in topical medicines.
366	ACID TREATED WAXY MAIZE STARCH	E	
367	ACID-ISOMERISED LINALOOL	E	Permitted for use only when combined with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
368	ACONITUM CARMICHAELII	A, H	Total alkaloids (of Aconitum spp.) is a mandatory component of Aconitum carmichaelii.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 1

			The maximum amount of total alkaloids (of Aconitum spp.) must be no more than 0.02 milligrams per pack.
369	ACONITUM FEROX	A, H	Total alkaloids (of Aconitum spp.) is a mandatory component of Aconitum ferox. The maximum amount of total alkaloids (of Aconitum spp.) must be no more than 0.02 milligrams per pack.
370	ACONITUM KUSNEZOFFI	A, H	Total alkaloids (of Aconitum spp.) is a mandatory component of Aconitum kusnezoffii. The maximum amount of total alkaloids (of Aconitum spp.) must be no more than 0.02 milligrams per pack.
371	ACONITUM NAPELLUS	A, H	Total alkaloids (of Aconitum spp.) is a mandatory component of Aconitum napellus. The maximum amount of total alkaloids (of Aconitum spp.) must be no more than 0.02 milligrams per pack.
372	ACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1.7%.
373	ACRYLAMIDES COPOLYMER	E	Only for use in topical medicines for dermal application.
374	ACRYLATES COPOLYMER	E	Only for use in topical medicines for dermal application.
375	ACRYLATES/ACRYLAMIDE COPOLYMER	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

376	ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER	E	Only for use in topical medicines for dermal application.
377	ACRYLATES/C12-22 ALKYL METHACRYLATE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
378	ACRYLATES/DIMETHICONE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2%.
379	ACRYLATES/OCTYLACRYLAMIDE COPOLYMER	E	Only for use in topical medicines for dermal application.
380	ACRYLATES/STEARETH-20 METHACRYLATE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
381	ACRYLATES/VA COPOLYMER	E	Only for use in topical medicines for dermal application.
382	ACRYLIC ACID/VP CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2.5%.
383	ACTAEA CIMICIFUGA	A, H	
384	ACTAEA HERACLEIFOLIA	A, H	
385	ACTAEA PACHYPODA	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

386	ACTAEA RACEMOSA	A, H	When used in oral medicines, the medicine requires the following warning statement on the medicine label: - (BCOHOSH) 'Warning: In very rare cases - black cohosh has been associated with liver failure. If you are experiencing yellowing of the skin or whites of the eyes - dark urine - nausea - vomiting - unusual tiredness - weakness - stomach or abdominal pain - and/or loss of appetite - you should stop using this product and see your doctor.'
387	ACTAEA SIMPLEX	A, H	
388	ACTAEA SPICATA	A, H	
389	ACTINIDIA CHINENSIS	A, H	
390	ACTINIDIA DELICIOSA	A, H	
391	ACTIVATED ATTAPULGITE	A	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
392	ACTIVATED CHARCOAL	A, E, H	When for internal use, the medicine requires the following warning statement on the medicine label: - (ACCOAL) 'Products containing activated charcoal should be used with caution in children since it may interfere with absorption of nutrients. Activated charcoal may interact with other medicines. Activated charcoal is not recommended for long-term use' (or words to that effect).
393	ADEMETIONINE DISULFATE DITOSYLATE DIHYDRATE	A, H	(S)-S-Adenosylmethionine is a mandatory component of Ademetionine disulfate ditosylate dihydrate. Ademetionine in the form of sulfate tosylate or mixed sulfate/tosylate

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
394	ADEMETIONINE DISULFATE TOSYLATE	A, H	(S)-S-Adenosylmethionine is a mandatory component of Ademetionine disulfate tosylate. Ademetionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
395	ADEMETIONINE DISULFATE TRITOSYLATE DIHYDRATE	A, H	(S)-S-Adenosylmethionine is a mandatory component of Ademetionine disulfate tritosylate dihydrate. Ademetionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
396	ADEMETIONINE HEXASULFATE DIHYDRATE	A, H	(S)-S-Adenosylmethionine is a mandatory component of Ademetionine hexasulfate dihydrate. Ademetionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label:

			- (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
397	ADEMETIONINE HEXATOSYLATE DIHYDRATE	A, H	(S)-S-Adenosylmethionine is a mandatory component of Ademetionine hexatosylate dihydrate. Ademetionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
398	ADEMETIONINE PENTASULFATE DIHYDRATE	A, H	(S)-S-Adenosylmethionine is a mandatory component of Ademetionine pentasulfate dihydrate. Ademetionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
399	ADEMETIONINE PENTATOSYLATE DIHYDRATE	A, H	(S)-S-Adenosylmethionine is a mandatory component of Ademetionine pentatosylate dihydrate. Ademetionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
400	ADEMETIONINE TETRASULFATE DIHYDRATE	A, H	(S)-S-Adenosylmethionine is a mandatory component of Ademetionine tetrasulfate dihydrate. Ademetionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
401	ADEMETIONINE TETRATOSYLATE DIHYDRATE	A, H	(S)-S-Adenosylmethionine is a mandatory component of Ademetionine tetratosylate dihydrate. Ademetionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
402	ADEMETIONINE TRISULFATE DITOSYLATE DIHYDRATE	A, H	(S)-S-Adenosylmethionine is a mandatory component of Ademetionine trisulfate ditosylate dihydrate. (S)-S-Adenosylmethionine in the form of sulfate tosylate or mixed sulfate/tosylate salts requires the following warning statement on the medicine label: - (SAME) 'Individuals who are using prescription anti-depressants or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			suffer from bipolar depression should not use this product unless under the supervision of a healthcare practitioner (or words to that effect)'
403	ADENOPHORA STRICTA	A, H	
404	ADENOPHORA TRIPHYLLA	A, H	
405	ADENOSINE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.04%.
406	ADENOSINE PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.1%.
407	ADENOSINE TRIPHOSPHATE	E	Only for use in topical medicines for dermal application.
408	ADENOSINE TRIPHOSPHATE DISODIUM	E	Only for use in topical medicines for dermal application.
409	ADIANTUM CAPILLUS-VENERIS	A, H	
410	ADIPIC ACID	E	
411	ADIPIC ACID/DIETHYLENE GLYCOL/GLYCERIN CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
412	ADONIS VERNALIS	A, H	The concentration of equivalent dry Adonis vernalis in the medicine must be no more than 10mg/Kg or 10mg/L or 0.001%.
413	ADRENALINE (EPINEPHRINE)	H	Only for use as an active homoeopathic ingredient.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

414	ADZUKI BEAN	E	
415	AEGOPODIUM PODAGRARIA	A, H	
416	AESCULUS CHINENSIS	A, H	
417	AESCULUS GLABRA	A, H	
418	AESCULUS HIPPOCASTANUM	A, H	
419	AESCULUS X CARNEA	A, H	
420	AETHUSA CYNAPIUM	H	Only for use as an active homoeopathic ingredient.
421	AGAR	A, E	
422	AGASTACHE RUGOSA	A, H	
423	AGATHOSMA BETULINA	A, E, H	Pulegone is a mandatory component of Agathosma betulina. The concentration of pulegone in the medicine must be no more than 4%.
424	AGAVE AMERICANA	A, E, H	
425	AGRIMONIA EUPATORIA	A, E, H	
426	AGRIMONIA REPENS	A, H	
427	AGROSTIS TENUIS	A, H	
428	AILANTHUS ALTISSIMA	A, H	
429	AJUGA CHAMAEPITYS	A, H	
430	AJUGA REPTANS	A, H	
431	ALANINE	A, E	
432	ALANYLGLUTAMINE	A	Only for use in oral medicines.
433	ALARIA ESCULENTA	A, H	Iodine is a mandatory component of Alaria esculenta. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
434	ALBIZIA JULIBRISSIN	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

435	ALBIZIA LEBBECK	A, H	
436	ALCEA ROSEA	A, H	
437	ALCHEMILLA ALPINA	A, H	
438	ALCHEMILLA ARVENSIS	A, H	
439	ALCHEMILLA VULGARIS	A, H	
440	ALETRIS FARINOSA	A, H	
441	ALETRIS SPICATA	A, H	
442	ALEURITES MOLUCCANUS SEED OIL	E	Only for use in topical medicines for dermal application.
443	ALFADEX	A, E	Only for use in oral medicines. The maximum daily dose must provide no more than 6 g of alfadex.
444	ALGINATE-KONJAC-XANTHAN POLYSACCHARIDE COMPLEX	A	Only for use in oral medicines. Only for use when the dosage form is other than tablet. The maximum recommended daily dose must be no more than 13.5 g. When a dose for children is stated, the medicine requires the following warning statement on the medicine label: - (PSYLL) 'On medical advice' (or words to that effect).
445	ALGINIC ACID	E	
446	ALISMA ORIENTALE	A, H	
447	ALISMA PLANTAGO AQUATICA	A, H	
448	ALKANNA TINCTORIA	A, H	
449	ALKYL (C12-15) BENZOATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 21%.
450	ALLANTOIN	E	Only for use in topical medicines for dermal application.
451	ALLIARIA PETIOLATA	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

452	ALLIUM CEPA	A, H	
453	ALLIUM FISTULOSUM	A, H	
454	ALLIUM HIEROCHUNTINUM	A, H	
455	ALLIUM MACROSTEMON	A, H	
456	ALLIUM ODORUM	A, H	
457	ALLIUM PORRUM	A, H	
458	ALLIUM SATIVUM	A, E, H	
459	ALLIUM SCHOENOPRASUM	A, H	
460	ALLIUM URSINUM	A, H	
461	ALLO-OCIMENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
462	ALLURA RED AC	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
463	ALLURA RED AC ALUMINIUM LAKE	E	Permitted for use only as a colour for oral and topical use.
464	ALLYL ALPHA-IONONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
465	ALLYL AMYL GLYCOLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

466	ALLYL CAPRYLATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
467	ALLYL CYCLOHEXANEPROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
468	ALLYL CYCLOHEXYLOXYACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
469	ALLYL HEPTANOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
470	ALLYL HEPTYLATE	E	Permitted for use only in combination with other permitted ingredients as a flavour.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
471	ALLYL HEXANOATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
472	ALLYL ISOTHIOCYANATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.</p>
473	ALLYL PHENOXYACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
474	ALLYL TIGLATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
475	ALMOND	E	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

476	ALMOND OIL	A, E, H	<p>Amygdalin and hydrocyanic acid are mandatory components of Almond oil.</p> <p>The concentration of Amygdalin in the medicine must be 0%.</p> <p>The concentration of hydrocyanic acid in the medicine must be no more than 1 microgram/kg or 1 microgram/L or 0.0000001%.</p>
477	ALNUS GLUTINOSA	A, H	
478	ALNUS INCANA SUBSP. RUGOSA	A, H	
479	ALOE FEROX	A, E, H	<p>When the route of administration is oral or sublingual, Hydroxyanthracene derivatives calculated as anhydrous barbaloin is a mandatory component of Aloe ferox.</p> <p>When used in oral medicines, if the maximum recommended daily dose contains more than 10 mg of hydroxyanthracene derivatives the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD3) 'Use in children under 12 years is not recommended'; - (LAX2) 'Prolonged use may cause serious bowel problems'; and - (LAX3) 'Do not use when abdominal pain, nausea or vomiting are present, or if you develop diarrhoea. If you are pregnant or breast feeding, seek the advice of a healthcare professional before taking this product' [or words to that effect]. <p>When promoted or marketed as a laxative, the medicine requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (LAX1) 'Drink plenty of water' [or words to that effect]. <p>When not promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

- (LAX5) 'This product contains [name of the herb(s) or the chemical component(s)]; and

- (LAX4) 'This product may have laxative effect'.

When used in oral medicines, if the maximum recommended daily dose contains less than 10 mg of hydroxyanthracene derivatives and is promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:

- (CHILD3) 'Use in children under 12 years is not recommended';

- (LAX1) 'Drink plenty of water' [or words to that effect]; and

- (LAX2) 'Prolonged use may cause serious bowel problems'.

480

ALOE PERRYI

A, H

When the route of administration is oral or sublingual, Hydroxyanthracene derivatives calculated as anhydrous barbaloin is a mandatory component of Aloe perryi.

When used in oral medicines, if the maximum recommended daily dose contains more than 10 mg of hydroxyanthracene derivatives the medicine requires the following warning statements on the medicine label:

- (CHILD3) 'Use in children under 12 years is not recommended';

- (LAX2) 'Prolonged use may cause serious bowel problems'; and

- (LAX3) 'Do not use when abdominal pain, nausea or vomiting are present, or if you develop diarrhoea. If you are pregnant or breast feeding, seek the advice of a healthcare professional before taking this product' [or words to that effect].

			<p>When promoted or marketed as a laxative, the medicine requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (LAX1) 'Drink plenty of water' [or words to that effect]. <p>When not promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (LAX5) 'This product contains [name of the herb(s) or the chemical component(s)]; and - (LAX4) 'This product may have laxative effect'. <p>When used in oral medicines, if the maximum recommended daily dose contains less than 10 mg of hydroxyanthracene derivatives and is promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD3) 'Use in children under 12 years is not recommended'; - (LAX1) 'Drink plenty of water' [or words to that effect]; and - (LAX2) 'Prolonged use may cause serious bowel problems'.
481	ALOE VERA	A, E, H	<p>When the route of administration is oral or sublingual, Hydroxyanthracene derivatives calculated as anhydrous barbaloin is a mandatory component of Aloe vera.</p> <p>When used in oral medicines, if the maximum recommended daily dose contains more than 10 mg of hydroxyanthracene derivatives the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD3) 'Use in children under 12 years is not recommended';

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			<ul style="list-style-type: none"> - (LAX2) 'Prolonged use may cause serious bowel problems'; and - (LAX3) 'Do not use when abdominal pain, nausea or vomiting are present, or if you develop diarrhoea. If you are pregnant or breast feeding, seek the advice of a healthcare professional before taking this product' [or words to that effect]. <p>When promoted or marketed as a laxative, the medicine requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> - (LAX1) 'Drink plenty of water' [or words to that effect]. <p>When not promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (LAX5) 'This product contains [name of the herb(s) or the chemical component(s)]; and - (LAX4) 'This product may have laxative effect'. <p>When used in oral medicines, if the maximum recommended daily dose contains less than 10 mg of hydroxyanthracene derivatives and is promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (CHILD3) 'Use in children under 12 years is not recommended'; - (LAX1) 'Drink plenty of water' [or words to that effect]; and - (LAX2) 'Prolonged use may cause serious bowel problems'.
482	ALOES CAPE	A, H	When the route of administration is oral or sublingual, Hydroxyanthracene derivatives calculated as anhydrous barbaloin is a mandatory component of Aloes cape.

When used in oral medicines, if the maximum recommended daily dose contains more than 10 mg of hydroxyanthracene derivatives the medicine requires the following warning statements on the medicine label:

- (CHILD3) 'Use in children under 12 years is not recommended';
- (LAX2) 'Prolonged use may cause serious bowel problems'; and
- (LAX3) 'Do not use when abdominal pain, nausea or vomiting are present, or if you develop diarrhoea. If you are pregnant or breast feeding, seek the advice of a healthcare professional before taking this product' [or words to that effect].

When promoted or marketed as a laxative, the medicine requires the following warning statement on the medicine label:

- (LAX1) 'Drink plenty of water' [or words to that effect].

When not promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:

- (LAX5) 'This product contains [name of the herb(s) or the chemical component(s)]; and
- (LAX4) 'This product may have laxative effect'.

When used in oral medicines, if the maximum recommended daily dose contains less than 10 mg of hydroxyanthracene derivatives and is promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:

- (CHILD3) 'Use in children under 12 years is not recommended';
 - (LAX1) 'Drink plenty of water' [or words to that effect]; and
-

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			- (LAX2) 'Prolonged use may cause serious bowel problems'.
483	ALOYSIA CITRODORA	A, H	
484	ALPHA CASOZEPINE ENRICHED HYDROLYSED MILK PROTEIN	A	Only for use in oral medicines. The following warning statement is required on the medicine label: - (BABY3) 'Not suitable for use in children under the age of 12 months except on the advice of a health professional.' (or words to that effect).
485	ALPHA LIPOIC ACID	A	
486	ALPHA-2,2,6-TETRAMETHYL-CYCLOHEXENEBUTANAL	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
487	ALPHA-AMYL CINNAMALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
488	ALPHA-AMYL CINNAMYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
489	ALPHA-CEDRENE EPOXIDE	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
490	ALPHA-DAMASCONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
491	ALPHA-FARNESENE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
492	ALPHA-FURFURYL OCTANOATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
493	ALPHA-HEXYLCINNAMALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

494	ALPHA-IONOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
495	ALPHA-IONONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
496	ALPHA-IRONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
497	ALPHA-ISO-METHYL IONONE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

498	ALPHA-METHYL ANISALACETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
499	ALPHA-METHYL BENZYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
500	ALPHA-METHYL BUTYRALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
501	ALPHA-METHYL BUTYRIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
502	ALPHA-METHYL CINNAMALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

503	ALPHA-METHYL FURFURAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
504	ALPHA-METHYL NAPHTHYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
505	ALPHA-METHYLCINNAMYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
506	ALPHA-N-METHYL IONONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
507	ALPHA-PHELLANDRENE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

508	ALPHA-PINENE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
509	ALPHA-SANTALOL	E	<p>alpha-Santalol must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation.</p> <p>The total concentration of the fragrance proprietary excipient formulation containing alpha-santalol must not be more than 1% of the total medicine.</p>
510	ALPHA-SINENSAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
511	ALPHA-TERPINENE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
512	ALPHA-TERPINEOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			<p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
513	ALPINIA GALANGA	A, H	
514	ALPINIA HAINANENSIS	A, H	
515	ALPINIA OFFICINARUM	A, H	
516	ALPINIA OXYPHYLLA	A, H	
517	ALSIDIUM HELMINTHOCHORTON	A, H	<p>Iodine is a mandatory component of Alsidium helminthochorton.</p> <p>Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less.</p> <p>Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.</p>
518	ALSTONIA BOONEI	A, H	
519	ALSTONIA CONSTRICTA	H	Only for use as an active homoeopathic ingredient.
520	ALTERNANTHERA PHILOXEROIDES	A, H	
521	ALTEROMONAS FERMENT EXTRACT	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use on damaged skin or in the eye.</p> <p>The concentration in the medicine must be no more than 0.3%.</p>
522	ALTHAEA OFFICINALIS	A, E, H	
523	ALUM DODECAHYDRATE	A, E, H	
524	ALUMINIUM CHLOROHYDRATE	E	Only for use in topical medicines for dermal application.
525	ALUMINIUM CITRATE	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

526	ALUMINIUM DISTEARATE	E	Only for use in topical medicines for dermal application.
527	ALUMINIUM HYDROXIDE	E	Only for use in topical medicines for dermal application.
528	ALUMINIUM HYDROXIDE HYDRATE	E	Only for use in topical medicines for dermal application.
529	ALUMINIUM MAGNESIUM SILICATE	E	<p>Magnesium is a mandatory component of aluminium magnesium silicate.</p> <p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

530	ALUMINIUM MONOSTEARATE	E	Only for use in topical medicines for dermal application.
531	ALUMINIUM OXIDE	E, H	When used as an excipient ingredient, only for use in topical medicines for dermal application. When used as an active ingredient, only for use in homoeopathic medicines.
532	ALUMINIUM SILICATE	E, H	Only for use as an active homoeopathic or excipient ingredient. When used as an excipient ingredient, the medicine is only for use in topical medicines for dermal application.
533	ALUMINIUM SODIUM SILICATE	E	
534	ALUMINIUM STARCH OCTENYLSUCCINATE	E	The concentration in the medicine must be no more than 7%.
535	ALUMINIUM STEARATE	E	Only for use in topical medicines for dermal application.
536	ALUMINIUM SULFATE HYDRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
537	AMARANTH	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
538	AMARANTH ALUMINIUM LAKE	E	Permitted for use only as a colour for oral and topical use
539	AMARANTHUS HYBRIDUS	A, H	
540	AMARANTHUS RETROFLEXUS	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

541	AMBERGRIS EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a fragrance. The total fragrance concentration in a medicine must be no more than 1%.
542	AMBRETTE SEED OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
543	AMBRETTOLIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
544	AMBRINOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
545	AMBROSIA ARTEMISIIFOLIA	A, H	
546	AMBROSIA PSILOSTACHYA	A, H	
547	AMINOCAPROIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. The total concentration of aminocaproic acid in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

548	AMINOPROPYL ASCORBYL PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.1%.
549	AMMI VISNAGA	A, H	The concentration of equivalent dry Ammi visnaga in the product must be no more than 10mg/Kg or 10mg/L or 0.001%.
550	AMMONIA	E, H	Only for use as an active homoeopathic or excipient ingredient. When used as an excipient ingredient, the medicine is only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 0.5%.
551	AMMONIO METHACRYLATE COPOLYMER	E	Only for use in oral medicines.
552	AMMONIUM ACRYLATES COPOLYMER	E	Only for use in topical medicines for dermal application.
553	AMMONIUM ACRYLATES/ACRYLONITROGENS COPOLYMER	E	Only for use in topical medicines for dermal application.
554	AMMONIUM ACRYLOYLDIMETHYLTAURATE/STEARETH-8 METHACRYLATE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 0.5%.
555	AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			The concentration in the medicine must be no more than 5%.
556	AMMONIUM BICARBONATE	A, H	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
557	AMMONIUM BROMIDE	H	Only for use as an active homoeopathic ingredient.
558	AMMONIUM CARBONATE	E, H	Only for use as an active homoeopathic or excipient ingredient.
559	AMMONIUM CHLORIDE	A, E, H	Only for use as an active ingredient in homoeopathic medicines or as an uncompounded medicine substance packed for retail sale. When used as an uncompounded medicine substance the ingredient must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time. If used as an excipient ingredient then the medicine is only for topical use for dermal application.
560	AMMONIUM GLYCYRRHIZINATE	E	
561	AMMONIUM IODIDE	H	Only for use an active ingredient in homoeopathic medicines.
562	AMMONIUM LACTATE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 0.1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

563	AMMONIUM LAURETH SULFATE	E	Only for use in topical medicines for dermal application.
564	AMMONIUM LAURYL SULFATE	E	Only for use in topical medicines for dermal application.
565	AMMONIUM POLYACRYLATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.2%.
566	AMMONIUM POLYACRYLOYLDIMETHYL TAURATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration must be no more than 3%.
567	AMMONIUM SULFIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
568	AMOMUM AROMATICUM	A, H	
569	AMOMUM VILLOSUM	A, H	
570	AMORPHOPHALLUS KONJAC	A, H	Only for use when the dosage form is not tablet.
571	AMPELODES MOS MAURITANICUS	A, H	
572	AMPELOPSIS JAPONICA	A, H	
573	AMYL ACETATE	E	Only for use in: - topical medicines for dermal application; or - combination with other permitted ingredients as a flavour proprietary excipient formulation.

			The total flavour proprietary excipient formulation in a medicine must not be more than 5%.
574	AMYL ALCOHOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
575	AMYL BENZOATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
576	AMYL BUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
577	AMYL CAPROATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

578	AMYL CINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
579	AMYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
580	AMYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
581	AMYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
582	AMYL OCTANOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

583	AMYL PHENYLACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
584	AMYL PROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
585	AMYL SALICYLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
586	AMYL VALERATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
587	AMYL VINYL CARBINOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
588	AMYL VINYL CARBINYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			<p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
589	AMYLASE	A	Amylase must be derived from <i>Aspergillus oryzae</i> , and comply with the relevant compositional guideline.
590	AMYLCYCLOHEXYL ACETATE (MIXED ISOMERS)	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
591	AMYLOPECTIN	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
592	AMYRIS BALSAMIFERA	A, H	
593	AMYRIS OIL WEST INDIAN	A, E, H	
594	ANACARDIUM OCCIDENTALE	A, H	
595	ANACYCLUS PYRETHRUM	A, H	
596	ANACYSTIS NIDULANS FERMENT	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 0.0025%.</p>
597	ANAESTHETIC ETHER	H	Only for use as an active homoeopathic ingredient.
598	ANAGALLIS ARVENSIS	A, H	
599	ANAMIRTA COCCULUS	A, H	Picrotoxin is a mandatory component of <i>Anamirta cocculus</i> .

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			The concentration of picrotoxin in the medicine must be no more than 10 mg/kg or 10 mg/L or 0.001%.
600	ANANAS COMOSUS	A, E, H	
601	ANAPHALIS SINICA	A, H	
602	ANDROGRAPHIS PANICULATA	A, H	The following warning statement is required on the label: - (ANDROG) ‘Andrographis may cause allergic reactions in some people. If you have a severe reaction (such as anaphylaxis), stop use and seek immediate medical attention’ (or words to that effect). When for oral use, the following warning statement is required on the medicine label: - (ANDROT) ‘Andrographis may cause taste disturbance including loss of taste. If you develop any adverse symptoms, stop use and seek medical advice’ (or words to that effect).
603	ANEMARRHENA ASPHODELOIDES	A, E, H	
604	ANEMONE ALTAICA	A, H	
605	ANEMONE CHINENSIS	A, H	
606	ANEMONE HEPATICA	A, H	
607	ANEMONE PULSATILLA	A, H	
608	ANEMONE RADDEANA	A, H	
609	ANETHOLE	E	
610	ANETHOLEA ANISATA	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
611	ANETHUM GRAVEOLENS	A, E, H	
612	ANGELICA ACUTILOBA	A, H	
613	ANGELICA ANOMALA	A, H	
614	ANGELICA ARCHANGELICA	A, E, H	
615	ANGELICA ATROPURPUREA	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

616	ANGELICA DAHURICA	A, E, H	
617	ANGELICA DECURSIVA	A, H	
618	ANGELICA POLYMORPHA	A, E, H	
619	ANGELICA PUBESCENS	A, E, H	
620	ANGELICA ROOT DRY	A, H	
621	ANGELICA ROOT OIL	A, E, H	
622	ANGELICA SEED OIL	A, E, H	
623	ANIBA ROSAEODORA	A, E, H	
624	ANISALDEHYDE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
625	ANISE ALCOHOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
626	ANISE OIL	A, E, H	<p>When the concentration of Anise oil in the preparation is more than 50% the nominal capacity of the container must be no more than 50 mL.</p> <p>When the concentration of Anise oil in the preparation is more than 50% and the nominal capacity of the container is 50 mL or less, a restricted flow insert must be fitted on the container.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
 medicine

Volume 1

			The medicine requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children (or word to that effect)'
627	ANISEED	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
628	ANISEED DRY	A, E, H	
629	ANISEED POWDER	A, E, H	
630	ANISIC ACID	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
631	ANISYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
632	ANISYL ACETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
633	ANISYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
634	ANISYL PROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used as a flavour the total flavour concentration in a medicine must be no more than 5%.
635	ANNATTO	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
636	ANOGEISSUS LATIFOLIA	A, E, H	
637	ANTENNARIA DIOICA	A, E, H	
638	ANTHOCYANINS	E	
639	ANTHOXANTHUM ODORATUM	A, H	When used as an active ingredient, coumarin is a mandatory component of Anthoxanthum odoratum and the concentration of coumarin in the medicine must be no more than 0.001%.
640	ANTHRISCUS CEREFOLIUM	A, H	
641	ANTHYLLIS VULNERARIA	A, H	
642	ANTIMONY POTASSIUM TARTRATE TRIHYDRATE	H	Only for use as an active homoeopathic ingredient.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

643	ANTIMONY TRISULFIDE	H	Only for use as an active homoeopathic ingredient.
644	APIUM GRAVEOLENS	A, E, H	
645	APOCYNUM CANNABINUM	A, H	The concentration of equivalent dry Apocynum cannabinum in the medicine must be no more than 10mg/Kg or 10mg/L or 0.001%.
646	A POMORPHINE HYDROCHLORIDE HEMIHYDRATE	H	Only for use as an active homoeopathic ingredient.
647	APPLE	E	
648	APPLE CIDER VINEGAR	E	
649	APPLE ESSENCE NATURAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
650	APPLE EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
651	APPLE FIBRE	E	
652	APRICOT	E	
653	APRICOT KERNEL OIL PEG-6 ESTERS	E	Only for use as an excipient in topical medicines for dermal application.
654	AQUILARIA MALACCENSIS	A, H	
655	AQUILARIA SINENSIS	A, H	
656	AQUILEGIA VULGARIS	A, H	
657	ARACHIDONIC ACID	E	Only for use in topical medicines for dermal application.
658	ARACHIDYL ALCOHOL	E	Only for use in topical medicines for dermal application and not to be

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
659	ARACHIDYL GLUCOSIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration must be no more than 0.5%.
660	ARACHIDYL PROPIONATE	E	Only for use in topical medicines for dermal application.
661	ARACHIS HYPOGAEA	A, E, H	
662	ARACHIS OIL	A, E, H	
663	ARALIA CORDATA	A, H	
664	ARALIA HISPIDA	A, H	
665	ARALIA NUDICAULIS	A, H	
666	ARALIA RACEMOSA	A, H	
667	ARCTIUM LAPPА	A, E, H	
668	ARCTIUM MINUS	A, H	
669	ARCTOSTAPHYLOS UVA-URSI	A, E, H	Beta-arbutin is a mandatory component of Arctostaphylos uva-ursi. When for oral use, the maximum recommended daily dose must not provide more than 500 mg of beta-arbutin. When for dermal application exclusively to the face: a) the concentration of beta-arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for use other than oral or dermal application exclusively to the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
670	ARDISIA JAPONICA	A, H	
671	ARGANIA SPINOSA KERNEL OIL	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye or on damaged skin. The concentration must be no more than 5% in the medicine.
672	ARGININE	A, E, H	Only for use in topical medicines for dermal application. The medicine requires the following warning statement on the medicine label: - (ARGIN1) 'This medicine contains arginine and is intended to be applied to the skin only and not to the mucosa - vagina or rectum.'
673	ARGININE FERULATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.05%.
674	ARISAEMA ATRORUBENS	A, H	The maximum daily dose must be no more than the equivalent of 1mg of the dry herbal material.
675	ARISAEMA CONSANGUINEUM	A, H	The maximum daily dose must be no more than the equivalent of 1mg of the dry herbal material.
676	ARISAEMA JAPONICUM	A, H	The maximum daily dose must be no more than the equivalent of 1mg of the dry herbal material.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

677	ARMORACIA RUSTICANA	A, E, H	Volatile oil components (of <i>Armoracia rusticana</i>) is a mandatory component of <i>Armoracia rusticana</i> . The maximum recommended daily dose must contain no more than 20 mg of volatile oil components (of <i>Armoracia rusticana</i>).
678	ARNEBIA EUCHROMA	A, H	
679	ARNICA FLOWER DRY	A, H	When for use other than topically on unbroken skin, the maximum recommended daily dose must be no more than 1mg of the equivalent dry flower of <i>Arnica montana</i> .
680	ARNICA MOLLIS	A, H	When for use other than topically on unbroken skin, the maximum recommended daily dose must be no more than the equivalent of 1mg of the dry herbal material.
681	ARNICA MONTANA	A, H	When for use other than topically on unbroken skin, the maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material of <i>arnica montana</i> .
682	ARRHENATHERUM ELATIUS	A, H	
683	ARROWROOT	A, E, H	
684	ARSENIC TRIIODIDE	H	Only for use as an active homoeopathic ingredient. The concentration of arsenic in the medicine must be no more than 0.001%.
685	ARSENIC TRIOXIDE	H	Only for use as an active homoeopathic ingredient. The concentration of arsenic in the medicine must be no more than 0.001%.
686	ARTEMISIA ABROTANUM	A, H	Thujone is a mandatory component of <i>Artemisia abrotanum</i> . The

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

			concentration of thujone from Artemisia abrotanum in the medicine must be no more than 4%.
687	ARTEMISIA ABSINTHIUM	A, H	<p>Thujone is a mandatory component of Artemisia absinthium.</p> <p>The concentration of thujone from Artemisia absinthium in the medicine must be no more than 4%.</p> <p>The following warning statement is required on the medicine label:</p> <p>- (PREGNT2) ‘Do not use if pregnant or likely to become pregnant.’</p>
688	ARTEMISIA ANNUA	A, H	<p>Thujone is a mandatory component of Artemisia annua.</p> <p>The concentration of thujone from Artemisia annua in the medicine must be no more than 4%.</p> <p>The following warning statement is required on the medicine label:</p> <p>- (PREGNT2) ‘Do not use if pregnant or likely to become pregnant.’</p>
689	ARTEMISIA ARBORESCENS	A, H	<p>Thujone is a mandatory component of Artemisia arborescens.</p> <p>The concentration of thujone from Artemisia arborescens in the medicine must be no more than 4%.</p>
690	ARTEMISIA ARGYI	A, H	<p>Thujone is a mandatory component of Artemisia argyi.</p> <p>The concentration of thujone from Artemisia argyi in the medicine must be no more than 4%.</p>
691	ARTEMISIA DRACUNCULUS	A, E, H	<p>Thujone is a mandatory component of Artemisia dracunculus.</p> <p>The concentration of thujone from Artemisia dracunculus in the medicine must not be more than 4%.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			<p>The following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> - (PREGNT2) ‘Do not use if pregnant or likely to become pregnant’ (or words to that effect); <p>unless the ingredient is:</p> <ul style="list-style-type: none"> (a) a steam-distilled essential oil; and (b) for use in combination with other permitted ingredients as part of a fragrance or flavour proprietary excipient formulation where: <ul style="list-style-type: none"> (i) the total concentration of fragrance proprietary excipient formulations containing <i>Artemisia dracunculus</i> is not more than 1% of the total medicine; or (ii) the total concentration of flavour proprietary excipient formulations containing <i>Artemisia dracunculus</i> is not more than 5% of the total medicine.
692	ARTEMISIA FRIGIDA	A, H	<p>Thujone is a mandatory component of <i>Artemisia frigida</i>.</p> <p>The concentration of thujone from <i>Artemisia frigida</i> in the medicine must not be more than 4%.</p> <p>The following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> - (PREGNT2) ‘Do not use if pregnant or likely to become pregnant’ (or words to that effect).
693	ARTEMISIA HERBA-ALBA	A, H	<p>Thujone is a mandatory component of <i>Artemisia herba-alba</i>.</p> <p>The concentration of thujone from <i>Artemisia herba-alba</i> in the medicine must be no more than 4%.</p>
694	ARTEMISIA MARITIMA	A, H	<p>Thujone is a mandatory component of <i>Artemisia maritima</i>.</p>

			The concentration of thujone from <i>Artemisia maritima</i> in the medicine must be no more than 4%.
695	ARTEMISIA OIL	E	<p>Thujone is a mandatory component of artemisia oil.</p> <p>Only permitted for use in medicines containing 4% or less of thujone.</p> <p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must not be more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must not be more than 1%.</p>
696	ARTEMISIA PALLENS	A, E, H	<p>Thujone is a mandatory component of <i>Artemisia pallens</i>.</p> <p>The concentration of thujone from <i>Artemisia pallens</i> in the medicine must not be more than 4%.</p> <p>The following warning statement is required on the medicine label:</p> <p>- (PREGNT2) ‘Do not use if pregnant or likely to become pregnant’ (or words to that effect); unless the ingredient is:</p> <p>(a) a steam-distilled essential oil; and</p> <p>(b) for use in combination with other permitted ingredients as part of a fragrance or flavour proprietary excipient formulation where:</p> <p>(i) the total concentration of fragrance proprietary excipient formulations containing <i>Artemisia pallens</i> is not more than 1% of the total medicine; or</p> <p>(ii) the total concentration of flavour proprietary excipient formulations containing <i>Artemisia pallens</i> is not more than 5% of the total medicine.</p>

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

697	ARTEMISIA TRIDENTATA	A, H	<p>Thujone is a mandatory component of <i>Artemisia tridentata</i>.</p> <p>The concentration of thujone from <i>Artemisia tridentata</i> in the medicine must be no more than 4%.</p>
698	ARTEMISIA VULGARIS	A, E, H	<p>Thujone is a mandatory component of <i>Artemisia vulgaris</i>.</p> <p>The concentration of thujone from <i>Artemisia vulgaris</i> in the medicine must not be more than 4%.</p> <p>The following warning statement is required on the medicine label:</p> <p>- (PREGNT2) ‘Do not use if pregnant or likely to become pregnant’ (or words to that effect); unless the ingredient is:</p> <p>(a) a steam-distilled essential oil; and</p> <p>(b) for use in combination with other permitted ingredients as part of a fragrance or flavour proprietary excipient formulation where:</p> <p>(i) the total concentration of fragrance proprietary excipient formulations containing <i>Artemisia vulgaris</i> is not more than 1% of the total medicine; or</p> <p>(ii) the total concentration of flavour proprietary excipient formulations containing <i>Artemisia vulgaris</i> is not more than 5% of the total medicine.</p>
699	ARTERY	H	Only for use as an active homoeopathic ingredient.
700	ARTHROSPIRA MAXIMA	A, E, H	
701	ARTHROSPIRA PLATENSIS	A, E, H	
702	ARUM MACULATUM	A, H	The maximum daily dose must be no more than the equivalent of 1mg of the dry herbal material.
703	ASAFOETIDA GUM	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

704	ASAFOETIDA OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
705	ASARUM EUROPÆUM	A, H	
706	ASARUM HETEROTROPOIDES	A, H	
707	ASARUM OIL	E	
708	ASARUM SIEBOLDII	A, E, H	
709	ASCLEPIAS TUBEROSA	A, H	
710	ASCOPHYLLUM NODOSUM	A, E, H	Iodine is a mandatory component of <i>Ascophyllum nodosum</i> . Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
711	ASCORBIC ACID	A, E	
712	ASCORBYL GLUCOSIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2%.
713	ASCORBYL METHYLSILANOL PECTINATE	E	Only for use in topical medicines for dermal application.
714	ASCORBYL PALMITATE	A, E	When for oral use, the maximum recommended daily dose must contain no more than 100mg of ascorbyl palmitate.
715	ASCORBYL TOCOPHERYL MALEATE	E	Only for use as an ingredient in topical medicines for dermal application and not to be included in medicines intended for use in the eye.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

			The concentration in the medicine must be no more than 0.0575%.
716	ASPALATHUS LINEARIS	A, E, H	
717	ASPARAGINE	A, E	
718	ASPARAGOPSIS SULFATED GALACTANS	E	Only for use as an ingredient in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.0025%.
719	ASPARAGUS COCHINCHINENSIS	A, H	
720	ASPARAGUS OFFICINALIS	A, E, H	
721	ASPARAGUS RACEMOSUS	A, H	The plant part must be dried, peeled root, and water extracts or ethanol/water extracts (containing up to 45% ethanol) of the dried, peeled root.
722	ASPARTAME	E	
723	ASPARTIC ACID	A, E	
724	ASPERGILLUS ORYZAE	A, E, H	
725	ASTAXANTHIN ESTERS EXTRACTED FROM HAEMATOCOCCUS PLUVIALIS	A	Only for use in oral medicines. Astaxanthin (of Haematococcus pluvialis) is a mandatory component of astaxanthin esters extracted from Haematococcus pluvialis. The maximum daily dose must contain no more than 12mg of Astaxanthin (of Haematococcus pluvialis).
726	ASTER TATARICUS	A, H	
727	ASTRAGALUS ADSURGENS	A, H	
728	ASTRAGALUS COMPLANATUS	A, H	
729	ASTRAGALUS EXSCAPUS	A, H	
730	ASTRAGALUS GUMMIFER	A, E, H	
731	ASTRAGALUS LENTIGINOSUS	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

732	ASTRAGALUS MEMBRANACEUS	A, E, H	
733	ASTRAGALUS PENDULIFLORUS	A, H	
734	ASTROCARYUM MURUMURU SEED TRIGLYCERIDES	E	Only for use as an ingredient in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.21%.
735	ATRACTYLODES JAPONICA	A, H	
736	ATRACTYLODES LANCEA	A, H	
737	ATRACTYLODES MACROCEPHALA	A, H	
738	ATROPA BELLADONNA	A, H	Alkaloids calculated as hyoscyamine and atropine are mandatory components of Atropa belladonna. The concentration of alkaloids calculated as hyoscyamine in the medicine must be no more than 300 micrograms/Kg or 300 micrograms/L or 0.00003%. The concentration of atropine in the medicine must be no more than 100 micrograms/kg or 100 micrograms/L or 0.00001%.
739	ATROPINE SULFATE MONOHYDRATE	H	Only for use as an active homoeopathic ingredient. The concentration of atropine in the medicine must not be more than 300 micrograms/kg or 300 micrograms/L or 0.00003%.
740	ATTALEA SPECIOSA	E	Only for use in topical medicines for dermal application.
741	AURA B-AURANTIOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
742	AUREOBASIDIUM PULLULANS	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 1

743	AVENA FATUA	A, H	Gluten is a mandatory component of Avena fatua when the plant part is seed and the route of administration is other than topical and mucosal.
744	AVENA SATIVA	A, E, H	Gluten is a mandatory component of Avena sativa when the plant part is seed and the route of administration is other than topical and mucosal.
745	AVOCADO OIL	E	
746	AVOCADO OIL UNSAPONIFIABLES	E	Only for use in topical medicines for dermal application.
747	AZADIRACHTA INDICA	A, H	<p>The ingredient can only be derived from the plant part seed and must be cold pressed or debitterised oil.</p> <p>“Debitterised neem seed oil” means highly purified oil from the neem seed containing only fatty acids and glycerides of fatty acids.</p> <p>Cold pressed Azadirachta indica seed oil must be for topical use for dermal application only.</p> <p>When the concentration of cold pressed Azadirachta indica seed oil is more than 1%, a child resistant closure must be fitted to the container.</p> <p>The medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> - (PREGNT2) 'Do not use if pregnant or likely to become pregnant (or words to that effect).' - (NTAKEN) 'Not to be taken (or words to that effect).' - (CHILD) 'Keep out of reach of children (or words to that effect).'
748	AZOVAN BLUE	E	Permitted for use only as a colour for topical use.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 1

749	AZULENE	E	Only for use in topical medicines for dermal application.
-----	---------	---	---
