

## Schedule 1—Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Note: See sections 5 and 6.

Permissible ingredients and requirements			
Column 1	Column 2	Column 3	Column 4
Item	Ingredient Name	Purpose	Specific requirements
2174	FABIANA IMBRICATA	A, H	
2175	FAGOPYRUM ESCULENTUM	A, H	
2176	FAGUS GRANDIFOLIA	A, H	
2177	FAGUS SYLVATICA	A, H	
2178	FARNESOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2179	FARNESYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as part of a flavour or fragrance proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%. When used in a fragrance, the total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
2180	FAST GREEN FCF	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
2181	FENCHONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2182	FENCHYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2183	FENCHYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2184	FENNEL BITTER SEED DRY	A, E, H	When used in oral medicines, the following warning statements are required on the label: - (CHILD3) 'Use in children under 12 years is not recommended' - (PREGNT2) 'Do not use if pregnant or likely to become pregnant (or words to that effect)' - (BREASF) 'Do not use while breastfeeding.'
2185	FENNEL LEAF	E	
2186	FENNEL OIL	A, E, H	Methyl chavicol is a mandatory component of fennel oil. When the concentration of methyl chavicol in the medicine is more than 5%, the nominal capacity of the container must be no more than 25mL, a restricted flow insert must be fitted on the container, and the following warning statement is required on the label: - (CHILD) 'Keep out of reach of children (or words to that effect).'
			The maximum daily dose must provide no more than 150 mg of fennel oil.

			<p>When used in oral medicines, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> <li>- (CHILD3) 'Use in children under 12 years is not recommended.'</li> <li>- (PREGNT2) 'Do not use if pregnant or likely to become pregnant (or words to that effect).'</li> <li>- (BREASF) 'Do not use while breastfeeding.'</li> </ul>
2187	FENNEL SWEET SEED DRY	A, E, H	<p>When used in oral medicines, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> <li>- (CHILD3) 'Use in children under 12 years is not recommended'</li> <li>- (PREGNT2) 'Do not use if pregnant or likely to become pregnant (or words to that effect)'</li> <li>- (BREASF) 'Do not use while breastfeeding.'</li> </ul>
2188	FENUGREEK	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2189	FENUGREEK OIL	E	<p>Fenugreek oil is permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2190	FERRIC AMMONIUM CITRATE	A, E, H	<p>When for internal use, iron is a mandatory component of ferric ammonium citrate.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the following warning statement is required on the label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2191	FERRIC CHLORIDE	A, E, H	<p>When for internal use, iron is a mandatory component of ferric chloride.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p>

			<p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the medicine requires the following statement on the medicine label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2192	FERRIC CHLORIDE HEXAHYDRATE	A, E, H	<p>When for internal use, iron is a mandatory component of ferric chloride hexahydrate.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the medicine requires the following statement on the medicine label:</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).
2193	FERRIC GLYCEROPHOSPHATE	A, E, H	<p>When for internal use, iron is a mandatory component of ferric glycerophosphate.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the medicine requires the following statement on the medicine label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2194	FERRIC OXIDE	E	
2195	FERRIC PHOSPHATE	H	Only for use as an active homoeopathic ingredient.

2196	FERRIC PYROPHOSPHATE	A, H	<p>When for internal use, iron is a mandatory component of ferric pyrophosphate.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the medicine requires the following statement on the medicine label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2197	FERROSFERRIC OXIDE	E	<p>When used in undivided preparations for internal use and the concentration of iron oxide in the medicine is more than 1%, it is considered part of the total iron content.</p> <p>When used in divided preparations for internal use, the concentration in the medicine must be no more than 10 mg per dosage unit.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2198	FERROSFERRIC PHOSPHATE	H	Only for use as an active homoeopathic ingredient.
2199	FERROUS FUMARATE	A, H	<p>When for internal use, iron is a mandatory component of ferrous fumarate.</p> <p>When used as an active ingredient, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5mg of elemental iron per dosage unit and more than 250 milligrams of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 milligrams of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the medicine requires the following statement on the medicine label:          - (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2200	FERROUS GLUCONATE	A, E, H	<p>When for internal use, iron is a mandatory component of ferrous gluconate.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit</p>



			<p>(excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the medicine requires the following statement on the medicine label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2201	FERROUS GLUCONATE DIHYDRATE	A, E, H	<p>When for internal use, iron is a mandatory component of ferrous gluconate dihydrate.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the medicine requires the following statement on the medicine label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2202	FERROUS IODIDE	H	Only for use as an active homoeopathic ingredient.
2203	FERROUS LACTATE TRIHYDRATE	A, E, H	<p>When for internal use, iron is a mandatory component of ferrous lactate trihydrate.</p> <p>When used as an active ingredient, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5mg of elemental iron per dosage unit and more than 250 milligrams of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 milligrams of elemental iron in the total contents of the container are required to have a child resistant closure.</p>

			<p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the medicine requires the following statement on the medicine label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2204	FERROUS PHOSPHATE OCTAHYDRATE	A, E, H	<p>When for internal use, iron is a mandatory component of ferrous phosphate octahydrate.</p> <p>When used as an active ingredient, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5mg of elemental iron per dosage unit and more than 250 milligrams of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 milligrams of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the medicine requires the following statement on the medicine label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2205	FERROUS PICRATE	H	Only for use as an active homoeopathic ingredient.
2206	FERROUS SULFATE	A, E, H	<p>When used as an active ingredient, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5mg of elemental iron per dosage unit and more than 250 milligrams of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 milligrams of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the medicine requires the following statement on the medicine label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2207	FERROUS SULFATE HEPTAHYDRATE	A, E, H	<p>When for internal use, iron is a mandatory component of ferrous sulfate heptahydrate.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the medicine requires the following statement on the medicine label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2208	FERULA ASSA-FOETIDA	A, E, H	
2209	FERULA FOETIDA	A, E, H	
2210	FERULA GALBANIFLUA	A, E, H	
2211	FERULA RUBRICAULIS	A, E, H	
2212	FERULA SUMBUL	A, H	
2213	FERULIC ACID	E	Only for use in topical medicines for dermal application.
2214	FESTUCA ELATIOR	A, H	
2215	FEVERFEW HERB DRY	A, H	
2216	FEVERFEW HERB POWDER	A, H	
2217	FICUS CARICA	A, E, H	
2218	FICUS PUMILA	A, H	
2219	FIG	E	
2220	FIG DRY	A, H	
2221	FILIPENDULA ULMARIA	A, H	Methyl salicylate is a mandatory component of Filipendula ulmaria.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

		<p>Not to be included in medicines for use in the eye or on damaged skin.</p> <p>When used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if:</p> <ul style="list-style-type: none"> <li>- the delivery device is engaged into the container in such a way that prevents it from being readily removed;</li> <li>- direct suction through the delivery device results in delivery of no more than one dosage unit; and</li> <li>- actuation of the spray device is ergonomically difficult for young children to accomplish.</li> </ul> <p>The following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> <li>- (METSAL) 'Contains methyl salicylate' (or words to that effect).</li> </ul> <p>When for use in topical medicines for dermal application:</p> <ol style="list-style-type: none"> <li>i) the concentration of methyl salicylate in the medicine must not be more than 25%;</li> <li>ii) the following warning statements are required on the medicine label: <ul style="list-style-type: none"> <li>- (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect);</li> <li>- (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less';</li> <li>- (SENS) 'Application to skin may increase sensitivity to sunlight.' (or words to that effect);</li> <li>- (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect);</li> </ul> </li> <li>iii) if the concentration of methyl salicylate in the medicine is greater than</li> </ol>
--	--	--

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			1%, the following warning statement is required on the medicine label: - (IRRIT) 'If irritation develops, discontinue use'.
2222	FIR BALSAM ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2223	FIR NEEDLE OIL CANADIAN	A, E	
2224	FIR NEEDLE OIL SIBERIAN	A, E	
2225	FIRMIANA SIMPLEX	A, E, H	
2226	FISH OIL - RICH IN OMEGA-3 ACIDS	A	Only for use in oral medicines.
2227	FLEMINGIA MACROPHYLLA	A, H	
2228	FLOUVE OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2229	FLUORESCEIN SODIUM	E	
2230	FOENICULUM VULGARE	A, E, H	When used in oral medicines, the following warning statements are required on the label: - (CHILD3) 'Use in children under 12 years is not recommended' - (PREGNT2) 'Do not use if pregnant or likely to become pregnant (or words to that effect)' - (BREASF) 'Do not use while breastfeeding.' When the plant preparation is oil or distillate, methyl chavicol is a mandatory component and the maximum daily dose must provide no more than 150 mg of the plant preparation. When the plant preparation is oil or distillate and the concentration of methyl

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			chavicol in the medicine is more than 5%, the nominal capacity of the container must be no more than 25mL, a restricted flow insert must be fitted on the container, and the following warning statement is required on the label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
2231	FOLIC ACID	A	When for internal use, the maximum recommended daily dose must not provide more than 500 micrograms of folic acid.  When the medicine contains a combination of folic acid, folinic acid or levomefolic acid, the medicine must not provide more than a combined total of 500 micrograms of folic acid, folinic acid and levomefolic acid per maximum recommended daily dose.
2232	FOOD ORANGE 6	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
2233	FOOD ORANGE 7	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
2234	FOOD RED 13	E	Permitted for use only as a colour for topical use.
2235	FORMALDEHYDE/MELAMINE/TOSYLAMIDE COPOLYMER	E	Only for use in topical medicines for dermal application.  The concentration in the medicine must be no more than 10%.
2236	FORMIC ACID	E, H	Formic acid must only be included in medicines: (a) as an active homoeopathic ingredient; or (b) when in combination with other permitted ingredients as a flavour proprietary excipient formulation.  The total concentration of flavour proprietary excipient formulations



**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>containing formic acid must not be more than 5% of the total medicine.</p> <p>The maximum recommended daily dose of the medicine must not provide more than 150 mg of formic acid.</p> <p>The total concentration of formic acid in the medicine must not be more than 0.5%.</p>
2237	FORSYTHIA SUSPENSIVA	A, H	
2238	FORTIFIED WINE	E	Ethanol is a mandatory component of fortified wine.
2239	FRACTIONATED COCONUT OIL	E	
2240	FRACTIONATED PALM KERNEL OIL	A, E	When used as an active ingredient, can only be supplied as an un compounded medicine substance packed for retail sale, and must comply with an un compounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
2241	FRAGARIA CHILOENSIS	A, E, H	
2242	FRAGARIA VESCA	A, E, H	
2243	FRAGARIA VIRGINIANA	A, E, H	
2244	FRAGARIA X ANANASSA	A, E, H	
2245	FRANGULA BARK DRY	A, H	<p>Glucofrangulins calculated as glucofrangulin A is a mandatory component of Frangula bark dry.</p> <p>When used in oral medicines, if the maximum recommended daily dose contains more than 10 mg of hydroxyanthracene derivatives the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> <li>- (CHILD3) 'Use in children under 12 years is not recommended';</li> <li>- (LAX2) 'Prolonged use may cause serious bowel problems'; and</li> <li>- (LAX3) 'Do not use when abdominal pain, nausea or vomiting are present, or if you develop diarrhoea. If you are pregnant or breast feeding, seek the advice of a healthcare professional before taking this product' [or words to that effect].</li> </ul>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>When promoted or marketed as a laxative, the medicine requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> <li>- (LAX1) 'Drink plenty of water' [or words to that effect].</li> </ul> <p>When not promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> <li>- (LAX5) 'This product contains [name of the herb(s) or the chemical component(s)]'; and</li> <li>- (LAX4) 'This product may have laxative effect'.</li> </ul> <p>When used in oral medicines, if the maximum recommended daily dose contains less than 10 mg of hydroxyanthracene derivatives and is promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> <li>- (CHILD3) 'Use in children under 12 years is not recommended';</li> <li>- (LAX1) 'Drink plenty of water' [or words to that effect]; and</li> <li>- (LAX2) 'Prolonged use may cause serious bowel problems'.</li> </ul>
2246	FRANGULA BARK POWDER	A, H	<p>Glucofrangulins calculated as glucofrangulin A is a mandatory component of Frangula bark powder.</p> <p>When used in oral medicines, if the maximum recommended daily dose contains more than 10 mg of hydroxyanthracene derivatives the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> <li>- (CHILD3) 'Use in children under 12 years is not recommended';</li> <li>- (LAX2) 'Prolonged use may cause serious bowel problems'; and</li> <li>- (LAX3) 'Do not use when abdominal pain, nausea or vomiting are present, or if you develop diarrhoea. If you are pregnant or breast feeding, seek the advice of a healthcare professional</li> </ul>

			<p>before taking this product [or words to that effect]'.                  When promoted or marketed as a laxative, the medicine requires the following warning statement on the medicine label:                  - (LAX1) 'Drink plenty of water [or words to that effect]'.                  When not promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:                  - (LAX5) 'This product contains [name of the herb(s) or the chemical component(s)]'; and                  - (LAX4) 'This product may have laxative effect'.                  When used in oral medicines, if the maximum recommended daily dose contains less than 10 mg of hydroxyanthracene derivatives and is promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:                  - (CHILD3) 'Use in children under 12 years is not recommended';                  - (LAX1) 'Drink plenty of water [or words to that effect]'; and                  - (LAX2) 'Prolonged use may cause serious bowel problems'.</p>
2247	FRANGULA PURSHIANA	A, H	<p>When for oral use, hydroxyanthracene derivatives calculated as cascarioside A is a mandatory component of Frangula purshiana.                  When used in oral medicines, if the maximum recommended daily dose contains more than 10 mg of hydroxyanthracene derivatives the medicine requires the following warning statements on the medicine label:                  - (CHILD3) 'Use in children under 12 years is not recommended';                  - (LAX2) 'Prolonged use may cause serious bowel problems'; and                  - (LAX3) 'Do not use when abdominal pain, nausea or vomiting are present, or if you develop diarrhoea. If you are</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>pregnant or breast feeding, seek the advice of a healthcare professional before taking this product' [or words to that effect].</p> <p>When promoted or marketed as a laxative, the medicine requires the following warning statement on the medicine label:</p> <p>- (LAX1) 'Drink plenty of water' [or words to that effect].</p> <p>When not promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:</p> <p>- (LAX5) 'This product contains [name of the herb(s) or the chemical component(s)]'; and</p> <p>- (LAX4) 'This product may have laxative effect'.</p> <p>When used in oral medicines, if the maximum recommended daily dose contains less than 10 mg of hydroxyanthracene derivatives and is promoted or marketed as laxative, the medicine requires the following warning statements on the medicine label:</p> <p>- (CHILD3) 'Use in children under 12 years is not recommended';</p> <p>- (LAX1) 'Drink plenty of water' [or words to that effect]; and</p> <p>- (LAX2) 'Prolonged use may cause serious bowel problems'.</p>
2248	FRAXINUS AMERICANA	A, H	
2249	FRAXINUS CHINENSIS SUBSP. RHYNCHOPHYLLA	A, H	
2250	FRAXINUS EXCELSIOR	A, H	
2251	FRAXINUS ORNUS	A, H	
2252	FRITILLARIA CIRRHOSA	A, H	
2253	FRITILLARIA THUNBERGII	A, H	
2254	FRITILLARIA VERTICILLATA	A, H	
2255	FRUCTOOLIGOSACCHARIDES	A, E	
2256	FRUCTOSE	A, E, H	
2257	FUCUS VESICULOSUS	A, E, H	<p>Iodine is a mandatory component of Fucus vesiculosus.</p> <p>Only for external use when the concentration of available iodine in the</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>medicine (excluding salts derivatives or iodophors) is 2.5% or less.</p> <p>Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.</p>
2258	FULLY HYDROGENATED RAPESEED OIL	E	<p>Fully hydrogenated rapeseed oil must only be used in topical medicines for dermal application.</p> <p>The total concentration of fully hydrogenated rapeseed oil in the medicine must not be more than 5%.</p>
2259	FUMARIA OFFICINALIS	A, E, H	
2260	FUMARIC ACID	E, H	Only for use as an active homoeopathic or excipient ingredient.
2261	FUMITORY HERB DRY	A, H	
2262	FUMITORY HERB POWDER	A, H	
2263	FURAMINTON	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2264	FURFURAL	E	<p>Permitted for use only in medicines containing 0.1% or less of furfural and in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must not be more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must not be more than 1%.</p>
2265	FURFURYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2266	FURFURYL ALCOHOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2267	FURFURYL MERCAPTAN	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2268	FUSEL OIL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2269	GALACTOOLIGOSACCHARIDES	A	<p>Only to be used in a medicine where FrieslandCampina Ingredients B V (Client ID 79530), who applied to have the ingredient included in this Determination, is the sponsor of the medicine or has given written authorisation to the sponsor of a medicine to include the ingredient in the medicine. This paragraph ceases to be a requirement for this ingredient after 1 May 2025.</p> <p>Lactose and glucose are mandatory components of galactooligosaccharides.</p> <p>The route of administration for medicines that contain galactooligosaccharides must be limited to oral.</p> <p>The maximum recommended daily dose of the medicine must not provide more than:</p> <p>(a) 8 g of galactooligosaccharides to individuals aged 0 to 3 years (inclusive); and</p> <p>(b) 16.2 g of galactooligosaccharides to individuals aged 4 years and older.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			The following warning statement (or words to the same effect) is required on the medicine label: (GOS) 'Not to be taken on the same day with other products containing galactooligosaccharides.'
2270	GALBANUM OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2271	GALBANUM RESIN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2272	GALBANUM RESINOID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2273	GALEGA OFFICINALIS	A, H	
2274	GALEOPSIS SEGETUM	A, H	
2275	GALIUM APARINE	A, H	
2276	GALIUM ODORATUM	A, H	When used as an active ingredient coumarin is a mandatory component of Galium odoratum and the concentration of coumarin in the medicine must be no more than 0.001%.
2277	GALIUM PALUSTRE	A, H	
2278	GALIUM VERUM	A, H	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2279	GALL STONE	H	Only for use as an active homoeopathic ingredient.
2280	GALPHIMIA GLAUCA	A, H	
2281	GAMMA-4-DIMETHYL-3-CYCLOHEXENE-1-PROPANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2282	GAMMA-BUTYROLACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2283	GAMMA-CYCLODEXTRIN	E	
2284	GAMMA-DECALACTONE	E	Permitted for use only: (a) in topical medicines for dermal application; and (b) in oral medicines in combination with other permitted ingredients as part of a flavour proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.
2285	GAMMA-DODECALACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2286	GAMMA-HEPTALACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.



**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2287	GAMMA-HEXALACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2288	GAMMA-IONONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2289	GAMMA-LINOLEIC ACID	E	Only for use in topical medicines for dermal application.
2290	GAMMA-LINOLENIC ACID	E	
2291	GAMMA-N-METHYL IONONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2292	GAMMA-NONALACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2293	GAMMA-OCTALACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2294	GAMMA-TERPINENE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2295	GAMMA-TOCOPHEROL	E	
2296	GAMMA-UNDECALACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2297	GAMMA-VALEROLACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2298	GANODERMA LUCIDUM	A, E, H	
2299	GARCINIA GUMMI-GUTTA	A	Only for use in oral medicines. Must be obtained from the rind of the fruit only. Must not contain any directions for use for children or pregnant or lactating women.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2300	GARCINIA QUAESITA	A, H	
2301	GARDEN BEAN	E	
2302	GARDENIA JASMINOIDES	A, E	
2303	GARDENIA TAHITENSIS FLOWER EXTRACT	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin.</p> <p>The concentration in the medicine must be no more than 0.002%</p>
2304	GARLIC BULB DRY	A, E, H	
2305	GARLIC BULB FRESH	A, H	
2306	GARLIC BULB POWDER	A, E, H	
2307	GARLIC CLOVE POWDER	A, H	
2308	GARLIC OIL	A, E, H	
2309	GASTRODIA ELATA	A, H	
2310	GAULTHERIA PROCUMBENS	A, E, H	<p>Methyl salicylate is a mandatory component of Gaultheria procumbens.</p> <p>Not to be included in medicines for use in the eye or on damaged skin.</p> <p>When used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging.</p> <p>When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if:</p> <ul style="list-style-type: none"> <li>- the delivery device is engaged into the container in such a way that prevents it from being readily removed;</li> <li>- direct suction through the delivery device results in delivery of no more than one dosage unit; and</li> <li>- actuation of the spray device is ergonomically difficult for young children to accomplish.</li> </ul> <p>The following warning statement is required on the medicine label:</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>- (METSAL) 'Contains methyl salicylate' (or words to that effect).</p> <p>When for use in topical medicines for dermal application</p> <p>i) the concentration of methyl salicylate in the medicine must not be more than 25%;</p> <p>ii) the following warning statements are required on the medicine label:</p> <p>- (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect);</p> <p>- (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less';</p> <p>- (SENS) 'Application to skin may increase sensitivity to sunlight.' (or words to that effect);</p> <p>- (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect);</p> <p>iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label:</p> <p>- (IRRIT) 'If irritation develops, discontinue use'.</p>
2311	GELATIN	A, E	
2312	GELIDIUM AMANSII	A, H	<p>Iodine is a mandatory component of Gelidium amansii.</p> <p>Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less.</p> <p>Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.</p>
2313	GELLAN GUM	E	
2314	GELSEMIUM DRY	A, H	<p>The concentration of Gelsemium dry in the medicine must be no more than 1mg/Kg or 1mg/L or 0.0001%.</p>
2315	GELSEMIUM POWDER	A, H	
2316	GELSEMIUM SEMPERVIRENS	A, H	<p>The concentration of equivalent dry Gelsemium sempervirens in the product</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			must be no more than 1mg/Kg or 1mg/L or 0.0001%.
2317	GENET ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2318	GENTIAN DRY	A, H	
2319	GENTIAN POWDER	A, H	
2320	GENTIANA LUTEA	A, E, H	
2321	GENTIANA MACROPHYLLA	A, H	
2322	GENTIANA RHODANTHA	A, H	
2323	GENTIANA SCABRA	A, H	
2324	GENTIANELLA AMARELLA	A, H	
2325	GERANIAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2326	GERANIC ACID	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2327	GERANIOL	E	Permitted for use only: (a) in topical medicines for dermal application; and (b) in oral medicines in combination with other permitted ingredients as part of a flavour proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2328	GERANIUM	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2329	GERANIUM MACULATUM	A, E, H	
2330	GERANIUM OIL	A, E, H	
2331	GERANIUM OIL SAPONIFIED	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2332	GERANIUM OIL TERPENELESS	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2333	GERANIUM ROBERTIANUM	A, E, H	
2334	GERANIUM ROSE OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2335	GERANIUM SIBIRICUM	A, E, H	
2336	GERANYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2337	GERANYL ACETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2338	GERANYL BUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2339	GERANYL CROTONATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2340	GERANYL ETHYL ETHER	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2341	GERANYL FORMATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2342	GERANYL ISOBUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2343	GERANYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2344	GERANYL NITRILE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2345	GERANYL PROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2346	GERANYL TIGLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2347	GEUM RIVALE	A, H	
2348	GEUM URBANUM	A, H	
2349	GHATTI GUM	A, E, H	
2350	GIGARTINA MAMILLOSA	A, H	Iodine is a mandatory component of Gigartina mamilliosa. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less.



**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2351	GINGER DRY	A, E, H	
2352	GINGER OIL	A, E, H	
2353	GINGER OLEORESIN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in the medicine must be no more than 5%.
2354	GINGER POWDER	A, E, H	
2355	GINKGO BILOBA	A, E, H	The Ginkgo biloba leaf extract used in the manufacture of this medicine must comply with the requirement of Identification Test B of the monograph Powdered Ginkgo Extract in the United States Pharmacopeia 32 - National Formulary 27 (USP32-NF27), as in force or existing from time to time. This condition does not apply to powdered or dried leaf.
2356	GLACIAL ACETIC ACID	E, H	The concentration in the medicine must be no more than 1.5%.
2357	GLECHOMA HEDERACEA	A, H	
2358	GLECHOMA LONGITUBA	A, H	
2359	GLEDITSIA AUSTRALIS	A, H	
2360	GLEDITSIA SINENSIS	A, H	
2361	GLEHNNIA LITTORALIS	A, H	
2362	GLORIOSA SUPERBA	A, H	Colchicine is a mandatory component of <i>Gloriosa superba</i> and must be declared in the application. The concentration of colchicine in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
2363	GLUCOMANNAN	E	Only for use when the dosage form is other than tablet.
2364	GLUCONOLACTONE	E	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2365	GLUCOSAMINE HYDROCHLORIDE	A, E	
2366	GLUCOSAMINE SULFATE	A	
2367	GLUCOSAMINE SULFATE POTASSIUM CHLORIDE	A	<p>Potassium chloride is a mandatory component of glucosamine sulfate potassium chloride.</p> <p>When for oral use, only permitted in medicines containing less than 550 milligrams of potassium chloride per dosage unit or in preparations for oral rehydration therapy.</p> <p>When for oral use, the medicine requires the following warning statement on the medicine label:</p> <p>- (POTAS1) 'If you have kidney disease or are taking heart or blood pressure medicines - consult your doctor or pharmacist before use. Keep out of reach of children.'</p>
2368	GLUCOSAMINE SULFATE SODIUM CHLORIDE	A	
2369	GLUCOSE	A, E, H	
2370	GLUCOSE GLUTAMATE	E	Only for use in topical medicines for dermal application.
2371	GLUCOSE MONOHYDRATE	A, E, H	
2372	GLUCOSYLROUTIN	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 0.1%.</p>
2373	GLUTAMIC ACID	A, E	Only for use in topical medicines for dermal application.
2374	GLUTAMIC ACID HYDROCHLORIDE	A, E, H	
2375	GLUTAMINE	A, E, H	
2376	GLUTARAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2377	GLUTATHIONE	A, E	When used as an active ingredient, glutathione can only be used in

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>medicines with an oral route of administration and must be indicated for use in adults only and not in pregnant or lactating women.</p> <p>The medicine requires the following warning statement on the medicine label:</p> <ul style="list-style-type: none"> <li>- (PREGNT) 'Not recommended for use by pregnant and lactating women' (or words to that effect)</li> <li>- (ADULT) 'Adults only' (or words to that effect).</li> </ul>
2378	GLUTEN-FREE WHEAT STARCH	E	
2379	GLYCERETH-26	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 7%.</p>
2380	GLYCEROL	A, E	<p>When used as an active ingredient, it is only for use in topical medicines for dermal application.</p>
2381	GLYCEROL ESTER OF PARTIALLY HYDROGENATED GUM ROSIN	E	<p>Only for use when the dosage form is 'chewing gum'.</p> <p>Must comply with:</p> <ul style="list-style-type: none"> <li>a) the Glycerol Ester of Partially Hydrogenated Gum Rosin monograph in the Food Chemicals Codex published by the United States Pharmacopeial Convention, as in force or existing from time to time; and</li> <li>b) the requirements for residual solvents and catalysts in the British Pharmacopoeia or the United States Pharmacopoeia-National Formulary, as in force or existing from time to time.</li> </ul>
2382	GLYCEROL ESTER OF PARTIALLY HYDROGENATED WOOD ROSIN	E	<p>Glycerol ester of partially hydrogenated wood rosin must only be included in medicines when in combination with other permitted ingredients as a proprietary excipient formulation in medicines with a dermal route of administration for topical application.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2383	GLYCERYL BEHENATE	E	Behenic acid is a mandatory component of glyceryl behenate. When for oral ingestion, the maximum recommended daily dose must not provide more than 383.5 milligrams of behenic acid. In medicines for topical use, the concentration of glyceryl behenate must be no more than 5%.
2384	GLYCERYL CAPRYLATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
2385	GLYCERYL DIISOSTEARATE	E	For use in topical medicines for dermal application.
2386	GLYCERYL DILAURATE	E	Only for use in topical medicines for dermal application.
2387	GLYCERYL DIOLEATE	E	Only for use in topical medicines for dermal application.
2388	GLYCERYL DISTEARATE	E	Only for use in topical medicines for dermal application.
2389	GLYCERYL GLUCOSIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
2390	GLYCERYL ISOSTEARATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5.5%.
2391	GLYCERYL LAURATE	E	Only for use in topical medicines for dermal application.
2392	GLYCERYL LINOLEATE	E	Only for use in topical medicines for dermal application.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2393	GLYCERYL LINOLENATE	E	Only for use in topical medicines for dermal application.
2394	GLYCERYL MONO AND DICAPRYLOCAPRATE	E	Only permitted for use in medicines limited to oral routes of administration, or when in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The maximum recommended oral daily dose of the medicine must not provide more than 8 mg of glyceryl mono and dicaprylocaprate. The total concentration of fragrance proprietary excipient formulations containing glyceryl mono and dicaprylocaprate must not be more than 1% of the total medicine.
2395	GLYCERYL MONOOLEATE	E	
2396	GLYCERYL MONOSTEARATE	E	
2397	GLYCERYL MYRISTATE	E	Only for use in topical medicines for dermal application.
2398	GLYCERYL OLEATE CITRATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 4% of the formulation.
2399	GLYCERYL PALMITO-STEARATE	E	
2400	GLYCERYL POLYACRYLATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.15%.
2401	GLYCERYL POLYMETHACRYLATE	E	Only for use in topical medicines for dermal application.
2402	GLYCERYL RICINOLEATE	E	Only for use in topical medicines for dermal application.
2403	GLYCERYL ROSINATE	E	Only for use when the dosage form is 'chewing gum'. Must comply with:

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>a) the Glycerol Ester of Gum Rosin monograph in the Food Chemicals Codex published by the United States Pharmacopeial Convention, as in force or existing from time to time; and</p> <p>b) the requirements for residual solvents and catalysts in the British Pharmacopoeia or the United States Pharmacopeia National Formulary, as in force or existing from time to time.</p>
2404	GLYCERYL SORBITAN OLEOSTEARATE	E	Only for use in topical medicines for dermal application.
2405	GLYCERYL STARCH	E	<p>Only for use in topical medicines for dermal application.</p> <p>The concentration in the medicine must be no more than 4%.</p> <p>The residual levels of epichlorohydrin are to be kept below the level of detection.</p>
2406	GLYCERYL STEARATE CITRATE	E	<p>Only for use in topical medicines for dermal application.</p> <p>The concentration in the medicine must be no more than 5%.</p>
2407	GLYCERYL TRIACETYL HYDROXYSTEARATE	E	<p>Only for use in topical medicines for dermal application.</p> <p>The concentration in the medicine must be no more than 6%.</p>
2408	GLYCERYL TRIACETYL RICINOLEATE	E	Only for use in topical medicines for dermal application.
2409	GLYCERYL TRINITRATE	H	<p>Only for use as an active homoeopathic ingredient.</p> <p>The total concentration of glyceryl trinitrate in the medicine must not be more than 100 micrograms/kg or 100 micrograms/L or 0.00001%.</p>
2410	GLYCERYL UNDECYLENATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			of glyceryl undecylenate in a medicine must be no more than 3%.
2411	GLYCINE	A, E	
2412	GLYCINE MAX	A, E, H	
2413	GLYCOGEN	E	Only for use in topical medicines for dermal application.
2414	GLYCOL DISTEARATE	E	Only for use in topical medicines for dermal application.
2415	GLYCOLIC ACID	E	<p>Only for use in topical medicines for dermal application.</p> <p>Sponsors should consider the impact of excipients on the sensitivity of the skin to sunlight and should ensure the finished product is safe for its intended purpose.</p> <p>When present as an excipient in sunscreens, the concentration in the medicine must be no more than 5%.</p> <p>When used as an excipient ingredient in other medicines the concentration in the medicine must be no more than 20%.</p> <p>If the concentration is more than 5% but no more than 20%, the pH of the medicine must be 3.5 or greater.</p>
2416	GLYCYRRHIZA GLABRA	A, E, H	
2417	GLYCYRRHIZA SPECIES	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2418	GLYCYRRHIZA URALENSIS	A, E, H	
2419	GLYCYRRHIZINIC ACID	E	
2420	GNAPHALIUM AFFINE	A, H	
2421	GNAPHALIUM POLYCEPHALUM	A, H	
2422	GNAPHALIUM ULIGINOSUM	A, H	
2423	GOAT	H	Only for use as an active homoeopathic ingredient.
2424	GOAT MILK	E	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2425	GOLD	E, H	Only for use as an active homoeopathic or excipient ingredient.
2426	GOLD CHLORIDE	H	Only for use as an active homoeopathic ingredient.
2427	GOLDEN ROD HERB DRY	A, E, H	
2428	GOLDEN SEAL ROOT DRY	A, H	
2429	GOLDEN SEAL ROOT POWDER	A, H	
2430	GOLDEN SYRUP	E	When the route of administration of the medicine is oral or sublingual, sucrose is a mandatory component of golden syrup.
2431	GOMPHRENA GLOBOSA	A, H	
2432	GOSSYPIUM HERBACEUM	A, E, H	
2433	GRAPE	E	
2434	GRAPE SEED OIL	E	
2435	GRAPE WINE RED	E	Ethanol is a mandatory component of grape wine red.
2436	GRAPE WINE SHERRY	E	Ethanol is a mandatory component of grape wine sherry.
2437	GRAPE WINE WHITE	E	Ethanol is a mandatory component of grape wine white.
2438	GRAPEFRUIT	E	
2439	GRAPEFRUIT OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2440	GRAPEFRUIT OIL COLDPRESSED	A, E, H	
2441	GRAPEFRUIT OIL CONCENTRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.



**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2442	GRAPEFRUIT OIL TERPENELESS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2443	GRAPEFRUIT OIL TERPENES AND TERPENOIDS	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2444	GRAPHITE	H	Only for use as an active homoeopathic ingredient.
2445	GRATIOLA LINIFOLIA	A, H	
2446	GREATER NETTLE HERB DRY	A, H	
2447	GREATER NETTLE HERB POWDER	A, H	
2448	GREATER NETTLE ROOT DRY	A, H	
2449	GREATER NETTLE ROOT POWDER	A, H	
2450	GREEN LIPPED MUSSEL	A	The following warning statement is required on the medicine label: - (MOLLUSC) 'Contains mollusc' or 'Contains mollusc products'.
2451	GREEN LIPPED MUSSEL DRIED	A	The following warning statement is required on the medicine label: - (MOLLUSC) 'Contains mollusc' or 'Contains mollusc products'.
2452	GREEN LIPPED MUSSEL OIL	A	The following warning statement is required on the medicine label: - (MOLLUSC) 'Contains mollusc' or 'Contains mollusc products'.
2453	GREEN S	E	Only for use as a colour in topical and oral medicines.
2454	GRIFOLA FRONDOSA	A	When the route of administration is oral or sublingual, the medicine requires the

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			following warning statement on the medicine label: -(WARF) 'Do not take while on warfarin therapy without medical advice.'
2455	GRINDELIA CAMPORUM	A, H	
2456	GRINDELIA ROBUSTA	A, H	
2457	GRISALVA	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2458	GROUND IVY HERB DRY	A, H	
2459	GROUND IVY HERB POWDER	A, H	
2460	GUAIAC WOOD OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2461	GUAIACOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in the medicine must be no more than 5%.
2462	GUAIACUM OFFICINALE	A, E, H	
2463	GUAIACUM RESIN	A, E, H	
2464	GUAIACUM SANCTUM	A, H	
2465	GUAIENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2466	GUAIYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2467	GUANINE	E	Only for use as an excipient in topical medicines for dermal application.
2468	GUANOSINE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration must be no more than 0.01% in the medicine.
2469	GUAR GALACTOMANNAN	A	When for oral use: (a) the maximum daily dose must provide no more than 25 g of guar galactomannan; (b) the medicine requires the following dosage instructions: - (FIBRE) 'The dose of fibre should be increased gradually. Fluid intake should be increased with an increasing dose of fibre.' (or words to that effect) (c) when the dosage form is a powder preparation, the medicine requires the following dosage instructions: - (DNTPOW) 'Do not take powder alone. Mix with food or fluid.' (or words to that effect).
2470	GUAR GUM	A, E, H	
2471	GUAR HYDROXYPROPYLTRIMONIUM CHLORIDE	E	Only for use as an excipient in topical medicines for dermal application.
2472	GUAREA RUSBYI	A, H	
2473	GUAVA	E	
2474	GURJUN BALSAM	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2475	GYMNADENIA NIGRA	A	
2476	GYMNEMA SYLVESTRE	A, H	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2477	GYMNOCLADUS DIOICA	A, H	
2478	GYNOSTEMMA PENTAPHYLLUM	A	The herbal substance must be derived from the aerial parts of the vine only (stem, leaves, fruit).
2479	HAHNEMANN'S SOLUBLE MERCURY	H	Only for use as an active homoeopathic ingredient.
2480	HALIBUT-LIVER OIL	A, E	<p>Colecalciferol and Vitamin A are mandatory components of Halibut-liver oil.</p> <p>When for internal use, the maximum recommended daily dose must be no more than 25 micrograms of Vitamin D.</p> <p>When for use in topical medicines, the concentration of Vitamin A in the medicine must be no more than 1%.</p> <p>When for internal use, the maximum daily dose must be no more than 3000 micrograms of Retinol Equivalents.</p> <p>When preparations for internal use in adults contain more than 33 micrograms of retinol equivalents per dosage unit in divided preparations or per gram of an undivided preparation, the medicine requires the following warning statements on the medicine label:</p> <ul style="list-style-type: none"> <li>- (VITA2) 'WARNING: If you are pregnant - or considering becoming pregnant - do not take Vitamin A supplements without consulting your doctor or pharmacist [or words to that effect].'</li> <li>NOTE: Position this warning at the beginning of the directions for use.</li> <li>- (VITA4) 'WARNING - When taken in excess of 3000 micrograms retinol equivalents - Vitamin A can cause birth defects.'</li> <li>NOTE: Position this warning at the beginning of the directions for use.</li> <li>- (VITA3) 'The recommended daily amount of Vitamin A from all sources is 700 micrograms retinol equivalents for women and 900 micrograms retinol equivalents for men.'</li> </ul>
2481	HAMAMELIS LEAF DRY	A, H	
2482	HAMAMELIS LEAF POWDER	A, H	
2483	HAMAMELIS VIRGINIANA	A, E, H	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2484	HAMAMELIS WATER	A, E, H	
2485	HANDROANTHUS HEPTAPHYLLUS	A, H	
2486	HANDROANTHUS IMPETIGINOSUS	A, E, H	
2487	HARD FAT	E	
2488	HARD PARAFFIN	E	
2489	HARICOT BEAN	E	
2490	HARPAGOPHYTUM PROCUMBENS	A, E, H	
2491	HARUNGANA MADAGASCARIENSIS	A, H	
2492	HAZEL NUT	E	
2493	HAZEL NUT OIL	E	
2494	HEAVY KAOLIN	E	
2495	HEAVY MAGNESIUM OXIDE	A, E, H	<p>Magnesium is a mandatory component of heavy magnesium oxide.</p> <p>When used in a medicine:</p> <p>(a) with an oral route of administration;</p> <p>(b) not indicated for laxative (or related) use; and</p> <p>(c) where the maximum recommended daily dose for:</p> <p>(i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts;</p> <p>(ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or</p> <p>(iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts;</p> <p>the following warning statement is required on the medicine label:</p> <p>- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).</p> <p>When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.</p>
2496	HECTORITE	E	Only for use in topical medicines for dermal application.
2497	HEDEOMA PULEGIOIDES	A	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2498	HEDERA HELIX	A, H	Emetine is a mandatory component of Hedera helix. The concentration of emetine in the medicine must be no more than 0.2%.
2499	HEDTA	E	Only for use as an excipient in topical medicines for dermal application.
2500	HEKLA LAVA	H	Only for use as an active homoeopathic ingredient.
2501	HELESTRALIS	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2502	HELIANTHEMUM NUMMULARIUM	A, H	
2503	HELIANTHUS ANNUUS	A, E, H	
2504	HELIANTHUS TUBEROSUS	A, H	
2505	HELICHRYSUM ANGUSTIFOLIUM	A, E, H	
2506	HELICHRYSUM ARENARIUM	A, H	
2507	HELIOTROPYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2508	HELLEBORUS NIGER	A, H	The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material.
2509	HELLEBORUS VIRIDIS	A, H	The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material.
2510	HELONIAS RHIZOME DRY	A, H	
2511	HELONIAS RHIZOME POWDER	A, H	
2512	HEMIDESMUS INDICUS	A, E, H	
2513	HEMP SEED OIL	A, E	Only to be used in a medicine where Elixinol Wellness (Byron Bay) Pty Ltd (Client ID 78778), who applied to have the ingredient included in this

			<p>Determination, is the sponsor of the medicine or has given written authorisation to the sponsor of a medicine to include the ingredient in the medicine. This paragraph ceases to be a requirement for this ingredient after 13 December 2024.</p> <p>Cannabidiol and tetrahydrocannabinols are mandatory components of hemp seed oil.</p> <p>The total concentration of cannabidiol in hemp seed oil must not be more than 75 mg/kg.</p> <p>The total concentration of tetrahydrocannabinols in hemp seed oil must not be more than 10 mg/kg.</p> <p>The route of administration for medicines that contain hemp seed oil must be limited to oral.</p> <p>The maximum recommended daily dose of the medicine must not provide more than 36 g of hemp seed oil.</p> <p>The following warning statements (or words to that effect) are required on the medicine label:</p> <ul style="list-style-type: none"> <li>- ‘Not for use in children under 2 years of age’; and</li> <li>- ‘Not to be taken on the same day with other products containing hemp seed oil, including food sources’.</li> </ul>
2514	HEPTANAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2515	HEPTANAL DIMETHYL ACETAL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2516	HEPTANOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2517	HEPTENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2518	HEPTYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2519	HEPTYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2520	HEPTYL UNDECYLENATE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye or on damaged skin. The concentration of the medicine must be no more than 25%.
2521	HERACLEUM HEMSLEYANUM	A, H	
2522	HERNIARIA GLABRA	A, H	
2523	HESPERIDIN	A, E	
2524	HESPEROCYPARIS MACROCARPA	A, H	
2525	HESPEROYUCCA WHIPPLEI	A, H	
2526	HEX-3-ENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance.



**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2527	HEXAHYDRO-4,7-METHANOINDEN-6-YL PIVALATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2528	HEXAMETHYLINDANOPYRAN	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2529	HEXAN-1-OL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2530	HEXANE	E	The concentration of the medicine must be no more than 0.029%. When used for a route of administration other than topical, the residual solvent limit for Hexane is 2.9 mg per recommended daily dose.
2531	HEXANOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2532	HEXANOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2533	HEXASODIUM FYTATE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye or on damaged skin. The concentration of Hexasodium fytate in the medicine must be no more than 1.0 %.
2534	HEXENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2535	HEXYL 2-METHYLBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2536	HEXYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2537	HEXYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.

			<p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2538	HEXYL CAPROATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2539	HEXYL FORMATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2540	HEXYL ISOBUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2541	HEXYL ISOVALERATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2542	HEXYL LAURATE	E	<p>Only for use as an excipient in topical medicines for dermal application.</p>
2543	HEXYL NICOTINATE	E	
2544	HEXYL PROPIONATE	E	<p>Only for use in medicines in combination with other permitted ingredients as a flavour proprietary excipient formulation.</p> <p>The total flavour proprietary excipient formulation in a medicine must not be more than 5%.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2545	HEXYL SALICYLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2546	HEXYL TIGLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2547	HEXYLDECANOL	E	Only for use as an excipient in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration of the medicine must be no more than 3%.
2548	HEXYLENE GLYCOL	E	Only for use as an excipient in topical medicines for dermal application.
2549	HEXYLRESORCINOL	A	Permitted for use only in medicated throat lozenges. The medicine of must not contain more than 2.5 mg of hexylresorcinol per lozenge. The maximum recommended daily dose of the medicine must not provide more than 30mg of hexylresorcinol. The medicine label must specify that the medicine is only to be used for 7 days (or less). The following warning statement must be included on the medicine label: - (PREGNT) 'Not recommended for use by pregnant and lactating women' (or words to that effect).
2550	HIBISCUS ESCULENTUS	A, H	
2551	HIBISCUS MUTABILIS	A, H	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2552	HIBISCUS ROSA-SINENSIS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2553	HIBISCUS SABDARIFFA	A, E, H	
2554	HIERACIUM PILOSELLA	A, H	
2555	HIGH AMYLOSE MAIZE STARCH	A, E, H	
2556	HIGH CHROMIUM YEAST	A, E	Chromium is a mandatory component of high chromium yeast. The maximum recommended daily dose must not provide more than 50 micrograms of chromium from organic chromium sources. High chromium yeast is considered to be an organic form of chromium.
2557	HIGH FRUCTOSE MAIZE SYRUP	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2558	HIGH MOLYBDENUM YEAST	A, E	Molybdenum is a mandatory component of high molybdenum yeast. The maximum daily dose of molybdenum from high molybdenum yeast must be no more than 62.5 micrograms.
2559	HIGH SELENIUM YEAST	A	When for oral or sublingual use, selenium is a mandatory component of high selenium yeast. Oral medicines must contain no more than 150 micrograms of selenium per maximum recommended daily dose. When for oral use, the medicine requires the following warning statement on the medicine label: - (SELE) 'This medicine contains selenium which is toxic in high doses. A daily dose of 150 micrograms for adults of selenium from dietary supplements should not be exceeded.'

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2560	HIMATANTHUS LANCIFOLIUS	A, E, H	
2561	HIPPOPHAE RHAMNOIDES	A, E, H	
2562	HIRSCHFELDIA INCANA	A, H	Allyl isothiocyanate is a mandatory component of Hirschfeldia incana when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
2563	HISTAMINE DIHYDROCHLORIDE	H	Only for use as an active homoeopathic ingredient.
2564	HISTIDINE	A	
2565	HISTIDINE HYDROCHLORIDE	A, E, H	
2566	HO LEAF OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2567	HO WOOD OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2568	HOLCUS LANATUS	A, H	
2569	HOLY THISTLE HERB DRY	A, H	
2570	HOLY THISTLE HERB POWDER	A, H	
2571	HOMALOMENA OCCULTA	A, H	
2572	HOMOSALATE	A, E	For use as an active ingredient only in sunscreens for dermal application. For use as an excipient only in topical medicines for dermal application.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>Not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must not be more than 15%.</p> <p>When used in primary sunscreen products, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> <li>- (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and</li> <li>- (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).</li> </ul>
2573	HONEY	A, E	<p>When the route of administration is oral, the following warning statement is required on the medicine label:</p> <ul style="list-style-type: none"> <li>- (BABY2) 'Not suitable for infants under the age of twelve months' (or words to that effect).</li> </ul>
2574	HONEY BEE	H	Only for use as an active homoeopathic ingredient.
2575	HONEY EXTRACT	E	<p>Honey extract must not be included in medicines intended for use in the eye.</p> <p>The concentration of honey extract in the medicine must not be more than 1%.</p>
2576	HONEY POWDER	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2577	HOP STROBILE DRY	A, H	
2578	HOP STROBILE POWDER	A, H	
2579	HOPS OIL	A, E, H	
2580	HORDEUM DISTICHON	A, E, H	Gluten is a mandatory component when the plant part is seed, and must be declared in the application when the route of administration is other than topical and mucosal.
2581	HORDEUM VULGARE	A, E, H	Gluten is a mandatory component when the plant part is seed, and must be

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			declared in the application when the route of administration is other than topical and mucosal.
2582	HOREHOUND EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2583	HOTTONIA PALUSTRIS	A, H	
2584	HOUTTUYNIA CORDATA	A, H	
2585	HOVENIA DULCIS	A, H	
2586	HUMULUS LUPULUS	A, E, H	
2587	HYALURONIC ACID	E	Only for use as an excipient in topical medicines for dermal application.
2588	HYDNOCARPUS CASTANEUS	A, H	When the medicine is for other than topical use and the plant part is seed, the maximum recommended daily dose must be no more than 1mg of the equivalent dry seed.
2589	HYDRANGEA ARBORESCENS	A, H	
2590	HYDRANGEA PANICULATA	A, H	
2591	HYDRASTIS CANADENSIS	A, E, H	
2592	HYDRATED SILICA	E	Only for use when the route of administration is other than inhalation.
2593	HYDROCHLORIC ACID	E	The concentration of the medicine must be no more than 0.5%.
2594	HYDROCOTYLE UMBELLATA	A, H	
2595	HYDROGEN CYANIDE	H	Only for use as an active homoeopathic ingredient.
2596	HYDROGEN PEROXIDE	A, E	When used as the active ingredient, it is only for use in topical medicines for dermal application. The concentration of hydrogen peroxide in the medicine must be no more than 3%. When used as an active ingredient, can only be supplied as an uncompounded



**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			medicine substance packed for retail sale and must comply with an un compounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
2597	HYDROGENATED BUTYLENE/ETHYLENE/STYRENE COPOLYMER	E	Only for use in topical medicines for dermal application. The combined concentration of hydrogenated butylene/ethylene/stryene copolymer and hydrogenated ethylene/propylene/styrene copolymer in the medicine must be no more than 9%.
2598	HYDROGENATED C6-14 OLEFIN POLYMERS	E	Only permitted for use in solid or semi-solid medicines for dermal application or in topical medicines for dermal application: (a) containing 25% or less of hydrocarbons, liquid; or (b) when packed in pressurised spray packs; or (c) when packed in containers with a capacity of 2 millilitres or less. Not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 7%.
2599	HYDROGENATED CASTOR OIL	E	
2600	HYDROGENATED COCO-GLYCERIDES	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 3%.
2601	HYDROGENATED COCONUT OIL	E	
2602	HYDROGENATED COTTONSEED OIL	E	
2603	HYDROGENATED DIMER DILINOLEYL/DIMETHYLCARBONATE COPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 4% in the product.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2604	HYDROGENATED ETHYLENE/PROPYLENE/STYRENE COPOLYMER	E	The combined concentration of hydrogenated ethylene/propylene/styrene copolymer must be no more than 9%.
2605	HYDROGENATED LANOLIN	E	
2606	HYDROGENATED LECITHIN	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
2607	HYDROGENATED PALM GLYCERIDES	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1.6%.
2608	HYDROGENATED PALM GLYCERIDES CITRATE	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.01%.
2609	HYDROGENATED PALM KERNEL OIL	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1.2%.
2610	HYDROGENATED PALM OIL	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2%. Polycyclic aromatic hydrocarbons must be kept below the level of detection.
2611	HYDROGENATED POLYDECENE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.
2612	HYDROGENATED POLYDEXTROSE	A	Only permitted for use in medicines: (a) limited to oral routes of administration; and

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			(b) when the maximum recommended daily dose does not provide more than 15 g of hydrogenated polydextrose.
2613	HYDROGENATED POLYISOBUTENE	E	Only for use in topical medicines for dermal application.
2614	HYDROGENATED SOYA OIL	E	
2615	HYDROGENATED TALLOW GLYCERIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 3%.
2616	HYDROGENATED VEGETABLE OIL	E	
2617	HYDROLIAC	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2618	HYDROLYSED ADANSONIA DIGITATA LEAF POLYSACCHARIDES	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 0.01%
2619	HYDROLYSED ALGIN	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 0.02%
2620	HYDROLYSED CEREAL SOLIDS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2621	HYDROLYSED CHICKEN CARTILAGE EXTRACT	A	The route of administration for medicines that contain hydrolysed

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>chicken cartilage extract must be limited to oral.</p> <p>The maximum recommended daily dose of the medicine must not provide more than 2000 mg hydrolysed chicken cartilage extract.</p> <p>The following warning statement (or words to the same effect) is required on the medicine label: - (ADULT) 'Adults only'.</p>
2622	HYDROLYSED COLLAGEN	A, E	
2623	HYDROLYSED ELASTIN	E	Only for use in topical medicines for dermal application.
2624	HYDROLYSED GELATIN	A, E	
2625	HYDROLYSED GLYCOSAMINOGLYCANS	E	Only for use in topical medicines for dermal application.
2626	HYDROLYSED JOJOBA ESTERS	E	<p>Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 5%.</p>
2627	HYDROLYSED KERATIN	E	<p>Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 5%.</p>
2628	HYDROLYSED MAIZE STARCH	E	
2629	HYDROLYSED MILK PROTEIN	E	
2630	HYDROLYSED RICE	A, E, H	
2631	HYDROLYSED RICE PROTEIN	E	<p>Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye.</p> <p>The concentration in the medicine must be no more than 0.125%.</p>
2632	HYDROLYSED SOY PROTEIN	E	Only for use in topical medicines for dermal application not to be included in topical medicines intended for use in the eye.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			The concentration in the medicine must be no more than 0.5%.
2633	HYDROLYSED VEGETABLE PROTEIN	E	
2634	HYDROLYSED WHEAT PROTEIN	E	Gluten is a mandatory component of hydrolysed wheat protein.
2635	HYDROLYSED WHEAT PROTEIN/PVP CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 1.2%.
2636	HYDROLYSED YEAST PROTEIN	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.3%.
2637	HYDROQUINONE DIMETHYL ETHER	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2638	HYDROUS WOOL FAT	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
2639	HYDROXOCOBALAMIN	A	
2640	HYDROXYACETOPHENONE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 1%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2641	HYDROXYAPATITE	A, E	
2642	HYDROXYCITRATE COMPLEX	A	Hydroxycitrate complex must contain one or more of the three salts (calcium, sodium or potassium hydroxycitrate) of hydroxycitric acid.
2643	HYDROXYCITRIC ACID	A	
2644	HYDROXYCITRONELLAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2645	HYDROXYCITRONELLAL DIMETHYL ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2646	HYDROXYCITRONELLAL- METHYLANTHRANILATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2647	HYDROXYCITRONELLOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2648	HYDROXYETHYL CETEARAMIDOPROPYLDIMONIUM CHLORIDE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 0.1%.
2649	HYDROXYETHYL UREA	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration must be no more than 1%.
2650	HYDROXYLATED LANOLIN	E	
2651	HYDROXYLATED MILK GLYCERIDES	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration must be no more than 0.1%.
2652	HYDROXYLYSINE	A, E	
2653	HYDROXYMETHYLCELLULOSE	E	
2654	HYDROXYOCTACOSANYL HYDROXYSTEARATE	E	Only for use in topical medicines for dermal application.
2655	HYDROXYPALMITOYL SPHINGANINE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye or on damaged skin. The concentration must be no more than 0.1%.
2656	HYDROXYPROLINE	A, E	
2657	HYDROXYPROPYL DISTARCH PHOSPHATE	E	Only permitted for: - use in topical medicines for dermal application; and - medicines for internal use. When for use in topical medicines for dermal application: - not to be included medicines intended for use in the eye or damaged skin; and - the concentration of hydroxypropyl distarch phosphate in the medicine must be no more than 4%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			When for internal use, the maximum recommended daily dose must not contain more than 240mg of hydroxypropyl distarch phosphate.
2658	HYDROXYPROPYL STARCH	E	
2659	HYDROXYPROPYLBETADEX	E	Only for use in topical medicines for dermal application.
2660	HYDROXYSTEARIC ACID	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration must be no more than 9%.
2661	HYETELLOSE	E	
2662	HYLOCEREUS LEMAIREI	E	Permitted for use only as a colour for oral and topical use.
2663	HYLOCEREUS UNDATUS	A, H	
2664	HYMETELLOSE	E	
2665	HYOSCYAMUS LEAF DRY	A, H	Alkaloids calculated as hyoscyamine and hyoscyne are mandatory components of Hyoscamus leaf dry. The concentration of alkaloids calculated as hyoscyamine in the medicine must not be more than 300 micrograms/Kg or 300 micrograms/L or 0.00003%. The concentration of hyoscyne in the medicine must not be more than 300 micrograms/kg or 300 micrograms/L or 0.00003%.
2666	HYOSCYAMUS LEAF POWDER	A, H	Alkaloids calculated as hyoscyamine and hyoscyne are mandatory components of Hyoscamus leaf powder. The concentration of alkaloids calculated as hyoscyamine in the medicine must be no more than 300 micrograms/Kg or 300 micrograms/L or 0.00003%. The concentration of hyoscyne in the medicine must be no more than 300 micrograms/kg or 300 micrograms/L or 0.00003%.



**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2667	HYOSCYAMUS NIGER	A, H	Alkaloids calculated as hyoscyamine and hyoscyne are mandatory components of <i>Hyoscyamus niger</i> . The concentration of hyoscyamine in the medicine must be no more than 3 micrograms/kg or 3 micrograms/L or 0.3%. The concentration of hyoscyne in the medicine must be no more than 300 micrograms/kg or 300 micrograms/L or 0.00003%.
2668	HYPERICUM ASCYRON	A, H	
2669	HYPERICUM JAPONICUM	A, H	
2670	HYPERICUM PERFORATUM	A, E, H	When used for oral ingestion, the medicine requires the following warning statement on the medicine label: - (STJOHN) 'St John's Wort affects the way many prescription medicines work - including oral contraceptives. Consult your doctor.'
2671	HYPROLOSE	E	
2672	HYPROMELLOSE	E	
2673	HYPROMELLOSE PHTHALATE	E	
2674	HYPTIS SUAVEOLENS	A, H	
2675	HYSSOPUS OFFICINALIS	A, E, H	
2676	IBERIS AMARA	A, H	
2677	ICHTHAMMOL	H	Only for use as an active homoeopathic ingredient.
2678	ILEX AQUIFOLIUM	A, H	
2679	ILEX CHINENSIS	A, H	
2680	ILEX PARAGUARIENSIS	A, E, H	Caffeine is a mandatory component of <i>Ilex paraguariensis</i> . When the medicine is packaged for supply as a divided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 33%. When for internal use or oral application, the maximum recommended daily dose of the medicine must provide no more than 400 mg of total caffeine.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>When the medicine is packaged for supply as an undivided preparation and is for internal use or oral application, the medicine must not contain a concentration of total caffeine greater than 1%.</p> <p>When the medicine is for internal use or oral application, a maximum recommended dose of the medicine must not provide more than 100 mg of total caffeine within a 3 hour period.</p> <p>When the maximum recommended daily dose of the medicine provides greater than 10 mg of total caffeine and the medicine is for internal use or oral application, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> <li>- (ADULT) 'Adults only' (or words to that effect).</li> <li>- (CAFF) 'Contains [state quantity per dosage unit or per mL or per gram of product] total caffeine [per dosage unit or per mL or per gram]. A cup of instant coffee contains approximately 80mg of caffeine.'</li> <li>- (CAFFPREG) 'Caffeine intake more than 200 mg per day is not recommended during pregnancy or breastfeeding.'</li> </ul> <p>When the maximum recommended daily dose of the medicine provides greater than 80 mg of total caffeine and the medicines is for internal use or oral application, the following warning statements are required on the label:</p> <ul style="list-style-type: none"> <li>- (CAFFLMT) 'Limit the use of caffeine-containing products (including tea and coffee) when taking this product.'</li> <li>- (CAFFCYP) 'Caffeine interacts with enzyme CYP1A2 in the liver. Consult your health professional before taking with other medicines' (or words to that effect).</li> </ul>
2681	ILEX ROTUNDA	A, H	
2682	ILEX VERTICILLATA	A, H	
2683	ILLICIUM VERUM	A, H	When the plant preparation is oil or distillate, and the concentration of Illicium verum oil or distillate in the preparation is greater than 50%:

			(a) the nominal capacity of the container must not be more than 50 millilitres; (b) a restricted flow insert must be fitted on the container; and (c) the following warning statement is required on the label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
2684	IMIDUREA	E	Only for use in topical medicines for dermal application.
2685	IMMORTELLE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2686	IMMORTELLE OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2687	IMPATIENS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2688	IMPATIENS BALSAMINA	A, H	
2689	IMPATIENS GLANDULIFERA	A, H	
2690	IMPERATA CYLINDRICA	A, E, H	
2691	INDIGO CARMINE	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
2692	INDIGO CARMINE ALUMINIUM LAKE	E	Permitted for use only as a colour in medicines limited to topical and oral routes of administration.
2693	INDIGOFERA TINCTORIA	A, H	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2694	INDISAN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2695	INDOLE	E, H	Only for use as an active homoeopathic or excipient ingredient. The maximum recommended daily dose must contain no more than 75 mg indole.
2696	INDOLENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2697	INDUSTRIAL METHYLATED SPIRIT	E	
2698	INOSITOL	A, E	
2699	INULA BRITANNICA	A, H	
2700	INULA HELENIUM	A, E, H	
2701	INULA RACEMOSA	A, H	
2702	INULIN	A, E	
2703	INULIN LAURYL CARBAMATE	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye or on damaged skin. The concentration in the medicine must be no more than 1.2%.
2704	INVERT SUGAR	E	
2705	INVERT SYRUP	E	When the route of administration is oral or sublingual, glucose is a mandatory component of Invert syrup.
2706	IODINE	H	Only for use as an active homoeopathic ingredient. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			iodine per maximum recommended daily dose.
2707	IODOPROPYNYL BUTYLCARBAMATE	E	For use as an excipient ingredient in topical medicines only. The concentration in aqueous medicines must be no more than 10%.
2708	IONONE	E	Permitted for use only: (a) in topical medicines for dermal application; and (b) in oral medicines in combination with other permitted ingredients as part of a flavour proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.
2709	IOPAMIDOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2710	IPECACUANHA DRY	A, H	Emetine is a mandatory component of Ipecacuanha Dry. The concentration of emetine in the medicine must be no more than 0.2%.
2711	IPECACUANHA POWDER	A, H	Emetine is a mandatory component of Ipecacuanha Powder. The concentration of emetine in the medicine must be no more than 0.2%.
2712	IPECACUANHA PREPARED	A, H	Emetine is a mandatory component of Ipecacuanha Prepared. The concentration of emetine in the medicine must be no more than 0.2%.
2713	IPECACUANHA ROOT LIQUID EXTRACT	A, H	Emetine is a mandatory component of Ipecacuanha root liquid extract. The concentration of emetine in the medicine must be no more than 0.2%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2714	IPOMOEA BATATAS	A, H	
2715	IPOMOEA JALAPA	A, H	
2716	IRIDOPHYCUS FLACCIDUM	A, H	<p>Iodine is a mandatory component of Iridophycus flaccidum.</p> <p>Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is more than 2.5%.</p> <p>Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.</p>
2717	IRIS DOMESTICA	A, H	
2718	IRIS FLORENTINA	A, H	
2719	IRIS GERMANICA	A, H	
2720	IRIS PALLIDA	A, H	
2721	IRIS TENAX	H	
2722	IRIS VERSICOLOR	A, H	
2723	IRON	A, H	<p>Only for use in oral medicines.</p> <p>When used as an active ingredient, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional</p>

			<p>support that do not make specific iron-deficiency related claims, the following warning statement is required on the label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2724	IRON (II) BISGLYCINE SULFATE TRIHYDRATE	A	<p>Only for use in oral medicines.</p> <p>Iron is a mandatory component of iron (II) bisglycine sulfate trihydrate.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the following warning statement is required on the label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2725	IRON (II) GLYCINATE	A	<p>Only for use in oral medicines.</p> <p>Iron is a mandatory component of iron (II) glycinate.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the following warning statement is required on the label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2726	IRON (III) GLYCINATE	A	<p>Only for use in oral medicines.</p> <p>Iron is a mandatory component of iron (III) glycinate.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container</p>



**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the following warning statement is required on the label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2727	IRON AMINO ACID CHELATE	A, H	<p>Only for use in oral medicines.</p> <p>When used internally, iron is a mandatory component of iron amino acid chelate.</p> <p>The concentration of iron in iron amino acid chelate must be no more than 25%.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>products indicated for general nutritional support that do not make specific iron-deficiency related claims, the following warning statement is required on the label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2728	IRON OXIDE BLACK	E	<p>Permitted for use only as a colour in medicines limited to topical and oral routes of administration.</p> <p>When used in undivided preparations for internal use and the concentration of iron oxide in the medicine is more than 1%, it is considered part of the total iron content.</p> <p>When used in divided preparations for internal use, the concentration in the medicine must be no more than 10 mg per dosage unit.</p>
2729	IRON OXIDE RED	E	<p>Permitted for use only as a colour in medicines limited to topical and oral routes of administration.</p> <p>When used in undivided preparations for internal use and the concentration of iron oxide in the medicine is more than 1%, it is considered part of the total iron content.</p> <p>When used in divided preparations for internal use, the concentration in the medicine must be no more than 10 mg per dosage unit.</p>
2730	IRON OXIDE YELLOW	E	<p>Permitted for use only as a colour in medicines limited to topical and oral routes of administration.</p> <p>When used in undivided preparations for internal use and the concentration of iron oxide in the medicine is more than 1%, it is considered part of the total iron content.</p> <p>When used in divided preparations for internal use, the concentration in the medicine must be no more than 10 mg per dosage unit.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2731	IRON PHOSPHATE	A, E, H	<p>When used internally, iron is a mandatory component of iron phosphate and must be declared.</p> <p>When for internal use, the medicine must contain a daily dose of no more than 24 mg of iron.</p> <p>If the divided dosage form contains more than 5 mg of iron per dosage unit (excluding up to 10 mg of iron oxide when used as an excipient), the primary pack must contain no more than 750 mg of iron.</p> <p>In undivided preparations, the primary pack must contain no more than 750 mg of iron (excluding iron oxides when present as an excipient at a quantity of no more than 1%).</p> <p>Divided preparations with a dose of more than 5 mg of elemental iron per dosage unit and more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>Undivided preparations containing more than 250 mg of elemental iron in the total contents of the container are required to have a child resistant closure.</p> <p>When for internal use except for iron-containing multivitamin/mineral products indicated for general nutritional support that do not make specific iron-deficiency related claims, the following warning statement is required on the label:</p> <p>- (IRONDEF) 'Not for the treatment of iron deficiency conditions' (or words to that effect).</p>
2732	IRONE	E	
2733	IRVINGIA GABONENSIS SEED TRIGLYCERIDES	E	<p>Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye.</p> <p>The concentration must be no more than 0.375%.</p>
2734	ISATIS TINCTORIA	A, H	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2735	ISOAMBRETTOLIDE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2736	ISOAMYL 2-METHYLBUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p>
2737	ISOAMYL ACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2738	ISOAMYL ALCOHOL	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2739	ISOAMYL BENZOATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>

2740	ISOAMYL BUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2741	ISOAMYL CAPRYLATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2742	ISOAMYL CINNAMATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>
2743	ISOAMYL CITRONELLYL KETONE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2744	ISOAMYL FORMATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2745	ISOAMYL HEXANOATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2746	ISOAMYL ISOBUTYRATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2747	ISOAMYL ISOVALERATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2748	ISOAMYL LAURATE	E	<p>Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye.</p> <p>The concentration must be no more than 12%.</p>
2749	ISOAMYL METHOXYCINNAMATE	A	<p>Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye.</p> <p>The concentration in the medicine must not be more than 10%.</p> <p>When used in primary sunscreen products, the following warning statements are required on the label:</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			<p>- (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and</p> <p>- (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).</p>
2750	ISOAMYL PHENYLACETATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2751	ISOAMYL PHENYLETHYL ETHER	E	<p>Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation.</p> <p>The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.</p>
2752	ISOAMYL PROPIONATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2753	ISOAMYL SALICYLATE	E	<p>Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.</p> <p>If used in a flavour the total flavour concentration in a medicine must be no more than 5%.</p> <p>If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.</p>
2754	ISOBERGAMIATE	E	<p>Permitted for use only in combination with other permitted ingredients as a fragrance.</p>

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2755	ISOBORNEOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2756	ISOBORNYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2757	ISOBORNYL CYCLOHEXANOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2758	ISOBUTANE	E	Only for use in topical medicines for dermal application.
2759	ISOBUTYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2760	ISOBUTYL ALCOHOL	E	The residual solvent limit for Isobutyl alcohol is 50mg per recommended daily dose.



			The concentration of isobutyl alcohol must be no more than 0.5% of the formulation.
2761	ISOBUTYL BENZOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used as a flavour the total flavour concentration in a medicine must be no more than 5%.
2762	ISOBUTYL BENZYL CARBINOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used as a flavour the total flavour concentration in a medicine must be no more than 5%.
2763	ISOBUTYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2764	ISOBUTYL CAPROATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2765	ISOBUTYL CINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2766	ISOBUTYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2767	ISOBUTYL HYDROXYBENZOATE	E	Only for use in topical medicines for dermal application.
2768	ISOBUTYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2769	ISOBUTYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2770	ISOBUTYL PHENYLACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2771	ISOBUTYL PROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2772	ISOBUTYL QUINOLINE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2773	ISOBUTYL SALICYLATE	E	Only for use in topical medicines for dermal application.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2774	ISOBUTYLENE/ISOPRENE COPOLYMER	E	Only for oral use when the dosage form is chewing gum. The concentration must be consistent with best practice for the production of gum delivery systems.
2775	ISOBUTYRALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2776	ISOBUTYRIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2777	ISOCETYL ALCOHOL	E	Only for use in topical medicines for dermal application.
2778	ISOCETYL LINOLEOYL STEARATE	E	Only for use in topical medicines for dermal application.
2779	ISOCETYL STEARATE	E	Only for use in topical medicines for dermal application.
2780	ISOCETYL STEAROYL STEARATE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration must be no more than 10%.
2781	ISOCYCLOCITRAL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2782	ISODECYL ISONONANOATE	E	Only for use in topical medicines for dermal application.
2783	ISODECYL NEOPENTANOATE	E	Only for use in topical medicines for dermal application.
2784	ISODECYL OLEATE	E	Only for use in topical medicines for dermal application.
2785	ISODECYL SALICYLATE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration must be no more than 2%.
2786	ISODODECANE	E	Only for use in topical medicines for dermal application.
2787	ISOEICOSANE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration must be no more than 2%.
2788	ISOEUGENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%. When the medicine is for dermal use, the total concentration of isoeugenol in the medicine must not be more than 0.02%.
2789	ISOEUGENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2790	ISOEUGENYL BENZYL ETHER	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2791	ISOHEXADECANE	E	Only for use in topical medicines for dermal application.
2792	ISOJASMONE	E	Permitted for use only in combination with other permitted ingredients as a flavour proprietary excipient formulation or fragrance proprietary excipient formulation. The total flavour proprietary excipient formulation in a medicine must not be more than 5%. The total fragrance proprietary excipient formulation in a medicine must not be more 1%.
2793	ISOLEUCINE	A, E	
2794	ISOMALT	E	
2795	ISOMENTHONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2796	ISOMETHYLIONONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2797	ISONONYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used as in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2798	ISONONYL ISONONANOATE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye or on damaged skin. The concentration must be no more than 15%.
2799	ISOPENTANE	E	For dental use only. The concentration must be no more than 2%.
2800	ISOPENTANOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2801	ISOPHORONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. The total concentration of isophorone in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
2802	ISOPHYTOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2803	ISOPROPYL 2-METHYLBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2804	ISOPROPYL 4-HYDROXYBENZOATE	E	Only for use in topical medicines for dermal application.
2805	ISOPROPYL ACETATE	E	Only for use in topical medicines for dermal application.
2806	ISOPROPYL ALCOHOL	E	
2807	ISOPROPYL CAPROATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2808	ISOPROPYL CINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2809	ISOPROPYL ISOSTEARATE	E	Only for use in topical medicines for dermal application.
2810	ISOPROPYL LANOLATE	E	Only for use in topical medicines for dermal application.
2811	ISOPROPYL LAUROYL SARCOSINATE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration must be no more than 5.6%.
2812	ISOPROPYL MYRISTATE	E	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2813	ISOPROPYL PALMITATE	E	Only for use in topical medicines for dermal application.
2814	ISOPROPYL PPG-2 ISODECETH-7 CARBOXYLATE	E	Only for use in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration must be no more than 10%.
2815	ISOPROPYL STEARATE	E	Only for use in topical medicines for dermal application.
2816	ISOPROPYL TITANIUM TRIISOSTEARATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration must be no more than 0.2%.
2817	ISOPROPYL-3-METHYL-BUTANE THIOATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2818	ISOPULEGOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2819	ISORALDEINE 70	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2820	ISOSTEARIC ACID	E	Only for use in topical medicines for dermal application.



**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2821	ISOSTEAROYL HYDROLYSED COLLAGEN	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration must be no more than 0.3%.
2822	ISOSTEARYL ALCOHOL	E	Only for use in topical medicines for dermal application.
2823	ISOSTEARYL NEOPENTANOATE	E	Only for use in topical medicines for dermal application.
2824	ISOSTEARYL PALMITATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration must be no more than 2%.
2825	ISOTRIDECYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2826	ISOVALERALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2827	ISOVALERIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2828	ISPAGHULA HUSK DRY	A, H	When a dose for children is stated, the following warning statement is required on the label: - (PSYLL1) 'Should only be used for children on medical advice' (or words to that effect).
2829	ISPAGHULA HUSK POWDER	A, H	When a dose for children is stated, the following warning statement is required on the label: - (PSYLL1) 'Should only be used for children on medical advice' (or words to that effect).
2830	IVA AXILLARIS	A, H	
2831	JAMAICA DOGWOOD BARK DRY	A, H	
2832	JAMAICA DOGWOOD BARK POWDER	A, H	
2833	JASMINE ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2834	JASMINE LACTONE	E	Only for use in topical medicines for dermal application.
2835	JASMINE OIL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2836	JASMINUM GRANDIFLORUM	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2837	JASMINUM OFFICINALE	A, E, H	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

2838	JASSOLIA	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2839	JATEORHIZA PALMATA	A, H	
2840	JATROPHA CURCAS	H	Only for use as an active homoeopathic ingredient
2841	JERUSALEM ARTICHOKE	E	
2842	JOJOBA ESTERS	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 25%.
2843	JUGLANS CINEREA	A, E, H	
2844	JUGLANS NIGRA	A, E, H	
2845	JUGLANS REGIA	A, H	
2846	JUNCUS EFFUSUS	A, H	
2847	JUNIPER BERRY OIL	A, E, H	
2848	JUNIPER BERRY OIL TERPENELESS	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2849	JUNIPERUS CALIFORNICA	A, H	
2850	JUNIPERUS COMMUNIS	A, E, H	
2851	JUNIPERUS DEPPEANA	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2852	JUNIPERUS OXYCEDRUS	A, H	
2853	JUNIPERUS VIRGINIANA	A, E, H	
2854	JUSTICIA ADHATODA	A, H	

**Schedule 1** Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 3

---